


DRAWING NUMBER: MD - 216 - 3660 - EG - CV - DED - 2002
REV: D01




SECTION B - B
(SHOWING RC DETAIL)
SCALE 1 : 30




SECTION C - C
(SHOWING RC DETAIL)
SCALE 1 : 30




DETAIL - 'D2'
(SHOWING RC DETAIL)
SCALE 1 : 30




RC DETAIL OF PEDESTAL
MKD. P7
(SCALE 1:25)




RC DETAIL OF PEDESTAL
MKD. P7A
(SCALE 1:25)




SECTION C' - C'
(SCALE 1:25)




SECTION D -D
(SHOWING RC DETAIL)
SCALE 1 : 40




R.C DET. OF PEDESTAL MKD.P5 & P6
(TOP VIEW OF SECOND STAGE CONCRETE)
SCALE 1:40




RC DETAIL OF PEDESTAL
MKD. P8
(SCALE 1:25)




SECTION F' - F'
(SCALE 1:25)




RC DETAIL OF PEDESTAL P1 & P2
SCALE 1 : 30




R.C DET. OF PEDESTAL MKD.P5 & P6
(TOP VIEW OF FIRST STAGE CONCRETE)
SCALE 1:40



R.C DET. OF PEDESTAL MKD.P5 & P6
(BOTTOM VIEW)
SCALE 1:40



RC DETAIL OF PEDESTAL P3 & P4
SCALE 1 : 30



SECTION E-E
(SHOWING RC DETAIL)
SCALE 1 : 30

LEGEND :-

CJ - CONSTRUCTION JOINT
F.G.L - FINISHED GROUND LEVEL
F.F.L - FINISHED FLOOR LEVEL
R.L. - REDUCED LEVEL
I.L - INVERT LEVEL
THK. - THICK
T.O.C - TOP OF CONCRETE
DIA - DIAMETER
DRG. - DRAWING
OPP - OPPOSITE
RC - REINFORCED CONCRETE
DET. - DETAIL
FDN. - FOUNDATION
MKD. - MARKED
TYP. - TYPICAL
℄ - CENTRE LINE
Ø - DIAMETER
R - RADIUS
T - TOP
B - BOTTOM

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS AND CO-ORDINATES ARE IN METRES UNLESS OTHERWISE STATED.
2. NET SAFE BEARING CAPACITY OF SOIL AT BOTTOM OF FOUNDATION IS CONSIDERED AS 50 KN/ SQM.
3. GRADE OF CONCRETE SHALL BE C35 (35Mpa) FOR FOUNDATION, C30 (30Mpa) FOR GRADE SLAB & C15 (15Mpa) FOR BLINDING CONCRETE.
4. GRADE OF REINFORCEMENT SHALL BE DEFORMED BAR 420 MPa (GRADE 60) - ASTM A615/A615M.
5. CLEAR COVER TO REINFORCEMENT SHALL BE
   a) FOUNDATION = 50 mm (BOTTOM, TOP & SIDE)
   b) GRADE SLAB = 25 mm
6. FOR STANDARD REINFORCEMENT DETAIL & GENERAL NOTES FOR CIVIL WORKS REFER DRAWING NO. MD-216-1000-EG-CV-DED-1005 & 1001.
7. THIS DRG SHALL BE READ IN CONJUNCTION WITH DRG NO. MD-216-3660-EG-CV-GAD-2015.

DOCUMENT NUMBER	REFERENCE DOCUMENTS			REVISION DESCRIPTION	DRN	CHK	ENG	APP	EMP
MD-216-3660-EG-IN-LAD-1014	LOW GRADE ACID WASH/ELUTION/CARBON REGEN.								
	PLAN 14/14 AT EL(+) 912.00								
MD-216-3660-EG-ME-GAD-1016	LOW GRADE ELUTION, COOLING TOWERS								
	PLAN VIEW	D01	16/03/2023	AS-BUILT	AMJ	SJM	AVG	AG	
MD-216-3660-EG-ME-GAD-1015	LOW GRADE ELUTION, COOLING TOWERS	C01	02/06/2021	REVISED AS PER EMPLOYER COMMENTS	AMJ	SJM	AVG	AG	
	PLAN VIEW			DATED 26/05/2021 & REVISED AS MKD. C01					
MD-216-1000-EG-ST-CRT-1001	CIVIL,STRUCTURAL AND ARCHITECTURAL DESIGN CRITERIA	A01	27/04/2021	ISSUED FOR REVIEW	AMJ	SJM	AVG	AG	

RESERVED FOR VENDOR LOGO AND DRAWING NUMBER

LARSEN & TOUBRO

This drawing is the property of LARSEN & TOUBRO and must not be passed on to any person or body not authorized by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

Outotec

The content of these documents are the sole property of Outotec Oyj. Any rights not expressly granted herein are reserved. Reproduction, transfer or distribution of part or all of the contents in any form without prior written permission of Outotec is prohibited.

MA'ADEN معادن
Saudi Arabian Mining Company شركة معادن العربية السعودية

This document and the information contained herein is Ma'aden proprietary know-how. This document or any part thereof should not be reproduced, stored in a retrieval system or transmitted by any means, electronic or otherwise, or divulged without prior written permission of Ma'aden.

LARSEN & TOUBRO DRAWING NUMBER: O19045_450_C_D_24444_002 — REVISION: 2
OUTOTEC DRAWING NUMBER: 900707 _GAU01 _EE13 _CTB17 _36602 — DOCUMENT ID: OU100722489 — REVISION: 2

DRAWN	AMJ	20/04/2021
CHECKED	SJM	21/04/2021
ENGINEER	AVG	20/04/2021
APPROVED	AG	27/04/2021
EMPLOYER		
SCALE 1:75, 1:25 & 1:15	A1	

MANSOURAH - MASSARAH GOLD PROJECT
DETAIL DRAWING
LOW GRADE ELUTION, COOLING TOWER
RC DETAIL OF FOUNDATIONS AND GRADE SLAB

DRAWING NUMBER: MD - 216 - 3660 - EG - CV - DED - 2002 — REV: D01