Use the presenter console

Current: audience view
Notes: this right half
Next: static preview
Elapsed: running timer



Opaque demo GIF

Use Next below the slide to follow this guide.

Start with this page

Find Current slide, Speaker notes and Next slide.
Watch the orange dot move in Current slide.
Elapsed starts when a PDF opens. Reset restarts it.
Click Next to continue. The audience will see only the left half.

Navigate, then focus the slide

→ / Page Down / Space Next slide
← / Page Up Previous slide
Home First slide
End Last slide

Click the slide before using these shortcuts.

Try the keys

Click Current slide. Press → once, then ← to return.
Try Home to return to page 1; use Next to come back.
A focused button, field or menu keeps its normal keyboard behavior.
Click the slide again to navigate. These keys work in the audience window too.

Open the audience window

1. Click **Open audience ↗**.
2. Move that window to your audience display.
3. Click **Fullscreen** in that window.

Click it again, or press Esc, to leave fullscreen.
Only the audience slide appears there.

Keep the presenter open

Allow popups for this site if the new window is blocked.
Advance once and check that both windows follow.
Close and reopen the audience window: it returns to your current slide.
Double-click a slide to toggle fullscreen. Move the pointer to reveal audience controls.

Choose the PDF page layout

Auto: checks page shape when a PDF loads.

Normal slides: displays the whole PDF page.

Notes on right: left half to the audience, right half as notes.

A manual choice stays until you select Auto.

Check the result

This guide uses equal left and right halves. Auto selects Notes on right.
Auto chooses that mode only when every visible page is at least 2.5 times wider than tall.
It checks geometry, not note content. Unusual wide slides may need Normal slides.
Try Normal slides to see both halves, then restore Auto.

Open or replace a local PDF

Click **Change PDF** to reveal the opener.

Choose **Click or drop a PDF**, or drop one PDF into the Current slide panel.

Cancel keeps your current deck and slide.

A new valid PDF starts at slide 1 and resets Elapsed.

Try it without losing your place

Click Change PDF, then Cancel. This guide should remain on page 5.

You can also drop a replacement directly into Current slide while presenting.

Choose exactly one PDF, up to 64 MiB. An invalid file leaves the old deck in place.

Finish the guide before opening your own deck.

Load a PDF from a URL

Change PDF → paste a PDF URL → **Open**.

The source must allow cross-origin access (CORS) when it is on another site.

Download limit: **64 MiB**. Timeout: **60 seconds**.

An app link can open a PDF automatically:
?source=guide.pdf

Encode the full source URL

Relative addresses resolve from the app. Use HTTPS when the app is served over HTTPS.

Put a URL-encoded PDF address in ?source= so its query and fragment stay together.

?source=https%3A%2F%2Fexample.org%2Ftalk.pdf%3Fa%3D1%26b%3D2

Loading contacts that PDF’s server. It cannot bypass CORS or use a backend proxy.

Add an animated GIF

One call embeds the GIF and its static first frame.

```
#import "presenter-gif.typ": gif
#gif(path("orbit.gif"), width: 6cm)
```

Full recipe: docs/gif-protocol.md in the repository

Use the helper and opaque frames

Use Typst 0.15.1. Copy presenter-gif.typ beside your source. path(“orbit.gif”) resolves beside your document. Use the same file on more slides; it attaches once.
Keep the GIF opaque, rectangular, unrotated and at its original aspect ratio.
No separate PNG or ID is needed. Conventional readers show the first frame. See docs/gif-protocol.md for details.

Know what stays on your device

Local PDFs are read and rendered in your browser. They are not uploaded.

URL loading downloads directly from the PDF source.

Notes remain inside the PDF, including the copy sent to the audience window.

Use a browser with WebAssembly SIMD128 support.

Before presenting your own deck

Presenter only means visually hidden from the audience view; notes are not secret or encrypted.
Keep the presenter open. If it closes, the audience keeps the last slide and reports disconnection.
If the app cannot start, try an up-to-date browser with JavaScript and WebAssembly enabled.
Use Change PDF to open your deck. Check the layout and audience display before presenting.