Who Doesn't Know How Much the Ball Costs?: Overuse of Common Questions in Choice Experiments

James Woods

February 24, 2015

Abstract

Our experimental population, our participants, are a limited resource. Each time we go into the field with a survey or an experiment and use a common battery of questions, their familiarity with those questions biases responses and can alter our conclusions. We show that for a common battery of questions, Frederick's three-question Cognitive Reflection Test (CRT), that participants in several populations, are familiar with the questions and that this bias the correct response rate. We propose a method for adapting to this phenomena, demonstrate the effects using data from a recent publication and discuss ways that researchers can mitigate effects in the future.

1 Introduction

- 1. Lots of surprising results in the literature in particular that the CRT is not relelevent in some senses.
- 2. evidence that it is being over used
- 3. pitch that with messy experiments we have to use more sophisticated statistics

2 Use of CRT and Response Trends

- 1. Add hoc observations
- 2. current trends published
- 3. as current research by those guys in the email.

3 Statistical Correction for CRT Overstatement

- 1. key is to have the count of CRT correct and overstatement, i.e., actual count + a random varible for the deception.
- 2. The gamma distribution is the easiest to use. It is >0 and can be zero, no deception, if need be. So, it nests the truthfulnes case.
- 3. The scale interacts with the paramter on the CRT in the model, so odd things can happen.

4 Comparison of Results

- 1. using data from [3]
- 2. Simple case in logit or probit modeling. Gamma is just nested and still identifiable.
- 3. maximum likelhood estimate yields.
- 4. compare to without gamma.

4.1 Luce Specification

$$\frac{EU_R^{\frac{1}{\mu}}}{EU_L^{\frac{1}{\mu}} - EU_R^{\frac{1}{\mu}}} \tag{1}$$

- 1. No need to wrap the Luce spec in a normal CDF.
- 2. Warning the distributions are not well behaved since the difference of two gammas is a tricky little distribution.
- 3. Compare the two results.

4.2 Fechner Specification

$$\frac{EU_R^{\frac{1}{\mu}} - EU_L^{\frac{1}{\mu}}}{\mu} \tag{2}$$

- 1. Need to wrap in a normal CDF.
- 2. Warning the distributions are not well behaved since the difference of two gammas is a tricky little distribution.
- 3. Compare the two results.

5 Future Work

References

- [1] James C Cox and Glenn W Harrison. *Risk aversion in experiments*, volume 12. Emerald Group Publishing, 2008.
- [2] Glenn W Harrison and E Elisabet Rutstrom. Risk aversion in the laboratory. In James C Cox and Glenn W Harrison, editors, *Risk aversion in experiments*, volume 12, page 41âĂŞ196. Emerald Group Publishing, 2008.
- [3] Matthew P Taylor. Bias and brains: Risk aversion and cognitive ability across real and hypothetical settings. *Journal of Risk and Uncertainty*, 46(3):299–320, 2013.