

Field Data Review - Sale-level QA summary

Mohawk Valley West Slope demonstration. 798 plots, 8722 trees, BAF 20 on a 300 ft grid. Sampling error is reported at 95 % confidence against the Region 5 cruising standard (FSH 2409.12 ch. 40: 18 % for a small sawtimber sale, 25 % for biomass, minimum 20 plots per stratum); plots needed = $(t \times CV / E)^2$. QA flags are plots that failed a record check; 7 flagged, 6 of 6 planted errors caught.


Unit	Method	Acres	Plots	BA	SE % (95 %)	Std %	Needed	Design	QA flags	Status
101	Tractor	97	45	212	3.9	18	20	meets	7	follow-up
102	Tractor	36	18	219	5.4	18	20	short	0	follow-up
103	Tractor	53	27	204	7.0	18	20	meets	0	accepted
401	Cable	30	14	221	5.8	18	20	short	0	follow-up
104	Tractor	112	59	207	3.9	18	20	meets	0	accepted
402	Cable	39	19	214	6.2	18	20	short	0	follow-up
105	Tractor	57	29	222	4.2	18	20	meets	0	accepted
106	Tractor	89	41	213	6.2	18	20	meets	0	accepted
107	Tractor	95	46	227	3.3	18	20	meets	0	accepted
403	Cable	34	20	229	5.0	18	20	meets	0	accepted
108	Tractor	63	31	222	5.2	18	20	meets	0	accepted
109	Tractor	73	34	214	8.6	18	20	meets	0	accepted
404	Cable	51	27	208	7.4	18	20	meets	0	accepted
110	Tractor	62	31	203	7.3	18	20	meets	0	accepted
111	Tractor	56	27	222	7.0	18	20	meets	0	accepted
112	Tractor	80	40	214	5.1	18	20	meets	0	accepted
113	Tractor	73	36	228	4.0	18	20	meets	0	accepted
405	Cable	43	20	236	4.5	18	20	meets	0	accepted
114	Tractor	116	56	212	4.3	18	20	meets	0	accepted
115	Tractor	84	39	228	4.0	18	20	meets	0	accepted
116	Tractor	89	44	230	3.1	18	20	meets	0	accepted
117	Tractor	82	44	223	3.9	18	20	meets	0	accepted
118	Tractor	70	34	220	6.3	18	20	meets	0	accepted
406	Cable	35	17	241	4.6	18	20	short	0	follow-up

Unit 101 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 97.4 ac, BAF 20 variable-radius cruise on a 300 ft grid, 45 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	212 sq ft/ac (1 SE = 1.9 %)	Type	Sierran mixed conifer
Trees per acre	123	CWHR size / density	4 / D (cover 83 %)
QMD	17.8 in	SDI	288 (38 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	203 sq ft/ac 19.8 in	BA QMD	9 sq ft/ac 7.6 in
TPA	95	TPA	28
Volume	39.7 MBF/ac (7212 cu ft)	Volume	4.2 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~166 sq ft/ac BA	Sampling error	3.9 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 70, WF 60, IC 32, DF 29, SP 21	Plots	45 taken, 20 needed (CV 13 %) - MEETS

Unit 101: plots (orange = QA flag)



QA findings: 7 item(s) need crew follow-up

Plot	Finding
101-04	tree 1: unknown species code 'PPP'
101-07	tree 9: height 32 ft implausible for DBH 27.8
101-12	tree 1: DBH 999.0 out of range
101-20	plot location falls outside its unit boundary (GPS or unit number error)
101-27	duplicate plot id recorded 2 times
101-36	tree 2: height missing
101-44	tree 1: height 15 ft implausible for DBH 34.0

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
101-01	12	240.0	49	ok
101-02	10	200.0	63	ok
101-03	6	120.0	112	ok
101-04	9	180.0	133	FLAG
101-05	9	180.0	59	ok
101-06	12	240.0	60	ok
101-07	13	260.0	16	FLAG
101-08	11	220.0	79	ok
101-09	11	220.0	31	ok
101-10	12	240.0	107	ok
101-11	9	180.0	125	ok
101-12	10	200.0	23	FLAG
101-13	11	220.0	23	ok
101-14	10	200.0	55	ok
101-15	10	200.0	18	ok
101-16	11	220.0	20	ok
101-17	11	220.0	15	ok
101-18	10	200.0	22	ok
101-19	10	200.0	45	ok
101-20	11	220.0	111	FLAG
101-21	11	220.0	4	ok
101-22	10	200.0	16	ok
101-23	11	220.0	32	ok
101-24	11	220.0	53	ok
101-25	11	220.0	17	ok
101-26	15	300.0	68	ok
101-27	11	220.0	44	FLAG
101-27	9	180.0	60	FLAG
101-29	12	240.0	26	ok
101-30	11	220.0	17	ok
101-31	11	220.0	46	ok
101-32	11	220.0	18	ok
101-33	9	180.0	57	ok
101-34	9	180.0	27	ok
101-35	10	200.0	27	ok
101-36	12	240.0	26	FLAG
101-37	11	220.0	20	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
101-38	11	220.0	44	ok
101-39	10	200.0	44	ok
101-40	12	240.0	13	ok
101-41	12	240.0	15	ok
101-42	10	200.0	12	ok
101-43	9	180.0	46	ok
101-44	11	220.0	20	FLAG
101-45	10	200.0	52	ok

Unit 102 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 36.3 ac, BAF 20 variable-radius cruise on a 300 ft grid, 18 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	219 sq ft/ac (1 SE = 2.7 %)	Type	Sierran mixed conifer
Trees per acre	88	CWHR size / density	4 / D (cover 87 %)
QMD	21.3 in	SDI	285 (38 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	218 sq ft/ac 21.5 in	BA QMD	1 sq ft/ac 9.8 in
TPA	86	TPA	2
Volume	45.2 MBF/ac (8224 cu ft)	Volume	0.6 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~173 sq ft/ac BA	Sampling error	5.4 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 69, WF 66, DF 33, IC 28, SP 23	Plots	18 taken, 20 needed (CV 12 %) - SHORT

Unit 102: plots (orange = QA flag)



QA findings: no issues found; unit accepted; cruise below the sampling-error standard, add 2 plots

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
102-01	12	240.0	16	ok
102-02	11	220.0	154	ok
102-03	9	180.0	29	ok
102-04	11	220.0	34	ok
102-05	10	200.0	14	ok
102-06	12	240.0	92	ok
102-07	8	160.0	9	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
102-08	12	240.0	54	ok
102-09	10	200.0	32	ok
102-10	11	220.0	22	ok
102-11	12	240.0	22	ok
102-12	12	240.0	25	ok
102-13	10	200.0	16	ok
102-14	11	220.0	537	ok
102-15	10	200.0	62	ok
102-16	12	240.0	63	ok
102-17	11	220.0	37	ok
102-18	13	260.0	161	ok

Unit 103 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 53.4 ac, BAF 20 variable-radius cruise on a 300 ft grid, 27 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	204 sq ft/ac (1 SE = 3.5 %)	Type	Sierran mixed conifer
Trees per acre	108	CWHR size / density	4 / D (cover 80 %)
QMD	18.6 in	SDI	273 (36 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	196 sq ft/ac 20.6 in	BA QMD	8 sq ft/ac 8.0 in
TPA	85	TPA	23
Volume	40.4 MBF/ac (7341 cu ft)	Volume	3.9 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~169 sq ft/ac BA	Sampling error	7.0 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 65, PP 58, DF 37, IC 27, SP 18	Plots	27 taken, 20 needed (CV 18 %) - MEETS

Unit 103: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
103-01	9	180.0	9	ok
103-02	11	220.0	174	ok
103-03	14	280.0	103	ok
103-04	10	200.0	157	ok
103-05	12	240.0	109	ok
103-06	8	160.0	132	ok
103-07	12	240.0	138	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
103-08	10	200.0	127	ok
103-09	7	140.0	103	ok
103-10	9	180.0	159	ok
103-11	11	220.0	141	ok
103-12	8	160.0	95	ok
103-13	10	200.0	81	ok
103-14	13	260.0	113	ok
103-15	11	220.0	101	ok
103-16	9	180.0	70	ok
103-17	10	200.0	55	ok
103-18	12	240.0	56	ok
103-19	9	180.0	76	ok
103-20	7	140.0	62	ok
103-21	7	140.0	26	ok
103-22	10	200.0	127	ok
103-23	11	220.0	70	ok
103-24	12	240.0	63	ok
103-25	12	240.0	67	ok
103-26	12	240.0	68	ok
103-27	10	200.0	34	ok

Unit 401 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Cable**, 29.5 ac, BAF 20 variable-radius cruise on a 300 ft grid, 14 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	221 sq ft/ac (1 SE = 2.9 %)	Type	Sierran mixed conifer
Trees per acre	101	CWHR size / density	4 / D (cover 94 %)
QMD	20.0 in	SDI	290 (39 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	217 sq ft/ac 20.8 in	BA QMD	4 sq ft/ac 9.5 in
TPA	92	TPA	9
Volume	45.9 MBF/ac (8345 cu ft)	Volume	2.4 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~172 sq ft/ac BA	Sampling error	5.8 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 79, PP 66, DF 33, IC 24, SP 20	Plots	14 taken, 20 needed (CV 11 %) - SHORT

Unit 401: plots (orange = QA flag)



QA findings: no issues found; unit accepted; cruise below the sampling-error standard, add 6 plots

Plot list


Plot	Trees in	BA sq ft/ac	Slope %	Status
401-01	12	240.0	260	ok
401-02	10	200.0	219	ok
401-03	11	220.0	116	ok
401-04	13	260.0	182	ok
401-05	12	240.0	126	ok
401-06	10	200.0	102	ok
401-07	11	220.0	198	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
401-08	13	260.0	127	ok
401-09	10	200.0	183	ok
401-10	11	220.0	178	ok
401-11	11	220.0	107	ok
401-12	9	180.0	195	ok
401-13	10	200.0	124	ok
401-14	12	240.0	163	ok

Unit 104 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 111.5 ac, BAF 20 variable-radius cruise on a 300 ft grid, 59 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	207 sq ft/ac (1 SE = 2.0 %)	Type	Sierran mixed conifer
Trees per acre	165	CWHR size / density	4 / D (cover 85 %)
QMD	15.2 in	SDI	300 (40 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	186 sq ft/ac 18.2 in	BA QMD	21 sq ft/ac 7.8 in
TPA	103	TPA	62
Volume	32.0 MBF/ac (5822 cu ft)	Volume	10.2 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~155 sq ft/ac BA	Sampling error	3.9 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 66, WF 61, IC 32, DF 29, SP 20	Plots	59 taken, 20 needed (CV 15 %) - MEETS



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
104-01	8	160.0	57	ok
104-02	12	240.0	36	ok
104-03	12	240.0	21	ok
104-04	11	220.0	35	ok
104-05	6	120.0	14	ok
104-06	10	200.0	100	ok
104-07	8	160.0	96	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
104-08	11	220.0	34	ok
104-09	8	160.0	28	ok
104-10	9	180.0	33	ok
104-11	9	180.0	94	ok
104-12	10	200.0	105	ok
104-13	11	220.0	86	ok
104-14	10	200.0	21	ok
104-15	9	180.0	42	ok
104-16	8	160.0	37	ok
104-17	11	220.0	63	ok
104-18	12	240.0	69	ok
104-19	9	180.0	167	ok
104-20	12	240.0	148	ok
104-21	9	180.0	19	ok
104-22	11	220.0	30	ok
104-23	11	220.0	84	ok
104-24	10	200.0	83	ok
104-25	12	240.0	73	ok
104-26	10	200.0	134	ok
104-27	13	260.0	60	ok
104-28	11	220.0	25	ok
104-29	8	160.0	38	ok
104-30	11	220.0	17	ok
104-31	11	220.0	54	ok
104-32	11	220.0	11	ok
104-33	11	220.0	46	ok
104-34	8	160.0	50	ok
104-35	12	240.0	38	ok
104-36	13	260.0	34	ok
104-37	11	220.0	107	ok
104-38	11	220.0	60	ok
104-39	10	200.0	32	ok
104-40	11	220.0	36	ok
104-41	11	220.0	35	ok
104-42	12	240.0	37	ok
104-43	10	200.0	31	ok
104-44	12	240.0	10	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
104-45	11	220.0	41	ok
104-46	9	180.0	123	ok
104-47	12	240.0	17	ok
104-48	9	180.0	55	ok
104-49	10	200.0	77	ok
104-50	6	120.0	40	ok
104-51	12	240.0	26	ok
104-52	12	240.0	9	ok
104-53	11	220.0	94	ok
104-54	10	200.0	21	ok
104-55	12	240.0	13	ok
104-56	11	220.0	47	ok
104-57	11	220.0	28	ok
104-58	10	200.0	43	ok
104-59	9	180.0	15	ok

Unit 402 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Cable**, 38.9 ac, BAF 20 variable-radius cruise on a 300 ft grid, 19 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	214 sq ft/ac (1 SE = 3.1 %)	Type	Sierran mixed conifer
Trees per acre	64	CWHR size / density	5 / D (cover 90 %)
QMD	24.8 in	SDI	261 (35 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	214 sq ft/ac 24.8 in	BA QMD	0 sq ft/ac 0.0 in
TPA	64	TPA	0
Volume	53.4 MBF/ac (9708 cu ft)	Volume	0.0 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~184 sq ft/ac BA	Sampling error	6.2 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 67, WF 65, DF 36, IC 27, SP 18	Plots	19 taken, 20 needed (CV 14 %) - SHORT

Unit 402: plots (orange = QA flag)



QA findings: no issues found; unit accepted; cruise below the sampling-error standard, add 1 plots

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
402-01	7	140.0	116	ok
402-02	12	240.0	236	ok
402-03	10	200.0	208	ok
402-04	12	240.0	209	ok
402-05	12	240.0	227	ok
402-06	9	180.0	57	ok
402-07	11	220.0	198	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
402-08	10	200.0	200	ok
402-09	10	200.0	88	ok
402-10	12	240.0	169	ok
402-11	9	180.0	141	ok
402-12	11	220.0	255	ok
402-13	10	200.0	38	ok
402-14	11	220.0	178	ok
402-15	10	200.0	202	ok
402-16	12	240.0	271	ok
402-17	12	240.0	203	ok
402-18	13	260.0	141	ok
402-19	10	200.0	154	ok

Unit 105 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 57.4 ac, BAF 20 variable-radius cruise on a 300 ft grid, 29 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	222 sq ft/ac (1 SE = 2.1 %)	Type	Sierran mixed conifer
Trees per acre	71	CWHR size / density	4 / D (cover 93 %)
QMD	24.0 in	SDI	274 (36 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	221 sq ft/ac 24.8 in	BA QMD	1 sq ft/ac 7.2 in
TPA	66	TPA	5
Volume	51.7 MBF/ac (9397 cu ft)	Volume	0.8 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~183 sq ft/ac BA	Sampling error	4.2 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 72, WF 60, DF 34, IC 32, SP 23	Plots	29 taken, 20 needed (CV 11 %) - MEETS

Unit 105: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
105-01	11	220.0	33	ok
105-02	12	240.0	55	ok
105-03	12	240.0	29	ok
105-04	14	280.0	113	ok
105-05	10	200.0	78	ok
105-06	10	200.0	36	ok
105-07	11	220.0	10	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
105-08	12	240.0	87	ok
105-09	11	220.0	102	ok
105-10	13	260.0	54	ok
105-11	11	220.0	67	ok
105-12	10	200.0	35	ok
105-13	10	200.0	65	ok
105-14	10	200.0	61	ok
105-15	9	180.0	73	ok
105-16	10	200.0	138	ok
105-17	11	220.0	129	ok
105-18	11	220.0	68	ok
105-19	8	160.0	75	ok
105-20	12	240.0	113	ok
105-21	11	220.0	111	ok
105-22	12	240.0	64	ok
105-23	13	260.0	84	ok
105-24	12	240.0	47	ok
105-25	10	200.0	62	ok
105-26	11	220.0	134	ok
105-27	12	240.0	57	ok
105-28	12	240.0	52	ok
105-29	11	220.0	60	ok

Unit 106 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 88.6 ac, BAF 20 variable-radius cruise on a 300 ft grid, 41 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	213 sq ft/ac (1 SE = 3.1 %)	Type	Sierran mixed conifer
Trees per acre	95	CWHR size / density	4 / D (cover 85 %)
QMD	20.3 in	SDI	272 (36 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	207 sq ft/ac 22.9 in	BA QMD	6 sq ft/ac 7.0 in
TPA	73	TPA	22
Volume	47.1 MBF/ac (8568 cu ft)	Volume	2.4 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~176 sq ft/ac BA	Sampling error	6.2 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 68, PP 65, IC 32, DF 29, SP 19	Plots	41 taken, 20 needed (CV 20 %) - MEETS

Unit 106: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list


Plot	Trees in	BA sq ft/ac	Slope %	Status
106-01	9	180.0	133	ok
106-02	7	140.0	34	ok
106-03	12	240.0	77	ok
106-04	13	260.0	32	ok
106-05	13	260.0	31	ok
106-06	11	220.0	44	ok
106-07	12	240.0	82	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
106-08	8	160.0	17	ok
106-09	10	200.0	26	ok
106-10	14	280.0	17	ok
106-11	13	260.0	32	ok
106-12	8	160.0	177	ok
106-13	7	140.0	26	ok
106-14	10	200.0	9	ok
106-15	13	260.0	39	ok
106-16	11	220.0	34	ok
106-17	9	180.0	142	ok
106-18	11	220.0	64	ok
106-19	12	240.0	79	ok
106-20	12	240.0	90	ok
106-21	7	140.0	19	ok
106-22	12	240.0	67	ok
106-23	12	240.0	15	ok
106-24	11	220.0	26	ok
106-25	10	200.0	32	ok
106-26	13	260.0	81	ok
106-27	11	220.0	100	ok
106-28	10	200.0	96	ok
106-29	10	200.0	21	ok
106-30	10	200.0	62	ok
106-31	11	220.0	53	ok
106-32	11	220.0	10	ok
106-33	12	240.0	36	ok
106-34	11	220.0	96	ok
106-35	12	240.0	15	ok
106-36	12	240.0	13	ok
106-37	11	220.0	37	ok
106-38	11	220.0	36	ok
106-39	3	60.0	14	ok
106-40	10	200.0	27	ok
106-41	12	240.0	13	ok

Unit 107 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 95.3 ac, BAF 20 variable-radius cruise on a 300 ft grid, 46 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	227 sq ft/ac (1 SE = 1.6 %)	Type	Sierran mixed conifer
Trees per acre	72	CWHR size / density	4 / D (cover 93 %)
QMD	24.0 in	SDI	280 (37 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	226 sq ft/ac 24.4 in	BA QMD	1 sq ft/ac 8.9 in
TPA	69	TPA	3
Volume	53.1 MBF/ac (9648 cu ft)	Volume	0.9 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~182 sq ft/ac BA	Sampling error	3.3 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 71, PP 65, IC 37, DF 33, SP 21	Plots	46 taken, 20 needed (CV 11 %) - MEETS



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
107-01	13	260.0	28	ok
107-02	12	240.0	18	ok
107-03	13	260.0	110	ok
107-04	11	220.0	31	ok
107-05	8	160.0	62	ok
107-06	11	220.0	20	ok
107-07	11	220.0	43	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
107-08	13	260.0	7	ok
107-09	12	240.0	55	ok
107-10	10	200.0	56	ok
107-11	12	240.0	61	ok
107-12	11	220.0	52	ok
107-13	10	200.0	64	ok
107-14	13	260.0	127	ok
107-15	13	260.0	59	ok
107-16	11	220.0	55	ok
107-17	9	180.0	125	ok
107-18	12	240.0	47	ok
107-19	12	240.0	88	ok
107-20	10	200.0	87	ok
107-21	12	240.0	60	ok
107-22	12	240.0	50	ok
107-23	11	220.0	103	ok
107-24	12	240.0	28	ok
107-25	10	200.0	97	ok
107-26	8	160.0	84	ok
107-27	10	200.0	50	ok
107-28	11	220.0	60	ok
107-29	12	240.0	149	ok
107-30	11	220.0	32	ok
107-31	11	220.0	66	ok
107-32	12	240.0	78	ok
107-33	10	200.0	93	ok
107-34	11	220.0	24	ok
107-35	11	220.0	58	ok
107-36	11	220.0	24	ok
107-37	12	240.0	67	ok
107-38	12	240.0	108	ok
107-39	12	240.0	103	ok
107-40	12	240.0	61	ok
107-41	12	240.0	59	ok
107-42	13	260.0	107	ok
107-43	14	280.0	68	ok
107-44	10	200.0	76	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
107-45	11	220.0	46	ok
107-46	12	240.0	60	ok

Unit 403 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Cable**, 34.0 ac, BAF 20 variable-radius cruise on a 300 ft grid, 20 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	229 sq ft/ac (1 SE = 2.5 %)	Type	Sierran mixed conifer
Trees per acre	63	CWHR size / density	5 / D (cover 95 %)
QMD	25.9 in	SDI	277 (37 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	229 sq ft/ac 25.9 in	BA QMD	0 sq ft/ac 0.0 in
TPA	63	TPA	0
Volume	55.5 MBF/ac (10093 cu ft)	Volume	0.0 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~186 sq ft/ac BA	Sampling error	5.0 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 68, WF 53, DF 40, IC 38, SP 30	Plots	20 taken, 20 needed (CV 11 %) - MEETS



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
403-01	12	240.0	140	ok
403-02	13	260.0	241	ok
403-03	13	260.0	131	ok
403-04	13	260.0	145	ok
403-05	9	180.0	141	ok
403-06	10	200.0	127	ok
403-07	10	200.0	110	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
403-08	10	200.0	119	ok
403-09	12	240.0	155	ok
403-10	13	260.0	125	ok
403-11	12	240.0	107	ok
403-12	12	240.0	150	ok
403-13	11	220.0	120	ok
403-14	11	220.0	134	ok
403-15	10	200.0	150	ok
403-16	12	240.0	130	ok
403-17	13	260.0	144	ok
403-18	11	220.0	154	ok
403-19	10	200.0	157	ok
403-20	12	240.0	81	ok

Unit 108 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 63.3 ac, BAF 20 variable-radius cruise on a 300 ft grid, 31 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	222 sq ft/ac (1 SE = 2.6 %)	Type	Sierran mixed conifer
Trees per acre	68	CWHR size / density	5 / D (cover 91 %)
QMD	24.5 in	SDI	274 (37 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	222 sq ft/ac 24.5 in	BA QMD	0 sq ft/ac 0.0 in
TPA	68	TPA	0
Volume	52.3 MBF/ac (9501 cu ft)	Volume	0.0 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~182 sq ft/ac BA	Sampling error	5.2 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 68, PP 66, IC 36, DF 29, SP 22	Plots	31 taken, 20 needed (CV 15 %) - MEETS

Unit 108: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
108-01	10	200.0	32	ok
108-02	11	220.0	71	ok
108-03	9	180.0	69	ok
108-04	10	200.0	65	ok
108-05	10	200.0	37	ok
108-06	12	240.0	69	ok
108-07	11	220.0	81	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
108-08	11	220.0	198	ok
108-09	11	220.0	82	ok
108-10	12	240.0	51	ok
108-11	11	220.0	69	ok
108-12	14	280.0	71	ok
108-13	6	120.0	99	ok
108-14	13	260.0	16	ok
108-15	14	280.0	64	ok
108-16	10	200.0	64	ok
108-17	11	220.0	29	ok
108-18	11	220.0	14	ok
108-19	9	180.0	133	ok
108-20	12	240.0	197	ok
108-21	10	200.0	74	ok
108-22	12	240.0	40	ok
108-23	11	220.0	81	ok
108-24	12	240.0	37	ok
108-25	10	200.0	43	ok
108-26	13	260.0	48	ok
108-27	13	260.0	243	ok
108-28	11	220.0	16	ok
108-29	11	220.0	50	ok
108-30	10	200.0	67	ok
108-31	13	260.0	33	ok

Unit 109 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 72.9 ac, BAF 20 variable-radius cruise on a 300 ft grid, 34 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	214 sq ft/ac (1 SE = 4.3 %)	Type	Sierran mixed conifer
Trees per acre	65	CWHR size / density	5 / D (cover 88 %)
QMD	24.6 in	SDI	263 (35 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	213 sq ft/ac 25.1 in	BA QMD	1 sq ft/ac 8.8 in
TPA	62	TPA	3
Volume	51.1 MBF/ac (9290 cu ft)	Volume	0.9 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~183 sq ft/ac BA	Sampling error	8.6 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 70, PP 55, DF 36, IC 32, SP 21	Plots	34 taken, 20 needed (CV 25 %) - MEETS

Unit 109: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
109-01	15	300.0	27	ok
109-02	10	200.0	42	ok
109-03	10	200.0	102	ok
109-04	11	220.0	16	ok
109-05	9	180.0	22	ok
109-06	12	240.0	104	ok
109-07	3	60.0	18	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
109-08	12	240.0	21	ok
109-09	12	240.0	52	ok
109-10	11	220.0	69	ok
109-11	13	260.0	55	ok
109-12	11	220.0	31	ok
109-13	15	300.0	16	ok
109-14	13	260.0	25	ok
109-15	10	200.0	62	ok
109-16	10	200.0	32	ok
109-17	10	200.0	47	ok
109-18	10	200.0	24	ok
109-19	7	140.0	229	ok
109-20	12	240.0	39	ok
109-21	12	240.0	25	ok
109-22	9	180.0	8	ok
109-23	11	220.0	17	ok
109-24	13	260.0	86	ok
109-25	10	200.0	63	ok
109-26	10	200.0	75	ok
109-27	10	200.0	52	ok
109-28	14	280.0	42	ok
109-29	11	220.0	59	ok
109-30	11	220.0	81	ok
109-31	13	260.0	147	ok
109-32	2	40.0	185	ok
109-33	12	240.0	111	ok
109-34	10	200.0	31	ok

Unit 404 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Cable**, 51.2 ac, BAF 20 variable-radius cruise on a 300 ft grid, 27 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	208 sq ft/ac (1 SE = 3.7 %)	Type	Sierran mixed conifer
Trees per acre	61	CWHR size / density	5 / D (cover 87 %)
QMD	25.0 in	SDI	252 (34 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	207 sq ft/ac 25.7 in	BA QMD	1 sq ft/ac 5.9 in
TPA	57	TPA	4
Volume	51.9 MBF/ac (9437 cu ft)	Volume	0.3 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~186 sq ft/ac BA	Sampling error	7.4 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 67, PP 64, DF 30, IC 27, SP 20	Plots	27 taken, 20 needed (CV 19 %) - MEETS

Unit 404: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
404-01	11	220.0	194	ok
404-02	11	220.0	155	ok
404-03	13	260.0	174	ok
404-04	10	200.0	222	ok
404-05	11	220.0	181	ok
404-06	11	220.0	173	ok
404-07	12	240.0	159	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
404-08	9	180.0	129	ok
404-09	13	260.0	182	ok
404-10	6	120.0	212	ok
404-11	12	240.0	163	ok
404-12	11	220.0	238	ok
404-13	12	240.0	148	ok
404-14	9	180.0	154	ok
404-15	8	160.0	189	ok
404-16	10	200.0	195	ok
404-17	11	220.0	88	ok
404-18	10	200.0	165	ok
404-19	4	80.0	16	ok
404-20	10	200.0	391	ok
404-21	11	220.0	217	ok
404-22	10	200.0	168	ok
404-23	10	200.0	152	ok
404-24	10	200.0	145	ok
404-25	11	220.0	236	ok
404-26	12	240.0	213	ok
404-27	13	260.0	98	ok

Unit 110 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 62.0 ac, BAF 20 variable-radius cruise on a 300 ft grid, 31 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	203 sq ft/ac (1 SE = 3.7 %)	Type	Sierran mixed conifer
Trees per acre	137	CWHR size / density	4 / D (cover 82 %)
QMD	16.5 in	SDI	287 (38 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	194 sq ft/ac 18.4 in	BA QMD	10 sq ft/ac 7.5 in
TPA	105	TPA	32
Volume	34.1 MBF/ac (6200 cu ft)	Volume	4.5 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~160 sq ft/ac BA	Sampling error	7.3 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 65, WF 60, IC 28, DF 26, SP 25	Plots	31 taken, 20 needed (CV 20 %) - MEETS

Unit 110: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
110-01	6	120.0	68	ok
110-02	13	260.0	89	ok
110-03	11	220.0	50	ok
110-04	8	160.0	54	ok
110-05	7	140.0	25	ok
110-06	10	200.0	82	ok
110-07	13	260.0	131	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
110-08	13	260.0	85	ok
110-09	12	240.0	57	ok
110-10	6	120.0	114	ok
110-11	10	200.0	141	ok
110-12	7	140.0	74	ok
110-13	9	180.0	117	ok
110-14	11	220.0	98	ok
110-15	10	200.0	83	ok
110-16	11	220.0	145	ok
110-17	12	240.0	76	ok
110-18	10	200.0	121	ok
110-19	10	200.0	55	ok
110-20	12	240.0	116	ok
110-21	13	260.0	30	ok
110-22	11	220.0	37	ok
110-23	11	220.0	48	ok
110-24	10	200.0	85	ok
110-25	10	200.0	59	ok
110-26	8	160.0	81	ok
110-27	12	240.0	110	ok
110-28	10	200.0	61	ok
110-29	12	240.0	80	ok
110-30	7	140.0	170	ok
110-31	10	200.0	87	ok

Unit 111 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 55.7 ac, BAF 20 variable-radius cruise on a 300 ft grid, 27 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	222 sq ft/ac (1 SE = 3.5 %)	Type	Sierran mixed conifer
Trees per acre	110	CWHR size / density	4 / D (cover 86 %)
QMD	19.2 in	SDI	296 (39 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	216 sq ft/ac 20.9 in	BA QMD	7 sq ft/ac 7.9 in
TPA	91	TPA	20
Volume	43.3 MBF/ac (7882 cu ft)	Volume	2.9 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~169 sq ft/ac BA	Sampling error	7.0 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 71, PP 63, DF 36, IC 35, SP 18	Plots	27 taken, 20 needed (CV 18 %) - MEETS

Unit 111: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list


Plot	Trees in	BA sq ft/ac	Slope %	Status
111-01	13	260.0	94	ok
111-02	11	220.0	49	ok
111-03	11	220.0	64	ok
111-04	9	180.0	60	ok
111-05	14	280.0	22	ok
111-06	10	200.0	25	ok
111-07	13	260.0	22	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
111-08	9	180.0	30	ok
111-09	11	220.0	106	ok
111-10	8	160.0	99	ok
111-11	13	260.0	56	ok
111-12	14	280.0	65	ok
111-13	12	240.0	124	ok
111-14	10	200.0	122	ok
111-15	9	180.0	16	ok
111-16	11	220.0	86	ok
111-17	13	260.0	12	ok
111-18	13	260.0	32	ok
111-19	10	200.0	112	ok
111-20	9	180.0	127	ok
111-21	10	200.0	18	ok
111-22	12	240.0	62	ok
111-23	12	240.0	46	ok
111-24	12	240.0	62	ok
111-25	6	120.0	10	ok
111-26	11	220.0	75	ok
111-27	14	280.0	103	ok

Unit 112 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 80.5 ac, BAF 20 variable-radius cruise on a 300 ft grid, 40 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	214 sq ft/ac (1 SE = 2.5 %)	Type	Sierran mixed conifer
Trees per acre	92	CWHR size / density	4 / D (cover 87 %)
QMD	20.6 in	SDI	279 (37 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	210 sq ft/ac 21.5 in	BA QMD	4 sq ft/ac 8.6 in
TPA	84	TPA	9
Volume	44.4 MBF/ac (8077 cu ft)	Volume	2.2 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~173 sq ft/ac BA	Sampling error	5.1 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 66, PP 63, IC 36, DF 30, SP 19	Plots	40 taken, 20 needed (CV 16 %) - MEETS



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
112-01	11	220.0	60	ok
112-02	11	220.0	24	ok
112-03	11	220.0	17	ok
112-04	12	240.0	30	ok
112-05	9	180.0	79	ok
112-06	12	240.0	147	ok
112-07	10	200.0	17	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
112-08	5	100.0	112	ok
112-09	12	240.0	47	ok
112-10	11	220.0	43	ok
112-11	9	180.0	41	ok
112-12	11	220.0	129	ok
112-13	10	200.0	54	ok
112-14	13	260.0	21	ok
112-15	13	260.0	69	ok
112-16	13	260.0	72	ok
112-17	10	200.0	28	ok
112-18	12	240.0	105	ok
112-19	9	180.0	44	ok
112-20	11	220.0	98	ok
112-21	10	200.0	51	ok
112-22	13	260.0	33	ok
112-23	10	200.0	85	ok
112-24	13	260.0	96	ok
112-25	10	200.0	69	ok
112-26	12	240.0	61	ok
112-27	8	160.0	32	ok
112-28	10	200.0	44	ok
112-29	8	160.0	53	ok
112-30	11	220.0	26	ok
112-31	8	160.0	24	ok
112-32	12	240.0	77	ok
112-33	11	220.0	106	ok
112-34	11	220.0	68	ok
112-35	10	200.0	23	ok
112-36	13	260.0	186	ok
112-37	11	220.0	75	ok
112-38	9	180.0	72	ok
112-39	12	240.0	96	ok
112-40	11	220.0	114	ok

Unit 113 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 73.2 ac, BAF 20 variable-radius cruise on a 300 ft grid, 36 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	228 sq ft/ac (1 SE = 2.0 %)	Type	Sierran mixed conifer
Trees per acre	70	CWHR size / density	5 / D (cover 95 %)
QMD	24.5 in	SDI	283 (38 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	228 sq ft/ac 24.5 in	BA QMD	0 sq ft/ac 0.0 in
TPA	70	TPA	0
Volume	52.8 MBF/ac (9594 cu ft)	Volume	0.0 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~181 sq ft/ac BA	Sampling error	4.0 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 70, WF 66, IC 36, DF 34, SP 23	Plots	36 taken, 20 needed (CV 12 %) - MEETS

Unit 113: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list


Plot	Trees in	BA sq ft/ac	Slope %	Status
113-01	13	260.0	100	ok
113-02	14	280.0	69	ok
113-03	11	220.0	104	ok
113-04	11	220.0	101	ok
113-05	13	260.0	100	ok
113-06	13	260.0	155	ok
113-07	9	180.0	48	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
113-08	13	260.0	67	ok
113-09	11	220.0	132	ok
113-10	12	240.0	78	ok
113-11	12	240.0	108	ok
113-12	11	220.0	78	ok
113-13	11	220.0	56	ok
113-14	12	240.0	86	ok
113-15	11	220.0	114	ok
113-16	13	260.0	91	ok
113-17	11	220.0	66	ok
113-18	12	240.0	38	ok
113-19	9	180.0	93	ok
113-20	10	200.0	60	ok
113-21	12	240.0	129	ok
113-22	10	200.0	93	ok
113-23	12	240.0	70	ok
113-24	12	240.0	88	ok
113-25	10	200.0	109	ok
113-26	10	200.0	102	ok
113-27	10	200.0	127	ok
113-28	10	200.0	67	ok
113-29	12	240.0	62	ok
113-30	12	240.0	24	ok
113-31	9	180.0	15	ok
113-32	11	220.0	41	ok
113-33	12	240.0	24	ok
113-34	15	300.0	46	ok
113-35	11	220.0	49	ok
113-36	11	220.0	32	ok

Unit 405 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Cable**, 42.6 ac, BAF 20 variable-radius cruise on a 300 ft grid, 20 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	236 sq ft/ac (1 SE = 2.3 %)	Type	Sierran mixed conifer
Trees per acre	61	CWHR size / density	5 / D (cover 95 %)
QMD	26.6 in	SDI	278 (37 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	235 sq ft/ac 27.0 in	BA QMD	1 sq ft/ac 9.5 in
TPA	59	TPA	2
Volume	63.2 MBF/ac (11484 cu ft)	Volume	0.6 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~191 sq ft/ac BA	Sampling error	4.5 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 75, PP 57, IC 38, DF 37, SP 29	Plots	20 taken, 20 needed (CV 10 %) - MEETS



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
405-01	12	240.0	233	ok
405-02	12	240.0	267	ok
405-03	10	200.0	225	ok
405-04	12	240.0	257	ok
405-05	11	220.0	336	ok
405-06	11	220.0	203	ok
405-07	12	240.0	218	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
405-08	12	240.0	140	ok
405-09	11	220.0	122	ok
405-10	12	240.0	239	ok
405-11	12	240.0	199	ok
405-12	13	260.0	182	ok
405-13	12	240.0	217	ok
405-14	15	300.0	247	ok
405-15	10	200.0	114	ok
405-16	14	280.0	162	ok
405-17	11	220.0	174	ok
405-18	11	220.0	174	ok
405-19	12	240.0	107	ok
405-20	11	220.0	150	ok

Unit 114 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 116.3 ac, BAF 20 variable-radius cruise on a 300 ft grid, 56 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	212 sq ft/ac (1 SE = 2.1 %)	Type	Sierran mixed conifer
Trees per acre	93	CWHR size / density	4 / D (cover 85 %)
QMD	20.5 in	SDI	276 (37 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	208 sq ft/ac 21.6 in	BA QMD	4 sq ft/ac 7.9 in
TPA	81	TPA	11
Volume	43.4 MBF/ac (7899 cu ft)	Volume	2.1 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~173 sq ft/ac BA	Sampling error	4.3 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 65, WF 61, IC 33, DF 30, SP 22	Plots	56 taken, 20 needed (CV 16 %) - MEETS

Unit 114: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
114-01	12	240.0	120	ok
114-02	9	180.0	15	ok
114-03	8	160.0	82	ok
114-04	12	240.0	117	ok
114-05	9	180.0	39	ok
114-06	11	220.0	60	ok
114-07	10	200.0	87	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
114-08	14	280.0	109	ok
114-09	11	220.0	60	ok
114-10	12	240.0	100	ok
114-11	12	240.0	62	ok
114-12	12	240.0	126	ok
114-13	9	180.0	41	ok
114-14	11	220.0	33	ok
114-15	10	200.0	122	ok
114-16	11	220.0	63	ok
114-17	11	220.0	45	ok
114-18	10	200.0	15	ok
114-19	13	260.0	23	ok
114-20	12	240.0	76	ok
114-21	12	240.0	24	ok
114-22	9	180.0	54	ok
114-23	12	240.0	36	ok
114-24	8	160.0	16	ok
114-25	12	240.0	132	ok
114-26	9	180.0	27	ok
114-27	9	180.0	21	ok
114-28	11	220.0	420	ok
114-29	8	160.0	26	ok
114-30	12	240.0	28	ok
114-31	10	200.0	56	ok
114-32	10	200.0	75	ok
114-33	12	240.0	37	ok
114-34	11	220.0	55	ok
114-35	8	160.0	52	ok
114-36	6	120.0	28	ok
114-37	13	260.0	42	ok
114-38	12	240.0	155	ok
114-39	11	220.0	22	ok
114-40	11	220.0	75	ok
114-41	10	200.0	62	ok
114-42	11	220.0	39	ok
114-43	10	200.0	41	ok
114-44	10	200.0	42	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
114-45	14	280.0	143	ok
114-46	10	200.0	75	ok
114-47	12	240.0	56	ok
114-48	8	160.0	39	ok
114-49	7	140.0	34	ok
114-50	10	200.0	31	ok
114-51	10	200.0	18	ok
114-52	10	200.0	24	ok
114-53	12	240.0	38	ok
114-54	10	200.0	26	ok
114-55	11	220.0	23	ok
114-56	13	260.0	19	ok

Unit 115 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 84.0 ac, BAF 20 variable-radius cruise on a 300 ft grid, 39 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	228 sq ft/ac (1 SE = 2.0 %)	Type	Sierran mixed conifer
Trees per acre	87	CWHR size / density	4 / D (cover 92 %)
QMD	21.9 in	SDI	292 (39 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	227 sq ft/ac 22.2 in	BA QMD	1 sq ft/ac 8.2 in
TPA	85	TPA	3
Volume	47.5 MBF/ac (8636 cu ft)	Volume	0.6 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~175 sq ft/ac BA	Sampling error	4.0 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 68, PP 67, IC 34, DF 33, SP 26	Plots	39 taken, 20 needed (CV 12 %) - MEETS



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
115-01	13	260.0	84	ok
115-02	10	200.0	36	ok
115-03	8	160.0	36	ok
115-04	12	240.0	43	ok
115-05	12	240.0	101	ok
115-06	12	240.0	36	ok
115-07	11	220.0	144	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
115-08	11	220.0	38	ok
115-09	11	220.0	43	ok
115-10	9	180.0	91	ok
115-11	12	240.0	24	ok
115-12	12	240.0	29	ok
115-13	10	200.0	52	ok
115-14	10	200.0	30	ok
115-15	12	240.0	29	ok
115-16	9	180.0	104	ok
115-17	11	220.0	96	ok
115-18	11	220.0	25	ok
115-19	8	160.0	24	ok
115-20	11	220.0	38	ok
115-21	11	220.0	81	ok
115-22	14	280.0	41	ok
115-23	12	240.0	22	ok
115-24	12	240.0	53	ok
115-25	12	240.0	65	ok
115-26	10	200.0	24	ok
115-27	12	240.0	20	ok
115-28	12	240.0	38	ok
115-29	12	240.0	16	ok
115-30	11	220.0	11	ok
115-31	12	240.0	11	ok
115-32	12	240.0	36	ok
115-33	12	240.0	11	ok
115-34	12	240.0	37	ok
115-35	13	260.0	12	ok
115-36	15	300.0	14	ok
115-37	11	220.0	37	ok
115-38	12	240.0	21	ok
115-39	12	240.0	25	ok

Unit 116 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 89.2 ac, BAF 20 variable-radius cruise on a 300 ft grid, 44 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	230 sq ft/ac (1 SE = 1.5 %)	Type	Sierran mixed conifer
Trees per acre	70	CWHR size / density	5 / D (cover 94 %)
QMD	24.6 in	SDI	283 (38 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	230 sq ft/ac 24.9 in	BA QMD	1 sq ft/ac 9.4 in
TPA	68	TPA	2
Volume	53.6 MBF/ac (9740 cu ft)	Volume	0.7 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~183 sq ft/ac BA	Sampling error	3.1 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	PP 65, WF 62, DF 42, IC 36, SP 25	Plots	44 taken, 20 needed (CV 10 %) - MEETS

Unit 116: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
116-01	10	200.0	57	ok
116-02	12	240.0	57	ok
116-03	11	220.0	36	ok
116-04	10	200.0	72	ok
116-05	11	220.0	69	ok
116-06	12	240.0	67	ok
116-07	10	200.0	98	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
116-08	10	200.0	47	ok
116-09	12	240.0	82	ok
116-10	11	220.0	63	ok
116-11	11	220.0	46	ok
116-12	14	280.0	46	ok
116-13	11	220.0	22	ok
116-14	11	220.0	21	ok
116-15	12	240.0	17	ok
116-16	10	200.0	53	ok
116-17	13	260.0	37	ok
116-18	11	220.0	52	ok
116-19	12	240.0	70	ok
116-20	12	240.0	31	ok
116-21	11	220.0	18	ok
116-22	10	200.0	17	ok
116-23	11	220.0	30	ok
116-24	13	260.0	38	ok
116-25	11	220.0	83	ok
116-26	11	220.0	68	ok
116-27	13	260.0	33	ok
116-28	13	260.0	200	ok
116-29	13	260.0	96	ok
116-30	11	220.0	94	ok
116-31	12	240.0	60	ok
116-32	14	280.0	39	ok
116-33	11	220.0	37	ok
116-34	10	200.0	18	ok
116-35	11	220.0	41	ok
116-36	11	220.0	32	ok
116-37	12	240.0	74	ok
116-38	13	260.0	28	ok
116-39	12	240.0	32	ok
116-40	13	260.0	39	ok
116-41	9	180.0	10	ok
116-42	11	220.0	44	ok
116-43	13	260.0	9	ok
116-44	12	240.0	53	ok

Unit 117 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tractor**, 82.2 ac, BAF 20 variable-radius cruise on a 300 ft grid, 44 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	223 sq ft/ac (1 SE = 2.0 %)	Type	Sierran mixed conifer
Trees per acre	89	CWHR size / density	4 / D (cover 88 %)
QMD	21.4 in	SDI	286 (38 % of max 750)
SAWTIMBER (>= 10 in)		BIOMASS (< 10 in)	
BA QMD	219 sq ft/ac 22.4 in	BA QMD	4 sq ft/ac 8.7 in
TPA	80	TPA	9
Volume	46.8 MBF/ac (8507 cu ft)	Volume	2.0 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~175 sq ft/ac BA	Sampling error	3.9 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 69, PP 66, IC 36, DF 33, SP 18	Plots	44 taken, 20 needed (CV 13 %) - MEETS

Unit 117: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
117-01	11	220.0	17	ok
117-02	12	240.0	201	ok
117-03	13	260.0	85	ok
117-04	13	260.0	35	ok
117-05	10	200.0	94	ok
117-06	10	200.0	170	ok
117-07	11	220.0	36	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
117-08	12	240.0	92	ok
117-09	9	180.0	64	ok
117-10	11	220.0	57	ok
117-11	12	240.0	60	ok
117-12	11	220.0	45	ok
117-13	13	260.0	9	ok
117-14	12	240.0	58	ok
117-15	12	240.0	115	ok
117-16	10	200.0	65	ok
117-17	9	180.0	116	ok
117-18	11	220.0	78	ok
117-19	11	220.0	104	ok
117-20	12	240.0	111	ok
117-21	12	240.0	28	ok
117-22	13	260.0	25	ok
117-23	10	200.0	98	ok
117-24	11	220.0	130	ok
117-25	6	120.0	48	ok
117-26	11	220.0	118	ok
117-27	13	260.0	130	ok
117-28	12	240.0	98	ok
117-29	12	240.0	95	ok
117-30	13	260.0	37	ok
117-31	10	200.0	139	ok
117-32	10	200.0	63	ok
117-33	12	240.0	95	ok
117-34	11	220.0	15	ok
117-35	12	240.0	92	ok
117-36	11	220.0	87	ok
117-37	11	220.0	200	ok
117-38	13	260.0	54	ok
117-39	12	240.0	80	ok
117-40	12	240.0	183	ok
117-41	9	180.0	50	ok
117-42	9	180.0	118	ok
117-43	11	220.0	85	ok
117-44	9	180.0	69	ok

Unit 118 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Tactor**, 70.2 ac, BAF 20 variable-radius cruise on a 300 ft grid, 34 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	220 sq ft/ac (1 SE = 3.2 %)	Type	Sierran mixed conifer
Trees per acre	76	CWHR size / density	4 / D (cover 91 %)
QMD	23.1 in	SDI	278 (37 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	219 sq ft/ac 23.4 in	BA QMD	1 sq ft/ac 8.7 in
TPA	73	TPA	3
Volume	48.5 MBF/ac (8819 cu ft)	Volume	0.8 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~178 sq ft/ac BA	Sampling error	6.3 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 76, PP 59, DF 38, IC 35, SP 13	Plots	34 taken, 20 needed (CV 18 %) - MEETS

Unit 118: plots (orange = QA flag)



QA findings: no issues found; unit accepted

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
118-01	12	240.0	34	ok
118-02	10	200.0	32	ok
118-03	12	240.0	59	ok
118-04	9	180.0	17	ok
118-05	15	300.0	49	ok
118-06	12	240.0	59	ok
118-07	11	220.0	51	ok


Plot	Trees in	BA sq ft/ac	Slope %	Status
118-08	11	220.0	88	ok
118-09	10	200.0	58	ok
118-10	5	100.0	36	ok
118-11	10	200.0	63	ok
118-12	13	260.0	78	ok
118-13	12	240.0	65	ok
118-14	12	240.0	47	ok
118-15	11	220.0	70	ok
118-16	8	160.0	51	ok
118-17	12	240.0	61	ok
118-18	11	220.0	32	ok
118-19	11	220.0	30	ok
118-20	7	140.0	132	ok
118-21	13	260.0	72	ok
118-22	8	160.0	66	ok
118-23	11	220.0	36	ok
118-24	13	260.0	70	ok
118-25	10	200.0	42	ok
118-26	11	220.0	53	ok
118-27	10	200.0	23	ok
118-28	15	300.0	39	ok
118-29	13	260.0	18	ok
118-30	11	220.0	28	ok
118-31	12	240.0	25	ok
118-32	10	200.0	43	ok
118-33	12	240.0	59	ok
118-34	11	220.0	35	ok

Unit 406 - Field Data Review

Mohawk Valley West Slope demonstration. Method **Cable**, 35.1 ac, BAF 20 variable-radius cruise on a 300 ft grid, 17 plots. Simulated data with planted recording errors; see docs/methods.md.

STAND DENSITY		STAND INFO	
Basal area	241 sq ft/ac (1 SE = 2.3 %)	Type	Sierran mixed conifer
Trees per acre	71	CWHR size / density	5 / D (cover 93 %)
QMD	24.9 in	SDI	297 (40 % of max 750)
SAWTIMBER (≥ 10 in)		BIOMASS (< 10 in)	
BA QMD	241 sq ft/ac 24.9 in	BA QMD	0 sq ft/ac 0.0 in
TPA	71	TPA	0
Volume	56.8 MBF/ac (10335 cu ft)	Volume	0.0 green tons/ac approx. (60 lb per cu ft)
TREATMENT TARGET		CRUISE DESIGN	
Leave	30 % of max SDI = ~182 sq ft/ac BA	Sampling error	4.6 % at 95 % (standard 18 %, R5 FSH 2409.12)
Species (BA)	WF 82, PP 60, IC 42, DF 34, SP 22	Plots	17 taken, 20 needed (CV 9 %) - SHORT

Unit 406: plots (orange = QA flag)



QA findings: no issues found; unit accepted; cruise below the sampling-error standard, add 3 plots

Plot list

Plot	Trees in	BA sq ft/ac	Slope %	Status
406-01	13	260.0	186	ok
406-02	12	240.0	171	ok
406-03	12	240.0	259	ok
406-04	13	260.0	212	ok
406-05	11	220.0	177	ok
406-06	14	280.0	114	ok
406-07	12	240.0	260	ok

Plot	Trees in	BA sq ft/ac	Slope %	Status
406-08	11	220.0	206	ok
406-09	10	200.0	185	ok
406-10	11	220.0	153	ok
406-11	12	240.0	212	ok
406-12	11	220.0	97	ok
406-13	12	240.0	147	ok
406-14	13	260.0	170	ok
406-15	11	220.0	166	ok
406-16	13	260.0	139	ok
406-17	14	280.0	152	ok