Development environment

Goal

- Equal understanding of the basic tools
- Share our approach to application development

PhpStorm IDE

- PHP and JS editor
 - o DB, SQL, HTML
- Autocomplete
- Code standard checks
- Code version control
- Debug
- Tests
- Plugins
- and much more...

PhpStorm Symfony Plugin

- Services autocomplete
 - Type hinting
- Doctrine support
 - Entities autocomplete
 - EntityRepository (find/findOneBy/findAll/findBy)
- Templates autocomplete
- Routes autocomplete
- Translations autocomplete

PhpStorm ORO Plugin

- Yml files autocomplete
 - Layout updates, api.yml, datagrids.yml, etc...
- Navigate -> Declaration
 - Actions, Conditions, mass_action_provider, etc.
- Translation
 - Eg. label in mass_actions
- Extended fields

Xdebug

- Debugger
- Profiler (not recommended)
- Configurable
- Supports remote debugging
 - https://xdebug.org/docs/remote
- Quick way to enable/disable xdebug
 - o phpenmod / phpdismod xdebug + restart
 - bash script

Xdebug in PhpStorm

- Debug from web browser
 - Chrome extensions, eg. Xdebug helper
- Debug from CLI
 - export XDEBUG_CONFIG="remote_enable=on idekey=PHPSTORM remote_host=127.0.0.1 remote_port=9000 remote_handler=dbgp" && export PHP_IDE_CONFIG="serverName=YOUR_SERVER_NAME"

PHPUnit in PhpStorm

- Configuration
- Easy run using right click
- Debug

PHP Code Sniffer in PhpStorm

- Violations of a defined coding standard
 - <u>PSR-2</u>
- Configuration
- Automatic check and highlight
- Suppression
 - // phpcs:ignoreFile
 - // phpcs:disable and // phpcs:enable

PHP Mess Detector in PhpStorm

- Detects code smells and possible errors
- Configuration
- Rule sets
 - https://phpmd.org/rules/index.html
- Automatic check and highlight
- Suppression
 - @SuppressWarnings(PHPMD)

Excluded directories in PhpStorm

- Increase development experience
- Avoid reindexing
- Directories
 - var/cache
 - var/logs
 - o public/bundles

Assets via symlinks

- bin/console assets:install --symlink
- bin/console assetic:dump
- # bin/console oro:assets:build

Emails

- Mailcatcher
 - https://mailcatcher.me/
- Avoid sending real emails to your clients:)
- Configuration
 - o mailer_transport: smtp
 - o mailer_host: 127.0.0.1
 - o mailer_port: 1025
 - o mailer_encryption: null
 - o mailer_user: null
 - o mailer_password: null

Extras

- Shell plugins
 - o git and z plugins
 - \circ ZSH + Oh my ZSH
- Terminator terminal
 - Arrange terminals in a grid
 - Tabs, Drag and drop reordering of terminals
 - Super + g (Super + Shift + g)
- Grep for ERROR|CRITICAL
- Scripts for tedious tasks