



VOLUME 01

BRAND GUIDELINE

دليل الهوية البصرية

CONTENTS

المحتويات

00	INTRODUCTION	p.03	04	PATTERN	p.18
	المقدمة			النمط	
01	LOGO	p.05	05	APPLICATIONS	p.20
	الشعار			التطبيقات	
02	COLOR	p.12	06	CLOSING	p.27
	اللون			الختام	
03	TYPOGRAPHY	p.15			
	الخطوط				

INTRODUCTION

ARCHITECTURE FOR THE WAY PEOPLE ACTUALLY LIVE.

عمارة تُصمَّم لطريقة العيش الحقيقية.

ADAS is a Saudi architecture, interior design, and supervision practice. We design residential, retail, and workplace environments built around a single conviction: that the experience of a space matters more than its photograph.

Our work is quiet. It does not announce itself at the door. It rewards the second visit, the tenth year, the daily routine. We are interested in how light moves through a room across the day, in how a threshold prepares you for what is on the other side, in the discipline of removing what does not earn its place.

This guideline documents the visual identity that expresses that approach — the marks, the type, the colors, the rhythm. It exists so that everything we put into the world looks like it came from the same studio, with the same hand.

01 Restraint

What you leave out is the design.

02 Routine

Design for the second decade, not the opening photograph.

03 Threshold

How you enter a space defines how you remember it.

01.

LOGO الشعار

The mark, the meaning, the make.

الشعار: المعنى والبناء.

01.1 CONCEPT & ANATOMY

TWO LETTERS, ONE THRESHOLD.

The ADAS mark holds an English A and an Arabic ain together, separated by a single vertical green stroke. The stroke is not punctuation. It is the threshold — the moment of crossing from outside to inside. Both letters reduce to their most architectural form: two diagonals and a curve. Neither dominates.

A English mark
الحرف الإنجليزي

B Threshold rule
خط العبور

C Arabic mark
الحرف العربي

ADAS | عدس
ARCHITECTURE • INTERIOR • SUPERVISION

D Service line
الخدمات

0 1 . 2 C O N S T R U C T I O N

BUILT ON A GRID OF X-UNITS.

The mark is constructed on a square module of x. The English letter occupies 2x by 2x. The threshold rule sits at 0.25x wide, 1.8x tall. The Arabic letter occupies 2x by 2x, mirrored to the right of the rule.

Preserve these proportions exactly. Do not redraw, redistribute, or re-letter the marks.



1 X - U N I T

01.3 VARIATIONS

LOGO ON EVERY BRAND BACKGROUND.



FULL COLOR

On white



WHITE MONO

On black



WHITE MONO

On green



FULL COLOR

On off-white




FULL COLOR

On beige



FULL COLOR

On lavender



WHITE MONO

On purple



BLACK MONO

On white



GREEN MONO

On white

01.4 CLEAR SPACE & MINIMUM SIZE

GIVE THE MARK ROOM.

CLEAR SPACE

المساحة الفارغة

X equals half the mark's height. No other element may enter this zone.



MINIMUM SIZE

الحد الأدنى للحجم



PRINT FULL
40 mm wide



PRINT SYMBOL
8 mm wide



DIGITAL FULL
120 px wide



DIGITAL SYMBOL
24 px wide

01.5 MISUSE

EIGHT WAYS TO BREAK THE MARK.

AVOID ALL OF THEM.



DON'T Stretch
wrong proportions



DON'T Rotate
no rotation



DON'T Outline
no outlines



DON'T Recolor
non-brand colors



DON'T Shadow
no shadows



DON'T Re-letter
no font swap



DON'T Crowded
respect clear space



DON'T Low contrast
use light bg

01.6 CO-BRANDING

WHEN ADAS APPEARS ALONGSIDE A PARTNER.



EQUAL PARTNERSHIP

Equal visual weight. Centered vertical divider between marks.



SUPPORTING ROLE

ADAS sits below partner mark with a relationship word.

02

COLOR اللون

The palette and its discipline.

اللوحة اللونية والانضباط

0 2 . 1 P R I M A R Y P A L E T T E

THREE COLORS CARRY THE BRAND.

Black is the voice. Green is the accent. Gray is the supporting tone.



V O I C E

BLACK

HEX #231F20

RGB 35 · 31 · 32

CMYK 0 · 0 · 0 · 95



A C C E N T

GREEN

HEX #9BCC53

RGB 155 · 204 · 83

CMYK 39 · 0 · 80 · 0



S U P P O R T

GRAY

HEX #787777

RGB 120 · 119 · 119

CMYK 0 · 0 · 0 · 55

02.2 SECONDARY & COMBINATIONS

FOUR SUPPORTING TONES.



LAVENDER

#CAB8E8


202 · 184 · 232



PURPLE

#795AA6


121 · 90 · 166



BEIGE

#DEC9B2

222 · 201 · 178



OFF-WHITE

#F4EADA

244 · 234 · 218

APPROVED COMBINATIONS

التركيبات المعتمدة



PRIMARY
© 2026 ADAS



DOCUMENT



EDITORIAL



EDITORIAL ACCENT

03

TYPOGRAPHY

الخطوط

The voice of the brand in letters.

صوت العلامة بالحروف

0 3 . 1 T Y P E F A C E S Y S T E M S

E N G L I S H

HAVELOCK TITLING

Display use only — headlines, titles, signage.

ΛΛBBCC

Light

ΛΛBBCC

Regular

ΛΛBBCC

Medium

ΛΛBBCC

Bold

ΛΛBBCC

Black

Body text in Helvetica — the Latin counterpart to Helvetica Neue Arabic.

A R A B I C

هلفتيكا نيو العربية

All Arabic use — headlines, body, captions, signage.

أبجد

Light

أبجد

Roman

أبجد

Bold

03.2 HIERARCHY

A CLEAR LADDER, TOP TO BOTTOM.

DISPLAY

Havelock Light, 42pt

BRAND STATEMENT

H 1

Havelock Medium, 28pt

SECTION TITLE

H 2

Havelock Medium, 18pt

SUBSECTION TITLE

H 3

Havelock Medium, 13pt

MINOR HEADER



PATTERN

النمط

The symbol as a system.

الرمز كنظام بصري

0 4 . 1 P A T T E R N S Y S T E M

A GEOMETRY ROOTED IN PLACE.


An eight-point star geometry drawn from Saudi architectural tradition. The pattern is used as a side accent — never as a full background — to keep the brand quiet while honouring its origin.

Applied at the right edge of long-format documents, the back of business cards, social-media stories, and the interior of presentation folders. Outside these contexts, the pattern stays absent.

0 1 Side accent only — never full-bleed background

0 2 Gray + faint green ink. No solid fills

0 3 Fades on the inner edge into white



P A T T E R N / E I G H T - P O I N T S T A R

05

APPLICATIONS

التطبيقات

The system in the world.

النظام في التطبيق العملي.

05.1 STATIONERY


BUSINESS CARD.



FRONT



BACK • CONTACT



BACK • PATTERN

01 Stock 350gsm uncoated, off-white. Letterpress preferred.


03 Variants Two backs: contact-detail (black) or pattern (off-white).

02 Dimensions 85 × 55 mm · international standard.

04 Typography Name in Havelock Medium 11pt, contact in Helvetica 8pt.

05.2 LETTERHEAD & ENVELOPE

THE STUDIO VOICE ON PAPER.



LETTERHEAD / A4



ENVELOPE / DL

SPECIFICATIONS

Letterhead	A4 portrait · 100gsm warm white
Envelope	DL 220×110mm · 120gsm matte
Inks	Black + green PMS 367C
Pattern	Right edge, fades inward, never solid


05.3 SIGNAGE &
ENVIRONMENT

THE MARK IN PHYSICAL SPACE.



01 • RECEPTION WALL

Brushed steel wordmark, surface-mounted on dark stone wall.
Down-lit. Height: 80mm. Letterforms in polished 316 stainless.



02 • EXTERIOR PLAQUE

Engraved brass plaque beside the entrance.
Acid-etched. 200 × 80mm. Patinated finish ages with the building.


0 5 . 4 M E R C H A N D I S E

BRAND PLACEMENT, NOT PRODUCT PHOTOS.

These pages specify how the mark is applied to apparel and protective equipment. Product photography is commissioned separately and must conform to these placements exactly.


0 1 · S I T E T - S H I R T

Off-white cotton · flat-laid technical specification



0 2 · S U P E R V I S I O N H A R D H A T

White polyethylene · EN 397 compliant




ALL APPAREL · off-white only, no coloured base garments, no taglines, no marketing text

0 5 . 5 VEHICLE

ON THE ROAD.

The supervision vehicle is the studio in motion. It carries the mark, nothing else. White or off-white only. The wordmark sits on the cargo panel; the rest of the body stays clean. No taglines, no contact details, no service lists.



- A Wordmark placement**
Centred on rear cargo door at 60% panel width.
- B Body finish**
White or off-white only. Matte finish preferred.
- C No additional graphics**
No taglines, phone numbers, URLs, or service lists.

DRIVER-SIDE ELEVATION · SCALE 1:30

05.6 SOCIAL MEDIA

TEMPLATES FOR THE STUDIO VOICE ONLINE.



IG POST · 1:1




IG STORY · 9:16



LINKEDIN POST · 1.91:1

05.7 DIGITAL DIRECTION

WEBSITE AND INTERFACE PRINCIPLES.



WEB PRINCIPLES

Light

Off-white background. No dark mode.

Type

Havelock display, Helvetica body.

Color

Black on white. Green as one accent.

Motion

Minimal. Fades only. Never bounce.

Imagery

One image per fold. Architecture only.

Forms

Single-column. Labels above inputs.



END OF GUIDELINE.

نهاية الدليل.