const noticeName = document.getElementById('notice name')

//상품문의 등록

딺

```
const noticeTxt = document.getElementById('notice txt')
const noticeBtn = document.getElementById('notice btn')
const noticeList = document.querySelector('.N_list')
noticeBtn.addEventListener('click', function () {
   const noticeLi = document.createElement('li')
   noticeLi.setAttribute('class', 'notice_inner')
   const noticeNum = document.createElement('div')
   noticeNum.setAttribute('class', 'notice_num')
   noticeLi.appendChild(noticeNum)
   const noticeNumSpan = document.createElement('span')
   noticeNumSpan.setAttribute('class', 'notice_num_span')
   noticeNum.appendChild(noticeNumSpan)
   let Rcnt = 1;
   const noLis = document.querySelectorAll('.notice_inner')
    function plusCnt() {
        for (i = 0; i < noLis.length; i++) {
           Rcnt++
        noticeNumSpan.innerHTML = Rcnt
   plusCnt()
```

```
const noticeText = document.createElement('div')
noticeText.setAttribute('class', 'notice_txt')
noticeLi.appendChild(noticeText)
const textSpan = document.createElement('span')
textSpan.setAttribute('class', 'notice_text_span')
noticeText.appendChild(textSpan)
textSpan.innerHTML = noticeTxt.value
noticeTxt.value = ''
const noticeReBtn = document.createElement('div')
noticeReBtn.setAttribute('class', 'notice_rebtn')
noticeLi.appendChild(noticeReBtn)
const noticeBtnSpan = document.createElement('span')
noticeReBtn.appendChild(noticeBtnSpan)
noticeBtnSpan.innerHTML = '답글달기'
const noticeId = document.createElement('div')
noticeId.setAttribute('class', 'notice id')
noticeLi.appendChild(noticeId)
const noticeIdSpan = document.createElement('span')
noticeIdSpan.setAttribute('class', 'notice_id_span')
noticeId.appendChild(noticeIdSpan)
noticeIdSpan.innerHTML = noticeName.value
noticeName.value = ''
const noticeDate = document.createElement('div')
noticeDate.setAttribute('class', 'notice_date')
noticeLi.appendChild(noticeDate)
const noticeDateSpan = document.createElement('span')
noticeDateSpan.setAttribute('class', 'notice_date_span')
noticeDate.appendChild(noticeDateSpan)
let nowNoticeDate = new Date().toLocaleDateString();
noticeDateSpan.innerHTML = nowNoticeDate
const noticeClose = document.createElement('div')
noticeClose.setAttribute('class', 'notice_close')
noticeLi.appendChild(noticeClose)
const noticeI = document.createElement('i')
noticeI.setAttribute('class', 'fas fa-times')
noticeClose.appendChild(noticeI)
```

```
const noticeRe = document.createElement('ul')
noticeRe.setAttribute('class', 'Re list')
noticeLi.appendChild(noticeRe)
noticeList.appendChild(noticeLi)
noticeClose.addEventListener('click', function () {
    noticeList.removeChild(noticeLi)
const replyPop = document.querySelector('.re_pop')
noticeReBtn.addEventListener('click', function () {
    replyPop.style.display = 'block'
```

```
const reTxt = document.getElementById('replyTxt')
const n_List = document.querySelector('.notice_list')
const reClose = document.getElementById('re_close')
const rePop = document.querySelector('.re_pop')
const registBtn = document.getElementById('re_btn')
registBtn.addEventListener('click', function () {
    const noticeLi = document.querySelector('.Re_list')
   const reply = document.createElement('li')
   reply.setAttribute('class', 'reply_box')
   const replySpan = document.createElement('span')
    replySpan.setAttribute('class', 'reply_span')
   reply.appendChild(replySpan)
   replySpan.innerHTML = 'L> 답글 :'
    const replyTxt = document.createElement('span')
   replyTxt.setAttribute('class', 'reply_txt')
    reply.appendChild(replyTxt)
   replyTxt.innerHTML = reTxt.value
    const replyDel = document.createElement('span')
    replyDel.setAttribute('class', 'reply_del')
   reply.appendChild(replyDel)
    replyDel.innerHTML = 'X'
    noticeLi.appendChild(reply)
    replyDel.addEventListener('click', function () {
       noticeLi.removeChild(reply)
registBtn.addEventListener('click', function () {
   reTxt.value = ''
reClose.addEventListener('click', function () {
   rePop.style.display = 'none'
```

//답글 추가

