

INVESTOR RELATIONS 2026



PROVIDING INNOVATIVE THERAPEUTIC SOLUTION FOR UNMET CLINICAL NEEDS

NEXTBIOMEDICAL

Disclaimer

The following material has been prepared by Nextbiomedical Co., Ltd. (hereafter referred to as “Company”) in order to provide information on the proposed IPO listing to institutional investors.

The presentation contains “forecasts” that were not verified individually. It details the Company’s future projections with regard to business and financial performances and therefore will feature terms such as ‘projected’, ‘outlook’, ‘plan’, and ‘anticipated’.

The “forecast” described above will be subject to changes depending on the future business environment. Therefore, due to such inherent uncertainties, the actual performance may significantly differ from projected outcomes.

In addition, please be advised that the projections in this presentation have been formulated based on the current market trends as well as the Company’s business directives. Therefore, such projections may also be modified without prior notice depending on future changes in the overall market environment or the Company’s business strategy.

Kindly note that the Company and its staff shall not be held liable for any losses incurred by utilizing the information in this presentation, including negligence and other miscellaneous cases. Moreover, the following presentation does not constitute a solicitation of the offering, sales, trading, and subscription of the Company’s stocks. No part of this document shall act as a basis or rationale for any related contract, agreement, or investment decision.

The following material has been written for non-profit uses only and may be distributed without modifications (however, source citation is mandatory). Please be aware that the unauthorized modification, distribution, and/or reproduction of this presentation may result in legal sanctions.

PROVIDING INNOVATIVE
THERAPEUTIC SOLUTION
FOR UNMET CLINICAL NEEDS

NEXTBIOMEDICAL



01

INVESTOR RELATIONS 2026

Who's NEXT

- Company Overview
- Core Technology
- Global Leadership
- Business Performance
- Main Products

Company Overview & Growth History

- CEO: Don Haeng Lee
- Founded: August 2014
- Capital: 4.1 billion KRW (IFRS)
- Employees: 91
- Business Area: Medical device manufacturing
- Headquarters: Venture-ro 100 beon-gil, Yeonsu-gu, Incheon, Republic of Korea
- Homepage: www.nextbiomedical.co.kr

Advance into Global Markets

(2020~Present)



- 2020**
 - CE-MDD certification Acquired (Nexsphere™, Nexsphere™ -F)
 - Global distribution agreement with Medtronic (Nexpowder™)
 - Innovative Medical Device Company certified (Korean Ministry of Health and Welfare)
- 2021**
 - Korean health insurance coverage listed (Nexpowder™)
- 2022**
 - MDSAP certification acquired
 - US FDA approved (Nexpowder™/Upper GI tract)
 - Health Canada approved (Nexpowder™)
 - Singapore HSA approved (Nexpowder™)
- 2023**
 - Outstanding Research Center Development Project ATC+ certified (Korean Ministry of Trade, Industry and Energy)
 - US Gastroenterological Society Best Of DDW selected (Nexpowder™)
 - CE-MDR certification acquired (Nexpowder™)
- 2024**
 - Korean New Medical Technology (NECA) additional certification acquired (Nexpowder™)
 - Japanese distribution agreement signed and down payment received (Nexpowder™)
 - US FDA Investigational Device Exemption approved (Nexsphere™ -F)
 - Korean MFDS certification acquired (Nexpowder-S™)
 - US FDA approved (Nexpowder™/Lower GI tract)
- 2025**
 - JP PMDA approved (Nexpowder™)
 - FDA Breakthrough Device Designation (Nexsphere™ -F)
 - IDE CMS Approval, TAP Approval
 - Initiation of US RESORB Trial
 - Presubmission of Nexsphere™
- 2026**
 - UK, Brazil approved (Nexpowder™)
 - Health Canada approved (Nexsphere-F™)
 - Exclusive distribution agreement with Asahi Intecc in Japan(Nexsphere-F™)
 - Distribution agreement signed with Terumo for selectd European countries(Nexsphere-F™)

Product Commercialization

(2018~2019)



- 2018**
 - Korean MFDS certification acquired (Nexpowder™)
 - CE-MDD certification acquired (Nexpowder™)
- 2019**
 - Korean New Medical Technology (NECA) certification acquired (Nexpowder™)
 - Korean MFDS certification acquired (Nexsphere™)
 - Relocate to new HQ at Songdo
 - QMS Quality cooperation agreement with Medtronic
 - Innovation Icon Company certified (Credit Guarantee Fund)
 - Korean health insurance coverage listed (Nexsphere™)

Business Foundation

(2014~2017)




- 2014**
 - Company Founded
- 2015**
 - Venture company certification acquired
 - Company-adjunct research institute founded
 - GMP certification acquired
- 2016**
 - Clinical trial plan approved (Nexpowder™)
- 2017**
 - Clinical trial plan for drug-release microspheres approved



Polymer Technology

Nexpowder™



Hemostatic system for endoscopy

+ **Indication** GI Bleeding

Distribution Partner



Products in Development



Nexpowder™-T

Enhanced Hemostatic Performance with API

Nexsphere™



Resorbable Microspheres for Vascular Embolization

+ **Indication** Liver Cancer, Uterine Fibroids

Distribution Partner

Individual sales by country

Products in Development



Drug-Eluting Embolic Agent

Drug-Loaded Microspheres


Nexsphere-F™




Fast-Resorbable Microspheres for MSKE

+ **Indication** Osteoarthritis pain, Sports Injuries

Distribution Partner



Platform Technology



Drug Delivery Platform

Key Technology

- Tunable biodegradation enabling controlled drug release
- Broad drug loading capability
- Scalable manufacturing process



Enabling Multiple Pipeline Expansions from a Single Platform

Products in Development



PlatformTechnology

Expansion of DDS-Based Platform Technology

N CEO



Don Haeng Lee CEO
MD, Ph.D.

- CEO, NEXTBIOMEDICAL CO., LTD.
- Professor of Gastroenterology, Inha Univ. Hospital

"Lead the development & commercialization of innovative therapeutics by resolving the unmet clinical needs experienced as a physician."

N Executive Clinical Leadership Team

CMO



Ziv Haskal / MD


Interventional Radiologist
Univ. of Virginia School of Medicine, US

CMA



Joo Ha Hwang / MD, Ph.D.

Gastroenterologist Stanford Univ.
School of Medicine, US




Yasuaki ARAI
MD, Ph.D.

Interventional Radiologist
National Cancer Center, JP



Yuji OKUNO
MD, Ph.D.

Interventional Radiologist
Okuno Clinic, JP




Siddharth A. PADIA
MD

Interventional Radiologist
UCLA Health, US



Federico Collettini
MD

Interventional Radiologist
Charité Hospital, DE



Osman Ahmed
MD

Interventional Radiologist
Joint & Vascular Institute, US




Raman Uberoi
MD

Interventional Radiologist
Oxford Univ. UK



Driving Global Growth Through Regulatory Approvals & Distribution Partnerships

(Unit : million KRW)



Nexpowder



+19%



■ Exports

Nexsphere & Nexsphere-F


+54%



■ Exports

■ Nexsphere
■ Nexsphere-F



Providing Innovative Therapeutic Solution for Unmet Clinical Needs



Nexpowder™

Hemostatic system for endoscopy


GI Bleeding



Nexsphere™

Resorbable microspheres for vascular embolization

Liver cancer, Uterine fibroids



Nexsphere-F™

Fast-resorbable microspheres for
musculoskeletal embolization

Osteoarthritis pain



PROVIDING INNOVATIVE
THERAPEUTIC SOLUTION
FOR UNMET CLINICAL NEEDS

NEXTBIOMEDICAL



02

INVESTOR RELATIONS 2026

Flagship Products

- Hemostatic Systems for Endoscopy
- Embolic Microspheres for Musculoskeletal Pain Treatment

Hemostatic Systems for Endoscopy

Nexpowder™

Hemostatic Systems for Endoscopy

Endoscopic hemostasis powder spray for GI bleeding, the only product that can **prevent bleeding** after polypectomy



Medtronic

Global sales initiated in **Europe and the US** with Medtronic, the global medical device corporate




Rise of Endoscopic Treatments

Growing Demand for Prevention of Rebleeding

Endoscopic resection as the 1st line treatment, in case of early detection of stomach and colon cancer

↓
Increased need for endoscopic hemostasis and prevention of rebleeding



Source : EBS Health Archive


Global Increase of Endoscopic Procedures

Number of endoscopic procedures worldwide



Source : Grand View Research

Endoscopic hemostasis procedures in the US



Source : Clarivate DRG

Annual US Colonoscopy **25M** cases




Polyp resection treatment **30%**

🔴 Bleeding **10%**

Source : Clarivate DRG & Medtronic

Market Size: Nexpowder™



Innovative Hemostatic Powder

Limitation of Conventional Hemostatic Devices

Application of hemostatic clip after polypectomy



Conventional endoscopic hemostatics Risk of tissue damage and perforation



Direct drug injection



Hemostasis by cauterizing blood vessels with heat




Pinch with clip

Complicated procedure, direct tissue contact, high skill requirements, and risk of complications

Nexpowder™

Application of hemostatic powder after resection of gastric tumor



- Immediate hemostatic effectiveness & safety
- Superior performance & ease of use
- The only product applicable for prevention of bleeding

GUT Journal (2025)

Easy to perform, non-contact with tissue, indifferent to skill level, and effectively prevents bleeding

*DDW (Digestive Disease Week) : America's largest gastroenterology society

10-30% Rebleeding Rate After Endoscopic Hemostasis

Causes of Rebleeding


1 Gastric Acid Exposure

Irritation of the hemostatic site by gastric acid, resulting in tissue damage and rebleeding




2 Gastrointestinal Peristalsis

Disruption or damage of the hemostatic site due to gastrointestinal peristalsis



3 Operator-Dependent Factors


Rebleeding due to incomplete hemostasis associated with variations in operator experience and technique



Addressing an Unmet Clinical Need

1 Conventional Endoscopic Therapies

Hemostasis using clips, thermal coagulation, or other conventional endoscopic techniques




2 Application of Nexpowder™

Application of a powder-type hemostatic agent to the bleeding and hemostatic sites



3 Prevention of Rebleeding

Formation of a physical barrier by Nexpowder™ over the hemostatic site




- Protection from Gastric Acid
- Reduction of Mechanical Stress from Peristalsis
- Protection of the Hemostatic Site

Prevention of Rebleeding

NCT04124588

Prevention of rebleeding after primary haemostasis using haemostatic powder in non- variceal upper gastrointestinal bleeding: a multicentre randomised controlled trial. CET(n=168) vs. CET+Nexpowder(n=172)


Shin J, et al. Gut 2025;0:1–7. doi:10.1136/gutjnl-2024-332459 (IF : 23)



Conclusion

This multicentre randomised trial demonstrated that adjunctive application of Nexpowder after successful conventional endoscopic therapy significantly reduces the risk of rebleeding at both 72 hours and 30 days in patients with NVUGIB, without procedure-related complications. Supported by prior evidence, it is likely that Nexpowder protects the ulcer base during the critical 72-hour post-haemostasis period. This study represents an important advance, being the first since the introduction of PPI therapy to show that an additional endoscopic intervention can further reduce rebleeding risk after initial endoscopic haemostasis.

Prevention of Re-bleeding after Endoscopic Hemostasis



Hemostatic Systems for Endoscopy : Competitiveness

Product Information

Nexpowder™ Superior hemostatic performance featuring prophylactic use and drug-loadable structure

Each unit of package includes (1) powder, (2) catheter, and (3) spray device
→ All components are **SINGLE-USE**





Technological Superiority

- ① Superior adhesiveness compared to competitors
- ② Accurate spraying and less dispersion (easy to secure visibility)
- ③ No risk of perforation (low air pressure of spray)
- ④ Can be used to prevent bleeding (gelation by moisture)
- ⑤ Capable of loading drugs including ulcer medications

Comparative Advantages

Effective hemostasis with low risk of side effects

Category		Nexpowder™	Product A (US)	Product B (US)
Powder	Product Image			
	Adhesive Force	>600 (20 Times)	>30	>20
	Gel Formation	Moisture	Blood	Blood
	Prophylactic Use	Possible	Not Possible	Not Possible
Spray	Air Pressure	Low (6 psi)	High (37 psi)	High (12 psi)



Source : Data analysis by Nextbiomedical

Embolic Microspheres for Musculoskeletal Pain Treatment



Nexsphere-F™


Fast-Resorbable Microspheres for Musculoskeletal Embolization

Effective and safe treatment of knee osteoarthritis pain, sports injuries and tendonitis (shoulder, elbow, wrist & etc.)


The only CE approved resorbable product for musculoskeletal embolization




Market Size: Nexsphere-F™



Musculoskeletal Embolization (MSKE) – GAE Mechanism



Sellam al. Nature Reviews Rheumatology 2010



What is Embolization?

A **minimally invasive procedure** that delivers embolic agents through a catheter to block blood flow to targeted lesions, such as tumors and fibroids, inducing tissue necrosis to treat disease and relieve symptoms.



1st Generation




Liver Cancer

Hemorrhage

Embolization Initially Focused on Life-Threatening Conditions

2nd Generation

Uterine
FibroidsBenign Prostatic
Hyperplasia

Expanded into Urologic and Gynecologic Indications


3rd Generation



Musculoskeletal

Advanced into Musculoskeletal Pain Management

4th Generation

Subdural
Hematoma
(SDH)

Thyroid

Extending into Neurologic & Endocrine Indications

Embolic Microspheres for Musculoskeletal Pain Treatment : Competitiveness


Breakthrough in the OA Pain Treatment

InterventionalNews

HOME LATEST NEWS FEATURES INTERVENTIONAL ONCOLOGY PROFILES VIDEO EVENTS SUPPLEMENTS PAGE ISSUES SUBSCRIPTIONS

Geniculate artery embolization potentially a
"game-changer" for patients with knee
osteoarthritis

"Treats pain by occluding abnormal arteries at the lesion"



Application of Nexsphere-F™ at Okuno Clinic in Japan
'0' side effects

Permanent microspheres
causing adverse events
e.g., necrosis



Source : Dr. Yuji Okuno, Society of Interventional Radiology Annual Scientific Meeting (2021),
Lin et al. European Radiology (2024)


Comparative Advantage

Optimal efficacy & minimal side effects


Category	Nexsphere™-F	Product A (US)	Product B (US)
Indication for Use	Knee OA and any other musculoskeletal pains (shoulder, elbow & etc.)	Knee OA	Knee OA
Embolization Performance	High	High	Medium
Cross-link	Physical	Chemical	Chemical
Degradation Time	2 Hours	Permanent	Permanent
Side Effect (Skin ulcers)	Low	High	High

Source : Company Estimates

Broadening Focus : From Knee OA to Tendon Disease, including Sports Injuries



Knee OA Pain Management Landscape



Publication of Nexsphere-F™



Knee

Publication	Indication
A precision approach: selective genicular artery embolization for knee pain in chronic tophaceous gout(2025)  https://doi.org/10.1093/rheumatology/keaf153	Knee pain
Transarterial embolization for medial tibial enthesitis in refractory pes anserinus tendinopathy(2025)  https://doi.org/10.1007/s10067-025-07566-x	Tendinopathy
Genicular Artery Embolization Using Resorbable Gelatin Microspheres for Refractory Knee Pain: Technique, Safety and Clinical Outcome(2025)  https://doi.org/10.1007/s00270-025-04274-6	Post-TKR pain
Bridging the gap to arthroplasty: genicular artery embolization and semaglutide in a patient with severe obesity and refractory knee osteoarthritis(2025)  https://doi.org/10.1080/03009742.2025.2547454	Knee OA with severe obesity



Patellar Tendinopathy

Publication	Indication
Transcatheter Arterial Embolization of Abnormal Neovessels for Patellar Tendinopathy: A Safety Evaluation(2025)  https://doi.org/10.1177/23259671251337093	Patellar Tendinopathy




Hip

Publication	Indication
Transcatheter Periarticular Embolization via Brachial Artery Access in Elderly Patients With Primary Hip Osteoarthritis: A Pilot Prospective Analysis(2025)  https://doi.org/10.7759/cureus.96060	Hip OA
Transarterial Embolization for the Treatment of Symptomatic Hip Osteoarthritis(2026)  https://doi.org/10.1007/s00270-026-04448-w	



Others

Publication	Indication
Comparative Safety of 3 Temporary Embolic Agents in Transcatheter Arterial Embolization for Degenerative, Inflammatory, and Overuse Joint Disorders(2025)  https://doi.org/10.1016/j.jvir.2025.02.031	Overuse injuries, Knee OA, Frozen shoulder, Rotator cuff tear, Foot joints, etc.
Transarterial Embolization for Refractory Overuse Sports injury: Pictorial Case Reports(2023)  https://doi.org/10.1007/s00270-023-03496-w	Overuse sports injuries(Patellar Tendinopathy, Plantar fasciitis, etc.)



Enhancing Clinical Evidence

Broadening Focus : From Knee OA to Tendon Disease, including Sports Injuries



Shoulder

Country	Institution	No. of Patients
S. Korea	Joongang Univ. Hospital	50



Elbow & Wrist

Country	Institution	No. of Patients
S. Korea	Konkuk Univ. Hospital	38



Knee OA

Country	Institution	No. of Patients
US	*Univ. of Virginia & etc. (10-15 sites)	126
NE/BE	ETZ Tilburg, Leuven & Ghent (3 sites)	72
UK	Oxford & etc. (10-12 sites)	216
Germany	Charite Berlin & etc. (3 sites)	300
S. Korea	Seoul National Univ. Hospital	40
Italy	Istituto Ortopedico Rizzoli	43



Jumper's Knee

Country	Institution	No. of Patients
S. Korea	Seoul National Univ. Hospital	60



Foot & Achilles

Country	Institution	No. of Patients
UK	Royal Bournemouth	20
S. Korea	Seoul National Univ. Hospital	40


Total Patients in the US, EU & KR ≈ 1,500

- ❖ The U.S. clinical trial is a pivotal study for FDA approval.
- ❖ All others are post-marketing clinical studies conducted for marketing purposes.

Radiology

Genicular Artery Embolization using Rapidly resorbable, gelAtin-based miCrospheres in osteoarthritis-related knEe pain (GRACE Trial) (194 patients)

Study Type	Prospective
Patient Population	Patients with knee OA (194 patients, 239 cases)
Study Device	Nexsphere-F™
Purpose	To evaluate the safety and efficacy of genicular artery embolization (GAE) using Nexsphere-F in patients with knee osteoarthritis (OA)



Radiology 2026; 319(3):e25331 <https://doi.org/10.1148/radiol.253312>

NRS (Numeric Rating Scale)



- A pain assessment scale ranging from 0 to 10
- A lower score after treatment indicates reduced pain

0 ● —————> 10
No Pain Worst Possible Pain

KOOS (Knee injury and Osteoarthritis Outcome Score)





- A patient-reported outcome measure assessing knee symptoms, function, and quality of life
- Evaluates the ability to perform activities of daily living; higher scores indicate better (ADL)
- Evaluates knee-related quality of life; higher scores indicate better quality of life

0 ● —————> 100
Extreme Problems (Worst) No Problems (Best)

CVIR

Genicular Artery Embolization Using Resorbable Gelatin Microspheres for Refractory Knee Pain : Technique, Safety and Clinical Outcome (45 patients)

Study Type	Prospective, Single-center
Patient Population	Patients with Knee OA or Post-TKR pain
Study Device	Nexsphere-F™
Purpose	To evaluate the safety, technique and clinical outcome of genicular artery embolization (GAE) using resorbable gelatin microspheres (RGM) in patients with knee osteoarthritis (OA) or persistent pain after total knee replacement (TKR)



Peter Minko et al. CardioVascular and Interventional Radiology, 49(2), [10.1007/s00270-025-04274-6](https://doi.org/10.1007/s00270-025-04274-6)

NRS (Numeric Rating Scale)



- A pain assessment scale ranging from 0 to 10
- A lower score after treatment indicates reduced pain

0 ● —————> 10
No Pain Worst Possible Pain

KOOS (Knee injury and Osteoarthritis Outcome Score)



- A patient-reported outcome measure assessing knee symptoms, function, and quality of life
- For the Pain subscale, a higher score indicates less knee pain

0 ● —————> 100
Extreme Problems (Worst) No Problems (Best)

JVIR

Comparative Safety of Three Temporary Embolic Agents in Transcatheter Arterial Embolization for Degenerative, Inflammatory, and Overuse Joint Disorders (155 patients)

Study Type	Retrospective
Patient Population	Patients with degenerative, inflammatory, and overuse joint disorders
Study Device	Nexsphere-F™ (RM), QS-GSP, IPM/CS
Purpose	To evaluate the safety and degree of pain relief of 3 rapidly biodegraded embolic materials, including imipenem (IPM)/cilastatin sodium (CS), quick-soluble gelatin sponge particles (QS-GSPs), and resorbable microsphere (RMs), in transcatheter arterial embolization (TAE) for degenerative, inflammatory, and overuse joint disorders


Table 5. Clinical success by embolization location and embolic used

Diagnosis	IPM/CS	QS-GSP	RM	P-value
Lateral epicondylitis	37/60 (61.7%)	43/72 (59.7%)	55/69 (79.7%)	0.023
Knee osteoarthritis	21/30 (70.0%)	10/14 (71.4%)	22/30 (73.3%)	0.96
Patellar tendinopathy	7/15 (46.7%)	10/14 (71.4%)	12/15 (80.0%)	0.136
Medial epicondylitis	7/15 (46.7%)	9/17 (52.9%)	7/12 (58.3%)	0.832
Frozen shoulder	9/10 (90.0%)	5/8 (62.5%)	2/4 (50.0%)	0.227
Plantar fasciitis	3/3 (100.0%)	1/1 (100.0%)	6/7 (85.7%)	0.73
Achilles tendinopathy	4/7 (57.1%)	0	2/2 (100.0%)	0.24

Clinical success was defined as “much improved” and “very much improved” ratings in patient global impression of change at 6 months after TAE.


Safety

The rate of pain duration in the embolized area (More than 7 days)



Efficacy

NRS reduction rate (Numeric Rating Scale)





van Zadelhoff, Tijmen A., Okuno Yuji. et al. JVIR. 2025 Mar 1:S1051-0443(25)00223-4.

Nexsphere-F™ Clinical Data: Hip OA (GERMANY)

CVIR

Transarterial Embolization for the Treatment of Symptomatic Hip Osteoarthritis (41 patients)

Study Type	Retrospective, Single-center
Patient Population	Hip OA
Study Device	Nexsphere-F™ or IPM/CS
Purpose	To evaluate the safety and clinical effectiveness of transarterial embolization (TAE) using temporary embolic agents in patients with symptomatic hip osteoarthritis (OA) refractory to conservative treatment

NRS

HOOS


Fleckenstein, F.N., Maleitzke, T., Oehme, S. et al. Cardiovasc Intervent Radiol (2026).

<https://doi.org/10.1007/s00270-026-04448-w>
NRS (Numeric Rating Scale)


- A pain assessment scale ranging from 0 to 10
- A lower score after treatment indicates reduced pain

0 ● —————> 100
 No Pain Worst Possible Pain

HOOS (Hip disability and Osteoarthritis Outcome Score)


- Assesses hip pain and function
- Higher scores indicate better hip function

0 ● —————> 100
 Extreme Problems (Worst) No Problems (Best)

Embolic Microspheres for Musculoskeletal Pain Treatment : Initiation of the US RESORB Trial

US Clinical Trial Plan

NCT06872567




Ziv Haskal, MD
CMO

Clinical Trial Overview

Clinical development led by CMO, a renowned IR physician expertise in the FDA clearance

- Trial: The RESORB Trial (Resorbable Embolization Microspheres for Osteoarthritis Benefit)
- Purpose : Safety and Efficacy Evaluation of Knee Artery Embolization with Nexsphere™-F
- 15 US hospitals, 126 patients with knee osteoarthritis

Estimated FDA Regulatory Timeline



Close collaboration with FDA to expedite approval

* The timeline is subject to change depending on clinical progress.

01



Breakthrough
Device Designation

02





IDE CMS
(Category B)

03



TAP
(Total Product Life Cycle
Advisory Program)



- Clinical case presentations by global KOLs and operation of a Learning Center
- Discussions on strategic partnerships with global medical device companies
- Meetings with key European distributors to discuss business expansion and collaboration

< CIRSE Learning Center Program >

9/6(Sun)		9/7(Mon)		9/8(Tue)	
10:00 – 11:00	MSK Clinical Evidence Prof. Federico Colletini(DE)	10:00 – 11:00	GAE for Post-TKA Prof. Federico Colletini(DE)	10:00 – 11:00	Degradable Gelatin Microspheres for Conventional TACE: Clinical Outcomes of Different Time Formulation (2-Hour, 24-Hour, and 2-Week) Prof. Dong-Il Gwon (KR)
11:00 – 11:30	Hands-on 'Preparation of Nexsphere & Nexsphere-F'	11:00 – 11:30	Hands-on 'Preparation of Nexsphere & Nexsphere-F'		
11:30 – 12:30	Patient Selection and Clinical Evidence in Hip Embolization Dr. Pedro Marinho Lopes (PT) and Dr. Frederico Cavalheiro (PT)	13:00 – 14:00	MSKE Multidisciplinary Approach Dr. Florian Fleckenstein (DE) and Prof. Tazio Maleitzke (DK)		11:00 – 11:30 Hands-on 'Preparation of Nexsphere & Nexsphere-F'
13:00 – 14:00	GAE for OA Prof. Osman Ahmed (US)	14:00-14:30	Hands-on 'Preparation of Nexsphere & Nexsphere-F'		11:30 – 12:30 MSKE for Shoulder Dr. Sebastian Ebel (DE)
14:00-14:30	Hands-on 'Preparation of Nexsphere & Nexsphere-F'	15:00 -16:00	Technical Aspects and Procedural Strategy in Hip Embolization Dr. Pedro Marinho Lopes (PT) and Dr. Frederico Cavalheiro (PT)		13:00 – 14:00 TAME for Tendinopathy Using Nexsphere-F Dr. Yuji Okuno (JP)
14:30 – 15:30	Shifting the Paradigm in Fibroid Embolization: Safety, Clinical Outcomes, and Long-Term Horizon of Nexsphere™ Prof. Man-Deuk Kim (KR)			14:00-14:30	Hands-on 'Preparation of Nexsphere & Nexsphere-F'
	Resorbable Nexsphere Microspheres for UAE in Daily Practice: Advantages, Tips and Tricks Dr. Paul Noël Marie Lohle (NL)				

PROVIDING INNOVATIVE
THERAPEUTIC SOLUTION
FOR UNMET CLINICAL NEEDS

NEXTBIOMEDICAL



03

INVESTOR RELATIONS 2026

What's NEXT

- Vision

Globally Recognized **Clinical Evidence** Underpins **NEXBTBIOMEDICAL's** Competitive Edge

Nexpowder



GUT, a Leading Journal in Gastroenterology



Global Clinical Evidence

- Extensive Clinical Research
- Growing Body of Global Clinical Evidence
- Publications in Leading Peer-Reviewed Journals

R&D-Driven Innovation & Product Expansion

- Developing Novel Products
- Expanding the Pipeline Through Proprietary Platform Technologies

Published in
Leading Medical
Journals



Sustainable Revenue Growth

- Export-Led Revenue Growth
- Continued Growth Through Global Market Expansion



Nexsphere & Nexsphere-F



- ① UFE (Uterine Fibroid Embolization) : Radiology
- ② TACE (Transarterial Chemoembolization) : European Radiology
- ③ GAE (Genicular Artery Embolization) : Radiology

GLOBAL LEADER
OF INNOVATIVE
THERAPEUTIC SOLUTION
FOR UNMET CLINICAL NEEDS

NEXTBIOMEDICAL



04

INVESTOR RELATIONS 2026

Appendix

- Summary Financial Statement

Summary Financial Statements

Balance Sheet (Unit: million KRW)

Description	2023 FY	2024 FY	2025 FY	1H26
Current Assets	17,968	46,888	43,267	44,236
Non-current Assets	11,675	11,957	15,998	19,342
Total Assets	29,643	58,844	59,265	63,579
Current Liabilities	33,786	11,884	8,044	8,819
Non-current Liabilities	1,759	1,769	3,115	5,597
Total Liabilities	35,544	13,653	11,158	14,416
Capital Stock	3,174	4,043	4,102	4,139
Capital Surplus	61,632	107,234	111,130	114,506
Other Capital	2,277	4,095	3,472	1,892
Retained Earnings	(72,984)	(70,181)	(70,597)	(71,375)
Total Equity	(5,901)	45,191	48,107	49,162

Income Statement (Unit: million KRW)

Description	2023 FY	2024 FY	2025 FY	1H26
Revenue	4,882	9,542	16,477	9,057
Cost of Sales	2,774	3,720	4,948	2,768
Gross Profit	2,109	5,822	11,528	6,289
SG & A	7,335	9,397	12,248	8,514
Operating Income	(5,226)	(3,575)	(720)	(2,225)
Other Income	171	289	293	210
Other Expenses	148	174	984	355
Financial Income	724	6,840	1,466	1,761
Financial Expenses	3,043	520	367	169
Net Income before Tax	(7,522)	2,860	(311)	(779)
Corporate Tax Expenses	-	-	-	-
Net Income	(7,522)	2,860	(311)	(779)

Note 1) K-IFRS

Note 2) Impaired capital was resolved after May 2024 by converting redeemable convertible preference shares to common shares.