


Investor Relations 2026


Inventage Lab

Novel Microfluidic DDS Platform



Novel Microfluidic DDS Platform

Inventage Lab



Disclaimer

This material has been prepared for the purpose of technical and business presentations owned or operated by Inventage Lab Inc. (hereinafter referred to as the “Company”).

The “predictive information” included in this material is information that has not gone through an individual verification process. This is a matter related to future events, not the past, and refers to the company's expected business status and financial performance in the future. It contains words such as “expect”, “prospect”, “plan”, and “(E)”.

The above “predictive information” is affected by changes in the business environment in the future, and inherently contains uncertainties. Due to such uncertainty, actual future performance may differ materially from what is described or implied in the “predictive information”. In addition, please note that the future prospects are based on the present date of the presentation, taking into consideration the current market conditions and the company's management direction, and may change without notice due to changes in the future market environment and strategy revisions.

Please keep in mind that unauthorized distribution and duplication of this material without prior approval from the company may be subject to legal sanctions.

01

CHAPTER

Company Overview


01



PLATFORM
SCALE-UP
MANUFACTURING

Company Identity

Inventage Lab is a Drug Delivery System (DDS) platform company



02

CHAPTER

IVL-DrugFluidic®

Proprietary Microfluidics based LAI formulation

02




PRECISION MICROSPHERES
LONG-ACTING INJECTABLES
SCALE-UP


Microfluidic-Based LAI Platform

Uniform particle control from formulation to commercial production.

SINGLE-CHANNEL PROCESSOR



MULTI-CHANNEL PROCESSOR



Precision at one channel → Repeatability across parallel channels

01 Monodisperse by design

Precise control of droplet and particle size through microfluidic flow focusing.

02 Reproducible at scale

Parallelized channels maintain consistent quality from lab to commercial scale.


03 Engineered for GMP

In-house process and equipment design supports continuous, robust production.

Platform Value: Quality-Driven Scale-Up

1. Key criteria: Scale-up Repeatability


- Goal of process control: Process parameters remain constant
→ CQAs (particle size distribution, morphology, etc.) remain uniform and consistent



	Lab-scale	Pilot-scale	Commercial scale
Reservoir volume	10 L	100 L	600 L
SEM			
PSA			
MV, CV	39.5 μ m, 8.8 %	38.5 μ m, 10.9 %	39.2 μ m, 10.5 %
D50 D90	39.6 μ m, 43.7 μ m	38.4 μ m, 43.5 μ m	39.2 μ m, 44.0 μ m
Encapsulation efficiency	97.7 %	99.8 %	99.3 %
Residual solvent	39.9 ppm	156.0 ppm	442.0 ppm


2. New Breakthrough: Scale-out manufacturing

- Overcome the limitations of conventional scale-up (by bigger chamber)
- Max Efficiency & Modular & Scale-out process



- ✓ Linear Scale-Out
- ✓ Consistent CQAs Across All Scales
- ✓ Real-Time On-Process Monitoring
- ✓ Flexible Capacity Handling through Modular Architecture

LAI Pipeline



Development of Ultra Long-acting GLP-1 RA

Big Pharma Is Racing to Develop Once-Monthly Obesity Therapies

Once-monthly dosing is emerging as the next strategic differentiator in obesity treatment.

Market Signals

JUN 2025

LAI PLATFORM DEAL





FluidCrystal® GLP-1 LAI

\$870M deal value

SEP 2025

PIPELINE M&A





Monthly obesity candidates

\$7.3B acquisition

JAN 2026

Strategic Collaboration





LiquidGel Once-monthly DDS

\$1.2B Upfront + \$3.5B Milestone

THE NEXT COMPETITIVE FRONTIER

Once PER MONTH

Less frequent dosing is becoming a key battleground for product differentiation and market leadership.

M&A · PLATFORM DEALS · PIPELINE DEVELOPMENT


MARKET IMPLICATION

Long-acting delivery is moving from a formulation option to a strategic priority.

IVL3021 Semaglutide (1-month)

Sustained Exposure No initial burst, with dose-dependent systemic exposure maintained for over 4 weeks.

Single Dose PK Profile of IVL3021 in Mini Pigs



4+ weeks

Exposure remained detectable at the final observed time point.

CONTROLLED ONSET

The profile rises gradually without a sharp early peak.


PROLONGED PROFILE

Systemic exposure extends beyond four weeks after one SC dose.


IVL3021 Semaglutide (1-month)

Comparable Efficacy

IVL3021 matched Wegovy, with exposure-driven weight loss and dose-dependent metabolic improvements.



Wegovy repeat: Max. BW reduction **-9.2% after repeat dosing**




IVL3021 repeat
: Max. BW reduction **-11.6% (Low) and -14.6% (High)**

Similar efficacy between IVL3021 Low and Wegovy

IVL3024 Tirzepatide (1-month)

Minipig PK shows markedly lower C_{max} than Mounjaro®, with sustained exposure beyond four weeks.

Minipig PK: IVL3024 vs. Mounjaro®




WHAT THE DATA SHOW

LOWER
peak exposure

Reduced C_{max} versus the immediate-release reference profile

4+ weeks

Sustained systemic exposure after one SC injection



Uniform Microsphere Quality

Smooth, spherical particles with tight size control

03

CHAPTER

IVL-BioFluidic™

Ultra-concentrated Biologics Formulation for Low Volume SC Injection

03




HIGH-CONCENTRATION SC
PARTICLE ENGINEERING
BIOLOGICS

Unmet Needs for S.C. Formulation

TA McDonald et al. Curr Opin Mol Ther 2010
V Magarotto et al. Patient prefer. adherence 2024

Subcutaneous (SC) formulations are rapidly gaining **market size and share** in the biopharmaceutical space, driven by their enhanced **patient-friendliness, safety profile, and cost-effectiveness**.

Comparison between IV and SC formulations in patient-centric aspects



IV



Time consuming procedures
(over hours)



Medical staff for injection
and monitoring



Risk of systemic infection



Increased cost



SC



Simple and quick procedures
(minutes)



Least painful and patient-friendly procedures



Increased compliance and QoL



Decreased cost

Preference of SC over IV: Surveys



Chosun Biz EN

68% of cancer patients choose Keytruda SC over IV in Korea-relevant trial

Survey

Immunoglobulins, multiple surveys

us dosing over IV




- Time in hospital ↓
- Emotional burden ↓
- Home-based therapy

Daratumumab, survey in Europe


Why high-dose SC formulation?

- **Over a third** of FDA-approved mAb drugs have a **high dose**(exceeding 600 mg), posing a challenge for **subcutaneous (SC) delivery**. **Recent blockbuster therapies**, such as **immune checkpoint inhibitors**, often require such high dosages.
- The viscosity and inherent instability of highly concentrated mAb solutions have prevented sufficient dose volume reduction
- → This constraint led to the development of **hyaluronidase co-injection technology**.

Number of High-dose mAbs
(Cumulative)




Exponentially increased viscosity
as a function of mAb concentration



Key Features of IVL-BioFluidic™ Platform

Generating innovative values The synergy of **small volume**, **shorter injection time**, and **simple SC administration**
Possible for pre-filled syringes and/or autoinjectors




Max Dose	5000 mg	1875 mg	1875 mg (Target)
Injection Volume	250 mL	~ 15 mL	≤ 2.5 mL
Injection Time	Hours	5 – 10 min	1 – 2 min
Extra Biologic API	No	Required	No


Technical Concept of IVL-BioFluidic™

- IVL's brand-new and proprietary microfluidic process, BioFluidic™: A single-step platform for generating **biologics microparticles**
- This highly efficient process integrates three key steps **simultaneously** within the microfluidic system:
① Concentration, ② Dehydration, and ③ Particle formation


Biologics Solution



BioFluidic Process



Protein Microparticles



SC Injection








IVL's Prioritary Patent Technology

Competitive Landscape : Ultra HCA Formulation Platforms

Patent circumvention and establishment of strong **competitive barriers**


- ① **Unique manufacturing technology:** Leveraging a proprietary microfluidic device with novel designs and features.
- ② **Controllability of particle size and distribution:** Achieving micro-control over particle size, distribution, and the suspension's rheological properties.

Technology	Hypercon	SnapShot	Microglassification™	Nanoform biologics	IVL-BioFluidic™
Company	Elektrofi (now Halozyme)	Surf Bio (now Halozyme)	Lindy Bioscience	Nanoform	Inventage Lab
API Concentration	~ 500 mg/mL max.	~ 600 mg/mL max.	N/A	440 mg/mL	Target: 750 mg/mL
Method	Electrospray (putative)	Spray-drying	Homogenization	Nebulization	Microfluidics
Excipient	GRAS material (putative)	Novel polymer (“MoNi”)	Sucrose	N/A	TBD
Particle Size and Shape	Spherical, heterogenous 	Spherical, heterogenous 	Spherical, heterogenous 	Spherical, heterogenous 	Controllable, uniform 

IVL-BioFluidic™: Expansion Potential to Various Biologics

- BioFluidic is being developed as a flexible and scalable manufacturing platform for a wide range of protein-based therapeutics
 - **beyond antibodies.**
- Its applicability has been demonstrated across **diverse biologic classes**, including mAbs, Fc-fusion proteins, and enzymes.


Class	Generic Names	Primary Trade Names
mAb	- Trastuzumab (original and biosimilar) - Rituximab - Pembrolizumab - Bevacizumab - Infliximab	- Herceptin® - Rituxan® (or MabThera®) - Keytruda® - Avastin® - Remicade®
Ab- derivative s	- Bispecific Fc-fusion protein - Trastuzumab Deruxtecan (ADC)	- N/A - Enhertu®
Enzyme	- Hyaluronidase - Berahyaluronidase	- N/A - Tergase®




IVL-BioFluidic™: Pharmacokinetics (PK)

- A preliminary rat PK study shows a **comparable PK profile and parameters** of BioFluidic SC formulation of **mAbs #1** compared to the conventional aqueous SC formulation
- Dose proportionality was demonstrated across the tested dose range
- No significant injection site reaction** was observed


Pharmacokinetic Profile



Bioavailability




Dose Linearity




IVL-BioFluidic™: Biodistribution

- A rat biodistribution study shows a **comparable absorption profile** of highly concentrated BioFluidic formulation of human IgG compared to the low-concentration aqueous SC formulation
- No significant injection site reaction** was observed


Injection Volume



IVIS Image (Fluorescence-tagged hIgG)




Fluorescence Intensity



IVL-BioFluidic™: Unlocking Additional Value from Existing IV Biologics

IVL-BioFluidic™ introduces a differentiated SC development option for existing IV clinical assets



04

CHAPTER

Business Development


04



GLOBAL PARTNERSHIPS
LICENSING
COMMERCIALIZATION

Business Targets for H2 2026

- 01 Boehringer Ingelheim Joint Research**
 - In vivo study & evaluation in process
- 02 GLP-1 pipeline P1 IND filing**
 - IMD track, global clinical study
- 03 Clinical trials development for LAI improved new drug pipeline**
 - 3 pipelines : Alopecia, Dementia, Drug addiction treatment
- 04 Manufacturing Tech. Transfer & Licensing / for Animal Health pipelines**
 - For contracted pipelines (with existing global partner)
- 05 Next gen SC Formulation (IVL-BioFluidic™)**
 - Collaborating on research with multiple pipelines/partners under executed CDA and MTA



End of Presentation

Inventage Lab Inc.

+82-31-608-5927

General Inquiry: contact@inventagelab.com