1. How to use 05 - how to use 05 commands less \$ cost = f1)

how to use system coulds (05 \$32240) of 43342

: 05 ALES \$32240.

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read, write sol

(ex) xz open ("f1") b) open, read .05 | Windows | Uhunting Linux bernel | Linux berne 卫二

read/understand/modify 05. (05 kernel)

Valerytand 5 concepts of 05

L) Interrupt, Process, file, Memory, 1/0

R/u/m 05.

-X: Genter 32d 2012 login: root paggword: 4)

Inesogs delta eth mk/2) Tho

'main. L'叫 新墓 李元

· trap -init () 'stol ('32bit' 3+2let 725+212t.)