


문제 1: remote[GitHub] empty repo 생성




문제 2: git init & git push



문제 3: 별도의 git local branch 생성 -> remote repo 생성




문제 4: fast forward merg



문제 5:3 way merge - conflict merge가 발생해야 함

```
· (-) (-) · (-) · (-)
X ALS LT OF
                                                               Main java × "6
                     StringToLen...
                                    Main.java
                                                Otherclass.java
                       1 package one;
ncedquiz
yrepo [emptyrepo main † 3]
                          public class Main {
avaProject [GitjavaProject main]
                       4
                       50
                               public static void main(String[] args) {
719
                       6
                                   // TODO Auto-generated method stub
rogrammingunitexam
                       7
                          new[Interactive rebase main 16
                                   System.out.println("Hello world!");
                       9
                                   System.out.println("Hi world");
E System Library [jre]
ADME.md
                     210
                         ======
teproject
                      11
                                   System.out.println("hi worldaa!");
                     12
                                   System.out.println("Hello world1");
                          >>>>>> e0bb5a4 (edit)
                     14
                     815
                               }
                      16
                      17
                      18
```

문제 6 : rebase - conflict merge가 발생해야 함



문제 7 : remote branch[GitHub]와 local branch 충돌 해결

```
git push --set-upstream origin other1

Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

Temote:
Temote: Create a pull request for 'other1' on GitHub by visiting:
Temote: https://github.com/woosukju/new/pull/new/other1

Temote:
To https://github.com/woosukju/new.git

To https://github.com/woosukju/new.git


To manch other1 -> other1

Toranch 'other1' set up to track 'origin/other1'.

HKITEDESKTOP-L78TRZK MINGW64

S git pull origin other
```

문제 8: local branch 및 remote branch 삭제



문제 9: git undo[amend 옵션 사용]



문제 10 : team - collaborate : 팀원마다 브랜치가 할당. 이후 main 브랜치로 Merge

• 브랜치 할당

```
/testrepo (main)

$ git checkout -b taehun

Switched to a new branch 'taehun'

HKIT@DESKTOP-L7BTR2K MINGW64 /c/Develop

/testrepo (taehun)

$ git push --set-upstream origin taehun


HKIT@DESKTOP-L7BTR2K MINGW64 /c/Developme

/testrepo (main)

$ git checkout -b sunghoi

Switched to a new branch 'sunghoi'
```

변수 정의와 생성자 게터 세터 메서드 #2



• merge pull request 클릭하여 머지