

TCPDUMP CVE details

CVE-2024-8006:

Remote packet capture support is disabled by default in libpcap. When a user builds libpcap with remote packet capture support enabled, one of the functions that become available is `pcap_findalldevs_ex()`. One of the function arguments can be a filesystem path, which normally means a directory with input data files. When the specified path cannot be used as a directory, the function receives `NULL` from `opendir()` but does not check the return value and passes the `NULL` value to `readdir()`, which causes a `NULL` pointer dereference.

Max CVSS: 4.4 **EPSS:** 0.02% **Published:** 2024-08-31 **Updated:** 2024-09-19

CVE-2023-7256:

In affected libpcap versions, during the setup of a remote packet capture, the internal function `sock_initaddress()` calls `getaddrinfo()` and possibly `freeaddrinfo()`, but does not clearly indicate to the caller whether `freeaddrinfo()` still needs to be called after the function returns. This can result in both the function and its caller freeing the same memory block, leading to a double-free condition. A similar issue was reported in Apple's libpcap (CVE-2023-40400).

Max CVSS: 4.4 **EPSS:** 0.01% **Published:** 2024-08-30 **Updated:** 2024-09-19

CVE-2023-1801:

The SMB protocol decoder in tcpdump version 4.99.3 can perform an out-of-bounds write when decoding a crafted network packet.

Max CVSS: 6.5 **EPSS:** 0.07% **Published:** 2023-04-07 **Updated:** 2023-12-23

CVE-2021-41043:

A potential use-after-free issue in `tcpslice` can trigger AddressSanitizer; no other confirmed impact is known.

Max CVSS: 5.5 **EPSS:** 0.24% **Published:** 2022-01-05 **Updated:** 2022-01-12

CVE-2020-8037:

The PPP decapsulator in tcpdump 4.9.3 can be convinced to allocate a large amount of

memory, potentially causing a denial of service.

Max CVSS: 7.5 **EPSS:** 0.22% **Published:** 2020-11-04 **Updated:** 2021-05-05

CVE-2020-8036:

The `tok2strbuf()` function in tcpdump 4.10.0-PRE-GIT was used unsafely by the SOME/IP dissector, which could lead to a crash or undefined behavior.

Max CVSS: 7.5 **EPSS:** 0.43% **Published:** 2020-11-04 **Updated:** 2020-11-25

CVE-2019-1010220:

tcpdump 4.9.2 is affected by a buffer over-read in `print_prefix()` within `print-hncp.c` (line 234). This may expose sensitive stack data such as the saved frame pointer or return address when processing a specially crafted pcap file.

Max CVSS: 4.3 **EPSS:** 0.29% **Published:** 2019-07-22 **Updated:** 2019-08-20

CVE-2019-15167:

The VRRP parser in tcpdump before 4.9.3 has a buffer over-read in `vrrp_print()` for VRRP version 3.

Max CVSS: 9.1 **EPSS:** 0.07% **Published:** 2022-08-27 **Updated:** 2022-09-01

CVE-2019-15166:

The `lmp_print_data_link_subobjs()` function in tcpdump before 4.9.3 lacks proper bounds checks, allowing potential out-of-bounds access.

Max CVSS: 7.5 **EPSS:** 1.02% **Published:** 2019-10-03 **Updated:** 2022-04-13

CVE-2019-15165:

`sf-pcapng.c` in libpcap before 1.9.1 does not validate the PHB header length before allocating memory, which can lead to excessive allocation or memory corruption.

Max CVSS: 5.3 **EPSS:** 1.49% **Published:** 2019-10-03 **Updated:** 2022-04-08

CVE-2019-15164:

`rpcapd/daemon.c` in libpcap before 1.9.1 allows server-side request forgery (SSRF)

because a URL can be provided as a capture source.

Max CVSS: 5.3 **EPSS:** 1.66% **Published:** 2019-10-03 **Updated:** 2019-10-27

CVE-2019-15163:

[rpcapd/daemon.c](#) in libpcap before 1.9.1 allows a denial of service (NULL pointer dereference and daemon crash) if a [crypt\(\)](#) call fails.

Max CVSS: 7.5 **EPSS:** 0.78% **Published:** 2019-10-03 **Updated:** 2019-10-27

CVE-2019-15162:

[rpcapd/daemon.c](#) in libpcap before 1.9.1 on non-Windows platforms exposes details about authentication failures, making username enumeration easier.

Max CVSS: 5.3 **EPSS:** 1.04% **Published:** 2019-10-03 **Updated:** 2019-10-27

CVE-2019-15161:

[rpcapd/daemon.c](#) in libpcap before 1.9.1 mishandles certain length values because of variable reuse, creating an attack vector involving extra data appended to a request.

Max CVSS: 5.3 **EPSS:** 2.53% **Published:** 2019-10-03 **Updated:** 2020-08-24

CVE-2018-19519:

In tcpdump 4.9.2, a stack-based buffer over-read exists in [print_prefix\(\)](#) of [print-hncp.c](#) via crafted packet data, due to missing initialization.

Max CVSS: 5.5 **EPSS:** 0.34% **Published:** 2018-11-25 **Updated:** 2020-08-24

CVE-2018-16452:

The SMB parser in tcpdump before 4.9.3 can cause stack exhaustion in [smb_fdata\(\)](#) (in [smbutil.c](#)) through recursion.

Max CVSS: 7.5 **EPSS:** 1.24% **Published:** 2019-10-03 **Updated:** 2019-10-11

CVE-2018-16451:

The SMB parser in tcpdump before 4.9.3 contains buffer over-reads in [print_trans\(\)](#) of

`print-smb.c` for `\\MAILSLOT\\BROWSE` and `\\PIPE\\LANMAN`.

Max CVSS: 7.5 **EPSS:** 0.34% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-16301:

The command-line argument parser in tcpdump before 4.99.0 has a buffer overflow in `read_infile()` (in `tcpdump.c`). To trigger it, an attacker must create a 4 GB local file and specify its name using the `-F` flag.

Max CVSS: 7.8 **EPSS:** 0.06% **Published:** 2019-10-03 **Updated:** 2022-02-14

CVE-2018-16300:

The BGP parser in tcpdump before 4.9.3 allows stack consumption in `bgp_attr_print()` (`print-bgp.c`) through unlimited recursion.

Max CVSS: 7.5 **EPSS:** 0.28% **Published:** 2019-10-03 **Updated:** 2019-10-11

CVE-2018-16230:

The BGP parser in tcpdump before 4.9.3 has a buffer over-read in `bgp_attr_print()` (`print-bgp.c`) related to MP_REACH_NLRI attributes.

Max CVSS: 7.5 **EPSS:** 0.34% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-16229:

The DCCP parser in tcpdump before 4.9.3 has a buffer over-read in `dccp_print_option()` (`print-dccp.c`).

Max CVSS: 7.5 **EPSS:** 2.97% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-16228:

The HNCP parser in tcpdump before 4.9.3 has a buffer over-read in `print_prefix()` (`print-hnccp.c`).

Max CVSS: 7.5 **EPSS:** 1.54% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-16227:

The IEEE 802.11 parser in tcpdump before 4.9.3 has a buffer over-read in

[print-802_11.c](#) when processing the Mesh Flags subfield.

Max CVSS: 7.5 **EPSS:** 4.52% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-14882:

The ICMPv6 parser in tcpdump before 4.9.3 has a buffer over-read in [print-icmp6.c](#).

Max CVSS: 7.5 **EPSS:** 1.69% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14881:

The BGP parser in tcpdump before 4.9.3 has a buffer over-read in [bgp_capabilities_print\(\)](#) ([print-bgp.c](#)) for [BGP_CAPCODE_RESTART](#).

Max CVSS: 7.5 **EPSS:** 2.94% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-14880:

The OSPFv3 parser in tcpdump before 4.9.3 has a buffer over-read in [print-ospf6.c:ospf6_print_lshdr\(\)](#).

Max CVSS: 7.5 **EPSS:** 0.99% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14879:

The command-line argument parser in tcpdump before 4.9.3 has a buffer overflow in [tcpdump.c:get_next_file\(\)](#).

Max CVSS: 7.0 **EPSS:** 0.52% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14470:

The Babel parser in tcpdump before 4.9.3 has a buffer over-read in [print-babel.c:babel_print_v2\(\)](#).

Max CVSS: 7.5 **EPSS:** 2.01% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-14469:

The IKEv1 parser in tcpdump before 4.9.3 has a buffer over-read in

`print-isakmp.c:ikev1_n_print()`.

Max CVSS: 7.5 **EPSS:** 1.74% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14468:

The FRF.16 parser in tcpdump before 4.9.3 has a buffer over-read in

`print-fr.c:mfr_print()`.

Max CVSS: 7.5 **EPSS:** 0.68% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14467:

The BGP parser in tcpdump before 4.9.3 has a buffer over-read in

`print-bgp.c:bgp_capabilities_print()` (for `BGP_CAPCODE_MP`).

Max CVSS: 7.5 **EPSS:** 0.46% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-14466:

The Rx parser in tcpdump before 4.9.3 has a buffer over-read in

`print-rx.c:rx_cache_find()` and `rx_cache_insert()`.

Max CVSS: 7.5 **EPSS:** 2.01% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-14465:

The RSVP parser in tcpdump before 4.9.3 has a buffer over-read in

`print-rsvp.c:rsvp_obj_print()`.

Max CVSS: 7.5 **EPSS:** 1.76% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14464:

The LMP parser in tcpdump before 4.9.3 has a buffer over-read in

`print-lmp.c:lmp_print_data_link_subobjs()`.

Max CVSS: 7.5 **EPSS:** 2.01% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-14463:

The VRRP parser in tcpdump before 4.9.3 has a buffer over-read in

`print-vrrp.c:vrrp_print()` for VRRP version 2, a different issue from CVE-2019-15167.
Max CVSS: 7.5 **EPSS:** 0.62% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14462:

The ICMP parser in tcpdump before 4.9.3 has a buffer over-read in `print-icmp.c:icmp_print()`.

Max CVSS: 7.5 **EPSS:** 2.28% **Published:** 2019-10-03 **Updated:** 2023-08-16

CVE-2018-14461:

The LDP parser in tcpdump before 4.9.3 has a buffer over-read in `print-ldp.c:ldp_tlv_print()`.

Max CVSS: 7.5 **EPSS:** 0.34% **Published:** 2019-10-03 **Updated:** 2020-01-20

CVE-2018-10105:

tcpdump before 4.9.3 mishandles the printing of SMB data (issue 2 of 2), which can lead to denial of service or information disclosure.

Max CVSS: 9.8 **EPSS:** 0.37% **Published:** 2019-10-03 **Updated:** 2019-10-11

CVE-2018-10103:

tcpdump before 4.9.3 mishandles the printing of SMB data (issue 1 of 2), leading to potential crashes when processing malicious packets.

Max CVSS: 9.8 **EPSS:** 0.40% **Published:** 2019-10-03 **Updated:** 2019-10-11

CVE-2017-16808:

tcpdump before 4.9.3 has a heap-based buffer over-read in `print-aoe.c:aoe_print()` and `addrtoname.c:lookup_emem()`.

Max CVSS: 5.5 **EPSS:** 1.16% **Published:** 2017-11-13 **Updated:** 2019-10-02

CVE-2017-13725:

The IPv6 routing header parser in tcpdump before 4.9.2 has a buffer over-read in

[print-rt6.c:rt6_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-28

CVE-2017-13690:

The IKEv2 parser in tcpdump before 4.9.2 has multiple buffer over-reads in

[print-isakmp.c](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13689:

The IKEv1 parser in tcpdump before 4.9.2 has a buffer over-read in

[print-isakmp.c:ikev1_id_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13688:

The OLSR parser in tcpdump before 4.9.2 has a buffer over-read in

[print-olsr.c:olsr_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13687:

The Cisco HDLC parser in tcpdump before 4.9.2 has a buffer over-read in

[print-chdlc.c:chdlc_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-28

CVE-2017-13055:

The ISO IS-IS parser in tcpdump before 4.9.2 has a buffer over-read in

[print-isoclns.c:isis_print_is_reach_subtlv\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13054:

The LLDP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-lldp.c:lldp_private_8023_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13053:

The BGP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-bgp.c:decode_rt_routing_info\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13052:

The CFM parser in tcpdump before 4.9.2 has a buffer over-read in

[print-cfm.c:cfm_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13051:

The RSVP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-rsvp.c:rsvp_obj_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.61% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13050:

The RPKI-Router parser in tcpdump before 4.9.2 has a buffer over-read in

[print-rpki-rtr.c:rpki_rtr_pdu_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.64% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13049:

The Rx protocol parser in tcpdump before 4.9.2 has a buffer over-read in

[print-rx.c:ubik_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13048:

The RSVP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-rsvp.c:rsvp_obj_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13047:

The ISO ES-IS parser in tcpdump before 4.9.2 has a buffer over-read in

[print-isoclns.c:esis_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13046:

The BGP parser in tcpdump before 4.9.2 has a buffer over-read in [print-bgp.c:bgp_attr_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13045:

The VQP parser in tcpdump before 4.9.2 has a buffer over-read in [print-vqp.c:vqp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13044:

The HNCP parser in tcpdump before 4.9.2 has a buffer over-read in [print-hnmp.c:dhcipv4_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13043:

The BGP parser in tcpdump before 4.9.2 has a buffer over-read in [print-bgp.c:decode_multicast_vpn\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13042:

The HNCP parser in tcpdump before 4.9.2 has a buffer over-read in [print-hnmp.c:dhcipv6_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13041:

The ICMPv6 parser in tcpdump before 4.9.2 has a buffer over-read in [print-icmp6.c:icmp6_nodeinfo_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.84% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13040:

The MPTCP parser in tcpdump before 4.9.2 has a buffer over-read in [print-mptcp.c](#) (several functions).

Max CVSS: 9.8 **EPSS:** 1.84% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13039:

The ISAKMP parser in tcpdump before 4.9.2 has a buffer over-read in [print-isakmp.c](#) (several functions).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13038:

The PPP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-ppp.c:handle_mlppp\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.64% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13037:

The IP parser in tcpdump before 4.9.2 has a buffer over-read in [print-ip.c:ip_printts\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13036:

The OSPFv3 parser in tcpdump before 4.9.2 has a buffer over-read in

[print-ospf6.c:ospf6_decode_v3\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13035:

The ISO IS-IS parser in tcpdump before 4.9.2 has a buffer over-read in

[print-isoclns.c:isis_print_id\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13034:

The PGM parser in tcpdump before 4.9.2 has a buffer over-read in

[print-pgm.c:pgm_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13033:

The VTP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-vtp.c:vtp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.84% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13032:

The RADIUS parser in tcpdump before 4.9.2 has a buffer over-read in

[print-radius.c:print_attr_string\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13031:

The IPv6 fragmentation header parser in tcpdump before 4.9.2 has a buffer over-read in [print-frag6.c:frag6_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13030:

The PIM parser in tcpdump before 4.9.2 has a buffer over-read in [print-pim.c](#) (several functions).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13029:

The PPP parser in tcpdump before 4.9.2 has a buffer over-read in [print-ppp.c:print_ccp_config_options\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13028:

The BOOTP parser in tcpdump before 4.9.2 has a buffer over-read in [print-bootp.c:bootp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.01% **Published:** 2017-09-14 **Updated:** 2020-10-28

CVE-2017-13027:

The LLDP parser in tcpdump before 4.9.2 has a buffer over-read in [print-lldp.c:lldp_mgmt_addr_tlv_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13026:

The ISO IS-IS parser in tcpdump before 4.9.2 has a buffer over-read in [print-isoclns.c](#) (several functions).

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13025:

The IPv6 mobility parser in tcpdump before 4.9.2 has a buffer over-read in [print-mobility.c:mobility_opt_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13024:

The IPv6 mobility parser in tcpdump before 4.9.2 has a buffer over-read in [print-mobility.c:mobility_opt_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-28

CVE-2017-13023:

The IPv6 mobility parser in tcpdump before 4.9.2 has a buffer over-read in [print-mobility.c:mobility_opt_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13022:

The IP parser in tcpdump before 4.9.2 has a buffer over-read in [print-ip.c:ip_printroute\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13021:

The ICMPv6 parser in tcpdump before 4.9.2 has a buffer over-read in

`print-icmp6.c:icmp6_print()`.

Max CVSS: 9.8 **EPSS:** 1.36% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13020:

The VTP parser in tcpdump before 4.9.2 has a buffer over-read in

`print-vtp.c:vtp_print()`.

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-28

CVE-2017-13019:

The PGM parser in tcpdump before 4.9.2 has a buffer over-read in

`print-pgm.c:pgm_print()`.

Max CVSS: 9.8 **EPSS:** 2.64% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13018:

The PGM parser in tcpdump before 4.9.2 has a buffer over-read in

`print-pgm.c:pgm_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13017:

The DHCPv6 parser in tcpdump before 4.9.2 has a buffer over-read in

`print-dhcp6.c:dhcp6opt_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13016:

The ISO ES-IS parser in tcpdump before 4.9.2 has a buffer over-read in

`print-isoclns.c:esis_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13015:

The EAP parser in tcpdump before 4.9.2 has a buffer over-read in

`print-eap.c:eap_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13014:

The White Board protocol parser in tcpdump before 4.9.2 has a buffer over-read in

`print-wb.c:wb_prep()`, several functions.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13013:

The ARP parser in tcpdump before 4.9.2 has a buffer over-read in `print-arp.c`, several functions.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13012:

The ICMP parser in tcpdump before 4.9.2 has a buffer over-read in [print-icmp.c:icmp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13011:

Several protocol parsers in tcpdump before 4.9.2 could cause a buffer overflow in [util-print.c:bittok2str_internal\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.49% **Published:** 2017-09-14 **Updated:** 2018-05-17

CVE-2017-13010:

The BEEP parser in tcpdump before 4.9.2 has a buffer over-read in [print-beep.c:l_strnstart\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.01% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13009:

The IPv6 mobility parser in tcpdump before 4.9.2 has a buffer over-read in [print-mobility.c:mobility_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.01% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13008:

The IEEE 802.11 parser in tcpdump before 4.9.2 has a buffer over-read in [print-802_11.c:parse_elements\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.01% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13007:

The Apple PKTAP parser in tcpdump before 4.9.2 has a buffer over-read in [print-pktap.c:pktap_if_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13006:

The L2TP parser in tcpdump before 4.9.2 has a buffer over-read in [print-l2tp.c](#), several functions.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13005:

The NFS parser in tcpdump before 4.9.2 has a buffer over-read in [print-nfs.c:xid_map_enter\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13004:

The Juniper protocols parser in tcpdump before 4.9.2 has a buffer over-read in

[print-juniper.c:juniper_parse_header\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-28

CVE-2017-13003:

The LMP parser in tcpdump before 4.9.2 has a buffer over-read in

[print-lmp.c:lmp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13002:

The AODV parser in tcpdump before 4.9.2 has a buffer over-read in

[print-aodv.c:aodv_extension\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13001:

The NFS parser in tcpdump before 4.9.2 has a buffer over-read in

[print-nfs.c:nfs_printfh\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-13000: The IEEE 802.15.4 parser in tcpdump before 4.9.2 has a buffer over-read in [print-802_15_4.c:ieee802_15_4_if_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 4.37% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12999: The IS-IS parser in tcpdump before 4.9.2 has a buffer over-read in [print-isoclns.c:isis_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12998: The IS-IS parser in tcpdump before 4.9.2 has a buffer over-read in [print-isoclns.c:isis_print_extd_ip_reach\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12997: The LLDP parser in tcpdump before 4.9.2 could enter an infinite loop due to a bug in [print-lldp.c:lldp_private_8021_print\(\)](#).

Max CVSS: 7.5 **EPSS:** 1.48% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12996: The PIMv2 parser in tcpdump before 4.9.2 has a buffer over-read in [print-pim.c:pimv2_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12995: The DNS parser in tcpdump before 4.9.2 could enter an infinite loop due to a bug in [print-domain.c:ns_print\(\)](#).

Max CVSS: 7.5 **EPSS:** 1.14% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12994: The BGP parser in tcpdump before 4.9.2 has a buffer over-read in [print-bgp.c:bgp_attr_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12993: The Juniper protocols parser in tcpdump before 4.9.2 has a buffer over-read in [print-juniper.c](#), several functions.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12992: The RIPng parser in tcpdump before 4.9.2 has a buffer over-read in [print-ripng.c:ripng_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12991: The BGP parser in tcpdump before 4.9.2 has a buffer over-read in [print-bgp.c:bgp_attr_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.60% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12990: The ISAKMP parser in tcpdump before 4.9.2 could enter an infinite loop due to bugs in [print-isakmp.c](#), several functions.

Max CVSS: 7.5 **EPSS:** 1.14% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12989: The RESP parser in tcpdump before 4.9.2 could enter an infinite loop due to a bug in [print-resp.c:resp_get_length\(\)](#).

Max CVSS: 7.5 **EPSS:** 1.14% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12988: The telnet parser in tcpdump before 4.9.2 has a buffer over-read in [print-telnet.c:telnet_parse\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12987: The IEEE 802.11 parser in tcpdump before 4.9.2 has a buffer over-read in [print-802_11.c:parse_elements\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-23

CVE-2017-12986: The IPv6 routing header parser in tcpdump before 4.9.2 has a buffer over-read in [print-rt6.c:rt6_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.01% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12985: The IPv6 parser in tcpdump before 4.9.2 has a buffer over-read in [print-ip6.c:ip6_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.01% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12902: The Zephyr parser in tcpdump before 4.9.2 has a buffer over-read in [print-zephyr.c](#), several functions.

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-23

CVE-2017-12901: The EIGRP parser in tcpdump before 4.9.2 has a buffer over-read in `print-eigrp.c:eigrp_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12900: Several protocol parsers in tcpdump before 4.9.2 could cause a buffer over-read in `util-print.c:tok2strbuf()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12899: The DECnet parser in tcpdump before 4.9.2 has a buffer over-read in `print-decnet.c:decnet_print()`.

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-23

CVE-2017-12898: The NFS parser in tcpdump before 4.9.2 has a buffer over-read in `print-nfs.c:interp_reply()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12897: The ISO CLNS parser in tcpdump before 4.9.2 has a buffer over-read in `print-isoclns.c:isoclns_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12896: The ISAKMP parser in tcpdump before 4.9.2 has a buffer over-read in `print-isakmp.c:isakmp_rfc3948_print()`.

Max CVSS: 9.8 **EPSS:** 2.06% **Published:** 2017-09-14 **Updated:** 2020-10-23

CVE-2017-12895: The ICMP parser in tcpdump before 4.9.2 has a buffer over-read in `print-icmp.c:icmp_print()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12894: Several protocol parsers in tcpdump before 4.9.2 could cause a buffer over-read in `addrtoname.c:lookup_bytestring()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-12893: The SMB/CIFS parser in tcpdump before 4.9.2 has a buffer over-read in `smbutil.c:name_len()`.

Max CVSS: 9.8 **EPSS:** 1.12% **Published:** 2017-09-14 **Updated:** 2019-10-03

CVE-2017-11543: tcpdump 4.9.0 has a buffer overflow in the `sliplink_print()` function in `print-sl.c`.

Max CVSS: 9.8 **EPSS:** 10.47% **Published:** 2017-07-23 **Updated:** 2018-05-17 **Public Exploit:** Potential

CVE-2017-11542: tcpdump 4.9.0 has a heap-based buffer over-read in the `pimv1_print()` function in `print-pim.c`.

Max CVSS: 9.8 **EPSS:** 1.05% **Published:** 2017-07-23 **Updated:** 2019-10-03 **Public Exploit:** Potential

CVE-2017-11541: tcpdump 4.9.0 has a heap-based buffer over-read in the `lldp_print()` function in `print-lldp.c`, related to `util-print.c`.

Max CVSS: 9.8 **EPSS:** 1.05% **Published:** 2017-07-23 **Updated:** 2019-10-03 **Public Exploit:** Potential

CVE-2017-11108: tcpdump 4.9.0 allows remote attackers to cause a denial of service (heap-based buffer over-read and crash) via crafted packets. The crash occurs in the `EXTRACT_16BITS()` function, called from `stp_print()` for Spanning Tree Protocol.

Max CVSS: 7.5 **EPSS:** 1.94% **Published:** 2017-07-08 **Updated:** 2019-10-03

CVE-2017-5486: The ISO CLNS parser in tcpdump before 4.9.0 has a buffer overflow in `print-isoclns.c:clnp_print()`.

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5485: The ISO CLNS parser in tcpdump before 4.9.0 has a buffer overflow in `addrtoname.c:lookup_nsap()`.

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5484: The ATM parser in tcpdump before 4.9.0 has a buffer overflow in `print-atm.c:sig_print()`.

Max CVSS: 9.8 **EPSS:** 1.76% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5483: The SNMP parser in tcpdump before 4.9.0 has a buffer overflow in `print-snmp.c:asn1_parse()`.

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5482: The Q.933 parser in tcpdump before 4.9.0 has a buffer overflow in `print-fr.c:q933_print()`, a different issue than CVE-2016-8575.

Max CVSS: 9.8 **EPSS:** 4.38% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5342: In tcpdump before 4.9.0, a bug in multiple protocol parsers (Geneve, GRE, NSH, OTV, VXLAN, VXLAN GPE) could cause a buffer overflow in `print-ether.c:ether_print()`.

Max CVSS: 9.8 **EPSS:** 4.38% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5341: The OTV parser in tcpdump before 4.9.0 has a buffer overflow in `print-otv.c:otv_print()`.

Max CVSS: 9.8 **EPSS:** 4.38% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2017-5205: The ISAKMP parser in tcpdump before 4.9.0 has a buffer overflow in [print-isakmp.c:ikev2_e_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.08% **Published:** 2017-01-28 **Updated:** 2019-03-19

CVE-2017-5204: The IPv6 parser in tcpdump before 4.9.0 has a buffer overflow in [print-ip6.c:ip6_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 2.17% **Published:** 2017-01-28 **Updated:** 2019-03-19

CVE-2017-5203: The BOOTP parser in tcpdump before 4.9.0 has a buffer overflow in [print-bootp.c:bootp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.08% **Published:** 2017-01-28 **Updated:** 2019-03-19

CVE-2017-5202: The ISO CLNS parser in tcpdump before 4.9.0 has a buffer overflow in [print-isoclns.c:clnp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 1.08% **Published:** 2017-01-28 **Updated:** 2019-03-19

CVE-2016-8575: The Q.933 parser in tcpdump before 4.9.0 has a buffer overflow in [print-fr.c:q933_print\(\)](#), a different issue than CVE-2017-5482.

Max CVSS: 9.8 **EPSS:** 4.38% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-8574: The FRF.15 parser in tcpdump before 4.9.0 has a buffer overflow in [print-fr.c:frf15_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7993: A bug in [util-print.c:relts_print\(\)](#) in tcpdump before 4.9.0 could cause a buffer overflow in multiple protocol parsers (DNS, DVMRP, HSRP, IGMP, lightweight resolver protocol, PIM).

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7992: The Classical IP over ATM parser in tcpdump before 4.9.0 has a buffer overflow in [print-cip.c:cip_if_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7986: The GeoNetworking parser in tcpdump before 4.9.0 has a buffer overflow in [print-geonet.c](#), multiple functions.

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7985: The CALM FAST parser in tcpdump before 4.9.0 has a buffer overflow in [print-calm-fast.c:calm_fast_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7984: The TFTP parser in tcpdump before 4.9.0 has a buffer overflow in [print-tftp.c:tftp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7983: The BOOTP parser in tcpdump before 4.9.0 has a buffer overflow in [print-bootp.c:bootp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.69% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7975: The TCP parser in tcpdump before 4.9.0 has a buffer overflow in [print-tcp.c:tcp_print\(\)](#).

Max CVSS: 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7974: The IP parser in tcpdump before 4.9.0 has a buffer overflow in [print-ip.c](#), multiple functions. **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7973: The AppleTalk parser in tcpdump before 4.9.0 has a buffer overflow in [print-atalk.c](#), multiple functions. **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7940: The STP parser in tcpdump before 4.9.0 has a buffer overflow in [print-stp.c](#), multiple functions. **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7939: The GRE parser in tcpdump before 4.9.0 has a buffer overflow in [print-gre.c](#), multiple functions. **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7938: The ZeroMQ parser in tcpdump before 4.9.0 has an integer overflow in [print-zeromq.c:zmtp1_print_frame\(\)](#). **Max CVSS:** 9.8 **EPSS:** 0.72% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7937: The VAT parser in tcpdump before 4.9.0 has a buffer overflow in [print-udp.c:vat_print\(\)](#). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7936: The UDP parser in tcpdump before 4.9.0 has a buffer overflow in [print-udp.c:udp_print\(\)](#). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7935: The RTP parser in tcpdump before 4.9.0 has a buffer overflow in print-udp.c:rtp_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7934: The RTCP parser in tcpdump before 4.9.0 has a buffer overflow in print-udp.c:rtcp_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7933: The PPP parser in tcpdump before 4.9.0 has a buffer overflow in print-ppp.c:ppp_hdlc_if_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7932: The PIM parser in tcpdump before 4.9.0 has a buffer overflow in print-pim.c:pimv2_check_checksum(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7931: The MPLS parser in tcpdump before 4.9.0 has a buffer overflow in print-mpls.c:mpls_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7930: The LLC/SNAP parser in tcpdump before 4.9.0 has a buffer overflow in print-llc.c:llc_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7929: The Juniper PPPoE ATM parser in tcpdump before 4.9.0 has a buffer overflow in print-juniper.c:juniper_parse_header(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7928: The IPComp parser in tcpdump before 4.9.0 has a buffer overflow in print-ipcomp.c:ipcomp_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7927: The IEEE 802.11 parser in tcpdump before 4.9.0 has a buffer overflow in print-802_11.c:ieee802_11_radio_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7926: The Ethernet parser in tcpdump before 4.9.0 has a buffer overflow in print-ether.c:ethertype_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7925: The compressed SLIP parser in tcpdump before 4.9.0 has a buffer overflow in print-sl.c:sl_if_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7924: The ATM parser in tcpdump before 4.9.0 has a buffer overflow in print-atm.c:oam_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7923: The ARP parser in tcpdump before 4.9.0 has a buffer overflow in print-arp.c:arp_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2016-7922: The AH parser in tcpdump before 4.9.0 has a buffer overflow in print-ah.c:ah_print(). **Max CVSS:** 9.8 **EPSS:** 0.93% **Published:** 2017-01-28 **Updated:** 2018-01-05

CVE-2015-3138: print-wb.c in tcpdump before 4.7.4 allows remote attackers to cause a denial of service (segmentation fault and process crash). **Max CVSS:** 7.5 **EPSS:** 0.94% **Published:** 2017-09-28 **Updated:** 2018-10-30

CVE-2015-2155: The force printer in tcpdump before 4.7.2 allows remote attackers to cause a denial of service (crash) and possibly execute arbitrary code via unspecified vectors. **Max CVSS:** 7.5 **EPSS:** 4.98% **Published:** 2015-03-24 **Updated:** 2025-04-12

CVE-2015-2154: The osi_print_cksum function in print-isoclns.c in the ethernet printer in tcpdump before 4.7.2 allows remote attackers to cause a denial of service (out-of-bounds read and crash) via a crafted length, offset, or base pointer checksum value. **Max CVSS:** 5.0 **EPSS:** 1.90% **Published:** 2015-03-24 **Updated:** 2025-04-12

CVE-2015-2153: The rpki_rtr_pdu_print function in print-rpki-rtr.c in the TCP printer in tcpdump before 4.7.2 allows remote attackers to cause a denial of service (out-of-bounds read or write and crash) via a crafted header length in an RPKI-RTR PDU. **Max CVSS:** 5.0 **EPSS:** 13.98% **Published:** 2015-03-24 **Updated:** 2025-04-12

CVE-2015-0261: Integer signedness error in the mobility_opt_print function in the IPv6 mobility printer in tcpdump before 4.7.2 allows remote attackers to cause a denial of service (out-of-bounds read and crash) or possibly execute arbitrary code via a negative length value. **Max CVSS:** 7.5 **EPSS:** 1.52% **Published:** 2015-03-24 **Updated:** 2025-04-12

CVE-2011-1935: pcap-linux.c in libpcap 1.1.1 before commit ea9432fabdf4b33cbc76d9437200e028f1c47c93 when snaplen is set may truncate packets, which might allow remote attackers to send arbitrary data while avoiding

detection via crafted packets. **Max CVSS:** 9.8 **EPSS:** 1.25% **Published:** 2017-10-20 **Updated:** 2021-06-15

CVE-2007-3798: Integer overflow in print-bgp.c in the BGP dissector in tcpdump 3.9.6 and earlier allows remote attackers to execute arbitrary code via crafted TLVs in a BGP packet, related to an unchecked return value. **Max CVSS:** 9.8 **EPSS:** 72.12% **Published:** 2007-07-16 **Updated:** 2025-04-09

CVE-2007-1218: Off-by-one buffer overflow in the parse_elements function in the 802.11 printer code (print-802_11.c) for tcpdump 3.9.5 and earlier allows remote attackers to cause a denial of service (crash) via a crafted 802.11 frame. NOTE: this was originally referred to as heap-based, but it might be stack-based. **Max CVSS:** 6.8 **EPSS:** 20.28% **Published:** 2007-03-02 **Updated:** 2025-04-09

CVE-2004-0184: Integer underflow in the isakmp_id_print for TCPDUMP 3.8.1 and earlier allows remote attackers to cause a denial of service (crash) via an ISAKMP packet with an Identification payload with a length that becomes less than 8 during byte order conversion, which causes an out-of-bounds read, as demonstrated by the Striker ISAKMP Protocol Test Suite. **Max CVSS:** 5.0 **EPSS:** 65.92% **Published:** 2004-05-04 **Updated:** 2025-04-03

CVE-2004-0183: TCPDUMP 3.8.1 and earlier allows remote attackers to cause a denial of service (crash) via ISAKMP packets containing a Delete payload with a large number of SPI's, which causes an out-of-bounds read, as demonstrated by the Striker ISAKMP Protocol Test Suite. **Max CVSS:** 5.0 **EPSS:** 29.13% **Published:** 2004-05-04 **Updated:** 2025-04-03