

tf.raw_ops.TensorListSetItem

Sets the index-th position of the list to contain the given tensor.

```
tf.raw_ops.TensorListSetItem(  
    input_handle, index, item, resize_if_index_out_of_bounds=False, name=None  
)
```

input_handle: the list index: the position in the list to which the tensor will be assigned item: the element to be assigned to that position
output_handle: the new list, with the element in the proper position

Args	
input_handle	A Tensor of type variant.
index	A Tensor of type int32.
item	A Tensor.
resize_if_index_out_of_bo unds	An optional bool. Defaults to False.
name	A name for the operation (optional).
Returns	
A Tensor of type variant.	

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (<https://www.apache.org/licenses/LICENSE-2.0>). For details, see the [Google Developers Site Policies](https://developers.google.com/site-policies) (<https://developers.google.com/site-policies>). Java is a registered trademark of Oracle and/or its affiliates. Some content is licensed under the [numpy license](https://numpy.org/doc/stable/license.html) (<https://numpy.org/doc/stable/license.html>).

Last updated 2024-04-26 UTC.