

TASK - 1

[app.py](#)

```
app.py > ...
1  from flask import Flask, jsonify
2  import json
3
4  app = Flask(__name__)
5
6  @app.route('/api')
7  def get_data():
8
9      with open('data.json', 'r') as file:
10         data = json.load(file)
11
12         return jsonify(data)
13
14 if __name__ == '__main__':
15     app.run(debug=True)
```

data.json

```
{ } data.json > ...
1  [
2      {
3          "id": 1,
4          "name": "Neel"
5      },
6      {
7          "id": 2,
8          "name": "Manthan"
9      }
10 ]
```

Command prompt

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS  SERIAL MONITOR

PS C:\Users\Neel\flask-api-task> python app.py
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 418-897-465
127.0.0.1 - - [11/Jun/2026 11:04:49] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [11/Jun/2026 11:05:07] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [11/Jun/2026 11:07:31] "GET / HTTP/1.1" 404 -
127.0.0.1 - - [11/Jun/2026 11:07:44] "GET /api HTTP/1.1" 200 -
█
```

Output

```
404 Not Found  Flask MongoDB Assignment Gu  127.0.0.1:5000/api

127.0.0.1:5000/api

Pretty-print ☐

[
  {
    "id": 1,
    "name": "Neel"
  },
  {
    "id": 2,
    "name": "Manthan"
  }
]
```

Folder Structure

```
EXPLORER  ...

▼ FLASK-API-TASK
  🐍 app.py
  {} data.json
```

Task - 2


[app.py](#)

```
app.py > ...
1  from flask import Flask, render_template, request, redirect, url_for
2  from pymongo import MongoClient
3  import os
4
5  print("Current Directory:", os.getcwd())
6
7  app = Flask(__name__)
8
9  client = MongoClient(
10     "mongodb+srv://neel:neel123@cluster0.3nwaelx.mongodb.net/?appName=Cluster0"
11 )
12
13 db = client["studentdb"]
14 collection = db["students"]
15
16 @app.route('/', methods=['GET', 'POST'])
17 def form():
18
19     if request.method == 'POST':
20
21         try:
22
23             data = {
24                 "name": request.form['name'],
25                 "email": request.form['email']
26             }
27
28             collection.insert_one(data)
29
30             return redirect(url_for('success'))
31
32         except Exception as e:
33
34             return render_template(
35                 'form.html',
36                 error=str(e)
37             )
38
39     return render_template('form.html')
40
41 @app.route('/success')
42 def success():
43
44     return render_template('success.html')
45
46 if __name__ == '__main__':
47     app.run(debug=True)
```

Form.html

```
form.html X success.html app.py 2
templates > form.html > html
2  <html>
3  <head>
4      <title>User Form</title>
5  </head>
6  <body>
7
8  <h2>User Registration</h2>
9
10 <form method="POST">
11     Name:
12     <input type="text" name="name" required>
13
14     <br><br>
15     Email:
16     <input type="email" name="email" required>
17
18     <br><br>
19     <button type="submit">Submit</button>
20
21 </form>
22
23 {% if error %}
24 <p style="color: red;">
25     {{ error }}
26 </p>
27 {% endif %}
28
29 </body>
30 </html>
```


Success.html



The screenshot shows a code editor with four tabs: form.html, package-lock.json, success.html (active), and app.py. The success.html file is open, showing an HTML template with the following content:

```
templates > <> success.html > html
1  <!DOCTYPE html>
2  <html>
3  <head>
4  |   <title>Success</title>
5  </head>
6  <body>
7
8  <h2>Data submitted successfully</h2>
9
10 </body>
11 </html>
```


Command Prompt



The screenshot shows a Command Prompt window with the following output:

```
PS C:\Users\Neel\mongodb-form-task> python app.py
Current Directory: C:\Users\Neel\mongodb-form-task
* Serving Flask app 'app'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
Current Directory: C:\Users\Neel\mongodb-form-task
* Debugger is active!
* Debugger PIN: 418-897-465
```



Folder Structure



The screenshot shows the Explorer sidebar in a code editor, displaying the project structure:

- EXPLORER
- ▼ MONGODB-FORM-TASK
 - > .env
 - ▼ templates
 - > node_modules
 - <> form.html
 - { } package-lock.json
 - { } package.json
 - <> success.html
 - 🔗 app.py 2

Output



students +

Cluster0 > studentdb > students

Documents 2 Aggregations Schema Indexes 1 Validation

Type a query: { field: 'value' } or [Generate query](#)

View monitoring Visualize Your Data

Explain Reset Find Options

ADD DATA UPDATE DELETE EXPORT CODE

25 1 - 2 of 2

```
{ "_id": ObjectId("6a2a55800200f1e1c254d550"), "name": "manthan", "email": "min@112" }
```

```
{ "_id": ObjectId("6a2a55800200f1e1c254d551"), "name": "neel", "email": "nil@0621" }
```

GITHUB LINK :

I want to inform you that i want to upload all file and i know new concept that you can not upload your database url so i create dotenv file and hide that and i am clue less on should i upload that file or not and when i upload [app.py](#) for both task then only one file will upload so i have done every thing .

https://github.com/workneel2111/Devops_3.git