

RWA / VERIFICATION INFRASTRUCTURE



ABRAXAS

Private eligibility across chains

Reusable partner receipts verified through
Creditcoin's Attestcoin Protocol

BUIDL CTC 2026 FALL

RWA access still depends on copied identity data

Every platform repeats the same verification.

Every copy expands the breach surface.

A cross-chain contract still cannot verify the result.

REPEATED ONBOARDING

The holder submits the same documents to each platform.

OPAQUE DECISIONS

The contract sees an app's database response, not proof.

The missing primitive

An expiring policy result that a contract can verify without learning the person's private information.

One Passport, narrow results for each partner

1 / VERIFY

The holder completes the policy once in Abraxas.

2 / ISSUE

Abraxas signs a receipt with decision and expiration.

3 / VALIDATE

The partner re-fetches the public receipt before access.

LIVE BETA

Partner Flow, signed public receipts, policy evaluation, Passport sign-in, and the Good Trouble pilot are deployed.

Attestcoin verifies the source transaction on Creditcoin



A Creditcoin RWA contract reads one result:
`isEligible(subjectHash, policyHash)`

The chain receives proof commitments, not identity records

ON-CHAIN

Receipt hash

Pairwise subject hash

Policy hash

Expiration time

Approved or denied

STAYS OFF-CHAIN

Name and email

Date of birth

Government ID number

Document and selfie images

Complete Abraxas receipt

Minimum disclosure

The USC fails closed at six boundaries

01 Exact chain

Reject any source chain except the configured chain key.

02 Native proof

Require the Attestcoin verifier to accept the transaction proofs.

03 Exact registry

Require the verified transaction to call the configured registry.

04 Successful receipt

Reject a source transaction whose receipt status is not successful.

05 Authentic event

Read only the expected event emitted by the configured registry.

06 Replay protection

Consume each chain, block, and transaction index only once.

The prototype has executable contracts and adversarial tests

IMPLEMENTED

Source eligibility registry

Creditcoin destination USC

Attestcoin precompile interface

Transaction and receipt decoder

Deployment scripts

Six contract tests

TESTNET EVIDENCE TO CAPTURE

Sepolia registry address

Source eligibility transaction

Creditcoin USC address

Successful verifyAndRecord tx

Replay rejection

isEligible query

STATUS

Deployment addresses remain pending until testnet execution.

Reusable RWA proof without reusable personal data

Abraxas defines the policy result.

Attestcoin proves where it came from.

Creditcoin makes it usable by contracts.

LIVE PRODUCT

abraxasworld.xyz

OPEN SOURCE

github.com/worldlabsprotocol-ux/abraxas-app

