Computer Networks 2021 Exercises - Unit 3

FAN: worr0028

NOTE: Each student's work unit is unique. You must use the work that has been generated for your FAN. If you do not, then you will fail this work unit.

NOTE: You must record your answers in the answer file EXACTLY as required, and commit and make sure your changes have been pushed to the github server, as they will otherwise not be counted.

NOTE: The topic coordinator will periodically run the automatic marking script, which will cause a file called unit3-results.pdf to be updated in your repository. You should check this file to make sure that your answers have been correctly counted. That file will contain the time and date that the marking script was last run, so that you can work out if it has been run since you last changed your answers. You are free to update your answers as often as you wish, until the deadline for the particular work unit.

1 Understand Computer Network Topologies

For each question, you must record your answer in the unit3-answers.txt file in your git repository. Each statement is either true or false. You must record 't' if you think the statement is true, or 'f', if you think that the statement is false. Your answer must be lower case. Uppercase answers will be marked incorrect. For example, if you believed that the answer to the following question was potato, you would put the word potato at the end of the rj= line in the file unit3-answers.txt.

Question#	Description
rj	The potato is a white-flesh starchy vegetables from
	which hot chips are made

The entry in unit3-answers.txt would thus look like:


Question 'rj': The potato is a white-flesh starchy vegetables from which hot chips are made

Templates for each answer are provided in unit3-answers.txt for your convenience. The questions use diagrams to represent various network topologies. These diagrams may contain the following symbols:


Description	Symbol
	A computer 129.69.44.171
A computer that connects to a network using a cable.	
	A laptop 10.0.0.14
A computer that connects to a network using a cable, a wireless connection, or both.	

Description	Symbol
A wireless access point that allows devices to connect wirelessly to a network.	A Wi-Fi Access Point 10.0.0.1
A network switch that connects one or more devices together. The numbers represent the ports on the network switch, each of which can connect to one device at a time.	SW1 0 1 2 3 4 5 6 7
A router that connects multiple networks together.	A Router
A network segment to which one or more devices may connect.	


1.1 ab: Does the following network represent a tree topology?




1.2 ac: Does the following network represent a full mesh topology?




1.3 ad: Does the following network represent a full mesh topology?




1.4 ae: Does the following network represent a ring topology?




1.5 af: Does the following network represent a wireless topology?




1.6 ag: Does the following network represent a tree topology?




1.7 ah: Does the following network represent a bus topology?




1.8 ai: Does the following network represent a ring topology?




1.9 aj: Does the following network represent a wireless topology?




1.10 ak: Does the following network represent a line topology?




1.11 al: Does the following network represent a tree topology?




1.12 am: Does the following network represent a line topology?




1.13 an: Does the following network represent a full mesh topology?




1.14 ao: Does the following network represent a star topology?




1.15 ap: Does the following network represent a bus topology?




1.16 aq: Does the following network represent a bus topology?




1.17 ar: Does the following network represent a line topology?




1.18 as: Does the following network represent a ring topology?



1.19 at: Does the following network represent a full mesh topology?



1.20 au: Does the following network represent a wireless topology?



2 Understand Computer Network Topologies #2

For each question, you must record your answer in the unit3-answers.txt file in your git repository. Each statement is either true or false. You must record 't' if you think the statement is true, or 'f', if you think that the statement is false. Your answer must be lower case. Uppercase answers will be marked incorrect. For example, if you believed that the answer to the following question was potato, you would put the word potato at the end of the rj= line in the file unit3-answers.txt.


Question#	Description
rj	The potato is a white-flesh starchy vegetables from
	which hot chips are made

The entry in unit3-answers.txt would thus look like:


Question 'rj': The potato is a white-flesh starchy vegetables from which hot chips are made rj=t

Templates for each answer are provided in unit3-answers.txt for your convenience.


2.1 av: Does the following hybrid network topology contain an line sub-network?




2.2 aw: Does the following hybrid network topology contain an full mesh subnetwork?




2.3 ax: Does the following hybrid network topology contain an full mesh subnetwork?




2.4 ay: Does the following hybrid network topology contain an star sub-network?




2.5 az: Does the following hybrid network topology contain an full mesh subnetwork?




2.6 ba: Does the following hybrid network topology contain an line sub-network?




2.7 bb: Does the following hybrid network topology contain an ring sub-network?




2.8 bc: Does the following hybrid network topology contain an line sub-network?




2.9 bd: Does the following hybrid network topology contain an tree sub-network?




2.10 be: Does the following hybrid network topology contain an ring subnetwork?




2.11 bf: Does the following hybrid network topology contain an ring sub-network?




2.12 bg: Does the following hybrid network topology contain an tree subnetwork?




2.13 bh: Does the following hybrid network topology contain an star subnetwork?




2.14 bi: Does the following hybrid network topology contain an full mesh subnetwork?




2.15 bj: Does the following hybrid network topology contain an bus sub-network?




2.16 bk: Does the following hybrid network topology contain an full mesh subnetwork?




2.17 bl: Does the following hybrid network topology contain an full mesh subnetwork?




2.18 bm: Does the following hybrid network topology contain an ring subnetwork?



2.19 bn: Does the following hybrid network topology contain an line subnetwork?



2.20 bo: Does the following hybrid network topology contain an ad-hoc subnetwork?



3 Understand Computer Network Topologies #3

For each question, you must record your answer in the unit3-answers.txt file in your git repository. Each question will require a multi-line answer that defines a network topology that satisfies the requirements. You define the network by listing the nodes and the links between

them. You can use any of the following node types:

Description	Symbol
node	A computer 129.69.44.171
	A laptop
	10.0.0.14
laptop	

Description	Symbol
ap	A Wi-Fi Access Point 10.0.0.1
switch	SW1 0 1 2 3 4 5 6 7
router	A Router
bus	

You do this by placing a unique number after the node type, and listing connected pairs of nodes, one per line. For example, the following answer:

Question 'xw': Define a network that consists of a switch, a bus and a Wi-Fi access point,

each with at least one end device, joined by a router

BEGIN:xw

router1 switch2:0

router1 ap5

router1 bus6

ap5 laptop4

node3 switch2:1

node7 bus6

node8 bus6

END:xw:

Would define a network like this (ignore the IP addresses on some nodes. They are added in by the automatic network visualiser, but are meaningless for these questions):



Note that the order of the links doesn't matter. Also note that if you wish a link to target a specific port on a switch, this is done by the :n notation, as shown in this example.

For your convenience, when the marking script is run, it will also generate files called unit3-net-graph-xx.] that will contain a visualisation of the network, so that you can check the topology. But note that this will only be updated when I run the marking the script.

3.1 bp: Define a network that consists of a ad-hoc network and a line network connected by a laptop

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bp and END:bp.

3.2 bq: Define a network that consists of a star network and a bus network connected by a switch

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bq and END:bq.

3.3 br: Define a network that consists of a wireless network and a star network connected by a laptop

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:br and END:br.

3.4 bs: Define a network that consists of a ring network and a wireless network connected by a node

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bs and END:bs.

3.5 bt: Define a network that consists of a ring network and a bus network connected by a router

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bt and END:bt.

3.6 bu: Define a network that consists of a ring network and a ad-hoc network connected by a switch

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bu and END:bu.

3.7 bv: Define a network that consists of a star network and a ad-hoc network connected by a node

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:by and END:by.

3.8 bw: Define a network that consists of a tree network and a wireless network connected by a laptop

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bw and END:bw.

3.9 bx: Define a network that consists of a ring network and a line network connected by a node

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bx and END:bx.

3.10 by: Define a network that consists of a star network and a line network connected by a router

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:by and END:by.

3.11 bz: Define a network that consists of a wireless network and a star network connected by a switch

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:bz and END:bz.

3.12 ca: Define a network that consists of a tree network and a ad-hoc network connected by a node

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:ca and END:ca.

3.13 cb: Define a network that consists of a wireless network and a full mesh network connected by a bus

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:cb and END:cb.

3.14 cc: Define a network that consists of a ring network and a star network connected by a node

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:cc and END:cc.

3.15 cd: Define a network that consists of a ring network and a ring network connected by a router

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:cd and END:cd.

3.16 ce: Define a network that consists of a ring network and a ad-hoc network connected by a bus

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:ce and END:ce.

3.17 cf: Define a network that consists of a full mesh network and a full mesh network connected by a bus

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:cf and END:cf.

3.18 cg: Define a network that consists of a star network and a ring network connected by a node

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:cg and END:cg.

3.19 ch: Define a network that consists of a star network and a tree network connected by a bus

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:ch and END:ch.

3.20 ci: Define a network that consists of a line network and a ad-hoc network connected by a switch

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:ci and END:ci.

3.21 ci: Define a network that would be suitable for a Client-Server architecture

Your network should connect client devices node1, node2, node3, laptop4, laptop5 and laptop6 to one or more servers over an internet-network. You can add as many other devices (switches, routers, nodes, access points, busses etc) to the network as you wish, using the same naming scheme as in the previous section.

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:ci and END:ci.

Question#	Description
ci	Define a network that would be suitable for a client-
	server architecture.
cj	Describe the network from question ci, and explain
	the features of it that make it suitable for a client-
	server architecture

3.22 cj: Define a network that would be suitable for a Peer-to-Peer architecture

You can add as many other devices (switches, routers, nodes, access points, busses etc) to the network as you wish, using the same naming scheme as in the previous section.

You must write your answer in the unit3-answers.txt text file in your github repository between the lines BEGIN:cj and END:cj.

Question#	Description
cj	Define a network that would be suitable for a peer-to-
	peer architecture.
ck	Describe the network from question cj, and explain
	the features of it that make it suitable for a peer-to-
	peer architecture

4 Lecture Material Comprehension

The following questions are designed with two purposes in mind:

- 1. To help you engage with the lecture materials; and
- 2. To help generate a wide range of questions for the quizzes in this topic.

The second goal is not mandatory for you. However, if you are willing for the answers you provide to the questions in this section to be used in future quizzes in this topic, you are requested to answer the following question as follows you will not be penalised if you do not give this permission

Question#	Description
cl	Are you willing to release your following answers in
	this section from all copyrights, i.e., release them
	into the public domain, including so that they can
	be included in quizzes in this topic? you will not
	be penalised or treated any differently if you do not
	choose to give this permission

It is important that you answer this question with 'y', if you do decide that you would like to do this (but again, you have no obligation to do so, and you will not be treated differently whether or not you give permission).

The entry in unit3-answers.txt would thus look like:

```
# Question 'cl': Do you commit the following answers to the public domain # and disclaim all copyrights in them?  rj = y
```

For each question, you must record your answer in the unit3-answers.txt file in your git repository. For each question, you are required to write a statement that is either true or false about the material in the indicated lecture slide.

For example, if you were asked 'write a **true** statement about the content of Slide 2 of Chapter 1', you would put the statement at the end of the rj= line in the file unit3-answers.txt. For example, if your statement was 'One of the problems addressed in this chapter is how to build scalable networks', you would write:

Question#	Description
pz	Write a true statement about the content of Slide 2
	of Chapter 1

The entry in unit3-answers.txt would thus look like:

Question 'pz': Write a true statement about the content of Slide 2 of Chapter 1
pz=One of the problems addressed in this chapter is how to build scalable networks

Templates for each answer are provided in unit3-answers.txt for your convenience.

If you are asked to write a statement that is false, i.e., untrue, think about statements that someone who has not worked through the material might think would be true. Be creative! Be devious!

Question#	Description
cl	Write a false statement about the content of Slide
	88 of Chapter 3
cl	Write a false statement about the content of Slide
	87 of Chapter 2
cl	Write a true statement about the content of Slide
	96 of Chapter 3
cl	Write a true statement about the content of Slide
	57 of Chapter 2
cl	Write a true statement about the content of Slide
	13 of Chapter 3
cl	Write a false statement about the content of Slide
	57 of Chapter 2
cl	Write a true statement about the content of Slide
	96 of Chapter 2
cl	Write a false statement about the content of Slide
	38 of Chapter 1
cl	Write a false statement about the content of Slide
	30 of Chapter 1
cl	Write a false statement about the content of Slide
	115 of Chapter 3