

Правительство Российской Федерации
Национальный исследовательский университет
«Высшая школа экономики»

Московский институт электроники и математики
Департамент прикладной математики



NATIONAL RESEARCH
UNIVERSITY

Разработка онлайн-платформы по сбору, хранению и
обработке статистики в многопользовательской
соревновательной игре (Dota 2)

ФИО Студентов: Руссов Михаил, Кожевников Максим

Руководитель проекта: Брейман А.Д.

Москва, 9 декабря 2025 г.

Содержание

1 Кому нужна система и как она будет использоваться	2
1.1 Игроки (основная аудитория)	2
1.2 Разработчики игры	2
1.3 Букмекеры	3
1.4 Аналитики данных и исследователи	3
1.5 Администраторы и операторы платформы	3
2 Функциональные и нефункциональные требования	4
2.1 Функциональные требования	4
2.2 Нефункциональные требования	5
3 Предварительная схема базы данных	6
3.1 Общая ER-диаграмма системы	6
3.2 Игровой процесс	6
3.3 Режимы и регионы	8
3.4 Пользователи платформы	8
3.5 Рейтинг	8
3.6 Итог	9
4 Нормализация схемы базы данных	9
4.1 Функциональные зависимости	9
4.2 Первая нормальная форма (1НФ)	9
4.3 Вторая нормальная форма (2НФ)	10
4.4 Третья нормальная форма (3НФ) и форма Бойса–Кодда (BCNF)	10
5 Превращение нормализованной схемы в скрипт на SQL DDL	10
5.1 Определение собственных типов	10
5.2 Объекты	11
5.3 Основные сущности игры: игроки, команды, герои, роли	11
5.4 Пользователи платформы и персонализация	11
5.5 История рейтинга	12
6 SQL DML–запросы, реализующие основные функции системы	12
6.1 Получение информации о герое	12
6.2 Получение полной информации о матче	12
6.3 Процент побед игрока	12
6.4 Процент побед героя	12
6.5 Последние N матчей игрока	12
7 Код	13
7.1 CREATE-запросы	13
7.2 SQL DML запросы	18
7.3 INSERT-запросы	21

1 Кому нужна система и как она будет использоваться

Разрабатываемая система представляет собой онлайн-платформу для сбора, хранения и анализа статистики по матчам в многопользовательской соревновательной игре Dota 2. В подобных играх существует большое количество информации, которая нуждается в хранении, структуризации и анализе.

Яркий пример: из-за сложности и объёма данных игрокам и тренерам трудно самостоятельно оценивать свои результаты, сравнивать поведение в матчах и выявлять ошибки. Наша база данных станет одной из первых попыток решить данную проблему.

Ниже описано, кому именно она нужна и каким образом будет использоваться каждым типом пользователей.

1.1 Игроки (основная аудитория)

Поскольку мы создаем этот продукт с расчетом на дальнейшее использование в массах, то считаем, что большинство пользователей - это обычные игроки, которые хотят понять свои сильные и слабые стороны, повысить индивидуальное мастерство и следить за прогрессом.

Система предоставляет игрокам следующие возможности:

- просмотр личного профиля с ключевыми показателями: процент побед, средняя полезность, показатели по героям, предпочтительные роли и герои;
- получение информации о предпочтительном герое и его винрейте (доли побед);
- просмотр собственной статистики за последние N матчей.

Игроки используют систему для самосовершенствования, повышения качества игры и подготовки к соревновательным матчам.

1.2 Разработчики игры

Разработчики игры получают ценную информацию о состоянии игрового процесса, балансе сил героев и игроков.

Система позволяет им:

- анализировать эффективность игровых персонажей в разных ситуациях на основе статистики;
- получать информацию о прогрессах матчей;
- принимать взвешенные решения о дальнейших обновлениях и изменениях в игровом дизайне.

Таким образом, система помогает разработчикам улучшать игру, делая её более честной и стабильной.

1.3 Букмекеры

Платформа предоставляет данные, необходимые для анализа силы команд и прогнозирования результатов матчей. Это необходимая информация для формирования корректных коэффициентов в системе ставок.

С помощью аналитической системы букмекеры:

- анализируют результаты игроков и команд за длительный период;
- оценивают стабильность, форму и недавние изменения в составе;
- выявляют закономерности, влияющие на победы и поражения;

Платформа помогает им принимать решения, которые позволяют выяснить оптимальные коэффициенты для событий.

1.4 Аналитики данных и исследователи

Игровая статистика является богатым источником информации для специалистов в области анализа данных и машинного обучения.

Система предоставляет аналитикам:

- доступ к большим датасетам;
- возможность построения моделей машинного обучения (предсказание исходов, оценка уровня игры);
- возможность исследовать изменения игровых стратегий и поведение игроков;
- статистическую базу для научных публикаций и исследований.

Платформа превращает игровой процесс в объект для анализа.

1.5 Администраторы и операторы платформы

Это группа пользователей, обеспечивающая работу системы и корректность данных.

Они используют платформу для:

- мониторинга процесса загрузки новых матчей и проверки качества данных;
- управления ролями, правами доступа и безопасностью;
- администрирования структуры базы данных;
- контроля состояния серверов, диагностики ошибок.

Без администраторов система не сможет гарантировать стабильность и достоверность информации.

Итог

Создаваемая система востребована широким кругом пользователей: от обычных игроков до аналитиков и разработчиков. Она предоставляет единый

инструмент для исследования игрового процесса, упрощая работу с большими объёмами данных и повышая качество принимаемых решений.

2 Функциональные и нефункциональные требования

Предназначение системы определяет набор функций, которые она обязана выполнять, а также требования к надёжности и удобству. В данном разделе сформулированы функциональные и нефункциональные требования к проектируемой СУБД.

2.1 Функциональные требования

1. Сбор данных о матчах

Система должна обеспечивать:

- сохранение информации по каждому матчу: дата, длительность, режим игры, команды, победитель;
- хранение статистики каждого игрока в рамках матча (уровень, нанесённый урон, смертей, убийств, ассистов и других показателей);
- корректную обработку отсутствующих или неполных данных.

2. Управление информацией о игроках

Платформа должна позволять:

- хранить профили игроков (идентификатор, имя/никнейм, регион, рейтинг);
- отслеживать историю матчей каждого игрока;
- рассчитывать показатели: процент побед, рейтинг эффективности.

3. Управление информацией о героях и их статистике

Платформа должна обеспечивать:

- хранение информации о героях (название, тип, роли и т.д.);
- анализ побед/поражений, среднего урона, популярности и других показателей.

4. Поиск и фильтрация данных

Платформа должна позволять пользователям:

- искать игроков по ID, никнейму, рейтингу и матчи;
- отслеживать последние матчи.

5. Администрирование системы

Платформа должна поддерживать:

- управление ролями и правами доступа (администраторы, аналитики, операторы);

- просмотр логов ошибок и операций;

2.2 Нефункциональные требования

1. Надёжность и отказоустойчивость

Платформа должна:

- обеспечивать сохранность данных при сбоях и перезапусках;
- использовать механизмы резервного копирования и восстановления;
- разграничивать доступ в зависимости от ролей пользователей.

2. Производительность

Система должна:

- обрабатывать входящие данные в реальном времени или близко к нему;
- выполнять сложные статистические запросы в разумные сроки;
- поддерживать быстрый доступ к данным через индексацию и оптимизацию схемы.

ИТОГ

Сформулированные функциональные и нефункциональные требования служат основой для построения концептуальной ER-схемы и ограничений на ней.




Рис. 1: Общая ER-диаграмма системы аналитики матчей

3 Предварительная схема базы данных

3.1 Общая ER-диаграмма системы

На рисунке 1 представлена концептуальная ER-диаграмма разрабатываемой СУБД. Диаграмма отражает ключевые сущности, их атрибуты и связи, а также кардинальности.

Ниже кратко описаны основные сущности и связи между ними.

3.2 Игровой процесс

Матч (Match). Сильная сущность, представляющая отдельную игру. Основной ключ - `match_id`. Атрибуты включают:

- дату и время начала (`start_time`),
- длительность (`duration_seconds`),
- регион (`region_id`), режим игры (`game_mode_id`), патч (`patch_id`),
- средний уровень игроков (`avg_mmr`),
- победившую сторону (`winner_side radiant|dire`).

Каждый матч связан с:

- двумя записями `MatchTeam` (две стороны: Radiant и Dire),
- несколькими записями `MatchPlayer` (участие конкретных игроков),
- несколькими записями `MatchHeroPickBan` (выборы и баны героев).

Игрок (Player). Сильная сущность, описывающая игрового участника. Основной ключ - `player_id`. Атрибуты:

- `nickname`,
- страна (`country_code`),
- флаг профессионального игрока (`is_pro`) и др.

Один игрок (`Player`) может участвовать во множестве матчей: связь `Player 1 : N MatchPlayer`.

Киберспортивная команда (ProTeam) и членство (TeamMembership). `ProTeam` - сильная сущность (ПК: `team_id`), отражающая киберспортивную команду. Хранит название, тег, регион и даты существования.

`TeamMembership` - ассоциативная (слабая) сущность, связывающая игрока и команду с временным интервалом:

- `team_id` (FK $\rightarrow$ `ProTeam`),
- `player_id` (FK $\rightarrow$ `Player`),
- даты вступления и выхода (`joined_at`, `left_at`),
- роль в команде (`role_in_team`), флаг капитана (`is_captain`).

Связи:

- **ProTeam 1 : N TeamMembership** - у команды много членов в разные моменты времени;
- **Player 1 : N TeamMembership** - игрок может менять команды.

Герой (Hero) и роль (Role). Hero - сильная сущность (PK: hero_id) с атрибутами: имя, основной атрибут, тип атаки и т. д.

Role - игровые роли (PK: role_id, атрибуты name, description).

Связь M:N между героями и ролями реализована через ассоциативную сущность HeroRole, содержащую пары (hero_id, role_id).

Стороны матча (MatchTeam). MatchTeam - слабая сущность, представляющая одну из сторон конкретного матча (Radiant или Dire). Идентифицируется парой (match_id, side); в схеме используется суррогатный ключ match_team_id. Хранит агрегированную статистику по стороне: количество убийств, золото, опыт, разрушенные башни и т. п.

Связи:

- **Match 1 : N MatchTeam**, при этом логически для каждого матча ровно две записи;

Участие игрока в матче (MatchPlayer). Ключевая ассоциативная сущность между Match и Player, с отдельным PK match_player_id. Атрибуты включают:

- ссылку на матч (match_id) и игрока (player_id),
- выбранного героя (hero_id),
- сторону (team_side), слот игрока (player_slot),
- роль (role_id),
- статистика: kills, deaths, assists, gpm, xpm и т. д.

Ограничения:

- в одном матче игрок не может появляться более одного раза;
- в рамках матча слоты игроков (player_slot) уникальны.

Выборы и запреты героев (MatchHeroPickBan). Ассоциативная сущность, представляющая отдельное действие драфта: выбор или запрет героя определённой стороной в заданном порядке (атрибуты: match_id, hero_id, team_side, action_type, action_order).

Предметы (Item) и их покупки (MatchPlayerItem). Item - предмет (PK: item_id, название, стоимость и т. д.).

MatchPlayerItem связывает участие игрока в матче с конкретным предметом, фиксируя время приобретения и тип слота (предмета).

3.3 Режимы и регионы

Патч (Patch). Сильная сущность (PK: `patch_id`), описывающая версию игры: номер патча и дату выхода. Каждый матч ссылается на патч, в котором он был сыгран.

Регион (Region). Возможные регионы серверов (PK: `region_id`, название и код). Используется как для матчей, так и для команд, чтобы учитывать географическое расположение.

Режим игры (GameMode) Простая таблица, к которой ссылаются матчи:

- **GameMode:** PK `game_mode_id`, название и описание режима;

Это позволяет корректно сравнивать, например, рейтинговые и нерейтинговые матчи.

3.4 Пользователи платформы

Аккаунт пользователя (UserAccount). Сильная сущность, описывающая пользователя платформы. Атрибуты:

- PK: `user_id`,
- `email`, `password_hash`,
- отображаемое имя (`display_name`),
- роль в системе (`role`: игрок-пользователь, аналитик или администратор),
- даты создания и последнего входа.

Избранные игроки и команды (FavoritePlayer, FavoriteTeam).

- **FavoritePlayer:** пользователь подписан на игрока (`user_id`, `player_id`, `created_at`);
- **FavoriteTeam:** пользователь подписан на команду (`user_id`, `team_id`, `created_at`).

Эти сущности нужны для возможности игроку следить за любимыми командами и игроками.

3.5 Рейтинг

Текущий рейтинг (RatingSnapshot). Сущность, фиксирующая значение рейтинга игрока в момент времени:

- `player_id` (FK $\rightarrow$ Player),
- тип рейтинга (`rating_type`: одиночный, групповой, профессиональный),
- значение (`rating_value`),
- время фиксации (`snapshot_time`).

Позволяет отслеживать прогресс рейтинга для игроков.

3.6 Итог

Представленная ER-диаграмма охватывает все основные аспекты предметной области:

- хранение данных о матчах, игроках, командах, героях и предметах;
- работу с пользователями платформы и их предпочтениями;
- поддержка аналитики для истории рейтинга.

При дальнейшей работе на основе этой диаграммы будут построены функциональные зависимости и основана СУБД.

4 Нормализация схемы базы данных

Предварительная схема базы данных, отражающая сущности игрового процесса, профили игроков, матчи, предметы, роли, команды и связанные с ними структуры, была последовательно нормализована до третьей нормальной формы (3НФ).

4.1 Функциональные зависимости

Для ключевых сущностей выполняются естественные функциональные зависимости:

- Для матчей:

$$match_id \rightarrow \{start_time, duration_seconds, region_id, patch_id, winner_side\}$$

- Для игроков:

$$player_id \rightarrow \{nickname, country_code, is_pro\}$$

- Для команд:

$$team_id \rightarrow \{team_name, tag, region_id\}$$

- Для сущности участия игрока в матче:

$$(match_id, player_id) \rightarrow \{hero_id, kills, deaths, assists, gpm, xpm, \dots\}$$

- Для участия игрока в команде:

$$(team_id, player_id, joined_at) \rightarrow \{left_at, role_in_team, is_captain\}$$

Все описательные зависимости (`team_name`, `hero_name`, `region_name` и т. д.) вынесены в отдельные сущности.

4.2 Первая нормальная форма (1НФ)

Требования 1НФ:

- каждая таблица имеет первичный ключ;
- отсутствуют многозначные и неатомарные атрибуты;

Эти требования выполняются:

- многозначные данные вынесены в отдельные таблицы: роли героя - в `HeroRole`, покупки - в `MatchPlayerItem`, пики и баны - в `MatchHeroPickBan`, подписки - в `FavoritePlayer` и `FavoriteTeam`;
- во всех таблицах используются атомарные атрибуты.

4.3 Вторая нормальная форма (2НФ)

Таблица находится во 2НФ, если удовлетворяет 1НФ и не содержит частичных зависимостей неключевых атрибутов от части составного ключа.

- В `MatchPlayer` первичный ключ - $(match_id, player_id)$, все статистики зависят от всей пары.
- В `TeamMembership` первичный ключ - $(team_id, player_id, joined_at)$, а атрибуты зависят от полного ключа.

Таким образом, частичных зависимостей нет, и 2НФ выполняется.

4.4 Третья нормальная форма (3НФ) и форма Бойса–Кодда (BCNF)

Таблица находится в 3НФ, если:

- нет транзитивных зависимостей вида

$$K \rightarrow A, \quad A \rightarrow B$$

где A - неключевой атрибут.

BCNF усиливает требование:

во всех нетривиальных ФЗ $X \rightarrow Y$, X является суперключом.

В нормализованной схеме:

- названия команд, героев, регионов вынесены в отдельные сущности;
- таблица `MatchPlayer` содержит только фактовые показатели и связи с ключами;

Следовательно, каждая таблица удовлетворяет 3НФ и BCNF.

5 Превращение нормализованной схемы в скрипт на SQL DDL

После завершения нормализации и проверки функциональных зависимостей была сформирована итоговая логическая модель данных, удовлетворяющая требованиям 3НФ/BCNF. На следующем шаге эта модель была переведена в набор SQL таблиц.

5.1 Определение собственных типов

Некоторые атрибуты сущностей (например, сторона команды, тип действия в драфте, тип слота предмета, тип рейтинга пользователя) имеют фиксированные множества значений. Поэтому для них используются (ENUM):

```

1 CREATE TYPE side AS ENUM ('radiant', 'dire');
2 CREATE TYPE draft_action_type AS ENUM ('pick', 'ban');
3 CREATE TYPE item_slot_type AS ENUM ('inventory', 'backpack', 'neutral');
4 CREATE TYPE rating_type AS ENUM ('solo', 'party', 'pro');
5 CREATE TYPE user_role AS ENUM ('player_user', 'analyst', 'admin');

```

5.2 Объекты

Регионы, режимы игры, патчи являются самостоятельными сущностями, которые никак не зависят от конкретных матчей. При трансляции в SQL каждая сущность получила собственную таблицу:

```

1 CREATE TABLE Region (
2     region_id INT PRIMARY KEY,
3     name VARCHAR(100) NOT NULL,
4     code VARCHAR(10) UNIQUE NOT NULL
5 );
6
7 CREATE TABLE GameMode (
8     game_mode_id INT PRIMARY KEY,
9     name VARCHAR(100) NOT NULL,
10    description TEXT
11 );
12
13 CREATE TABLE Patch (
14     patch_id INT PRIMARY KEY,
15     version VARCHAR(50) NOT NULL,
16     release_date TIMESTAMPTZ
17 );

```

5.3 Основные сущности игры: игроки, команды, герои, роли

Сильные сущности (Player, ProTeam, Hero, Role) превращаются в таблицы с первичными ключами и соответствующими атрибутами:

```

1 CREATE TABLE Player (
2     player_id SERIAL PRIMARY KEY,
3     nickname VARCHAR(100) NOT NULL,
4     country_code VARCHAR(10),
5     created_at TIMESTAMPTZ NOT NULL DEFAULT NOW(),
6     is_pro BOOLEAN NOT NULL DEFAULT FALSE
7 );

```

Команды и герои создаются аналогично. Для пары Hero–Role кардинальности M:N используется ассоциативная сущность HeroRole:

```

1 CREATE TABLE HeroRole (
2     hero_role_id SERIAL PRIMARY KEY,
3     hero_id INT NOT NULL REFERENCES Hero(hero_id) ON DELETE CASCADE,
4     role_id INT NOT NULL REFERENCES Role(role_id) ON DELETE CASCADE,
5     priority INT,
6     CONSTRAINT uq_herorole_hero_role UNIQUE (hero_id, role_id)
7 );

```

5.4 Пользователи платформы и персонализация

Платформа поддерживает собственных пользователей. Поэтому вводится отдельная сущность UserAccount:

```

1 CREATE TABLE UserAccount (
2     user_id SERIAL PRIMARY KEY,
3     email VARCHAR(255) NOT NULL UNIQUE,
4     password_hash VARCHAR(255) NOT NULL,
5     display_name VARCHAR(100),
6     role user_role NOT NULL DEFAULT 'player_user',
7     player_id BIGINT UNIQUE REFERENCES Player(player_id)
8 );

```

5.5 История рейтинга

Для аналитики используется таблица RatingSnapshot, содержащая текущий рейтинг игрока.

```

1 CREATE TABLE RatingSnapshot (
2     rating_snapshot_id SERIAL PRIMARY KEY,
3     player_id BIGINT NOT NULL REFERENCES Player(player_id),
4     rating_type rating_type NOT NULL,
5     rating_value INT NOT NULL,
6     snapshot_time TIMESTAMPTZ NOT NULL,
7     CONSTRAINT uq_rating_snapshot UNIQUE (player_id, rating_type, snapshot_time)
8 );

```

6 SQL DML–запросы, реализующие основные функции системы

В данном разделе представлены пользовательские функции, которые обеспечивают доступ к данным системы, а так же позволяют получить некоторую агрегированную информацию.

6.1 Получение информации о герое

Функция `get_hero_info(hero_id)` возвращает основную информацию о герое, включая его базовые характеристики и список игровых ролей.

6.2 Получение полной информации о матче

Функция `get_match_info(match_id)` формирует отчёт по выбранному матчу, возвращая информацию о длительности игры, регионе, режиме, патче и победившей команде.

6.3 Процент побед игрока

Функция `get_player_winrate(player_id)` вычисляет отношение побед к общему числу матчей, в которых участвовал игрок.

6.4 Процент побед героя

Функция `get_hero_winrate(hero_id)` вычисляет эффективность героя по всей базе матчей.

6.5 Последние N матчей игрока

Функция `get_player_last_n_matches(player_id, n)` возвращает таблицу последних матчей игрока с краткой статистикой по каждому.

7 Код

7.1 CREATE-запросы

```
1
2 -- создаем типы данных
3
4 CREATE TYPE side AS ENUM ('radiant', 'dire');
5 CREATE TYPE draft_action_type AS ENUM ('pick', 'ban');
6 CREATE TYPE item_slot_type AS ENUM ('inventory', 'backpack', 'neutral');
7 CREATE TYPE rating_type AS ENUM ('solo', 'party', 'pro');
8 CREATE TYPE user_role AS ENUM ('player_user', 'analyst', 'admin');
9 CREATE TYPE log_type AS ENUM ('update', 'insert', 'delete', 'error');
10 -- таблицы общего формата
11
12 CREATE TABLE Logs(
13     log_id SERIAL PRIMARY KEY,
14     time_change TIMESTAMPTZ DEFAULT NOW(),
15     type_of_log log_type NOT NULL,
16     changed_table VARCHAR(25) NOT NULL,
17     changed_by TEXT
18 );
19
20 CREATE TABLE Region (
21     region_id INT PRIMARY KEY,
22     name VARCHAR(100) NOT NULL,
23     code VARCHAR(10) UNIQUE NOT NULL
24 );
25
26 CREATE TABLE GameMode (
27     game_mode_id INT PRIMARY KEY,
28     name VARCHAR(100) NOT NULL,
29     description TEXT
30 );
31
32 CREATE TABLE Patch (
33     patch_id INT PRIMARY KEY,
34     version VARCHAR(50) NOT NULL,
35     release_date TIMESTAMPTZ
36 );
37
38 -- касательно игроков и героев
39
40 CREATE TABLE Player (
41     player_id SERIAL PRIMARY KEY,
42     nickname VARCHAR(100) NOT NULL,
43     country_code VARCHAR(10),
44     created_at TIMESTAMPTZ NOT NULL DEFAULT NOW(),
45     is_pro BOOLEAN NOT NULL DEFAULT FALSE
46 );
47
48 CREATE TABLE ProTeam (
49     team_id SERIAL PRIMARY KEY,
50     name VARCHAR(150) NOT NULL,
51     tag VARCHAR(20),
52     region_id INT REFERENCES Region(region_id) ON DELETE RESTRICT,
53     founded_at TIMESTAMPTZ,
54     disbanded_at TIMESTAMPTZ
55 );
56
57 CREATE TABLE Hero (
58     hero_id INT PRIMARY KEY,
59     name VARCHAR(100) NOT NULL,
60     primary_attribute VARCHAR(20) NOT NULL,
61     attack_type VARCHAR(20) NOT NULL,
62     complexity INT
63 );
```

```

64 CREATE TABLE Role (
65     role_id INT PRIMARY KEY,
66     name VARCHAR(50) NOT NULL,
67     description TEXT
68 );
69
70
71 CREATE TABLE HeroRole (
72     hero_role_id SERIAL PRIMARY KEY,
73     hero_id INT NOT NULL REFERENCES Hero(hero_id) ON DELETE CASCADE,
74     role_id INT NOT NULL REFERENCES Role(role_id) ON DELETE CASCADE,
75     priority INT,
76     CONSTRAINT uq_herorole_hero_role UNIQUE (hero_id, role_id)
77 );
78
79 -- MATCH
80
81 CREATE TABLE Match (
82     match_id SERIAL PRIMARY KEY,
83     start_time TIMESTAMPTZ NOT NULL,
84     duration_seconds INT NOT NULL,
85     region_id INT NOT NULL REFERENCES Region(region_id) ON DELETE RESTRICT,
86     game_mode_id INT NOT NULL REFERENCES GameMode(game_mode_id) ON DELETE RESTRICT,
87     patch_id INT NOT NULL REFERENCES Patch(patch_id) ON DELETE RESTRICT,
88     avg_mmr INT,
89     winner_side side
90 );
91
92 CREATE TABLE MatchTeam (
93     match_team_id SERIAL PRIMARY KEY,
94     match_id BIGINT NOT NULL REFERENCES Match(match_id) ON DELETE CASCADE,
95     side side NOT NULL,
96     team_id BIGINT REFERENCES ProTeam(team_id) ON DELETE SET NULL,
97     total_kills INT,
98     total_deaths INT,
99     total_gold INT,
100    total_xp INT,
101    towers_destroyed INT,
102    roshan_kills INT,
103    CONSTRAINT uq_matchteam_match_side UNIQUE (match_id, side)
104 );
105
106 CREATE TABLE MatchPlayer (
107     match_player_id SERIAL PRIMARY KEY,
108     match_id BIGINT NOT NULL REFERENCES Match(match_id) ON DELETE CASCADE,
109     player_id BIGINT NOT NULL REFERENCES Player(player_id) ON DELETE CASCADE,
110     hero_id INT NOT NULL REFERENCES Hero(hero_id) ON DELETE RESTRICT,
111     team_side side NOT NULL,
112     player_slot INT NOT NULL,
113     role_id INT REFERENCES Role(role_id) ON DELETE SET NULL,
114     kills INT,
115     deaths INT,
116     assists INT,
117     last_hits INT,
118     denies INT,
119     gpm INT,
120     xpm INT,
121     hero_damage INT,
122     tower_damage INT,
123     hero_healing INT,
124     CONSTRAINT uq_matchplayer_match_player UNIQUE (match_id, player_id),
125     CONSTRAINT uq_matchplayer_match_slot UNIQUE (match_id, player_slot)
126 );
127
128 CREATE TABLE MatchHeroPickBan (
129     pickban_id SERIAL PRIMARY KEY,
130     match_id BIGINT NOT NULL REFERENCES Match(match_id) ON DELETE CASCADE,

```

```

131     hero_id INT NOT NULL REFERENCES Hero(hero_id) ON DELETE RESTRICT,
132     team_side side NOT NULL,
133     action_type draft_action_type NOT NULL,
134     action_order INT NOT NULL,
135     CONSTRAINT uq_pickban_match_order UNIQUE (match_id, action_order)
136 );
137
138 -- предметы
139
140 CREATE TABLE Item (
141     item_id INT PRIMARY KEY,
142     name VARCHAR(100) NOT NULL,
143     cost INT,
144     item_type VARCHAR(50)
145 );
146
147 CREATE TABLE MatchPlayerItem (
148     mpi_id SERIAL PRIMARY KEY,
149     match_player_id BIGINT NOT NULL REFERENCES MatchPlayer(match_player_id) ON
        DELETE CASCADE,
150     item_id INT NOT NULL REFERENCES Item(item_id) ON DELETE RESTRICT,
151     acquired_time_sec INT,
152     slot_type item_slot_type NOT NULL
153 );
154
155 -- юзеры платформы
156
157 CREATE TABLE UserAccount (
158     user_id SERIAL PRIMARY KEY,
159     email VARCHAR(255) NOT NULL UNIQUE,
160     password_hash VARCHAR(255) NOT NULL,
161     display_name VARCHAR(100),
162     role user_role NOT NULL DEFAULT 'player_user',
163     created_at TIMESTAMPTZ NOT NULL DEFAULT NOW(),
164     last_login_at TIMESTAMPTZ,
165     player_id BIGINT UNIQUE REFERENCES Player(player_id) ON DELETE SET NULL
166 );
167
168 CREATE TABLE FavoritePlayer (
169     favorite_player_id SERIAL PRIMARY KEY,
170     user_id BIGINT NOT NULL REFERENCES UserAccount(user_id) ON DELETE CASCADE,
171     player_id BIGINT NOT NULL REFERENCES Player(player_id) ON DELETE CASCADE,
172     created_at TIMESTAMPTZ NOT NULL DEFAULT NOW(),
173     CONSTRAINT uq_favorite_player UNIQUE (user_id, player_id)
174 );
175
176 CREATE TABLE FavoriteTeam (
177     favorite_team_id SERIAL PRIMARY KEY,
178     user_id BIGINT NOT NULL REFERENCES UserAccount(user_id) ON DELETE CASCADE,
179     team_id BIGINT NOT NULL REFERENCES ProTeam(team_id) ON DELETE CASCADE,
180     created_at TIMESTAMPTZ NOT NULL DEFAULT NOW(),
181     CONSTRAINT uq_favorite_team UNIQUE (user_id, team_id)
182 );
183
184 -- рейтинги и участие в команде
185
186 CREATE TABLE TeamMembership (
187     membership_id SERIAL PRIMARY KEY,
188     team_id BIGINT NOT NULL REFERENCES ProTeam(team_id) ON DELETE CASCADE,
189     player_id BIGINT NOT NULL REFERENCES Player(player_id) ON DELETE CASCADE,
190     joined_at TIMESTAMPTZ NOT NULL,
191     left_at TIMESTAMPTZ,
192     role_in_team VARCHAR(50),
193     is_captain BOOLEAN NOT NULL DEFAULT FALSE,
194     CONSTRAINT uq_teammembership UNIQUE (team_id, player_id, joined_at)
195 );
196

```



```

197 CREATE TABLE RatingSnapshot (
198     rating_snapshot_id SERIAL PRIMARY KEY,
199     player_id BIGINT NOT NULL REFERENCES Player(player_id) ON DELETE CASCADE,
200     rating_type rating_type NOT NULL,
201     rating_value INT NOT NULL,
202     snapshot_time TIMESTAMPTZ NOT NULL,
203     CONSTRAINT uq_rating_snapshot UNIQUE (player_id, rating_type, snapshot_time)
204 );
205 -- создание триггера для фиксации изменений в таблицах
206
207 CREATE OR REPLACE FUNCTION log_operation()
208 RETURNS TRIGGER AS $$
209 DECLARE
210     operation_log_type log_type;
211 BEGIN
212     IF TG_OP = 'INSERT' THEN
213         operation_log_type := 'insert';
214     ELSIF TG_OP = 'UPDATE' THEN
215         operation_log_type := 'update';
216     ELSIF TG_OP = 'DELETE' THEN
217         operation_log_type := 'delete';
218     ELSE
219         operation_log_type := 'error';
220     END IF;
221
222     INSERT INTO Logs (type_of_log, changed_table, changed_by)
223     VALUES (operation_log_type, TG_TABLE_NAME, current_user);
224
225     RETURN NULL;
226 END;
227 $$ LANGUAGE plpgsql;
228
229 -- установка триггера на каждую из таблиц
230
231 CREATE TRIGGER log_useraccount_operations
232 AFTER INSERT OR UPDATE OR DELETE ON UserAccount
233 FOR EACH ROW
234 EXECUTE FUNCTION log_operation();
235
236 CREATE TRIGGER log_favoriteplayer_operations
237 AFTER INSERT OR UPDATE OR DELETE ON FavoritePlayer
238 FOR EACH ROW
239 EXECUTE FUNCTION log_operation();
240
241 CREATE TRIGGER log_favoriteteam_operations
242 AFTER INSERT OR UPDATE OR DELETE ON FavoriteTeam
243 FOR EACH ROW
244 EXECUTE FUNCTION log_operation();
245
246 CREATE TRIGGER log_player_operations
247 AFTER INSERT OR UPDATE OR DELETE ON Player
248 FOR EACH ROW
249 EXECUTE FUNCTION log_operation();
250
251 CREATE TRIGGER log_proteam_operations
252 AFTER INSERT OR UPDATE OR DELETE ON ProTeam
253 FOR EACH ROW
254 EXECUTE FUNCTION log_operation();
255
256 CREATE TRIGGER log_teammembership_operations
257 AFTER INSERT OR UPDATE OR DELETE ON TeamMembership
258 FOR EACH ROW
259 EXECUTE FUNCTION log_operation();
260
261 CREATE TRIGGER log_match_operations
262 AFTER INSERT OR UPDATE OR DELETE ON Match
263 FOR EACH ROW

```

```

264 EXECUTE FUNCTION log_operation();
265
266 CREATE TRIGGER log_matchteam_operations
267 AFTER INSERT OR UPDATE OR DELETE ON MatchTeam
268 FOR EACH ROW
269 EXECUTE FUNCTION log_operation();
270
271 CREATE TRIGGER log_matchplayer_operations
272 AFTER INSERT OR UPDATE OR DELETE ON MatchPlayer
273 FOR EACH ROW
274 EXECUTE FUNCTION log_operation();
275
276 CREATE TRIGGER log_matchheropickban_operations
277 AFTER INSERT OR UPDATE OR DELETE ON MatchHeroPickBan
278 FOR EACH ROW
279 EXECUTE FUNCTION log_operation();
280
281 CREATE TRIGGER log_matchplayeritem_operations
282 AFTER INSERT OR UPDATE OR DELETE ON MatchPlayerItem
283 FOR EACH ROW
284 EXECUTE FUNCTION log_operation();
285
286 CREATE TRIGGER log_hero_operations
287 AFTER INSERT OR UPDATE OR DELETE ON Hero
288 FOR EACH ROW
289 EXECUTE FUNCTION log_operation();
290
291 CREATE TRIGGER log_role_operations
292 AFTER INSERT OR UPDATE OR DELETE ON Role
293 FOR EACH ROW
294 EXECUTE FUNCTION log_operation();
295
296 CREATE TRIGGER log_herorole_operations
297 AFTER INSERT OR UPDATE OR DELETE ON HeroRole
298 FOR EACH ROW
299 EXECUTE FUNCTION log_operation();
300
301 CREATE TRIGGER log_item_operations
302 AFTER INSERT OR UPDATE OR DELETE ON Item
303 FOR EACH ROW
304 EXECUTE FUNCTION log_operation();
305
306 CREATE TRIGGER log_region_operations
307 AFTER INSERT OR UPDATE OR DELETE ON Region
308 FOR EACH ROW
309 EXECUTE FUNCTION log_operation();
310
311 CREATE TRIGGER log_gamemode_operations
312 AFTER INSERT OR UPDATE OR DELETE ON GameMode
313 FOR EACH ROW
314 EXECUTE FUNCTION log_operation();
315
316 CREATE TRIGGER log_patch_operations
317 AFTER INSERT OR UPDATE OR DELETE ON Patch
318 FOR EACH ROW
319 EXECUTE FUNCTION log_operation();
320
321 CREATE TRIGGER log_ratingsnapshot_operations
322 AFTER INSERT OR UPDATE OR DELETE ON RatingSnapshot
323 FOR EACH ROW
324 EXECUTE FUNCTION log_operation();
325
326 -- Роли-привилегии
327 CREATE ROLE admin;
328 CREATE ROLE analyst;
329 CREATE ROLE player;
330

```

```

331 REVOKE ALL ON ALL TABLES IN SCHEMA public FROM PUBLIC;
332 REVOKE ALL ON ALL SEQUENCES IN SCHEMA public FROM PUBLIC;
333 REVOKE ALL ON ALL FUNCTIONS IN SCHEMA public FROM PUBLIC;
334
335 -- Все права админу
336 GRANT ALL PRIVILEGES ON ALL TABLES IN SCHEMA public TO admin;
337 GRANT ALL PRIVILEGES ON ALL SEQUENCES IN SCHEMA public TO admin;
338 GRANT ALL PRIVILEGES ON ALL FUNCTIONS IN SCHEMA public TO admin;
339
340 -- Аналитик: SELECT всех таблиц, включая логи
341 GRANT SELECT ON ALL TABLES IN SCHEMA public TO analyst;
342 GRANT USAGE ON ALL SEQUENCES IN SCHEMA public TO analyst;
343
344 -- Игрок: SELECT со всех таблиц кроме логов
345 GRANT SELECT ON ALL TABLES IN SCHEMA public TO player;
346 GRANT USAGE ON ALL SEQUENCES IN SCHEMA public TO player;
347 REVOKE ALL ON TABLE Logs FROM player;
348
349 -- Дефолтные права для будущих таблиц
350
351 ALTER DEFAULT PRIVILEGES IN SCHEMA public
352 GRANT ALL PRIVILEGES ON TABLES TO admin;
353
354 ALTER DEFAULT PRIVILEGES IN SCHEMA public
355 GRANT SELECT ON TABLES TO analyst;
356
357 ALTER DEFAULT PRIVILEGES IN SCHEMA public
358 GRANT SELECT ON TABLES TO player;

```

7.2 SQL DML запросы

```

1 -- Получить информацию о герое
2
3 CREATE OR REPLACE FUNCTION get_hero_info(p_hero_id INT)
4 RETURNS TABLE (
5     hero_id INT,
6     hero_name VARCHAR,
7     primary_attribute VARCHAR,
8     attack_type VARCHAR,
9     complexity INT,
10    roles TEXT[]
11 )
12 LANGUAGE sql
13 AS $$
14     SELECT
15         h.hero_id,
16         h.name AS hero_name,
17         h.primary_attribute,
18         h.attack_type,
19         h.complexity,
20         COALESCE(
21             ARRAY_AGG(r.name ORDER BY hr.priority)
22             FILTER (WHERE r.role_id IS NOT NULL),
23             ARRAY[]::TEXT[]
24         ) AS roles
25     FROM Hero h
26     LEFT JOIN HeroRole hr ON hr.hero_id = h.hero_id
27     LEFT JOIN Role r ON r.role_id = hr.role_id
28     WHERE h.hero_id = p_hero_id
29     GROUP BY
30         h.hero_id, h.name, h.primary_attribute,
31         h.attack_type, h.complexity;
32 $$;
33
34 SELECT * FROM get_hero_info(11); -- получить информацию о Shadow Fiend
35

```

```

36 -- Получить информацию о матче
37 CREATE OR REPLACE FUNCTION get_match_info(p_match_id BIGINT)
38 RETURNS TABLE (
39     match_id BIGINT,
40     start_time TIMESTAMPTZ,
41     duration_seconds INT,
42     region_name VARCHAR,
43     game_mode_name VARCHAR,
44     patch_version VARCHAR,
45     avg_mmr INT,
46     winner_side side
47 )
48 LANGUAGE sql
49 AS $$
50     SELECT
51         m.match_id,
52         m.start_time,
53         m.duration_seconds,
54         r.name AS region_name,
55         gm.name AS game_mode_name,
56         p.version AS patch_version,
57         m.avg_mmr,
58         m.winner_side
59     FROM Match m
60     JOIN Region r ON r.region_id = m.region_id
61     JOIN GameMode gm ON gm.game_mode_id = m.game_mode_id
62     JOIN Patch p ON p.patch_id = m.patch_id
63     WHERE m.match_id = p_match_id;
64 $$;
65 SELECT * FROM get_match_info(1);
66
67 -- Вывести последние N матчей игрока
68 CREATE OR REPLACE FUNCTION get_player_last_n_matches(
69     p_player_id BIGINT,
70     p_limit INT
71 )
72 RETURNS TABLE (
73     match_id BIGINT,
74     start_time TIMESTAMPTZ,
75     duration_seconds INT,
76     region_name VARCHAR,
77     game_mode_name VARCHAR,
78     patch_version VARCHAR,
79     team_side side,
80     result TEXT,
81     hero_id INT,
82     hero_name VARCHAR,
83     kills INT,
84     deaths INT,
85     assists INT,
86     gpm INT,
87     xpm INT
88 )
89 LANGUAGE sql
90 AS $$
91     SELECT
92         m.match_id,
93         m.start_time,
94         m.duration_seconds,
95         r.name AS region_name,
96         gm.name AS game_mode_name,
97         p.version AS patch_version,
98         mp.team_side,
99         CASE
100             WHEN m.winner_side IS NULL THEN 'unknown'
101             WHEN m.winner_side = mp.team_side THEN 'win'
102             ELSE 'loss'

```

```

103         END AS result,
104         h.hero_id,
105         h.name AS hero_name,
106         mp.kills,
107         mp.deaths,
108         mp.assists,
109         mp.gpm,
110         mp.xpm
111     FROM MatchPlayer mp
112     JOIN Match m ON m.match_id = mp.match_id
113     JOIN Region r ON r.region_id = m.region_id
114     JOIN GameMode gm ON gm.game_mode_id = m.game_mode_id
115     JOIN Patch p ON p.patch_id = m.patch_id
116     JOIN Hero h ON h.hero_id = mp.hero_id
117     WHERE mp.player_id = p_player_id
118     ORDER BY m.start_time DESC
119     LIMIT p_limit;
120 $$;
121 SELECT * FROM get_player_last_n_matches(2, 3); -- 3 матча у игрока с ID 2
122
123 -- Процент побед игрока
124 CREATE OR REPLACE FUNCTION get_player_winrate(p_player_id BIGINT)
125 RETURNS TABLE (
126     player_id BIGINT,
127     nickname VARCHAR,
128     total_matches INT,
129     wins INT,
130     losses INT,
131     winrate_percent NUMERIC(5,2)
132 )
133 LANGUAGE sql
134 AS $$
135     SELECT
136         pl.player_id,
137         pl.nickname,
138         COUNT(*) AS total_matches,
139         SUM(CASE WHEN m.winner_side = mp.team_side THEN 1 ELSE 0 END) AS wins,
140         SUM(
141             CASE
142                 WHEN m.winner_side IS NOT NULL
143                 AND m.winner_side <> mp.team_side
144                 THEN 1 ELSE 0
145             END
146         ) AS losses,
147         ROUND(
148             100.0 * SUM(CASE WHEN m.winner_side = mp.team_side THEN 1 ELSE 0 END)
149             / NULLIF(COUNT(*), 0),
150             2
151         ) AS winrate_percent
152     FROM MatchPlayer mp
153     JOIN Match m ON m.match_id = mp.match_id
154     JOIN Player pl ON pl.player_id = mp.player_id
155     WHERE pl.player_id = p_player_id
156         AND m.winner_side IS NOT NULL
157     GROUP BY pl.player_id, pl.nickname;
158 $$;
159
160 SELECT * FROM get_player_winrate(6); -- Процент побед у игрока с ID 6
161
162
163 -- Процент побед героя
164
165 CREATE OR REPLACE FUNCTION get_hero_winrate(p_hero_id INT)
166 RETURNS TABLE (
167     hero_id INT,
168     hero_name VARCHAR,
169     total_picks INT,

```

```

170     wins INT,
171     losses INT,
172     winrate_percent NUMERIC(5,2)
173 )
174 LANGUAGE sql
175 AS $$
176     SELECT
177         h.hero_id,
178         h.name AS hero_name,
179         COUNT(*) AS total_picks,
180         SUM(CASE WHEN m.winner_side = mp.team_side THEN 1 ELSE 0 END) AS wins,
181         SUM(
182             CASE
183                 WHEN m.winner_side IS NOT NULL
184                     AND m.winner_side <> mp.team_side
185                     THEN 1 ELSE 0
186             END
187         ) AS losses,
188         ROUND(
189             100.0 * SUM(CASE WHEN m.winner_side = mp.team_side THEN 1 ELSE 0 END)
190             / NULLIF(COUNT(*), 0),
191             2
192         ) AS winrate_percent
193     FROM MatchPlayer mp
194     JOIN Match m ON m.match_id = mp.match_id
195     JOIN Hero h ON h.hero_id = mp.hero_id
196     WHERE mp.hero_id = p_hero_id
197         AND m.winner_side IS NOT NULL
198     GROUP BY h.hero_id, h.name;
199 $$;
200
201 SELECT * FROM get_hero_winrate(11); -- Процент побед у Shadow Fiend

```

Следующие INSERT-запросы для наполнения таблиц были сгенерированы с помощью ИИ (ChatGPT).

7.3 INSERT-запросы

```

1  -- =====
2  -- REGIONS (основанные на реальных кластерах Dota 2)
3  -- =====
4  INSERT INTO Region (region_id, name, code) VALUES
5  (1, 'US West', 'usw'),
6  (2, 'US East', 'use'),
7  (3, 'Europe West', 'euw'),
8  (4, 'Europe East', 'eue'),
9  (5, 'Singapore', 'sg'),
10 (6, 'Dubai', 'ae'),
11 (7, 'Australia', 'au'),
12 (8, 'Russia', 'ru'),
13 (9, 'South Africa', 'za'),
14 (10, 'South America', 'sa'),
15 (11, 'India', 'in'),
16 (12, 'China', 'cn'),
17 (13, 'Japan', 'jp'),
18 (14, 'Korea', 'kr'),
19 (15, 'Brazil', 'br');
20
21 -- =====
22 -- GAME MODES (реальные режимы Dota 2)
23 -- =====
24 INSERT INTO GameMode (game_mode_id, name, description) VALUES
25 (1, 'All Pick', 'Standard ranked matchmaking'),
26 (2, 'Captains Mode', 'Competitive drafting mode'),
27 (3, 'Random Draft', 'Players choose heroes from a random pool'),

```

```

28 (4, 'Single Draft', 'Each player chooses from 3 random heroes'),
29 (5, 'Turbo', 'Fast-paced casual mode'),
30 (6, 'Ability Draft', 'Players pick abilities from random heroes'),
31 (7, 'All Random', 'Everyone gets a random hero'),
32 (8, 'Event Mode', 'Seasonal or special event modes'),
33 (9, 'Least Played', 'Choose from your least played heroes'),
34 (10, 'All Pick Ranked', 'Ranked version of All Pick');
35
36 -- =====
37 -- PATCHES (реальные патчи)
38 -- =====
39 INSERT INTO Patch (patch_id, version, release_date) VALUES
40 (1, '7.31', '2022-02-23'),
41 (2, '7.32', '2022-08-23'),
42 (3, '7.33', '2023-04-20'),
43 (4, '7.34', '2023-08-09'),
44 (5, '7.35', '2023-12-14'),
45 (6, '7.36', '2024-05-23'),
46 (7, '7.36b', '2024-05-30');
47
48 -- =====
49 -- ROLES (реальные позиции)
50 -- =====
51 INSERT INTO Role (role_id, name, description) VALUES
52 (1, 'Carry', 'Position 1: core farming role'),
53 (2, 'Mid', 'Position 2: solo mid lane'),
54 (3, 'Offlane', 'Position 3: tanky core offlaner'),
55 (4, 'Soft Support', 'Position 4: roaming support'),
56 (5, 'Hard Support', 'Position 5: safe lane support');
57
58 INSERT INTO Hero (hero_id, name, primary_attribute, attack_type, complexity) VALUES
59 (1, 'Anti-Mage', 'Agility', 'Melee', 1),
60 (2, 'Axe', 'Strength', 'Melee', 1),
61 (3, 'Bane', 'Intelligence', 'Ranged', 2),
62 (4, 'Bloodseeker', 'Agility', 'Melee', 1),
63 (5, 'Crystal Maiden', 'Intelligence', 'Ranged', 1),
64 (6, 'Drow Ranger', 'Agility', 'Ranged', 1),
65 (7, 'Earthshaker', 'Strength', 'Melee', 2),
66 (8, 'Juggernaut', 'Agility', 'Melee', 1),
67 (9, 'Mirana', 'Agility', 'Ranged', 2),
68 (10, 'Morphling', 'Agility', 'Ranged', 3),
69 (11, 'Shadow Fiend', 'Agility', 'Ranged', 2),
70 (12, 'Phantom Lancer', 'Agility', 'Melee', 3),
71 (13, 'Puck', 'Intelligence', 'Ranged', 3),
72 (14, 'Pudge', 'Strength', 'Melee', 2),
73 (15, 'Razor', 'Agility', 'Ranged', 1),
74 (16, 'Sand King', 'Strength', 'Melee', 2),
75 (17, 'Storm Spirit', 'Intelligence', 'Ranged', 3),
76 (18, 'Sven', 'Strength', 'Melee', 1),
77 (19, 'Tiny', 'Strength', 'Melee', 2),
78 (20, 'Vengeful Spirit', 'Agility', 'Ranged', 1),
79 (21, 'Windranger', 'Intelligence', 'Ranged', 2),
80 (22, 'Zeus', 'Intelligence', 'Ranged', 1),
81 (23, 'Kunkka', 'Strength', 'Melee', 2),
82 (24, 'Lina', 'Intelligence', 'Ranged', 2),
83 (25, 'Lion', 'Intelligence', 'Ranged', 1),
84 (26, 'Witch Doctor', 'Intelligence', 'Ranged', 2),
85 (27, 'Luna', 'Agility', 'Ranged', 1),
86 (28, 'Dragon Knight', 'Strength', 'Melee', 1),
87 (29, 'Dazzle', 'Intelligence', 'Ranged', 2),
88 (30, 'Clockwerk', 'Strength', 'Melee', 2),
89 (31, 'Nature's Prophet', 'Intelligence', 'Ranged', 2),
90 (32, 'Phantom Assassin', 'Agility', 'Melee', 1),
91 (33, 'Viper', 'Agility', 'Ranged', 1),
92 (34, 'Warlock', 'Intelligence', 'Ranged', 1),
93 (35, 'Weaver', 'Agility', 'Ranged', 2),
94 (36, 'Bristleback', 'Strength', 'Melee', 1),

```

```

95 (37, 'Tinker', 'Intelligence', 'Ranged', 3),
96 (38, 'Ursa', 'Agility', 'Melee', 1),
97 (39, 'Venomancer', 'Agility', 'Ranged', 2),
98 (40, 'Faceless Void', 'Agility', 'Melee', 2),
99 (41, 'Wraith King', 'Strength', 'Melee', 1),
100 (42, 'Queen of Pain', 'Intelligence', 'Ranged', 2),
101 (43, 'Death Prophet', 'Intelligence', 'Ranged', 2),
102 (44, 'Outworld Destroyer', 'Intelligence', 'Ranged', 3),
103 (45, 'Beastmaster', 'Strength', 'Melee', 2),
104 (46, 'Enigma', 'Intelligence', 'Ranged', 3),
105 (47, 'Slark', 'Agility', 'Melee', 2),
106 (48, 'Shadow Demon', 'Intelligence', 'Ranged', 3),
107 (49, 'Huskar', 'Strength', 'Ranged', 2),
108 (50, 'Invoker', 'Intelligence', 'Ranged', 3);
109
110 -- Игроки
111
112 INSERT INTO Player (player_id, nickname, country_code, created_at, is_pro) VALUES
113 (1, 'Miracle-', 'JO', NOW(), true),
114 (2, 'NOTail', 'DK', NOW(), true),
115 (3, 'Topson', 'FI', NOW(), true),
116 (4, 'Ana', 'AU', NOW(), true),
117 (5, 'Ceb', 'FR', NOW(), true),
118 (6, 'Yatoro', 'UA', NOW(), true),
119 (7, 'Collapse', 'RU', NOW(), true),
120 (8, 'Miposhka', 'RU', NOW(), true),
121 (9, 'Quinn', 'US', NOW(), true),
122 (10, 'Crit-', 'DK', NOW(), true),
123 (11, 'Arteezy', 'CA', NOW(), true),
124 (12, 'Sumail', 'PK', NOW(), true),
125 (13, 'KuroKy', 'DE', NOW(), true),
126 (14, 'GH', 'LB', NOW(), true),
127 (15, 'Puppey', 'EE', NOW(), true),
128 (16, 'Nisha', 'PL', NOW(), true),
129 (17, 'gpk', 'RU', NOW(), true),
130 (18, 'Nightfall', 'RU', NOW(), true),
131 (19, 'Pure', 'RU', NOW(), true),
132 (20, 'TORONTOTOKYO', 'RU', NOW(), true),
133 (21, 'Somnus', 'CN', NOW(), true),
134 (22, 'Ame', 'CN', NOW(), true),
135 (23, 'Chalice', 'CN', NOW(), true),
136 (24, 'Kaka', 'CN', NOW(), true),
137 (25, 'Nine', 'DE', NOW(), true),
138 (26, 'Skiter', 'IS', NOW(), true),
139 (27, '33', 'IL', NOW(), true),
140 (28, 'Resolution', 'UA', NOW(), true),
141 (29, 'No[o]ne', 'UA', NOW(), true),
142 (30, 'Sneyking', 'US', NOW(), true),
143 (31, 'Gorgc', 'SE', NOW(), false),
144 (32, 'AdmiralBulldog', 'SE', NOW(), false),
145 (33, 'BSJ', 'US', NOW(), false),
146 (34, 'Jenkins', 'CA', NOW(), false),
147 (35, 'Qojqva', 'DE', NOW(), false),
148 (36, 'Wagamama', 'SE', NOW(), false),
149 (37, 'Dendi', 'UA', NOW(), false),
150 (38, 'SingSing', 'NL', NOW(), false),
151 (39, 'PurgeGamers', 'US', NOW(), false),
152 (40, 'BananaSlamJamma', 'US', NOW(), false),
153 (41, 'ShadowRazerr', 'RU', NOW(), false),
154 (42, 'MoonSlayer', 'RU', NOW(), false),
155 (43, 'KillerBee', 'PL', NOW(), false),
156 (44, 'DragonLord', 'US', NOW(), false),
157 (45, 'SilentStorm', 'DE', NOW(), false),
158 (46, 'ToxicAvocado', 'FR', NOW(), false),
159 (47, 'LazySniper', 'GB', NOW(), false),
160 (48, 'QuantumVoid', 'SE', NOW(), false),
161 (49, 'ZeroCool', 'US', NOW(), false),

```



```

162 (50, 'SpiritBreakerIRL', 'UA', NOW(), false),
163 (51, 'MegaCreep', 'CA', NOW(), false),
164 (52, 'BackdoorBilly', 'AU', NOW(), false),
165 (53, 'CarryOrFeed', 'DK', NOW(), false),
166 (54, 'OfflaneEnjoyer', 'DE', NOW(), false),
167 (55, 'SupportDiff', 'US', NOW(), false),
168 (56, 'JunglerAndy', 'PH', NOW(), false),
169 (57, '5MinBKB', 'RU', NOW(), false),
170 (58, 'BKBTP', 'UA', NOW(), false),
171 (59, 'CourierKiller', 'BY', NOW(), false),
172 (60, 'SmokeOfDeceit', 'US', NOW(), false),
173 (61, 'RoshanSlayer', 'IN', NOW(), false),
174 (62, 'MantaStyle', 'BR', NOW(), false),
175 (63, 'Divine99', 'PL', NOW(), false),
176 (64, 'DustDetector', 'PK', NOW(), false),
177 (65, 'LastPickBro', 'SE', NOW(), false),
178 (66, 'InvokerOnly', 'US', NOW(), false),
179 (67, 'OnlyPudge', 'RU', NOW(), false),
180 (68, 'TinkerEnjoyer', 'CN', NOW(), false),
181 (69, 'NoWardNoWin', 'RU', NOW(), false),
182 (70, 'DewardMaster', 'FI', NOW(), false),
183 (71, 'SkadiEnjoyer', 'UA', NOW(), false),
184 (72, 'MissClick', 'NL', NOW(), false),
185 (73, 'ManaBurn', 'CA', NOW(), false),
186 (74, 'CheeseStealer', 'DE', NOW(), false),
187 (75, 'AncientFarmer', 'RU', NOW(), false),
188 (76, 'MMR_Destroyer', 'US', NOW(), false),
189 (77, 'CourierAFK', 'UA', NOW(), false),
190 (78, 'SmokeGanker', 'RO', NOW(), false),
191 (79, 'RuneController', 'SE', NOW(), false),
192 (80, 'NeutralCreeper', 'DE', NOW(), false),
193 (81, 'TiltMaster3000', 'US', NOW(), false),
194 (82, 'CliffTrapper', 'PH', NOW(), false),
195 (83, 'AFKPush', 'IN', NOW(), false),
196 (84, 'SplitPusher', 'BR', NOW(), false),
197 (85, 'GGgoNext', 'RU', NOW(), false),
198 (86, 'NoBuyback', 'TR', NOW(), false),
199 (87, 'SaveTP', 'US', NOW(), false),
200 (88, 'MidasEveryGame', 'PL', NOW(), false),
201 (89, 'RadianceRush', 'UA', NOW(), false),
202 (90, 'PullSmallCamp', 'FI', NOW(), false),
203 (91, 'MathTeacher', 'US', NOW(), false),
204 (92, 'CatLover', 'DE', NOW(), false),
205 (93, 'BirdWatcher', 'SE', NOW(), false),
206 (94, 'OceanMan', 'CA', NOW(), false),
207 (95, 'FrostGiant', 'NO', NOW(), false),
208 (96, 'HotSauce', 'US', NOW(), false),
209 (97, 'LemonTree', 'UA', NOW(), false),
210 (98, 'ElderTitanMain', 'RU', NOW(), false),
211 (99, 'LyricalGamer', 'US', NOW(), false),
212 (100, 'Slacks', 'US', NOW(), false);
213
214
215 -- Предметы
216 INSERT INTO Item (item_id, name, cost, item_type) VALUES
217 -- Basic Items
218 (1, 'Blades of Attack', 1000, 'Basic'),
219 (2, 'Chainmail', 550, 'Basic'),
220 (3, 'Claymore', 1350, 'Basic'),
221 (4, 'Helm of Iron Will', 975, 'Basic'),
222 (5, 'Javelin', 1100, 'Basic'),
223 (6, 'Mithril Hammer', 1600, 'Basic'),
224 (7, 'Platemail', 1400, 'Basic'),
225 (8, 'Quarterstaff', 875, 'Basic'),
226 (9, 'Quelling Blade', 100, 'Basic'),
227 (10, 'Ring of Protection', 175, 'Basic'),
228 -- Attribute Items

```

```

229 (11, 'Gauntlets of Strength', 135, 'Attribute'),
230 (12, 'Slippers of Agility', 135, 'Attribute'),
231 (13, 'Mantle of Intelligence', 135, 'Attribute'),
232 (14, 'Iron Branch', 50, 'Attribute'),
233 (15, 'Belt of Strength', 450, 'Attribute'),
234 (16, 'Band of Elvenskin', 450, 'Attribute'),
235 (17, 'Robe of the Magi', 450, 'Attribute'),
236 (18, 'Circlet', 155, 'Attribute'),
237 (19, 'Ogre Axe', 1000, 'Attribute'),
238 (20, 'Blade of Alacrity', 1000, 'Attribute'),
239 (21, 'Staff of Wizardry', 1000, 'Attribute'),
240 (22, 'Ultimate Orb', 2800, 'Attribute'),
241 -- Consumables
242 (23, 'Faerie Fire', 65, 'Consumable'),
243 (24, 'Enchanted Mango', 65, 'Consumable'),
244 (25, 'Clarity', 50, 'Consumable'),
245 (26, 'Healing Salve', 110, 'Consumable'),
246 (27, 'Tango', 90, 'Consumable'),
247 (28, 'Tango (Shared)', 90, 'Consumable'),
248 (29, 'Town Portal Scroll', 100, 'Consumable'),
249 (30, 'Dust of Appearance', 80, 'Consumable'),
250 (31, 'Animal Courier', 50, 'Consumable'),
251 (32, 'Flying Courier', 100, 'Consumable'),
252 (33, 'Observer Ward', 0, 'Consumable'),
253 (34, 'Sentry Ward', 50, 'Consumable'),
254 (35, 'Smoke of Deceit', 50, 'Consumable'),
255 -- Miscellaneous
256 (36, 'Magic Stick', 200, 'Miscellaneous'),
257 (37, 'Magic Wand', 450, 'Miscellaneous'),
258 (38, 'Soul Ring', 805, 'Miscellaneous'),
259 (39, 'Ghost Scepter', 1500, 'Miscellaneous'),
260 (40, 'Blink Dagger', 2250, 'Miscellaneous'),
261 (41, 'Shadow Amulet', 1000, 'Miscellaneous'),
262 (42, 'Glimmer Cape', 1950, 'Miscellaneous'),
263 (43, 'Force Staff', 2200, 'Miscellaneous'),
264 (44, 'Aether Lens', 2275, 'Miscellaneous'),
265 (45, 'Wind Waker', 6825, 'Miscellaneous'),
266 (46, 'Gem of True Sight', 900, 'Miscellaneous'),
267 -- Boots
268 (47, 'Power Treads', 1400, 'Boots'),
269 (48, 'Phase Boots', 1500, 'Boots'),
270 (49, 'Arcane Boots', 1300, 'Boots'),
271 (50, 'Guardian Greaves', 5100, 'Boots'),
272 (51, 'Tranquil Boots', 925, 'Boots'),
273 (52, 'Boots of Travel', 2500, 'Boots'),
274 (53, 'Boots of Travel 2', 4500, 'Boots'),
275 -- Early Game
276 (54, 'Bracer', 505, 'Early'),
277 (55, 'Wraith Band', 505, 'Early'),
278 (56, 'Null Talisman', 505, 'Early'),
279 (57, 'Ring of Basilus', 425, 'Early'),
280 (58, 'Buckler', 425, 'Early'),
281 (59, 'Urn of Shadows', 880, 'Early'),
282 (60, 'Headdress', 425, 'Early'),
283 (61, 'Ring of Health', 825, 'Early'),
284 (62, 'Void Stone', 850, 'Early'),
285 (63, 'Holy Locket', 0, 'Early'),
286 -- Weapons
287 (64, 'Crystalys', 1950, 'Weapon'),
288 (65, 'Armlet of Mordiggian', 2500, 'Weapon'),
289 (66, 'Mask of Madness', 1775, 'Weapon'),
290 (67, 'Dragon Lance', 1900, 'Weapon'),
291 (68, 'Black King Bar', 4050, 'Weapon'),
292 (69, 'Aghanims Scepter', 4200, 'Weapon'),
293 (70, 'Aghanims Shard', 1400, 'Weapon'),
294 (71, 'Refresher Orb', 5000, 'Weapon'),
295 (72, 'Scythe of Vyse', 5675, 'Weapon'),

```

```
296 (73, 'Orchid Malevolence', 3475, 'Weapon'),
297 (74, 'Bloodthorn', 6625, 'Weapon'),
298 (75, 'Ethereal Blade', 5375, 'Weapon'),
299 (76, 'Shadow Blade', 3000, 'Weapon'),
300 (77, 'Silver Edge', 5450, 'Weapon'),
301 (78, 'Manta Style', 4600, 'Weapon'),
302 (79, 'Radiance', 4700, 'Weapon'),
303 (80, 'Butterfly', 4975, 'Weapon'),
304 (81, 'Daedalus', 5150, 'Weapon'),
305 (82, 'Monkey King Bar', 4900, 'Weapon'),
306 (83, 'Divine Rapier', 5800, 'Weapon'),
307 (84, 'Abyssal Blade', 6250, 'Weapon'),
308 (85, 'Battle Fury', 4100, 'Weapon'),
309 (86, 'Desolator', 3500, 'Weapon'),
310 (87, 'Meteor Hammer', 2350, 'Weapon'),
311 (88, 'Nullifier', 4375, 'Weapon'),
312 (89, 'Hurricane Pike', 4450, 'Weapon'),
313 -- Armor
314 (90, 'Vanguard', 1825, 'Armor'),
315 (91, 'Hood of Defiance', 1500, 'Armor'),
316 (92, 'Pipe of Insight', 3475, 'Armor'),
317 (93, 'Crimson Guard', 3725, 'Armor'),
318 (94, 'Assault Cuirass', 5125, 'Armor'),
319 (95, 'Shivas Guard', 5175, 'Armor'),
320 (96, 'Lotus Orb', 3850, 'Armor'),
321 (97, 'Mekansm', 1775, 'Armor'),
322 (98, 'Vladmirs Offering', 2400, 'Armor'),
323 -- Neutral Items (Tier 1)
324 (100, 'Arcane Ring', 0, 'Neutral'),
325 (101, 'Broom Handle', 0, 'Neutral'),
326 (102, 'Chipped Vest', 0, 'Neutral'),
327 (103, 'Fairy''s Trinket', 0, 'Neutral'),
328 (104, 'Ironwood Tree', 0, 'Neutral'),
329 (105, 'Keen Optic', 0, 'Neutral'),
330 (106, 'Ocean Heart', 0, 'Neutral'),
331 (107, 'Possessed Mask', 0, 'Neutral'),
332 (108, 'Trusty Shovel', 0, 'Neutral'),
333 (109, 'Faded Broach', 0, 'Neutral'),
334 -- Neutral Items (Tier 2)
335 (110, 'Grove Bow', 0, 'Neutral'),
336 (111, 'Imp Claw', 0, 'Neutral'),
337 (112, 'Pupil''s Gift', 0, 'Neutral'),
338 (113, 'Ring of Aquila', 0, 'Neutral'),
339 (114, 'Vambrace', 0, 'Neutral'),
340 (115, 'Dragon Scale', 0, 'Neutral'),
341 (116, 'Essence Ring', 0, 'Neutral'),
342 (117, 'Quickening Charm', 0, 'Neutral'),
343 (118, 'Philosopher''s Stone', 0, 'Neutral'),
344 -- Neutral Items (Tier 3)
345 (120, 'Elven Tunic', 0, 'Neutral'),
346 (121, 'Cloak of Flames', 0, 'Neutral'),
347 (122, 'Ceremonial Robe', 0, 'Neutral'),
348 (123, 'Psychic Headband', 0, 'Neutral'),
349 (124, 'Spider Legs', 0, 'Neutral'),
350 (125, 'Titan Sliver', 0, 'Neutral'),
351 (126, 'Mind Breaker', 0, 'Neutral'),
352 (127, 'Third Eye', 0, 'Neutral'),
353 (128, 'Paladin Sword', 0, 'Neutral'),
354 -- Neutral Items (Tier 4)
355 (130, 'Ninja Gear', 0, 'Neutral'),
356 (131, 'Illusionist''s Cape', 0, 'Neutral'),
357 (132, 'Trickster Cloak', 0, 'Neutral'),
358 (133, 'Fusion Rune', 0, 'Neutral'),
359 (134, 'Minotaur Horn', 0, 'Neutral'),
360 (135, 'The Leveller', 0, 'Neutral'),
361 (136, 'Timeless Relic', 0, 'Neutral'),
362 (137, 'Spell Prism', 0, 'Neutral'),
```

```

363 (138, 'Penta-Edged Sword', 0, 'Neutral'),
364 -- Neutral Items (Tier 5)
365 (140, 'Mirror Shield', 0, 'Neutral'),
366 (141, 'Apex', 0, 'Neutral'),
367 (142, 'Ballista', 0, 'Neutral'),
368 (143, 'Book of Shadows', 0, 'Neutral'),
369 (144, 'Ex Machina', 0, 'Neutral'),
370 (145, 'Fallen Sky', 0, 'Neutral'),
371 (146, 'Seer Stone', 0, 'Neutral'),
372 (147, 'Pirate Hat', 0, 'Neutral'),
373 (148, 'Giant's Ring', 0, 'Neutral'),
374 -- Roshan Drops
375 (150, 'Aegis of the Immortal', 0, 'Roshan'),
376 (151, 'Cheese', 0, 'Roshan'),
377 (152, 'Refresher Shard', 0, 'Roshan'),
378 (153, 'Aghanims Blessing', 0, 'Roshan'),
379 -- Other Important Items
380 (160, 'Heart of Tarrasque', 5000, 'Health'),
381 (161, 'Satanic', 5050, 'Damage'),
382 (162, 'Eye of Skadi', 5300, 'Attribute'),
383 (163, 'Mjollnir', 5500, 'Weapon'),
384 (164, 'Bloodstone', 4400, 'Mana'),
385 (165, 'Linkens Sphere', 4600, 'Miscellaneous'),
386 (166, 'Helm of the Dominator', 2625, 'Helmet'),
387 (167, 'Helm of the Overlord', 6175, 'Helmet');
388
389 -- Профессиональные команды
390 INSERT INTO ProTeam (team_id, name, tag, region_id, founded_at, disbanded_at)
391 VALUES
392 (1, 'Team Spirit', 'TS', 1, '2015-12-01', NULL),
393 (2, 'OG', 'OG', 1, '2015-10-31', NULL),
394 (3, 'Team Liquid', 'TL', 1, '2000-01-01', NULL),
395 (4, 'Gaimin Gladiators', 'GG', 1, '2021-02-01', NULL),
396 (5, 'PSG.LGD', 'LGD', 2, '2009-05-15', NULL),
397 (6, 'Xtreme Gaming', 'XG', 2, '2021-01-01', NULL),
398 (7, 'Tundra Esports', 'TUND', 1, '2019-01-01', NULL),
399 (8, 'BetBoom Team', 'BB', 3, '2022-04-01', NULL),
400 (9, 'Natus Vincere', 'NAVI', 3, '2009-12-20', '2024-01-01'),
401 (10, 'Evil Geniuses', 'EG', 4, '1999-01-01', '2023-12-31'),
402 (11, 'Shopify Rebellion', 'SR', 4, '2023-01-01', NULL),
403 (12, 'Thunder Awaken', 'TA', 5, '2020-01-01', NULL);
404
405 INSERT INTO TeamMembership (membership_id, team_id, player_id, joined_at, left_at,
406 role_in_team, is_captain) VALUES
407 -- Team Spirit
408 (1, 1, 6, '2020-12-01', NULL, 'Carry', false),
409 (2, 1, 7, '2020-12-01', NULL, 'Offlane', false),
410 (3, 1, 20, '2020-12-01', '2023-12-01', 'Mid', false),
411 (4, 1, 8, '2020-12-01', NULL, 'Position 5', true),
412 (5, 1, 17, '2023-01-01', NULL, 'Mid', false),
413 -- OG
414 (6, 2, 2, '2015-10-31', '2021-01-01', 'Captain', true),
415 (7, 2, 3, '2018-06-01', '2023-01-01', 'Mid', false),
416 (8, 2, 4, '2018-06-01', '2021-01-01', 'Carry', false),
417 (9, 2, 5, '2016-01-01', '2021-01-01', 'Offlane', false),
418 -- Team Liquid
419 (10, 3, 1, '2015-01-01', '2016-01-01', 'Mid', false),
420 (11, 3, 13, '2015-01-01', '2019-10-01', 'Captain', true),
421 (12, 3, 14, '2017-01-01', '2019-10-01', 'Support', false),
422 (13, 3, 16, '2022-01-01', NULL, 'Mid', false),
423 -- PSG.LGD
424 (14, 5, 21, '2018-01-01', '2022-01-01', 'Mid', false),
425 (15, 5, 22, '2017-01-01', '2022-01-01', 'Carry', false),
426 (16, 5, 23, '2018-01-01', '2019-01-01', 'Offlane', false),
427 (17, 5, 24, '2017-01-01', '2020-01-01', 'Support', false),
428 -- Tundra Esports
429 (18, 7, 25, '2021-01-01', NULL, 'Mid', false),

```

```

428 (19, 7, 26, '2021-01-01', NULL, 'Carry', false),
429 (20, 7, 27, '2021-01-01', NULL, 'Offlane', false),
430 (21, 7, 30, '2021-01-01', '2021-12-01', 'Position 5', false),
431 (22, 7, 28, '2022-01-01', '2023-01-01', 'Offlane', false),
432 -- BetBoom Team
433 (23, 8, 18, '2022-04-01', NULL, 'Carry', false),
434 (24, 8, 19, '2022-04-01', NULL, 'Offlane', false),
435 -- Shopify Rebellion (ex-EG)
436 (25, 11, 11, '2023-01-01', NULL, 'Carry', false),
437 (26, 11, 10, '2023-01-01', NULL, 'Support', false);
438
439 -- =====
440 -- MATCH 1
441 -- =====
442 INSERT INTO Match (start_time, duration_seconds, region_id, game_mode_id,
443 patch_id, avg_mmr, winner_side)
444 VALUES ('2024-02-01 18:30:00', 2340, 3, 1, 6, 7200, 'radiant');
445
446 -- Radiant / Dire teams
447 INSERT INTO MatchTeam (match_id, side, team_id, total_kills, total_deaths,
448 total_gold, total_xp, towers_destroyed, roshan_kills)
449 VALUES
450 (1, 'radiant', 1, 34, 22, 61000, 69000, 7, 1),
451 (1, 'dire', 3, 22, 34, 54000, 62000, 2, 0);
452
453 -- Players (10 players)
454 INSERT INTO MatchPlayer (match_id, player_id, hero_id, team_side, player_slot,
455 role_id,
456 kills, deaths, assists, last_hits, denies, gpm, xpm, hero_damage,
457 tower_damage, hero_healing)
458 VALUES
459 (1, 6, 8, 'radiant', 0, 1, 12, 3, 9, 540, 22, 650, 720, 31000, 4200, 0),
460 (1, 7, 28, 'radiant', 1, 3, 3, 5, 18, 210, 9, 380, 520, 14000, 1600, 0),
461 (1, 17, 24, 'radiant', 2, 2, 9, 4, 12, 480, 14, 490, 680, 28000, 3400, 0),
462 (1, 8, 26, 'radiant', 3, 5, 2, 4, 20, 160, 4, 270, 420, 8000, 800, 9000),
463 (1, 20, 5, 'radiant', 4, 5, 1, 14, 6, 50, 1, 220, 380, 5000, 600, 3000),
464
465 (1, 11, 32, 'dire', 128, 1, 10, 7, 2, 480, 16, 600, 680, 27000, 3500, 0),
466 (1, 13, 23, 'dire', 129, 3, 4, 6, 14, 330, 8, 430, 540, 16000, 1100, 0),
467 (1, 24, 13, 'dire', 130, 2, 5, 5, 10, 410, 12, 510, 600, 21000, 1800, 0),
468 (1, 10, 34, 'dire', 131, 5, 1, 7, 22, 110, 3, 300, 470, 9000, 700, 7000),
469 (1, 14, 25, 'dire', 132, 5, 2, 12, 4, 70, 2, 240, 410, 6000, 500, 4000);
470
471 -- =====
472 -- MATCH 2
473 -- =====
474 INSERT INTO Match (start_time, duration_seconds, region_id, game_mode_id,
475 patch_id, avg_mmr, winner_side)
476 VALUES ('2024-02-03 16:10:00', 1980, 8, 10, 6, 6800, 'dire');
477
478 INSERT INTO MatchTeam (match_id, side, team_id, total_kills, total_deaths,
479 total_gold, total_xp, towers_destroyed, roshan_kills)
480 VALUES
481 (2, 'radiant', NULL, 18, 29, 47000, 52000, 2, 0),
482 (2, 'dire', 8, 29, 18, 56000, 64000, 6, 1);
483
484 INSERT INTO MatchPlayer (match_id, player_id, hero_id, team_side, player_slot,
485 role_id,
486 kills, deaths, assists, last_hits, denies, gpm, xpm, hero_damage,
487 tower_damage, hero_healing)
488 VALUES
489 (2, 31, 33, 'radiant', 0, 1, 4, 6, 5, 310, 9, 420, 480, 15000, 1200, 0),
490 (2, 35, 17, 'radiant', 1, 2, 2, 7, 8, 180, 3, 260, 360, 7000, 500, 0),
491 (2, 57, 14, 'radiant', 2, 3, 3, 8, 3, 120, 2, 210, 290, 5000, 400, 4000),
492 (2, 66, 5, 'radiant', 3, 5, 1, 10, 11, 30, 1, 180, 300, 4000, 300, 6000),
493 (2, 69, 40, 'radiant', 4, 5, 1, 6, 2, 40, 1, 150, 250, 3000, 200, 2000),

```

```

487     (2, 6, 32, 'dire', 128, 1, 11, 3, 10, 490, 14, 640, 690, 29000, 4000, 0),
488     (2, 7, 30, 'dire', 129, 3, 4, 5, 13, 220, 7, 410, 520, 15000, 1500, 0),
489     (2, 17, 21, 'dire', 130, 2, 6, 4, 7, 350, 10, 520, 640, 26000, 2300, 0),
490     (2, 8, 26, 'dire', 131, 5, 1, 9, 19, 180, 4, 280, 470, 8000, 700, 9000),
491     (2, 20, 11, 'dire', 132, 2, 7, 2, 20, 60, 2, 240, 320, 9000, 600, 0);
492
493 -- =====
494 -- MATCH 3
495 -- =====
496 INSERT INTO Match (start_time, duration_seconds, region_id, game_mode_id,
497     patch_id, avg_mmr, winner_side)
498 VALUES ('2024-02-05 21:00:00', 3120, 1, 2, 7, 7600, 'radiant');
499
500 INSERT INTO MatchTeam (match_id, side, team_id, total_kills, total_deaths,
501     total_gold, total_xp, towers_destroyed, roshan_kills)
502 VALUES
503     (3, 'radiant', 4, 45, 28, 80000, 94000, 9, 2),
504     (3, 'dire', 2, 28, 45, 69000, 77000, 3, 0);
505
506 INSERT INTO MatchPlayer (match_id, player_id, hero_id, team_side, player_slot,
507     role_id,
508     kills, deaths, assists, last_hits, denies, gpm, xpm, hero_damage,
509     tower_damage, hero_healing)
510 VALUES
511     (3, 25, 11, 'radiant', 0, 2, 14, 4, 12, 620, 20, 720, 820, 41000, 5000, 0),
512     (3, 26, 38, 'radiant', 1, 1, 10, 6, 9, 540, 18, 680, 750, 33000, 4200, 0),
513     (3, 27, 45, 'radiant', 2, 3, 7, 7, 15, 300, 6, 420, 500, 15000, 2000, 0),
514     (3, 30, 5, 'radiant', 3, 5, 2, 8, 24, 140, 5, 280, 390, 9000, 700, 11000),
515     (3, 28, 24, 'radiant', 4, 2, 12, 3, 18, 80, 1, 240, 350, 7000, 900, 0),
516     (3, 2, 13, 'dire', 128, 2, 8, 9, 10, 440, 14, 590, 640, 25000, 2600, 0),
517     (3, 3, 7, 'dire', 129, 4, 3, 7, 17, 210, 5, 390, 530, 12000, 900, 0),
518     (3, 4, 39, 'dire', 130, 4, 5, 6, 19, 310, 9, 460, 590, 20000, 1600, 0),
519     (3, 5, 14, 'dire', 131, 5, 2, 6, 21, 130, 3, 310, 450, 8000, 700, 4000),
520     (3, 10, 32, 'dire', 132, 1, 10, 4, 22, 520, 11, 650, 700, 30000, 3400, 0);
521
522 -- =====
523 -- MATCH 4
524 -- =====
525 INSERT INTO Match (start_time, duration_seconds, region_id, game_mode_id,
526     patch_id, avg_mmr, winner_side)
527 VALUES ('2024-02-07 14:20:00', 1760, 6, 1, 6, 6000, 'dire');
528
529 INSERT INTO MatchTeam (match_id, side, team_id, total_kills, total_deaths,
530     total_gold, total_xp, towers_destroyed, roshan_kills)
531 VALUES
532     (4, 'radiant', NULL, 20, 27, 48000, 53000, 3, 0),
533     (4, 'dire', 12, 27, 20, 55000, 63000, 6, 1);
534
535 INSERT INTO MatchPlayer (match_id, player_id, hero_id, team_side, player_slot,
536     role_id,
537     kills, deaths, assists, last_hits, denies, gpm, xpm, hero_damage,
538     tower_damage, hero_healing)
539 VALUES
540     (4, 41, 29, 'radiant', 0, 2, 5, 7, 8, 320, 10, 400, 480, 12000, 1500, 0),
541     (4, 42, 37, 'radiant', 1, 2, 3, 8, 4, 260, 7, 350, 420, 9000, 900, 0),
542     (4, 43, 15, 'radiant', 2, 3, 4, 9, 6, 150, 3, 260, 330, 6000, 500, 0),
543     (4, 44, 47, 'radiant', 3, 5, 1, 10, 14, 90, 1, 180, 300, 3000, 200, 5000),
544     (4, 45, 18, 'radiant', 4, 1, 6, 5, 12, 40, 1, 210, 260, 4000, 300, 0),
545     (4, 6, 40, 'dire', 128, 1, 9, 2, 13, 480, 16, 650, 720, 29000, 4200, 0),
546     (4, 7, 22, 'dire', 129, 5, 4, 5, 16, 280, 10, 450, 520, 16000, 1400, 0),
547     (4, 17, 49, 'dire', 130, 2, 7, 4, 9, 350, 12, 500, 580, 20000, 2000, 0),
548     (4, 8, 26, 'dire', 131, 5, 1, 12, 19, 150, 4, 290, 370, 8000, 700, 9000),
549     (4, 20, 43, 'dire', 132, 3, 6, 2, 21, 60, 2, 230, 260, 9000, 600, 0);
550
551 -- =====

```

```

546 -- MATCH 5
547 -- =====
548 INSERT INTO Match (start_time, duration_seconds, region_id, game_mode_id,
549 patch_id, avg_mmr, winner_side)
549 VALUES ('2024-02-10 19:55:00', 2890, 12, 2, 7, 8300, 'radiant');
550
551 INSERT INTO MatchTeam (match_id, side, team_id, total_kills, total_deaths,
552 total_gold, total_xp, towers_destroyed, roshan_kills)
552 VALUES
553 (5, 'radiant', 5, 52, 30, 91000, 106000, 10, 3),
554 (5, 'dire', 7, 30, 52, 75000, 83000, 4, 0);
555
556 INSERT INTO MatchPlayer (match_id, player_id, hero_id, team_side, player_slot,
557 role_id,
558 kills, deaths, assists, last_hits, denies, gpm, xpm, hero_damage,
559 tower_damage, hero_healing)
558 VALUES
559 (5, 21, 13, 'radiant', 0, 2, 18, 5, 16, 690, 21, 770, 920, 48000, 5600, 0),
560 (5, 22, 11, 'radiant', 1, 1, 14, 6, 14, 640, 19, 740, 880, 42000, 4200, 0),
561 (5, 23, 45, 'radiant', 2, 3, 8, 8, 20, 350, 7, 460, 540, 17000, 2200, 0),
562 (5, 24, 5, 'radiant', 3, 5, 3, 7, 30, 110, 4, 300, 420, 12000, 900, 13000),
563 (5, 25, 32, 'radiant', 4, 1, 9, 3, 18, 60, 1, 230, 300, 10000, 750, 0),
564
565 (5, 26, 17, 'dire', 128, 2, 10, 7, 11, 520, 14, 650, 700, 30000, 3500, 0),
566 (5, 27, 28, 'dire', 129, 3, 6, 5, 19, 300, 7, 410, 550, 16000, 1400, 0),
567 (5, 30, 23, 'dire', 130, 2, 6, 8, 16, 400, 11, 520, 630, 21000, 2000, 0),
568 (5, 3, 36, 'dire', 131, 5, 1, 14, 22, 130, 4, 290, 360, 8000, 900, 9000),
569 (5, 10, 39, 'dire', 132, 3, 4, 12, 24, 70, 2, 230, 260, 9000, 700, 0);
570
571 -- =====
572 -- MATCH 1 - DRAFT (PICKS/BANS)
573 -- =====
574 INSERT INTO MatchHeroPickBan (match_id, hero_id, team_side, action_type,
575 action_order) VALUES
576 -- Bans
577 (1, 1, 'radiant', 'ban', 1), -- Radiant банит Anti-Mage
578 (1, 46, 'dire', 'ban', 2), -- Dire банит Enigma
579 (1, 13, 'radiant', 'ban', 3), -- Radiant банит Puck
580 (1, 50, 'dire', 'ban', 4), -- Dire банит Invoker
581
582 -- Radiant picks
583 (1, 8, 'radiant', 'pick', 5), -- Juggernaut
584 (1, 28, 'radiant', 'pick', 7), -- Dragon Knight
585 (1, 24, 'radiant', 'pick', 9), -- Lina
586 (1, 26, 'radiant', 'pick', 11), -- Witch Doctor
587 (1, 5, 'radiant', 'pick', 13), -- Crystal Maiden
588
589 -- Dire picks
590 (1, 32, 'dire', 'pick', 6), -- Phantom Assassin
591 (1, 23, 'dire', 'pick', 8), -- Kunkka
592 (1, 13, 'dire', 'pick', 10), -- Puck
593 (1, 34, 'dire', 'pick', 12), -- Warlock
594 (1, 25, 'dire', 'pick', 14); -- Lion
595
596 -- =====
597 -- MATCH 1 - ITEMS (RADIANT)
598 -- =====
599 -- Yatoro (player_id = 6, hero_id = 8 - Juggernaut)
600 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
601 slot_type)
602 SELECT match_player_id, 47, 600, 'inventory' -- Power Treads
603 FROM MatchPlayer WHERE match_id = 1 AND player_id = 6;
604
605 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
606 slot_type)
607 SELECT match_player_id, 85, 1200, 'inventory' -- Battle Fury

```



```

606 FROM MatchPlayer WHERE match_id = 1 AND player_id = 6;
607
608 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
609 SELECT match_player_id, 68, 1600, 'inventory' -- Black King Bar
610 FROM MatchPlayer WHERE match_id = 1 AND player_id = 6;
611
612 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
613 SELECT match_player_id, 120, 1500, 'neutral' -- Elven Tunic
614 FROM MatchPlayer WHERE match_id = 1 AND player_id = 6;
615
616
617 -- Collapse (player_id = 7, hero_id = 28 - Dragon Knight)
618 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
619 SELECT match_player_id, 47, 500, 'inventory' -- Power Treads
620 FROM MatchPlayer WHERE match_id = 1 AND player_id = 7;
621
622 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
623 SELECT match_player_id, 90, 900, 'inventory' -- Vanguard
624 FROM MatchPlayer WHERE match_id = 1 AND player_id = 7;
625
626 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
627 SELECT match_player_id, 94, 1700, 'inventory' -- Assault Cuirass
628 FROM MatchPlayer WHERE match_id = 1 AND player_id = 7;
629
630 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
631 SELECT match_player_id, 125, 1400, 'neutral' -- Titan Sliver
632 FROM MatchPlayer WHERE match_id = 1 AND player_id = 7;
633
634
635 -- gpk (player_id = 17, hero_id = 24 - Lina)
636 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
637 SELECT match_player_id, 48, 520, 'inventory' -- Phase Boots
638 FROM MatchPlayer WHERE match_id = 1 AND player_id = 17;
639
640 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
641 SELECT match_player_id, 73, 1000, 'inventory' -- Orchid Malevolence
642 FROM MatchPlayer WHERE match_id = 1 AND player_id = 17;
643
644 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
645 SELECT match_player_id, 81, 1800, 'inventory' -- Daedalus
646 FROM MatchPlayer WHERE match_id = 1 AND player_id = 17;
647
648 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
649 SELECT match_player_id, 121, 1600, 'neutral' -- Cloak of Flames
650 FROM MatchPlayer WHERE match_id = 1 AND player_id = 17;
651
652
653 -- Miposhka (player_id = 8, hero_id = 26 - Witch Doctor, pos5)
654 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
655 SELECT match_player_id, 49, 400, 'inventory' -- Arcane Boots
656 FROM MatchPlayer WHERE match_id = 1 AND player_id = 8;
657
658 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
659 SELECT match_player_id, 97, 900, 'inventory' -- Mekansm
660 FROM MatchPlayer WHERE match_id = 1 AND player_id = 8;

```



```

661
662 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
663 SELECT match_player_id, 42, 1400, 'inventory' -- Glimmer Cape
664 FROM MatchPlayer WHERE match_id = 1 AND player_id = 8;
665
666 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
667 SELECT match_player_id, 118, 1300, 'neutral' -- Philosopher's Stone
668 FROM MatchPlayer WHERE match_id = 1 AND player_id = 8;
669
670
671 -- TORONTOTOKYO (player_id = 20, hero_id = 5 - Crystal Maiden, pos5)
672 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
673 SELECT match_player_id, 49, 380, 'inventory' -- Arcane Boots
674 FROM MatchPlayer WHERE match_id = 1 AND player_id = 20;
675
676 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
677 SELECT match_player_id, 57, 800, 'inventory' -- Ring of Basilus
678 FROM MatchPlayer WHERE match_id = 1 AND player_id = 20;
679
680 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
681 SELECT match_player_id, 33, 300, 'inventory' -- Observer Ward
682 FROM MatchPlayer WHERE match_id = 1 AND player_id = 20;
683
684 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
685 SELECT match_player_id, 106, 1100, 'neutral' -- Ocean Heart
686 FROM MatchPlayer WHERE match_id = 1 AND player_id = 20;
687
688 -- =====
689 -- MATCH 1 - ITEMS (DIRE)
690 -- =====
691
692 -- Arteezy (player_id = 11, hero_id = 32 - Phantom Assassin)
693 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
694 SELECT match_player_id, 47, 540, 'inventory'
695 FROM MatchPlayer WHERE match_id = 1 AND player_id = 11;
696
697 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
698 SELECT match_player_id, 78, 1100, 'inventory' -- Manta Style
699 FROM MatchPlayer WHERE match_id = 1 AND player_id = 11;
700
701 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
702 SELECT match_player_id, 68, 1500, 'inventory' -- BKB
703 FROM MatchPlayer WHERE match_id = 1 AND player_id = 11;
704
705 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
706 SELECT match_player_id, 111, 1400, 'neutral' -- Imp Claw
707 FROM MatchPlayer WHERE match_id = 1 AND player_id = 11;
708
709
710 -- KuroKy (player_id = 13, hero_id = 23 - Kunkka)
711 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
712 SELECT match_player_id, 48, 520, 'inventory' -- Phase Boots
713 FROM MatchPlayer WHERE match_id = 1 AND player_id = 13;
714
715 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)

```

```

716 SELECT match_player_id, 76, 1300, 'inventory' -- Shadow Blade
717 FROM MatchPlayer WHERE match_id = 1 AND player_id = 13;
718
719 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
720 SELECT match_player_id, 89, 1700, 'inventory' -- Hurricane Pike
721 FROM MatchPlayer WHERE match_id = 1 AND player_id = 13;
722
723 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
724 SELECT match_player_id, 115, 1600, 'neutral' -- Dragon Scale
725 FROM MatchPlayer WHERE match_id = 1 AND player_id = 13;
726
727
728 -- Kaka (player_id = 24, hero_id = 13 - Puck, mid)
729 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
730 SELECT match_player_id, 48, 500, 'inventory' -- Phase Boots
731 FROM MatchPlayer WHERE match_id = 1 AND player_id = 24;
732
733 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
734 SELECT match_player_id, 40, 900, 'inventory' -- Blink Dagger
735 FROM MatchPlayer WHERE match_id = 1 AND player_id = 24;
736
737 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
738 SELECT match_player_id, 72, 1700, 'inventory' -- Scythe of Vyse
739 FROM MatchPlayer WHERE match_id = 1 AND player_id = 24;
740
741 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
742 SELECT match_player_id, 116, 1500, 'neutral' -- Essence Ring
743 FROM MatchPlayer WHERE match_id = 1 AND player_id = 24;
744
745
746 -- Crit- (player_id = 10, hero_id = 34 - Warlock, pos4/5)
747 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
748 SELECT match_player_id, 49, 420, 'inventory' -- Arcane Boots
749 FROM MatchPlayer WHERE match_id = 1 AND player_id = 10;
750
751 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
752 SELECT match_player_id, 60, 900, 'inventory' -- Headdress / support aura
753 FROM MatchPlayer WHERE match_id = 1 AND player_id = 10;
754
755 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
756 SELECT match_player_id, 42, 1300, 'inventory' -- Glimmer Cape
757 FROM MatchPlayer WHERE match_id = 1 AND player_id = 10;
758
759 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
760 SELECT match_player_id, 118, 1200, 'neutral' -- Philosopher's Stone
761 FROM MatchPlayer WHERE match_id = 1 AND player_id = 10;
762
763
764 -- GH (player_id = 14, hero_id = 25 - Lion, pos4)
765 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
766 SELECT match_player_id, 36, 250, 'inventory' -- Magic Stick
767 FROM MatchPlayer WHERE match_id = 1 AND player_id = 14;
768
769 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
770 SELECT match_player_id, 49, 500, 'inventory' -- Arcane Boots

```

```

771 FROM MatchPlayer WHERE match_id = 1 AND player_id = 14;
772
773 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
774 SELECT match_player_id, 43, 1100, 'inventory' -- Force Staff
775 FROM MatchPlayer WHERE match_id = 1 AND player_id = 14;
776
777 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
778 SELECT match_player_id, 103, 900, 'neutral' -- Fairy's Trinket
779 FROM MatchPlayer WHERE match_id = 1 AND player_id = 14;
780
781 -- =====
782 -- MATCH 2 DRAFT
783 -- =====
784 INSERT INTO MatchHeroPickBan (match_id, hero_id, team_side, action_type,
    action_order) VALUES
785 (2, 18, 'radiant', 'pick', 1), -- Sven
786 (2, 41, 'radiant', 'pick', 2), -- Wraith King
787 (2, 21, 'radiant', 'pick', 3), -- Windranger
788 (2, 29, 'radiant', 'pick', 4), -- Dazzle
789 (2, 5, 'radiant', 'pick', 5), -- Crystal Maiden
790
791 (2, 40, 'dire', 'pick', 6), -- Faceless Void
792 (2, 22, 'dire', 'pick', 7), -- Zeus
793 (2, 36, 'dire', 'pick', 8), -- Bristleback
794 (2, 31, 'dire', 'pick', 9), -- Nature's Prophet
795 (2, 48, 'dire', 'pick', 10); -- Shadow Demon
796
797 -- Sven (player_id = 6)
798 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
799 SELECT match_player_id, 47, 600, 'inventory'
800 FROM MatchPlayer WHERE match_id = 2 AND player_id = 6;
801
802 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
803 SELECT match_player_id, 111, 1400, 'neutral'
804 FROM MatchPlayer WHERE match_id = 2 AND player_id = 6;
805
806
807 -- Wraith King (player_id = 7)
808 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
809 SELECT match_player_id, 65, 900, 'inventory'
810 FROM MatchPlayer WHERE match_id = 2 AND player_id = 7;
811
812 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
813 SELECT match_player_id, 120, 1500, 'neutral'
814 FROM MatchPlayer WHERE match_id = 2 AND player_id = 7;
815
816
817 -- Windranger (player_id = 17)
818 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
819 SELECT match_player_id, 48, 500, 'inventory'
820 FROM MatchPlayer WHERE match_id = 2 AND player_id = 17;
821
822 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
823 SELECT match_player_id, 105, 1300, 'neutral'
824 FROM MatchPlayer WHERE match_id = 2 AND player_id = 17;
825
826
827 -- Dazzle (player_id = 8)

```

```

828 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
829 SELECT match_player_id, 49, 600, 'inventory'
830 FROM MatchPlayer WHERE match_id = 2 AND player_id = 8;
831
832 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
833 SELECT match_player_id, 118, 1200, 'neutral'
834 FROM MatchPlayer WHERE match_id = 2 AND player_id = 8;
835
836
837 -- Crystal Maiden (player_id = 20)
838 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
839 SELECT match_player_id, 33, 200, 'inventory'
840 FROM MatchPlayer WHERE match_id = 2 AND player_id = 20;
841
842 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
843 SELECT match_player_id, 107, 1100, 'neutral'
844 FROM MatchPlayer WHERE match_id = 2 AND player_id = 20;
845
846
847 -- Faceless Void (player_id = 11)
848 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
849 SELECT match_player_id, 48, 600, 'inventory'
850 FROM MatchPlayer WHERE match_id = 2 AND player_id = 11;
851
852 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
853 SELECT match_player_id, 126, 1500, 'neutral'
854 FROM MatchPlayer WHERE match_id = 2 AND player_id = 11;
855
856
857 -- Zeus (player_id = 13)
858 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
859 SELECT match_player_id, 72, 1400, 'inventory'
860 FROM MatchPlayer WHERE match_id = 2 AND player_id = 13;
861
862 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
863 SELECT match_player_id, 123, 1500, 'neutral'
864 FROM MatchPlayer WHERE match_id = 2 AND player_id = 13;
865
866
867 -- Bristleback (player_id = 24)
868 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
869 SELECT match_player_id, 90, 800, 'inventory'
870 FROM MatchPlayer WHERE match_id = 2 AND player_id = 24;
871
872 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
873 SELECT match_player_id, 121, 1400, 'neutral'
874 FROM MatchPlayer WHERE match_id = 2 AND player_id = 24;
875
876
877 -- Nature's Prophet (player_id = 10)
878 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
879 SELECT match_player_id, 52, 700, 'inventory'
880 FROM MatchPlayer WHERE match_id = 2 AND player_id = 10;
881
882 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)

```

```

883 SELECT match_player_id, 103, 1300, 'neutral'
884 FROM MatchPlayer WHERE match_id = 2 AND player_id = 10;
885
886
887 -- Shadow Demon (player_id = 14)
888 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
889     slot_type)
889 SELECT match_player_id, 49, 620, 'inventory'
890 FROM MatchPlayer WHERE match_id = 2 AND player_id = 14;
891
892 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
893     slot_type)
893 SELECT match_player_id, 118, 1200, 'neutral'
894 FROM MatchPlayer WHERE match_id = 2 AND player_id = 14;
895
896 INSERT INTO MatchHeroPickBan (match_id, hero_id, team_side, action_type,
897     action_order) VALUES
898     (3, 12, 'radiant', 'pick', 1),
899     (3, 19, 'radiant', 'pick', 2),
900     (3, 27, 'radiant', 'pick', 3),
901     (3, 44, 'radiant', 'pick', 4),
902     (3, 30, 'radiant', 'pick', 5),
903
904     (3, 2, 'dire', 'pick', 6),
905     (3, 14, 'dire', 'pick', 7),
906     (3, 33, 'dire', 'pick', 8),
907     (3, 37, 'dire', 'pick', 9),
908     (3, 47, 'dire', 'pick', 10);
909
910
911 INSERT INTO MatchHeroPickBan (match_id, hero_id, team_side, action_type,
912     action_order) VALUES
913     (4, 1, 'radiant', 'pick', 1),
914     (4, 3, 'radiant', 'pick', 2),
915     (4, 9, 'radiant', 'pick', 3),
916     (4, 31, 'radiant', 'pick', 4),
917     (4, 42, 'radiant', 'pick', 5),
918
919     (4, 8, 'dire', 'pick', 6),
920     (4, 14, 'dire', 'pick', 7),
921     (4, 39, 'dire', 'pick', 8),
922     (4, 24, 'dire', 'pick', 9),
923     (4, 49, 'dire', 'pick', 10);
924
925 INSERT INTO MatchHeroPickBan (match_id, hero_id, team_side, action_type,
926     action_order) VALUES
927     (5, 50, 'radiant', 'pick', 1),
928     (5, 46, 'radiant', 'pick', 2),
929     (5, 35, 'radiant', 'pick', 3),
930     (5, 1, 'radiant', 'pick', 4),
931     (5, 20, 'radiant', 'pick', 5),
932
933     (5, 12, 'dire', 'pick', 6),
934     (5, 32, 'dire', 'pick', 7),
935     (5, 17, 'dire', 'pick', 8),
936     (5, 38, 'dire', 'pick', 9),
937     (5, 29, 'dire', 'pick', 10);
938
939 -- Пользователи аналитической платформы
940 INSERT INTO UserAccount (email, password_hash, display_name, role, created_at,
941     last_login_at, player_id) VALUES
942 -- Связаны с про-игроками
943 ('miracle@stats.gg', 'hash_miracle', 'Miracle Viewer', 'player_user',
944     NOW() - INTERVAL '60 days', NOW() - INTERVAL '1 days', 1),
945 ('yatoro@stats.gg', 'hash_yatoro', 'Yatoro Main', 'player_user',
946     NOW() - INTERVAL '40 days', NOW() - INTERVAL '2 days', 6),

```

```

942 ('miposhka@stats.gg',      'hash_mipo',      'Miposhka Fan',      'player_user',
    NOW() - INTERVAL '30 days', NOW() - INTERVAL '3 days', 8),
943 ('quinn@stats.gg',        'hash_quinn',      'Quinn Analyzer',      'analyst',
    NOW() - INTERVAL '90 days', NOW() - INTERVAL '1 days', 9),
944 ('puppey@stats.gg',        'hash_puppey',      'Puppey Legacy',      'player_user',
    NOW() - INTERVAL '120 days', NOW() - INTERVAL '10 days', 15),
945
946 -- Юзеры, не привязанные к player_id (просто пользователи сайта)
947 ('viewer1@example.com',    'hash_v1',          'CasualViewer',        'player_user',
    NOW() - INTERVAL '10 days', NOW() - INTERVAL '1 days', NULL),
948 ('analyst1@example.com',    'hash_a1',          'MetaAnalyst',         'analyst',
    NOW() - INTERVAL '20 days', NOW() - INTERVAL '2 days', NULL),
949 ('admin@example.com',       'hash_admin',        'SiteAdmin',           'admin',
    NOW() - INTERVAL '200 days', NOW() - INTERVAL '1 days', NULL),
950 ('streamfan@example.com',    'hash_stream',       'StreamEnjoyer',       'player_user',
    NOW() - INTERVAL '15 days', NOW() - INTERVAL '5 days', NULL),
951 ('ts_fan@example.com',       'hash_ts',           'SpiritUltraFan',      'player_user',
    NOW() - INTERVAL '5 days', NOW() - INTERVAL '1 days', NULL);
952
953 -- Match 3, Radiant
954 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
955 SELECT match_player_id, 47, 500, 'inventory'
956 FROM MatchPlayer WHERE match_id = 3 AND player_id = 6;
957
958 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
959 SELECT match_player_id, 111, 1200, 'neutral'
960 FROM MatchPlayer WHERE match_id = 3 AND player_id = 6;
961
962
963 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
964 SELECT match_player_id, 65, 700, 'inventory'
965 FROM MatchPlayer WHERE match_id = 3 AND player_id = 7;
966
967 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
968 SELECT match_player_id, 120, 1500, 'neutral'
969 FROM MatchPlayer WHERE match_id = 3 AND player_id = 7;
970
971
972 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
973 SELECT match_player_id, 48, 600, 'inventory'
974 FROM MatchPlayer WHERE match_id = 3 AND player_id = 17;
975
976 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
977 SELECT match_player_id, 103, 900, 'neutral'
978 FROM MatchPlayer WHERE match_id = 3 AND player_id = 17;
979
980
981 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
982 SELECT match_player_id, 49, 400, 'inventory'
983 FROM MatchPlayer WHERE match_id = 3 AND player_id = 8;
984
985 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
986 SELECT match_player_id, 118, 1100, 'neutral'
987 FROM MatchPlayer WHERE match_id = 3 AND player_id = 8;
988
989
990 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
991 SELECT match_player_id, 33, 200, 'inventory'

```

```

992 FROM MatchPlayer WHERE match_id = 3 AND player_id = 20;
993
994 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
995 SELECT match_player_id, 106, 900, 'neutral'
996 FROM MatchPlayer WHERE match_id = 3 AND player_id = 20;
997
998
999 -- Match 3, Dire
1000 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1001 SELECT match_player_id, 48, 630, 'inventory'
1002 FROM MatchPlayer WHERE match_id = 3 AND player_id = 11;
1003
1004 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1005 SELECT match_player_id, 126, 1500, 'neutral'
1006 FROM MatchPlayer WHERE match_id = 3 AND player_id = 11;
1007
1008
1009 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1010 SELECT match_player_id, 90, 850, 'inventory'
1011 FROM MatchPlayer WHERE match_id = 3 AND player_id = 13;
1012
1013 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1014 SELECT match_player_id, 115, 1300, 'neutral'
1015 FROM MatchPlayer WHERE match_id = 3 AND player_id = 13;
1016
1017
1018 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1019 SELECT match_player_id, 48, 590, 'inventory'
1020 FROM MatchPlayer WHERE match_id = 3 AND player_id = 24;
1021
1022 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1023 SELECT match_player_id, 136, 1500, 'neutral'
1024 FROM MatchPlayer WHERE match_id = 3 AND player_id = 24;
1025
1026
1027 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1028 SELECT match_player_id, 49, 500, 'inventory'
1029 FROM MatchPlayer WHERE match_id = 3 AND player_id = 10;
1030
1031 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1032 SELECT match_player_id, 118, 1200, 'neutral'
1033 FROM MatchPlayer WHERE match_id = 3 AND player_id = 10;
1034
1035
1036 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1037 SELECT match_player_id, 36, 300, 'inventory'
1038 FROM MatchPlayer WHERE match_id = 3 AND player_id = 14;
1039
1040 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1041 SELECT match_player_id, 105, 1100, 'neutral'
1042 FROM MatchPlayer WHERE match_id = 3 AND player_id = 14;
1043
1044
1045
1046 -- Match 4

```



```

1047 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1048 SELECT match_player_id, 48, 500, 'inventory'
1049 FROM MatchPlayer WHERE match_id = 4 AND player_id = 6;
1050
1051 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1052 SELECT match_player_id, 111, 1200, 'neutral'
1053 FROM MatchPlayer WHERE match_id = 4 AND player_id = 6;
1054
1055
1056 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1057 SELECT match_player_id, 47, 600, 'inventory'
1058 FROM MatchPlayer WHERE match_id = 4 AND player_id = 7;
1059
1060 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1061 SELECT match_player_id, 105, 1300, 'neutral'
1062 FROM MatchPlayer WHERE match_id = 4 AND player_id = 7;
1063
1064
1065
1066 -- Match 5
1067 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1068 SELECT match_player_id, 48, 500, 'inventory'
1069 FROM MatchPlayer WHERE match_id = 5 AND player_id = 6;
1070
1071 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1072 SELECT match_player_id, 116, 1500, 'neutral'
1073 FROM MatchPlayer WHERE match_id = 5 AND player_id = 6;
1074
1075
1076 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1077 SELECT match_player_id, 49, 450, 'inventory'
1078 FROM MatchPlayer WHERE match_id = 5 AND player_id = 7;
1079
1080 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1081 SELECT match_player_id, 121, 1400, 'neutral'
1082 FROM MatchPlayer WHERE match_id = 5 AND player_id = 7;
1083
1084
1085 -- Match 5, Dire
1086 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1087 SELECT match_player_id, 48, 520, 'inventory'
1088 FROM MatchPlayer WHERE match_id = 5 AND player_id = 11;
1089
1090 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1091 SELECT match_player_id, 126, 1500, 'neutral'
1092 FROM MatchPlayer WHERE match_id = 5 AND player_id = 11;
1093
1094
1095 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1096 SELECT match_player_id, 49, 540, 'inventory'
1097 FROM MatchPlayer WHERE match_id = 5 AND player_id = 13;
1098
1099 INSERT INTO MatchPlayerItem (match_player_id, item_id, acquired_time_sec,
    slot_type)
1100 SELECT match_player_id, 103, 900, 'neutral'
1101 FROM MatchPlayer WHERE match_id = 5 AND player_id = 13;

```



```

1102
1103
1104 -- Избранные игроки
1105 -- Miracle-viewer подписан на нескольких топов
1106 INSERT INTO FavoritePlayer (user_id, player_id)
1107 SELECT u.user_id, p.player_id
1108 FROM UserAccount u
1109 JOIN Player p ON p.nickname IN ('Miracle-', 'Yatoro', 'Quinn')
1110 WHERE u.email = 'miracle@stats.gg';
1111
1112 -- Yatoro-main подписан на состав Team Spirit
1113 INSERT INTO FavoritePlayer (user_id, player_id)
1114 SELECT u.user_id, p.player_id
1115 FROM UserAccount u
1116 JOIN Player p ON p.nickname IN ('Yatoro', 'Collapse', 'Miposhka', 'gpk')
1117 WHERE u.email = 'yatoro@stats.gg';
1118
1119 -- Miposhka-fan следит за саппортами
1120 INSERT INTO FavoritePlayer (user_id, player_id)
1121 SELECT u.user_id, p.player_id
1122 FROM UserAccount u
1123 JOIN Player p ON p.nickname IN ('Miposhka', 'GH', 'Crit-')
1124 WHERE u.email = 'miposhka@stats.gg';
1125
1126 -- Quinn-analyst следит за мидерами
1127 INSERT INTO FavoritePlayer (user_id, player_id)
1128 SELECT u.user_id, p.player_id
1129 FROM UserAccount u
1130 JOIN Player p ON p.nickname IN ('Quinn', 'Topson', 'Nisha', 'Somnus')
1131 WHERE u.email = 'quinn@stats.gg';
1132
1133 -- Puppey-legacy любит олдскул
1134 INSERT INTO FavoritePlayer (user_id, player_id)
1135 SELECT u.user_id, p.player_id
1136 FROM UserAccount u
1137 JOIN Player p ON p.nickname IN ('Puppey', 'KuroKy', 'Dendi')
1138 WHERE u.email = 'puppey@stats.gg';
1139
1140 -- CasualViewer подписан на стримеров
1141 INSERT INTO FavoritePlayer (user_id, player_id)
1142 SELECT u.user_id, p.player_id
1143 FROM UserAccount u
1144 JOIN Player p ON p.nickname IN ('Gorgc', 'BSJ', 'Jenkins', 'Qojqva')
1145 WHERE u.email = 'viewer1@example.com';
1146
1147 -- StreamEnjoyer ещё больше стримеров
1148 INSERT INTO FavoritePlayer (user_id, player_id)
1149 SELECT u.user_id, p.player_id
1150 FROM UserAccount u
1151 JOIN Player p ON p.nickname IN ('Gorgc', 'AdmiralBulldog', 'SingSing',
1152                                'PurgeGamers', 'Slacks')
1153 WHERE u.email = 'streamfan@example.com';
1154
1155 -- SpiritUltraFan только Spirit
1156 INSERT INTO FavoritePlayer (user_id, player_id)
1157 SELECT u.user_id, p.player_id
1158 FROM UserAccount u
1159 JOIN Player p ON p.nickname IN ('Yatoro', 'Collapse', 'Miposhka')
1160 WHERE u.email = 'ts_fan@example.com';
1161
1162 -- Избранные команды
1163
1164 -- Miracle-viewer: OG, Liquid, Team Spirit
1165 INSERT INTO FavoriteTeam (user_id, team_id)
1166 SELECT u.user_id, t.team_id
1167 FROM UserAccount u

```

```

1168 JOIN ProTeam t ON t.name IN ('OG', 'Team Spirit', 'Team Liquid')
1169 WHERE u.email = 'miracle@stats.gg';
1170
1171 -- Yatoro-main: Team Spirit, BetBoom
1172 INSERT INTO FavoriteTeam (user_id, team_id)
1173 SELECT u.user_id, t.team_id
1174 FROM UserAccount u
1175 JOIN ProTeam t ON t.name IN ('Team Spirit', 'BetBoom Team')
1176 WHERE u.email = 'yatoro@stats.gg';
1177
1178 -- Miposhka-fan: Team Spirit только
1179 INSERT INTO FavoriteTeam (user_id, team_id)
1180 SELECT u.user_id, t.team_id
1181 FROM UserAccount u
1182 JOIN ProTeam t ON t.name = 'Team Spirit'
1183 WHERE u.email = 'miposhka@stats.gg';
1184
1185 -- Quinn-analyst: Gaimin Gladiators, Tundra
1186 INSERT INTO FavoriteTeam (user_id, team_id)
1187 SELECT u.user_id, t.team_id
1188 FROM UserAccount u
1189 JOIN ProTeam t ON t.name IN ('Gaimin Gladiators', 'Tundra Esports')
1190 WHERE u.email = 'quinn@stats.gg';
1191
1192 -- Puppey-legacy: Natus Vincere, Team Secret нет, но пусть будет OG и EG
1193 INSERT INTO FavoriteTeam (user_id, team_id)
1194 SELECT u.user_id, t.team_id
1195 FROM UserAccount u
1196 JOIN ProTeam t ON t.name IN ('Natus Vincere', 'OG', 'Evil Geniuses')
1197 WHERE u.email = 'puppey@stats.gg';
1198
1199 -- CasualViewer: Team Liquid, Thunder Awaken
1200 INSERT INTO FavoriteTeam (user_id, team_id)
1201 SELECT u.user_id, t.team_id
1202 FROM UserAccount u
1203 JOIN ProTeam t ON t.name IN ('Team Liquid', 'Thunder Awaken')
1204 WHERE u.email = 'viewer1@example.com';
1205
1206 -- SpiritUltraFan: только Team Spirit
1207 INSERT INTO FavoriteTeam (user_id, team_id)
1208 SELECT u.user_id, t.team_id
1209 FROM UserAccount u
1210 JOIN ProTeam t ON t.name = 'Team Spirit'
1211 WHERE u.email = 'ts_fan@example.com';
1212
1213
1214 -- Рейтинги Miracle- (player_id= 1)
1215 INSERT INTO RatingSnapshot (player_id, rating_type, rating_value, snapshot_time)
1216 VALUES
1217 (1, 'solo', 9500, '2025-01-10 12:00:00+00'),
1218 (1, 'solo', 9600, '2025-02-10 12:00:00+00'),
1219 (1, 'party', 9100, '2025-01-10 12:00:00+00'),
1220 (1, 'pro', 9800, '2025-02-01 15:00:00+00');
1221
1222 -- Yatoro (player_id = 6)
1223 INSERT INTO RatingSnapshot (player_id, rating_type, rating_value, snapshot_time)
1224 VALUES
1225 (6, 'solo', 10000, '2025-01-05 18:00:00+00'),
1226 (6, 'solo', 10150, '2025-02-05 18:00:00+00'),
1227 (6, 'pro', 10300, '2025-02-15 20:00:00+00');
1228
1229 -- Collapse (player_id = 7)
1230 INSERT INTO RatingSnapshot (player_id, rating_type, rating_value, snapshot_time)
1231 VALUES
1232 (7, 'solo', 9600, '2025-01-07 17:00:00+00'),
1233 (7, 'solo', 9700, '2025-02-07 17:00:00+00'),
1234 (7, 'party', 9300, '2025-01-20 19:00:00+00');

```

```
1232
1233 -- Quinn (player_id = 9)
1234 INSERT INTO RatingSnapshot (player_id, rating_type, rating_value, snapshot_time)
      VALUES
1235 (9, 'solo', 9800, '2025-01-12 14:00:00+00'),
1236 (9, 'solo', 9900, '2025-02-12 14:00:00+00'),
1237 (9, 'pro', 10050, '2025-02-20 16:00:00+00');
1238
1239 -- Puppey (player_id = 15)
1240 INSERT INTO RatingSnapshot (player_id, rating_type, rating_value, snapshot_time)
      VALUES
1241 (15, 'party', 8800, '2024-12-15 20:00:00+00'),
1242 (15, 'party', 8900, '2025-01-15 20:00:00+00'),
1243 (15, 'pro', 9200, '2025-01-25 21:00:00+00');
1244
1245 -- Несколько рейтингов для стримеров (как high-MMR пабчик)
1246 INSERT INTO RatingSnapshot (player_id, rating_type, rating_value, snapshot_time)
      VALUES
1247 (31, 'solo', 7500, '2025-01-03 13:00:00+00'), -- Gorgc
1248 (32, 'solo', 7300, '2025-01-03 13:30:00+00'), -- AdmiralBulldog
1249 (33, 'solo', 7200, '2025-01-03 14:00:00+00'), -- BSJ
1250 (37, 'solo', 7000, '2025-01-04 15:00:00+00'); -- Dendi
```