
Pin Map

Pin Name	Pin
A	1
B	2
C	3
G2A	4
G2B	5
G1	6
Y7	7
Y6	13
Y5	14
Y4	15
Y3	16
Y2	17
Y1	18
Y0	19

Global Parameters

Parameter	Value
VCC Pin	20
GND Pin	8
VCC Voltage	[5]
Input Low	[0.8]
Input High	[2]
Output Low	[0.33]
Output High	[3.84]

Tests: **IC FAIL 4/11**

Active Low G2A: **PASS**

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
X	X	H	4.93 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)

Active Low G2B: **PASS**

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
X	X	H	4.93 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)

Low G1: PASS

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
L	X	H	4.93 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)	H	4.95 (1)

Output Y0: PASS

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
H	0b000	L	0.27 (0)	H	4.69 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)

Output Y1: FAIL

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
H	0b001	H	4.92 (1)	L	0.35 (-1)	H	4.68 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)

Output Y2: FAIL

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
H	0b010	H	4.92 (1)	H	4.94 (1)	L	0.34 (-1)	H	4.7 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)

Output Y3: FAIL

Inputs		Outputs/Results															
G2A, G2B	C, B, A	Y0		Y1		Y2		Y3		Y4		Y5		Y6		Y7	
H	0b011	H	4.92 (1)	H	4.94 (1)	H	4.94 (1)	L	0.34 (-1)	H	4.69 (1)	H	4.94 (1)	H	4.94 (1)	H	4.94 (1)

Output Y4: FAIL

