

前置准备

文件夹：`ollama\_qwen\_homework`，内部新建两个文件：`Dockerfile`、`docker-compose.yml`

1. 配置 Docker 镜像源

1. 打开 Docker Desktop → Settings → Docker Engine
2. 填入配置，点击 `Apply & Restart`

```
```json
{
 "builder": {
 "gc": {
 "enabled": true,
 "defaultKeepStorage": "20GB"
 }
 },
 "experimental": false,
 "registry-mirrors": [
 "https://docker.1ms.run",
 "https://docker.1panel.live",
 "https://docker.m.daocloud.io"
],
 "dns": ["114.114.114.114", "8.8.8.8"]
}
```
```

2. 编写文件（使用记事本）

(1).Dockerfile

```
```dockerfile
FROM ollama/ollama:latest
RUN apt-get update && apt-get install -y curl
CMD ["sh", "-c", "ollama serve & sleep 5 && ollama pull qwen3:0.6b && wait"]
```
```

(2).docker-compose.yml

```
```yaml
services:
 ollama:
 build: .
 container_name: ollama_qwen_task
 ports:
 - "11434:11434"
 volumes:
 - ollama_model_data:/root/.ollama
 restart: unless-stopped
volumes:
 ollama_model_data:
```
```

3. 启动容器

文件夹内打开 PowerShell，执行命令：

```
""powershell
```

```
docker-compose up -d --build
```

```
""
```

```
PS C:\Users\lxj\Desktop\ollama_qwen_homework> docker-compose up -d
[+] up 8/8
✔Image ollama/ollama:latest Pulled 651.8s
✔Network ollama_qwen_homework_default Created 0.1s
✔Volume ollama_qwen_homework_ollama_model_data Created 0.0s
✔Container ollama_qwen_task Started 1.3s
```

查看运行状态：

```
""powershell
```

```
docker ps
```

```
""
```

状态显示`Up`即为正常。

4. 验证模型

(1). 查看已下载模型

```
""powershell
```

```
docker exec -it ollama_qwen_task ollama list
```


```
""
```

```
Windows PowerShell
RM

PS C:\Users\lxj\Desktop\ollama_qwen_homework> docker-compose down
[+] down 2/2
✔Container ollama_qwen_task Removed 0.0s
✔Network ollama_qwen_homework_default Removed 0.3s
PS C:\Users\lxj\Desktop\ollama_qwen_homework> docker-compose up -d
[+] up 2/2
✔Network ollama_qwen_homework_default Created 0.0s
✔Container ollama_qwen_task Started 0.4s
PS C:\Users\lxj\Desktop\ollama_qwen_homework> docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS
e4e7235b6539   ollama/ollama:latest               "/bin/ollama serve"     18 seconds ago Up 18 seconds 0.0.0.0:11434->11434/tcp, [
::]:11434->11434/tcp   ollama_qwen_task
PS C:\Users\lxj\Desktop\ollama_qwen_homework> docker exec -it ollama_qwen_task ollama pull qwen3:0.6b
pulling manifest
pulling 7f4030143c1c: 100% 522 MB
pulling ae370d884f10: 100% 1.7 KB
pulling d18a5cc71b84: 100% 11 KB
pulling cff3f395ef37: 100% 120 B
pulling b0830f4ff6a0: 100% 490 B
verifying sha256 digest
writing manifest
success

What's next:
Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug ollama_qwen_task
Learn more at https://docs.docker.com/go/debug-cli/
PS C:\Users\lxj\Desktop\ollama_qwen_homework> docker exec -it ollama_qwen_task ollama list
```


(2). 浏览器访问 `http://localhost:11434`，显示 `Ollama is running` 服务正常。



5. 配置 Cherry Studio

(1). 设置 → 模型服务 → 添加服务，选择`Ollama`

(2). API 地址：`http://localhost:11434`



(3). 获取模型列表，添加`qwen3:0.6b`，切换模型后发送消息，正常回复即完成必做。

