



## SILVER DYNAMIC AGM






- Start-Stop
- VARTA AGM (Absorbent Gla Mat)
- – 20% 20%  
ecosteps®
- PowerFrame®
- 

: [www.varta-automotive.com](http://www.varta-automotive.com)

ETN:	605 901 095
:	605 901 095 D85 2
:	H15
:	4016987144534
UK :	020AGM
:	1
:	36

[ ]:	12	:	B13
[ ]:	105	:	0
EN [ ]:	950	:	1
[ ]:	394	:	H9/LN6
[ ]:	175	( ):	29,4
[ ]:	190		



### VARTA SILVER DYNAMIC

### AGM

- Проектиран с усъвършенствана технология Absorbent Glass Mat (AGM)
- Технологията AGM предотвратява корозия, дължаща се на киселинно разслояване
- Максимална мощност, изключителна циклична устойчивост и защита от пропитане
- Електролитът, попит в сепаратор от пътна стъкленовлакнеста тъкан, упражнява равномерно, високо контактно налягане

Херметичен капак с обезопасяващи клапани и едноочково вентилиране



**SILVER dynamic AGM****BLUE dynamic EFB**

	5	5
	Start-Stop	Start-Stop
	CCA 135 %	CCA 115 %
	AGM – Absorbent Glass Mat	EFB – Enhanced Flooded battery
/	PowerFrame® /	PowerFrame® /
	OE	OE
	3x *	2x *
	*	*

\*