MODULE 1 · GLOSSARY

Module 1, Glossary

*Onboard Claude to Your Product** · superpower: “Origin Story”*

Claude Code for PMs · Glossary · Module 1

How to have Claude Code persistently know you

Words from this module

- **Folder**: A place on your computer that holds files. You already have thousands.
- **Repo**: A folder that also keeps its own history, and lives on GitHub. Yours is the one you create from the course template, and everything you do lands in it.

- **File path**: The address of a file inside a folder, for example `00-rook/company/notes/handoff-from-priya.docx` .
- **CLAUDE.md**: A file at the root of a folder that Claude Code reads first, every time. How you stop re-explaining your job.
- **Claude Code**: Works in a folder. Reads and writes the files in it without you pasting anything.
- **Cowork**: For a multi-step task you hand off and come back to later.

Rook vocabulary

Several of these mean something specific at Rook and something looser everywhere else. Source: the Glossary page on the rook-wiki connector.

- **Responder**: An individual who accepts callouts and goes to incidents. Not a Rook employee, independently operating.
- **Handler**: The person responsible for a specific responder or small group of them. Usually who is actually clicking around in the product.
- **Callout**: A request for a responder to attend an incident. The unit of work in Dispatch.
- **Callout offer**: A specific callout presented to a specific responder on their mobile device, awaiting an accept or a decline.
- **Callout timeout**: How long an offer stays live before it expires and moves to the next responder. Set in the release, the same for everyone.
- **Ping**: The everyday word for a callout offer arriving on somebody's phone.
- **Decline**: A responder actively refusing an offer. Distinct from a timeout in the data, though both send the callout onward.
- **Acceptance rate**: Share of callout offers accepted rather than declined or timed out. Dispatch's headline metric.
- **Routing priority**: The score Dispatch uses to rank available responders for a callout. Declining or timing out lowers the recent-acceptance component, which lowers priority for subsequent callouts.

- **Capability tag**: A labeled competency on a responder record, matched against what an incident requires.
- **Coverage gap**: An incident where no available responder carried the required capability tags. A gap means nobody could have gone, not that nobody would.

MODULE 1 · GLOSSARY · CLAUDE CODE FOR PMS

Keep this open while you build.

Claude Code for PMs · Reference companion