



HR Portal — Test Plan & QA Requirements

Testing of the HR Admin & Employee Dashboards

Document type: Test Plan / QA Requirements (Test PRD)

Product: WOWAYS HR Management System

Version: 1.0 · **Date:** July 2026

Scope: HR Admin Dashboard + Employee Self-Service Portal

Prepared for: WOWAYS

Table of Contents

- 1. Introduction & Objectives
- 2. Scope of Testing (In / Out)
- 3. Test Strategy & Types
- 4. Test Environment & Data
- 5. Roles & Responsibilities
- 6. Entry & Exit Criteria
- 7. Defect Severity & Priority
- 8. Test Cases — Authentication & Access
- 9. Test Cases — HR Admin Dashboard
- 10. Test Cases — Employee Dashboard
- 11. Test Cases — Cross-App Real-Time Sync
- 12. Test Cases — Profile Photo & File Uploads
- 13. Test Cases — Caching & Performance
- 14. Test Cases — UI / Responsive / Compatibility
- 15. Security Test Cases
- 16. Regression Checklist & Sign-off

1. Introduction & Objectives

This document defines the test plan and QA requirements for the **WOWAYS HR Portal**, which consists of two connected web applications sharing a single Firebase backend — the **HR Admin Dashboard** and the **Employee Self-Service Portal**. The objective is to validate functionality, data integrity, real-time synchronisation between the two apps, security (role-based access), performance (cache-first loading) and cross-browser UI behaviour.

Primary quality goal: Any action taken in one dashboard (e.g. HR approving leave, an employee uploading a photo) must be correctly persisted to Firestore/Storage and accurately reflected in the other dashboard, under the correct security constraints.

2. Scope of Testing

In Scope

- All HR Admin modules: Dashboard, Employees, Attendance, Leave, Payroll/Compensation, Recruitment/Hiring, Goals/Performance, Onboarding, Documents, Reports, Admin/Access, Notifications, Help, Settings.
- All Employee modules: Dashboard, Profile, Attendance, Leave, Payslip, Goals, Calendar, Notifications, Compensation, Help.
- Authentication, role-based access, real-time sync, file uploads, caching, responsive UI.

Out of Scope

- Firebase platform internals (Google-managed infrastructure).
- Load/stress testing beyond expected organisational scale.
- Native mobile apps (web-responsive only).

3. Test Strategy & Types

Test Type	Purpose
Functional	Verify each feature behaves per requirements (CRUD, approvals, uploads).

Integration / Sync	Verify data written in one app appears correctly in the other via Firestore.
Security / Authorization	Verify Firestore & Storage rules restrict access to authorised users only.
UI / Usability	Verify layout, branding, navigation, empty/loading/error states.
Performance	Verify cache-first render, skeleton loaders, and background refresh.
Compatibility	Verify behaviour across Chrome, Edge, Firefox and tablet widths.
Regression	Re-verify core flows after each deployment.

4. Test Environment & Data

Item	Detail
HR Dashboard URL	https://hrmanagement-6b903.web.app
Employee Portal URL	https://woways-employee.web.app (and HR-app employee route /employee/dashboard)
Backend	Single Firebase project — Firestore, Storage, Authentication
Test accounts	1 HR Admin account; ≥2 employee accounts (with and without profile photo)
Browsers	Chrome (latest), Edge (latest), Firefox (latest)
Devices	Desktop 1920×1080, Laptop 1366×768, Tablet 768px
Tools	Browser DevTools (Console/Network), Firebase Console (data verification)

5. Roles & Responsibilities

Role	Responsibility
QA Engineer	Execute test cases, log defects, run regression.
Developer	Fix defects, support environment, verify fixes.
HR Stakeholder	Validate business rules and UAT sign-off.

6. Entry & Exit Criteria

Entry Criteria

- Both apps deployed to the test/production URLs and reachable.
- Test accounts and seed data created; Firestore/Storage rules deployed.

Exit Criteria

- 100% of P1 (critical) test cases pass; no open P1/P2 defects.
- ≥95% of all test cases pass; remaining issues documented and accepted.
- Regression suite green on the final build.

7. Defect Severity & Priority

P1 — Critical P2 — Major P3 — Minor

Priority	Definition
P1 Critical	Blocks a core flow or causes data loss/leak (login fails, wrong employee's data shown, leave not saved).
P2 Major	Feature works incorrectly with a workaround (photo not syncing to sidebar, wrong count).
P3 Minor	Cosmetic / UX (spacing, label text, minor alignment).

8. Test Cases — Authentication & Access

ID	Scenario	Steps	Expected Result	Pri
AUTH-01	Valid HR login	Enter valid HR credentials → submit	Redirects to HR dashboard; sidebar shows "HR Admin"	P1
AUTH-02	Valid employee login	Enter valid employee credentials → submit	Redirects to employee dashboard; correct name/dept shown	P1
AUTH-03	Invalid credentials	Enter wrong password → submit	Error message shown; no access granted	P1
AUTH-04	Session persistence	Login → refresh page	User stays logged in (local persistence)	P2
AUTH-05	Logout	Click logout in sidebar	Session cleared; redirected to login	P1
AUTH-06	Deleted account	HR deletes employee → employee refreshes	Employee signed out with "account removed" reason	P2
AUTH-07	Unauthenticated access	Open dashboard URL without login	Redirected to login page	P1

9. Test Cases — HR Admin Dashboard

9.1 Dashboard / Overview

ID	Scenario	Steps	Expected Result	Pri
HRD-01	KPI counts accurate	Compare card counts vs employee list	Total/active/interns/etc. match actual records	P1
HRD-02	Live clock & date	Observe header	Clock updates every second; date correct	P3
HRD-03	Charts render	Load dashboard	Dept headcount, leave trends, hiring trend render without errors	P2
HRD-04	Skeleton on first load	Hard refresh	Skeleton loaders show, then real data replaces them	P3

9.2 Employee Directory

ID	Scenario	Steps	Expected Result	Pri
EMP-01	Add employee	Fill add form (all tabs) → save	Employee created; auto ID (EMPxxx); Auth account + credentials generated	P1
EMP-02	Edit employee	Open employee → edit fields → save	Changes persisted and reflected in list & Firestore	P1
EMP-03	Delete employee	Delete an employee → confirm	Record removed; list updates; account handled	P1
EMP-04	Profile photo in list	Employee with photo → view directory	Photo shown; initials fallback only when no photo	P2
EMP-05	Search / filter	Search name; filter by department	List filters correctly	P2
EMP-06	Bulk CSV import	Upload valid CSV → import	Rows validated; valid employees created	P2

EMP-07	Invalid form validation	Submit missing required / invalid phone	Inline validation blocks save (Indian phone: 10 digits, starts 6–9)	P2
EMP-08	HR document upload	Upload offer letter for employee	File stored; metadata saved; visible to employee	P2

9.3 Attendance, Leave, Payroll

ID	Scenario	Steps	Expected Result	Pri
ATT-01	View attendance log	Open attendance	Records show correct status & working hours	P2
ATT-02	Regularization request	Employee raises → HR views	Request appears for HR action	P2
LVE-01	Approve leave	Open pending request → approve	Status → Approved; employee sees update in real time	P1
LVE-02	Reject leave	Reject a request	Status → Rejected; synced to employee	P1
LVE-03	View proof attachment	Open request with medical proof	Attachment opens/downloads	P3
PAY-01	Run payroll	Generate payroll for month	Records created; salary table correct	P1
PAY-02	Payslip availability	After payroll → employee payslip	Employee can view/download payslip	P2

9.4 Recruitment, Goals, Notifications

ID	Scenario	Steps	Expected Result	Pri
REC-01	Candidate pipeline	Add candidate; move stage	Candidate persists; stage updates	P2
GOL-01	Assign goal	Create goal for employee	Goal appears on employee side	P1
GOL-02	Goal status counts	Change statuses	Dashboard goal breakdown updates	P2
NOT-01	Send announcement	Create notification (all / targeted)	Employee receives with unread badge	P1
HLP-01	Help query inbox	Employee submits query	Query appears in HR help inbox	P2

10. Test Cases — Employee Dashboard

ID	Scenario	Steps	Expected Result	Pri
ESD-01	Personal overview	Login → dashboard	Correct name, ID, dept, today's status, live clock	P1
EPR-01	Edit personal info	Profile → edit phone/address → save	Saved to Firestore; reflected on reload	P1
EPR-02	Upload profile photo	Profile → upload → confirm	Photo saved; shows in Overview and sidebar instantly	P1
EPR-03	Remove profile photo	Profile → remove	Photo cleared everywhere; initials fallback shown	P2

EPR-04	HR-locked fields	View govt IDs set by HR	Marked "By HR"; not editable by employee	P2
EPR-05	Add education/experience/skills	Add entries → save	Entries persist to employee record	P3
EPR-06	Change password	Security → change password	Re-auth required; password updates; wrong current pw errors	P1
ELV-01	Apply for leave	Leave → apply with dates/type	Request created (Pending); visible to HR	P1
ELV-02	Leave status sync	After HR approves/rejects	Status updates without manual refresh	P1
ELV-03	Cancel pending leave	Cancel own pending request	Allowed only while Pending	P2
EAT-01	Monthly attendance	Open attendance	Own records only; correct hours	P2
EPS-01	Download payslip	Payslip → download	Correct month's payslip downloads	P2
ECAL-01	Calendar holidays	Open calendar	Opens on current month; holidays highlighted; today ringed	P2
EGL-01	Update goal progress	Goals → update progress	Progress saved; HR sees change	P2
ENO-01	Notifications & badges	Receive notification	Unread badge count correct; clears on read	P2
EHP-01	Raise help query	Help → submit with attachment	Query + attachment stored; HR receives	P3

11. Test Cases — Cross-App Real-Time Sync

These are the highest-value tests: they confirm the two dashboards stay consistent through the shared Firebase backend. Run with both apps open side by side.

ID	Scenario	Steps & Expected Result	Pri
SYN-01	Leave approval sync	HR approves leave → employee's Leave page updates status without refresh	P1
SYN-02	New goal sync	HR assigns goal → employee Goals page shows it (real-time listener)	P1
SYN-03	Notification sync	HR sends announcement → employee badge increments live	P1
SYN-04	Profile edit → directory	Employee updates phone → HR directory shows new value on reload	P2
SYN-05	Photo → HR directory	Employee uploads photo → appears in HR employee list (reads photoURL/profilePhoto)	P2
SYN-06	Employee status → dashboard KPI	HR changes status to On Leave → dashboard KPI recount correct	P2
SYN-07	Help query round-trip	Employee raises query → HR help inbox receives it	P2

12. Test Cases — Profile Photo & File Uploads

ID	Scenario	Steps	Expected Result	Pri
----	----------	-------	-----------------	-----

UPL-01	Photo field consistency	Upload photo via employee profile	Both photoURL & profilePhoto written; sidebar + HR list read it	P1
UPL-02	Same-session update	Upload photo	Sidebar updates instantly via employeePhotoUpdated event (no reload)	P2
UPL-03	Persist across reload	Upload → hard refresh	Photo still shown in sidebar & profile	P1
UPL-04	Non-image rejected	Try uploading a .pdf as photo	Rejected (image types only)	P3
UPL-05	Document upload	Upload PAN/Aadhar/resume	Stored in Storage; status → Uploaded; viewable	P2
UPL-06	Certificate upload	Upload education certificate	Linked to education entry; downloadable	P3
UPL-07	Broken image fallback	Photo URL fails to load	Falls back to initials, no broken-image icon	P3

13. Test Cases — Caching & Performance

ID	Scenario	Steps	Expected Result	Pri
PRF-01	Cache-first render	Visit Employees page twice	2nd visit renders instantly from sessionStorage, then refreshes	P2
PRF-02	Cache invalidation	Add/edit/delete employee	Loader re-runs; cache rewritten; no stale data	P2
PRF-03	Background refresh	Change data in Firebase → revisit	Cached shown first, then updated to fresh value	P3
PRF-04	Skeleton loaders	First load with empty cache	Skeletons prevent layout shift	P3
PRF-05	Sidebar cache	Reload dashboard	Name/photo appear instantly from cached sidebar identity	P3

14. Test Cases — UI / Responsive / Compatibility

ID	Scenario	Steps	Expected Result	Pri
UI-01	Sidebar branding	Inspect both sidebars	Navy #0B1929 bg; WOWAYS logo (white + teal); correct spacing	P3
UI-02	Active nav highlight	Navigate modules	Active item highlighted; badges show unread counts	P3
UI-03	Empty states	View module with no data	Friendly empty message, not blank/error	P3
UI-04	Browser compatibility	Run core flows on Chrome/Edge/Firefox	Consistent behaviour, no console errors	P2
UI-05	Responsive layout	Resize to tablet width	Layout adapts; no horizontal overflow	P3

UI-06	Toast notifications	Trigger save/upload	Success/error toasts appear and auto-dismiss	P3
-------	---------------------	---------------------	--	----

15. Security Test Cases

ID	Scenario	Steps & Expected Result	Pri
SEC-01	Employee data isolation	Employee A cannot read Employee B's leave/payroll (Firestore rules enforce own-record access)	P1
SEC-02	Unauthenticated Firestore read	Attempt read without auth → denied by rules	P1
SEC-03	Storage access control	Unauthenticated request to a storage path → denied	P2
SEC-04	Payroll write restriction	Employee cannot write payroll (HR-only)	P1
SEC-05	Secrets not exposed	Verify no <code>.env.local</code> / service keys in repo or client bundle beyond public config	P1
SEC-06	Session expiry handling	Deleted/disabled account is signed out gracefully	P2

16. Regression Checklist & Sign-off

Post-deployment regression (run after every deploy)

- ☐ HR login & employee login succeed.
- ☐ Add / edit / delete employee works; directory & KPIs update.
- ☐ Apply leave → approve → status syncs to employee.
- ☐ Upload profile photo → shows in sidebar, profile & HR list; persists on reload.
- ☐ Assign goal & send notification → received by employee.
- ☐ Cached pages render instantly; refresh brings latest data.
- ☐ Sidebars show correct navy branding & spacing on both apps.
- ☐ No console errors on any core page.

Sign-off

Role	Name	Date / Result
QA Engineer		
Developer		
HR Stakeholder (UAT)		