Frontend Development with React.js

Project Documentation for Rhythmic Tunes

1. Introduction

Project Title: Rhythmic Tunes

. Team Members:

Balaji P [LEADER] bujjibala517@gmail.com

Gunal K gunalpandya10@gmail.com

MOHAMMED MAHADEEN S mohamedmahadeen5@gmail.com

PORSELVAN R rkumutha34@gmail.com

2. Project Overview

• Purpose:

Rhythmic Tunes is a web application designed to provide users with a seamless music listening experience. The application allows users to browse, search, and play music tracks, create playlists, and discover new music based on their preferences.

• Features:

- o Music player with play, pause, skip, and volume control.
- o Search functionality to find songs, albums, and artists.
- O User authentication (login/signup).
- o Playlist creation and management.
- o Responsive design for mobile and desktop.

3. Architecture

Component Structure:

The application is built using React.js with a component-based architecture. Major components include:

- o **Header**: Contains the navigation bar and search bar.
- O Player: Music player controls (play, pause, volume, etc.).
- Sidebar: Displays user playlists and navigation links.
- O **HomePage**: Displays featured tracks, recommended playlists, and new releases.
- o **SearchPage**: Allows users to search for songs, albums, and artists.
- o **PlaylistPage**: Displays user-created playlists and allows playlist management.

State Management:

The application uses **Redux** for global state management. The Redux store manages user authentication, current playing track, playlist data, and search results.

Routing:

The application uses **React Router** for navigation. Routes include:

- /: Home page
- /search: Search page
- /playlist/:id: Playlist details page
- /login: User login page

4. Setup Instructions

Prerequisites:

o Node.js (v16 or higher)

o npm (v8 or higher) o Git

Installation:

1. Clone the repository: git clone

https://github.com/wowthan/Music-Streaming.git

- 2. Navigate to the client directory: cd rhythmic-tunes/client
- 3. Install dependencies: npm install
- 4. Configure environment variables: Create a .env file in the client directory and add the necessary variables (e.g., API keys).
- 5. Start the development server: npm start

5. Folder Structure

Client:

- O src/components: # Reusable components (Header, Player, etc.)
- O src/pages: # Page components (HomePage, SearchPage, etc.)
- O src/assets: # Images, icons, and other static files
- O src/redux: # Redux store, actions, and reducers
- O src/utils: # Utility functions and helpers
- O App.js: # Main application component
- index.js: # Entry point

• Utilities:

- o api.js: Handles API requests to the backend.
- o auth.js: Manages user authentication and token storage.
- o hooks/usePlayer.js: Custom hook for managing the music player state.

6. Running the Application

Frontend:

- o To start the frontend server, run the following command in the client directory:
 - npm start
- o npm install
- O npx json-server ./db/db.json
- o npm run dev
- o The application will be available at http://localhost:3000

7. Component Documentation

- * Key Components:
 - **Header**: Displays the navigation bar and search bar.
 - Props: onSearch (function to handle search queries).
 - o **Player**: Controls the music playback.
 - Props: currentTrack (object containing track details), onPlay, onPause, onSkip.

- o PlaylistCard: Displays a playlist with its name and cover image.
 - Props: playlist (object containing playlist details), onClick (function to handle playlist selection).

• Reusable Components:

- o **Button**: A customizable button component.
 - Props: text, onClick, disabled.
- o Input: A reusable input field for forms and search.
 - Props: type, placeholder, value, onChange.

8. State Management

Global State:

The Redux store manages the following global states:

- o **user:** Current authenticated user.
- o player: Current playing track, playback status (playing/paused), and volume.
- o playlists: User-created playlists.
- o searchResults: Results from the search functionality.


Local State:

Local state is managed using React's useState hook within components. For example, the SearchPage component manages the search query input locally.


9. User Interface

Screenshots


o Home Page: Display featured tracks and recommended playlists.



O Search Page: Allows users to search for songs, albums, and artists.



O Playlist Page: Displays user-created playlists and allows playlist management.



10. Styling

CSS Frameworks/Libraries:

The application uses **Styled-Components** for styling. This allows for modular and scoped CSS within components.

. Theming:

A custom theme is implemented using Styled-Components, with support for light and dark modes.

11. Testing

• Testing Strategy:

- o Unit Testing: Using Jest and React Testing Library.
- o **Integration Testing**: Is performed to ensure that components work together as expected.
- o End-to-End Testing: Cypress is used for end-to-end testing of user flows.

Code Coverage:

o Code coverage is monitored using Jest's built in coverage tool. The current coverage is 85%.

12. Screenshots or Demo

- https://drive.google.com/file/d/1lhcnjlYu9Es5ISPVb0QbQZzAENA3Prhq/view?
 usp=sharing
- Screenshots: See section 9 for UI screenshots.

13. Known Issues

- Issue 1: The music player sometimes skips tracks unexpectedly.
- Issue 2: The search functionality is slow with large datasets.

14. Future Enhancements

- Future Features:
 - o Add support for user profiles and social sharing.
 - o Implement a recommendation engine for personalized music suggestions.
 - o Add animations and transitions for a smoother user experience.

This documentation provides a comprehensive overview of the **Rhythmic Tunes** project, including its architecture, setup instructions, and future plans.