Usage Of Contact Manager

Documentation

Installation

- 1. Unzip the plugin file.
- 2. Upload the *contact-manager* folder, and only this folder, to your plugins directory (it should be *wp-content/plugins*).
- 3. Activate the plugin through the *Plugins* menu in WordPress.
- 4. Personalize the plugin interface through the Contact Manager back office page in WordPress.
- 5. Configure the plugin through the Contact Manager options page in WordPress.

You can also install Contact Manager through the *Install Plugins* page of the *Plugins* menu in WordPress (*Plugins* => *Add New* => *Upload*).

Upgrade

- 1. Unzip the plugin file.
- 2. Upload the *contact-manager* folder, and only this folder, to your plugins directory (it should be *wp-content/plugins*).
- 3. Personalize the plugin interface through the Contact Manager back office page in WordPress.
- 4. Configure the plugin through the Contact Manager options page in WordPress.

You can also upgrade Contact Manager through the *Plugins* menu in WordPress, and through the *Updates* page of the *Dashboard* menu in

WordPress (Dashboard => Updates).

Normally, you don't need to deactivate and reactivate the plugin. However, if you encounter problems after the update, deactivate and reactivate the plugin through the *Plugins* menu in WordPress.

Static Websites

Contact Manager is designed to work with a WordPress site, but you can also use it with a static website, by following the instructions below.

Installation Of WordPress

Download <u>WordPress</u> and install it on your website. You will not use WordPress as a CMS to manage the pages of your website, but as an interface allowing you to manage your contact forms and messages. Some WordPress menus (*Posts*, *Pages*, *Comments*, ...) will be useless. The <u>Simple</u> <u>Admin Menu Editor</u> plugin allows you to disable them.

The Files Of Your Website

If the files of your website have the extension .htm or .html, replace it with .php. Open them with a text editor like Notepad++, click on File, and then click on Save as.... A window opens. In the Type field, select PHP and click on Save.

You can also recreate these files with the *index.php* model provided with Contact Manager, inside the *model* folder of the plugin.

Loading Of WordPress

To load WordPress functions in the files of your website, add on top of these files the following code:

```
<?php
$wordpress_directory = 'WordPress directory';
$file = $wordpress_directory.'/wp-load.php';
while (strstr($file, '//')) { $file = str_replace('//', '/', $file); }
if (substr($file, 0, 1) == '/') { $file = substr($file, 1); }
$i = 0; while ((!file_exists($file)) && ($i < 8)) {
$file = '../'.$file; $i = $i + 1; }
include_once $file;
?>
```

Replace *WordPress directory* with the name of the directory where you installed WordPress. If you installed it at the root of your website, replace this line:

```
$wordpress_directory = 'WordPress directory';
```

by this one:

```
$wordpress_directory = ";
```

Insert this line of code:

```
<?php wp_head(); ?>
```

just before the </head> tag, and this line of code:

<?php wp_footer(); ?>

just before the </body> tag.

Using Shortcodes

The <u>documentation</u> of Contact Manager provides you several shortcodes. To use these shortcodes in the PHP files of your website, insert a code like this:

<?php echo do_shortcode('[your-shortcode]'); ?>