


KiCAD StepUp goes to a new level of
ECAD / MCAD Collaboration and Synchronization:



FreeCAD



KiCAD StepUp goes to a new level of ECAD / MCAD Collaboration and Synchronization:

- Push/Pull 3D model placement from/to KiCAD board to/from FreeCAD mechanical design.

KiCAD StepUp goes to a new level of ECAD / MCAD Collaboration and Synchronization:

- Push/Pull 3D model placement from/to KiCAD board to/from FreeCAD mechanical design.
- It is possible to move 3D packages around on the 3D PCB mechanical sw, via both the X and Y axis.

KiCAD StepUp goes to a new level of ECAD / MCAD Collaboration and Synchronization:

- Push/Pull 3D model placement from/to KiCAD board to/from FreeCAD mechanical design.
- It is possible to move 3D packages around on the 3D PCB mechanical sw, via both the X and Y axis.
- Tracks will not be touched by the placements done in the MCAD sw. All the routing will remain in KiCAD.

KiCAD StepUp goes to a new level of ECAD / MCAD Collaboration and Synchronization:


- Push/Pull 3D model placement from/to KiCAD board to/from FreeCAD mechanical design.
- It is possible to move 3D packages around on the 3D PCB mechanical sw, via both the X and Y axis.
- Tracks will not be touched by the placements done in the MCAD sw. All the routing will remain in KiCAD.

Syncing between ECAD and MCAD can be done for:

- changing the shape of the board
- changing the placement of 3D component models

KiCAD StepUp goes to a new level of ECAD / MCAD Collaboration and Synchronization:

- The syncing process can be done even if the board is (fully) routed (i.e. when a new release requires some mechanical reviews).



KiCAD StepUp goes to a new level of ECAD / MCAD Collaboration and Synchronization:

- The syncing process can be done even if the board is (fully) routed (i.e. when a new release requires some mechanical reviews).
- 1) Pull KiCAD board inside FreeCAD
 - 2) Move and Align the 3D model to the new placement in the enclosure
 - 3) Arrange the components nearby the new placement
 - 4) Move and Align the mounting holes to the enclosure support
 - 5) Sync the kicad_pcb board file within the new design
 - 6) Check the result inside KiCAD and reroute the tracks that are affected by the new placement