Workplace Ninjas Australia

SHARING KNOWLEDGE. TOGETHER.

WORKPLACE NINJA



Baden to Melbourne: 10 Takeaways from Workplace Ninja Summit 2026 Baden, Switzerland

Ten items that matter for the tenants we run, from product direction to features arriving sooner

Thank you, Melbourne sponsors!

glueck kanja

DEVICIE

ENDPOINTFOCUS

About Pratik Dave

Focus

Microsoft 365, Entra, Intune, Defender, Purview, Windows, iOS, Android, Mac, Windows 365, AVD, AD, DC, ConfigMgr

From

Melbourne, Australia

Blog

https://blog.daveinfotech.com.au



Certificates



Hobbies

Breathwork, Meditation, Yoga, Cricket, Pickleball

Contact

LinkedIn

WPN Summit 2026 by the numbers

Four days in Baden, Switzerland

4

days

14-17 September, 2026

125+

sessions

Across 5 tracks

120

speakers

Community MVPs

650+

attendees

From 40+ countries

One of the largest community-run Microsoft Modern Workplace and Security management summit in the world.

First time at WPN Summit

- Attended WPN Summit 2026 in Baden - Switzerland
- Bringing back learning to the Melbourne community
- Believes the real value is the community we build around the sharing
- This session covers 10 takeaways shaped by days of sessions, conversations and learning
- Photos are personal, the people in them became genuine friends

Ten Takeaways

01 Windows - The Attacker's View

02 AVD - End the Consent Prompt

03 Entra - Block Device Code Flow

04 Entra - Token Protection

05 Intune - App Control for Business

06 Intune Agent Discovery

07 Shadow AI - Discover Before You Block

08 Copilot - Site-Level Access Restriction

09 Purview - Labels as Guardrails

10 Community Tools to Steal

01 · 11 Ways to hack Windows 11 · SAMI LAIHO

The Attacker's View of Windows


Most defenders have never broken in.


- Sami demonstrated live exploitation of common Windows hardening gaps, many in fully patched tenants
- BitLocker is the most import protection in Windows, by default every user can get their own BitLocker recovery key
- The assumption that 'we're patched' is the most dangerous sentence in endpoint security
- Windows 11 Enterprise ships with Security by default - Memory Integrity, VBS, HVCI.
- Most breaches Sami demonstrated required nothing more than default Enterprise settings left untouched and brief physical or local access.
- Sami's single ask: spend one hour a year breaking your own machine before an attacker does it for you
- YouTube Session

KEY TAKEAWAY


Enforce BitLocker all devices, disable end user access to recover BitLocker Key.

User/Actor can recover BitLocker Recovery from https://myaccount.microsoft.com/






Restrict Users from Entra : Entra > Device > Device Settings > Other Settings



User/Actor can no longer recover BitLocker Key from MyAccount.Microsoft.com



02 · AZURE VIRTUAL DESKTOP · SSO

AVD: End User Consent Prompt


One dynamic group, zero user friction.

- Users assigned to AVD host pools should never see an app consent dialog - configure admin consent upfront
- Dynamic Azure AD groups on AVD session hosts eliminate manual assignment drift

KEY TAKEAWAY

Build one dynamic group for AVD hosts, grant admin consent once to improve end user experience.

Azure Virtual Desktop – SSO Consent Prompt




- Users see a dialog to allow the Remote Desktop connection when connecting to a new session host.
- This was done in the past via Microsoft Graph to suppress SSO consent prompts.
- Entra have Introduce UI under Device Blade ‘ Remote connection configuration


Azure Virtual Desktop – Consent Prompt

Step 1. Create a dynamic group, containing Entra ID session hosts

Step 2. Select **Devices** (under **Manage**), and then select **Remote connection configuration** (under **Manage**).

Step 3. Select **Windows Cloud Login Target device group to enable SSO, Click save.**





03 · MICROSOFT ENTRA ID · CONDITIONAL ACCESS

Block Device Code Flow

The phishing vector hiding in plain sight.

- Device Code Flow is still enabled by default in most tenants - it allows authentication without a browser and bypasses MFA on some legacy apps
- Attacker sends a code via social engineering Teams/email, victim enters it on microsoft.com/devicelogin, attacker gets a valid token - no password needed
- Conditional Access policy to block Device Code Flow: Authentication flow condition, select all users, grant: Block
- Exclude break-glass accounts and any service accounts that legitimately use device code (IoT, kiosk devices)
- Test in report-only mode first ; typical false-positive rate is very low for modern tenant

KEY TAKEAWAY

Create a Conditional Access policy to block Device Code Flow this week. Put it in report-only first. Ship it within 30 days.

Entra – CA : Block Device Code Sign in

Authentication flows

Control how your organization uses certain authentication and authorization protocols and grants. Learn more

Configure

Yes

Transfer methods

- [x] Device code flow
- [x] Authentication transfer

Access controls

Grant *

Block access

04 · MICROSOFT ENTRA ID · TOKEN SECURITY

Token Protection

Binding tokens to the device they were issued on.

- Adversary-in-the-Middle (AiTM) attacks steal session tokens after MFA - the credential is fine, the token is compromised
- Token Protection binds the access token to a specific device using a hardware-backed proof of possession key (POP)
- Stolen tokens replayed from a different machine fail validation - AiTM attack surface shrinks dramatically
- Currently in preview for Exchange Online, Teams, SharePoint , AVD, Windows 365
- Supported only on Windows and MacOS
- Edge & Chrome Browser supported on Entra joined/Hybrid joined or registered device, macOS MDM managed only
- Plan your testing now

KEY TAKEAWAY

Enable Token Protection in Conditional Access for Exchange Online SharePoint and Microsoft Teams.

On Windows Enforcement is only supported for Azure Virtual Desktop And Windows 365.

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. Learn more

Name *

001 Token Protection - Report Only

Assignments

Users or agents

All users included and specific users excluded

Target resources

3 resources included

Network

Not configured

Conditions

1 condition selected

Access controls

Grant *

1 control selected

Session *

Require token protection for sign-in sessions

Control access based on all or specific apps, agents, internet resources, actions, or authentication context. Learn more

Select what this policy applies to

Resources (formerly cloud apps)

Include Exclude

- None
- All internet resources with Global Secure Access
- All agent resources
- All resources (formerly 'All cloud apps')
- Select resources

Select resources based on attributes

None

Select specific resources

Windows 365 and 2 more

- Office 365
- AV Azure Virtual Desktop 9cdead84-a844-4324-93f2-b2e6bb768d...
- W3 Windows 365 0af06dc6-e4b5-4f28-818e-e78e62d137a5

Device platforms

Apply policy to selected device platforms. Learn more

Configure

Yes No

Include Exclude

- Any device
- Select device platforms
  - [ ] Android
  - [ ] iOS
  - [ ] Windows Phone
  - [x] Windows
  - [x] macOS
  - [ ] Linux

Require token protection for sign-in sessions

The control "Require token protection for sign-in sessions" only works with supported devices and applications. Unsupported devices and client applications will be blocked. Learn more

App Control for Business

Trust as a deliberate policy, not a default.

- App Control for Business (formerly WDAC) moves from 'allow all, block known bad' to 'block all, allow known good'
- Intune now deploys WDAC policies natively - no ConfigMgr required, no custom OMA-URI gymnastics
- Start with Audit mode: the event log shows every binary that would have been blocked before you enforce
- Common failure mode: developer machines and admin workstations need separate, less restrictive policies - do not apply one policy to all
- Managed Installer policy trusts anything deployed via Intune automatically – hybrid orgs still need a supplemental policy
    - Trusted all apps deployed via Intune, eliminates requirement for App Control Rules
    - Simplifies administration, reduce admin overhead when you plan to enable
    - Firctionless Windows Autopilot – Allow Intune apps, blocks untrusted software
    - Stronger Security Baseline like Essential 8

KEY TAKEAWAY

Enable Intune Managed Extension as Managed installer for your Tenant.


Plan to deploy App Control for Business in Audit mode.

Intune: App Control for Business

Microsoft App Control for Business is highly effective because it prevents unauthorised or untrusted code from executing in the first place, rather than relying solely on detecting malicious activity after execution.

1. Allow Everything from Windows
2. Allow Everything from Program Files
3. Allow Everything for Admin
4. Allow all signed code
5. Admin Rights are limited from users so they can’t change locations and prevent adding anything into them.

Managed Installer




Intune – Local AI Agents

Discovery

1. **Create:** Devices > Configuration > New policy > Windows 10 and later > Properties catalog
2. **Add properties:** pick Local AI Agent (Preview), 11 properties including host process, install scope and publisher
3. **Assign:** All corporate Windows devices , first data can take 24 hours
4. **Act:** Device Query lists affected devices

KEY TAKEAWAY


Configure Intune to discover AI Agents



Intune – Block OpenClaw

Local AI Agent Baseline – OpenClaw (Preview) disrupts the paths agents run through.

- **WSL:** restricts WSL1 and the Windows Subsystem for Linux
- **Firewall:** two outbound TCP block rules on Node.js
- %LOCALAPPDATA%\Programs\node\node.exe
- %ProgramFiles%\nodejs\node.exe
- **Test first:** it may not stop every path and can block other Node.js or WSL workloads



KEY TAKEAWAY


Configure Intune to discover AI Agents

07 · SHADOW AI · DEFENDER FOR ENDPOINT

Shadow AI: Discover First

Block Only What You Understand.

- Defender for Endpoint's AI app discovery surfaces which AI tools endpoints are actually using
- The session showed a 300-seat org with 47 distinct AI tools in active use - IT knew about 3 of them
- Block strategy: categorise by risk, not by name - several 'safe-sounding' tools send prompts to unvetted third-party LLMs
- Intune App Control + Defender integration creates a feedback loop: new AI app detected, policy updated, deployment within hours
- Go to Defender portal - Assets > AI agents > Local agents



Agent name	Version	Device name	Device ID	OS platform	Device type
VSCode Claude Code Exte...	2.1.83	PD-HP1	be8c35b2f58fc4cc99ccad241954...	Windows11	Workstation
VSCode GitHub Copilot E...	0.37.9	PD-HP1	be8c35b2f58fc4cc99ccad241954...	Windows11	Workstation
Claude Desktop	2.42304.2	PD-HP1	be8c35b2f58fc4cc99ccad241954...	Windows11	Workstation
VSCode Claude Code Exte...	2.1.76	PD-HP1	be8c35b2f58fc4cc99ccad241954...	Windows11	Workstation

KEY TAKEAWAY

Run the AI app discovery report in Defender. Map results to risk tiers.

Copilot and SharePoint


Site-level restriction is your first guardrail.

- Copilot respects permissions - but most tenants have permissions sprawl that pre-dates Copilot
- SharePoint site-level access restriction in Copilot settings limits which sites ground responses, without removing user access
- Sensitivity labels on SharePoint sites flow into Copilot responses - a Confidential site will not leak into a General chat
- The session demo showed Copilot summarising a salary spreadsheet shared 'with everyone' - the fix takes three clicks
- Copilot readiness is a data governance project. Start the permissions audit before you turn on the licence.


KEY TAKEAWAY

Enable site-level access restriction in SharePoint. Apply sensitivity labels to your top-10 sensitive SharePoint sites.


SharePoint oversharing




Site privacy set to public




Default sharing option is everyone



Broken permission inheritance




Use of “everyone except external users” domain group



Sites and files without sensitivity labels

Qu



3 Privacy

What it does
Private limits membership to people added by the team owners. Public allows anyone in the organisation to join the team and read its content.

Why it matters for Copilot
Content in a Public team is open to every employee, so Copilot can surface it to anyone. Private keeps grounding to approved members.

Best used for
Setting Private as the default for any team holding internal or sensitive material.

4 Sensitivity label

What it does
Applies a Microsoft Purview label to the team and its site, enforcing privacy, guest access and sharing rules. It currently shows None, so no policy is applied.

Why it matters for Copilot
Labels give consistent, auditable controls at scale, rather than relying on each owner to set options by hand.

Best used for
Classifying teams as Confidential before Copilot is enabled, with a default label for new teams.

1 Restrict content discovery

What it does
Removes the site's files from tenant wide search, Microsoft Search and Copilot discovery. Permissions are unchanged, so people with access can still open files directly.

Why it matters for Copilot
Copilot grounds answers in content a user can reach. Switching this on is a quick way to keep an overshared site out of responses while permissions are reviewed.

Best used for
Sites with known oversharing, legacy archives and content that should not be surfaced to a wide audience.

2 Restricted site access

What it does
Limits access to the site and its content to members of a nominated group, overriding broad permissions such as Everyone except external users and organisation wide sharing links.

Why it matters for Copilot
Copilot respects access rights. Anyone outside the group loses access, so the site can no longer be used to ground their Copilot responses.

Best used for
Sensitive sites such as HR, finance, legal and executive teams, applied before Copilot licences are assigned.

Restrict content discovery and Restricted site access are part of SharePoint Advanced Management (PRO), included with Microsoft 365 Copilot licences. None of these controls replaces a permissions review.

9 · MICROSOFT PURVIEW · INFORMATION PROTECTION

Purview Labels as Guardrails

Labelling , DLP, and DSPM

- A sensitivity label is not just a visual marker - it drives Conditional Access, DLP, encryption and Copilot grounding simultaneously
- Container labels on Microsoft Teams and SharePoint sites enforce the strictest label on all content inside, even unlabelled files
- Auto-labelling with trainable classifiers catches documents that users forget to label - precision was 91% in the live demo
- DLP policies scoped to sensitivity labels block exfiltration even if the label was applied by auto-labelling, not the user
- Start with three labels: General, Confidential, and Highly Confidential. Complexity kills adoption - keep it simple to start.
- Setup Automatic service level labelling once taxonomy is finalised

KEY TAKEAWAY

Define three sensitivity labels. Apply container labels to your top-10 Teams and SharePoint sites. Enable auto-labelling in simulation.

10 · COMMUNITY TOOLS

12 tools to steal from the hallway track

Maester
Security Posture

IntuneGet
App Catalog

Intune/Entra Documentation
Tenant Documentation

Awesome Intune
Tools Repo

Lokka.dev
AI Agent M365

Driver Automation Tool
Devices drivers upload to intune & SCCM

TenuVault
Intune Backup & restore

CMTrace Open
Log Viewer

Autopilot Monitor
Reporting & Monitoring

Open Intune baseline
Endpoint Security

M365 Licensing Map
Microsoft Licensing

AppControl Manager
AppControl for Business

More Community Tools

Cloud Policy Preferences
demo.cloudpolicypreferences.com

Master Wrapper
masterpackager.com/master-wrapper

Master Packager
masterpackager.com

Intune Settings
intunesettings.app

SyncMLViewer
github.com/okieselbach/SyncMLViewer

Intune Remediation Scripts
github.com/JayRHa/intune-remediation-scripts

Get-AutopilotDiagnosticsCommunity
powershellgallery.com

AutopilotBranding
github.com/mtniehaus/AutopilotBranding

IntuneDiff
intunediff.com

OSDCloud
osdcloud.com

IntuneDeviceDetailsGUI
github.com/petripaavola/IntuneDeviceDetailsGUI

AppControl Manager
github.com/HotCakeX/Harden-Windows-Security

CMTrace Open

10 Actions for rest of the year...

01	Enable Conditional Access: Block Device Code Flow (report-only first)
02	Block BitLocker key recovery for end users
03	Deploy App Control for Business to 10 pilot devices in Audit mode
04	Apply site-level access restriction in Sharepoint for sites with broken permissions
05	Run AI app discovery report in Defender for Endpoint
06	Enable Token Protection for Exchange Online and SharePoint (preview)
07	Apply sensitivity labels to your top-10 SharePoint and Teams containers
08	Configure Remote connection configuration for Windows Cloud login
09	Enable Intune Managed Extension as Managed installer for all devices
10	Register for next Workplace Ninja

Let’s grow the Melbourne community

01	Come back next meeting. Bring one colleague who hasn't been before.
02	Share one thing you learned today with your team this week.
03	Share & present - the community needs your experience.
04	Consider WPN Summit 2027 - the investment pays for itself in one project shaped by what you learn.

Why you should go to WPN Summit 2027



Learn from the source

Sessions written and delivered by practitioners who built the features, broke the features, and fixed the features. No vendor fluff.



Global perspective

Hear how teams in 40+ countries solve the same problems you face. Your local workaround is often their default config.



Real community

The people you meet become your LinkedIn Connections, WhatsApp messages, your GitHub reviewers, endless opportunities. The ROI compounds for years.



Come back a different engineer

Every attendee that I talked love to come back next year. Learning is endless...

Cloud OSD: Know Your Options

The landscape has changed fast.

- OSDCloud: community-built, free, WinPE-in-the-cloud provisioning - outstanding for lab and SMB environments
- Cloud Rebuild: Microsoft's native Intune-driven re-provision — still maturing but the direction of travel is clear
- 2Pint ACP: peer-to-peer content caching for hybrid orgs that cannot shift large payloads to the cloud yet
- ConfigMgr OSD is not dead - it remains the most controllable option for complex images with pre-staging requirements

The session consensus: plan your exit from imaging workflows, but do not rip out ConfigMgr until Autopilot v2 GA is proven

KEY TAKEAWAY

Map your current OSD workflows against these fr options. Pick the right tool per device tier - not one size for all.

8. Cloud OSD

OSDCloud

FREE

WinPE and PowerShell, drivers from OEM and Windows Update

Vendor solution

TYPICALLY LICENSED

Provisioned via vendor's own infrastructure and solution

Cloud Rebuild

PREVIEW

WinRE reinstall from Windows Update

ConfigMgr OSD

PAID

Total control, but the on-prem estate comes with it and it is a beast to tame

2Pint DeployR

PAID


Modern task sequence engine, the MDT replacement

Foundry OSD

FREE

WinPE and C# + PowerShell, drivers from OEM and Windows configuration

Don’t forget to turn on Flight Mode !




Flight Mode: the only update you need.

Relax. Your inbox has survived worse than one afternoon without you.

Reset. Breathe, stretch, drink water. Your battery isn't the only thing that needs a charge.

Tonight: Phone down, Flight Mode on. The group chat will still be there at breakfast.

Thank You, Ninjas!



See You Next Year!

