

Response to Reviewers' Comments

We sincerely thank all the reviewers for their helpful comments. We have revised the manuscript according to the reviewers' comments, and have included here a point-by-point response to their comments. The main changes are the following:

- 1) ...
- 2) ...

Major changes are highlighted in blue in our revised manuscript.

Response to Reviewer 1

Recommendation: Major Revision

Comment 1. *A lot of comments.*

Response 1. Thank you for your comment. Please always use the formal “thank you” instead of “thanks”. Please always start your response politely and in a conciliatory tone even if you are frustrated with the comment. We can be firm, friendly and respectful. After all, the reviewer has sacrificed his or her precious time to read our manuscript and provide comments, which he or she is not obligated to do.

Using the xr package, I can reference Section I and (1) of tips.tex. To do this, you need to build response.tex in the same folder containing tips.aux.

Next, I cite [1], [13]. The references displayed are from tips.aux and tips.bbl thanks to xr. Finally, the catchfile-between tags package allows me to quote the following from Section VII in tips.tex:

Therefore, we have shown that $P \neq NP$.

Note that the tag name cannot include underscores. Another quote from tips.tex:

Another example is

$$\Lambda_{\text{SGLR}}(k, t) = \max \{ \Lambda(k, t), \Lambda_n(k, t) \}, \quad (3)$$

$$\tau_{\text{SGLR}}(b) = \min \{ \tau(b), \tau_n(b) \}, \quad (4)$$

$$\tau_{\text{W-SGLR}}(b) = \min \{ \tilde{\tau}(b), \tilde{\tau}_n(b) \}, \quad (5)$$

$$\Phi_i = \tau_{\text{W-SGLR}}(b) + i^2, \text{ for } i = 1, \dots, N, \quad (6)$$

$$\tilde{\mathbf{C}} = \text{one_hot} \left(\tilde{\mathbf{L}} \right). \quad (7)$$

Notice how the equation numbers are wrong (compared to tips.pdf) if xrcounterref is not used. Try commenting it out to see what I mean! Unfortunately, since the labels are repeated here in addition to the original ones in tips.tex, we get multiply defined label warnings. Let me know if there is a work around for this without having to silence this type of warning (which is useful for catching other errors).

Comment 2. *Do something.*

Response 2. Thank you for your suggestion. I will now cite some references that appear only in the bibliography for this response using [R-1]–[R-3]. The steps to be taken are:

- i) latex response
- ii) bibtex lref.aux
- iii) latex response
- iv) bibtex lref.aux
- v) copy lref.aux to lrefc.aux, and lref.bbl to lrefc.bbl
- vi) latex response
- vii) latex response
- viii) latex response

These steps are automated in the lcite_.bat file. **If anyone can figure out a better solution, please let me know.**

Response to Reviewer 2

Recommendation: Major Revision

Comment 1. *Improve the paper.*

Response 1. Thank you for your comment. Please refer to [1], [13]. The following revision is made in Section VII:

Therefore, we have shown that $P \neq NP$.

ADDITIONAL REFERENCES USED

- [R-1] D. Acemoglu, M. A. Dahleh, I. Lobel, and A. Ozdaglar, "Bayesian learning in social networks," *Review of Economic Studies*, vol. 78, no. 4, pp. 1201–1236, Mar. 2011.
- [R-2] P.-N. Chen and A. Papamarcou, "Error bounds for parallel distributed detection under the Neyman-Pearson criterion," in *Proc. IEEE Int. Symp. Inform. Theory*, Mar. 1995, pp. 528–533.
- [R-3] T. M. Cover, "Hypothesis testing with finite statistics," *Annals of Mathematical Statistics*, vol. 40, no. 3, pp. 828–835, 1969.