



Typora + PicGo-Core + Github 实现图片上传到Github

🕒 20/11/05 23:10 👁 1634 🗒 8 📁 3 📄 2165 🕒 4:19 ~ 7:13

PICGO TYPORA 图床

即文知图。

```
npm install picgo -g
```

安装完成后，检查命令行输出，记录下红色框内的路径。

```
xiaow@DESKTOP-4A33CA0 [20:09]
> npm install picgo -g
npm WARN deprecated request-promise-native@1.0.9: request-promise-native has been deprecated because it extends the now
deprecated request package, see https://github.com/request/request/issues/3142
npm WARN deprecated request@2.88.2: request has been deprecated, see https://github.com/request/request/issues/3142
npm WARN deprecated urix@0.1.0: Please see https://github.com/lydell/urix#deprecated
npm WARN deprecated resolve-url@0.2.1: https://github.com/lydell/resolve-url#deprecated
npm WARN deprecated har-validator@5.1.5: this library is no longer supported
C:\Users\xiaow\AppData\Roaming\npm\picgo -> E:\Users\xiaow\AppData\Roaming\npm\node_modules\picgo\bin\picgo
+ picgo@1.4.12
updated 1 package in 82.538s
```

输入命令查看版本，如果有输出则添加成功。

```
1 | picgo -v
```

安装github-plus

官方提供的github上传图库不好用，安装一款新的上传插件 **github-plus**，命令行执行：

```
picgo install github-plus
```



```
xiaow@DESKTOP-4A33CA0 ~ [22:27]
> picgo install github-plus
npm notice created a lockfile as package-lock.json. You should commit this file.
npm WARN @octokit/plugin-request-log@1.0.2 requires a peer of @octokit/core@≥3 but none is installed. You must install
peer dependencies yourself.

+ picgo-plugin-github-plus@1.2.2
added 53 packages from 70 contributors and audited 53 packages in 36.813s

2 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

[PicGo SUCCESS]: 插件安装成功
```

安装成功后会有提示。

Typora图像设置

在 **Typora** 中配置图像上传信息。

设置PicGo的配置信息



如上图所示，分为2个步骤：

1. 上传服务选择 **PicGo-Core (command line)**
2. 打开配置文件，在打开的配置文件，添加相关信息。

```
{
  "picBed": {
    "uploader": "githubPlus",
    "current": "githubPlus",
    "githubPlus": {
      "branch": "master", // 仓库分支
      "customUrl": "https://cdn.jsdelivr.net/gh/jxiaow/cdn-
```



```
"origin": "github", // 存放的图片类型
"repo": "jxiaow/cdn-images", // 存放图片的仓库
"path": "blog-images", // 存放图片的仓库目录下的文件夹
"token": "" // 访问github的仓库的token, 不知道怎么设置的
}
},
"picgoPlugins": {
  "picgo-plugin-github-plus": true // 启用github-plus插件
},
"picgo-plugin-github-plus": {
  "lastSync": "2020-11-05 07:54:47"
}
}
```

测试配置

根据上述配置完毕后我们需要进行测试链接是否成功，在测试之前还要进行如图所示的修改：



3. 上传服务修改为 `Custom Command`
4. 自定义命令：`picgo upload`
5. 点击验证图片上传选项
6. 如果显示验证成功，则表示配置完成。



验证成功

使用以下命令测试图片上传选项:

```
picgo upload "C:\\Users\\xiaow\\AppData\\Local\\Temp\\typora-icon2.png"  
"C:\\Users\\xiaow\\AppData\\Local\\Temp\\typora-icon.png"
```

程序运行结果:

```
[PicGo INFO]: Before transform  
[PicGo INFO]: Transforming...  
[PicGo INFO]: Before upload  
[PicGo INFO]: Uploading...  
[PicGo SUCCESS]:  
https://cdn.jsdelivr.net/gh/jxiaow/cdn-images@latest/blog-images/typora-  
icon2.png  
https://cdn.jsdelivr.net/gh/jxiaow/cdn-images@latest/blog-images/typora-  
icon.png
```

成功上传图片并获得新的URL

[https://cdn.jsdelivr.net/gh/jxiaow/cdn-images@latest/blog-images/typora-
icon2.png](https://cdn.jsdelivr.net/gh/jxiaow/cdn-images@latest/blog-images/typora-icon2.png)
<https://cdn.jsdelivr.net/gh/jxiaow/cdn-images@latest/blog-images/typora->

OK

取消

图片上传

将图片拖入Typora中, 然后在图片单击右键, 图片上传即可。

安装文件重命名插件 `picgo-plugin-rename-file`

`picgo-plugin-rename-file` 插件可以帮我们安装一定的规则将文件进行重命名, 具体设置请看github。

输入一下命令安装:

```
picgo install rename-file
```

安装完成后, 打开 `picgo` 的配置文件

`C:\Users\xxx\.picgo\config.json` 末尾最后一个大括号前添加一下信息即可。

```
,  
"picgo-plugin-rename-file": {  
  "format": "{y}/{m}/{d}/{hash}-{origin}-{rand:6}"  
}
```

添加水印

