标题

龙妈

2019年10月20日

目录

```
// Author : Wgr_
2 // Time : 19/09/20
3 #include<bits/stdc++.h>
4 | #include < ext/pb_ds/assoc_container.hpp>
5 #include<ext/pb ds/tree policy.hpp>
6 | #define iofuck std::ios::sync_with_stdio(false),cin.tie(0),cout.tie(0)
7 #define INF 0x3f3f3f3f
8 | using namespace std;
9 using namespace gnu pbds;
10 typedef long long ll;
11 | tree<ll, null type, less<ll>, rb tree tag, tree order statistics node update>
      bbt;
12 int n;
13 | int main(){
14
       iofuck;
   #ifndef ONLINE_JUDGE
15
       freopen("in.txt","r",stdin);
16
   #endif
17
18
       cin >> n;
       ll opt, k, ans;
19
       for(int i = 1; i <= n; i++){</pre>
20
            cin >> opt >> k;
21
            if(opt==1) bbt.insert((k<<20)+i);
22
            if(opt==2) bbt.erase(bbt.lower bound(k<<20));</pre>
23
            if(opt==3) {
24
25
                cout << bbt.order_of_key(k << 20) + 1 << endl;</pre>
            }
26
            if(opt == 4){
27
28
                ans = *bbt.find by order(k-1);
                cout << (ans >> 20) << endl;
29
30
            if(opt == 5){
31
                ans = *—bbt.lower bound(k<<20);
32
                cout << (ans >> 20) << endl;
33
34
            }
            if(opt == 6){
35
36
                ans = *bbt.upper bound((k<<20) + n);
                cout << (ans >> 20) << endl;
37
38
            }
39
       }
```

```
40 return 0;
41 }
```