





<u>Legend</u>	<u>Font Type</u>	<u>Font Size</u>
ROAD	FHWA Series E2000EX	115
60	FHWA Series D2000EX	230
WORK	FHWA Series E2000EX	115

LED details are indicative only. Should be developed in accordance with standard display requirements in AS4852 & Transport for NSW specification TSI-SP-008. For performance and operating instructions refer to Transport NSW ITS Helpdesk Email:-ITSHelpdesk@transport.nsw.gov.au
 Fonts for these characters should be manufactured to be as close to FHWA Font "D" for numeral & FHWA Font"E" for text as possible

Specifications: VMS Sign White LED legend & Border Black background Red LED Annulus VMS Panel is 96 pixels wide by 72 pixels deep	Size:	900 x 1200	Date:	30/7/21
	Area:	1.08 sq.m	Scale:	1:9.4
	Border:	0 x 25	Drawn:	ToddL
	Cnr Rad:	0	Checked:	
	Patch CR:	300	File:	r4-212n 1200 x 900 VMS
		Path:	H:\Signs\Technical Directions, Manuals & Policies\VMS Signs	
Prepared using TraSiCAD Product of QMR		r4-212n_vms		




Legend
60

Font Type
FHWA Series D2000EX

Font Size
230

Patch Detail

Size:	600 x 600	Date:	30/7/21
Area:	0.36 sq.m	Scale:	1:5
Border:	0 x 0	Drawn:	ToddL
Cnr Rad:	300	Checked:	
Patch CR:	250	File:	r4-212n 1200 x 900 VMS
Prepared using TraSiCAD Product of QMR		Path:	H:\Signs\Technical Directions, Manuals & Policies\VMS Signs
		r4-212n_vms	



Legend	Font Type	Font Size
60	FHWA Series D2000EX	230

Patch Detail

Size:	500 x 500	Date:	30/7/21
Area:	0.25 sq.m	Scale:	1:4
Border:	0 x 0	Drawn:	ToddL
Cnr Rad:	250	Checked:	
Patch CR:	NA	File:	r4-212n 1200 x 900 VMS
Prepared using TraSiCAD Product of QMR		Path:	H:\Signs\Technical Directions, Manuals & Policies\VMS Signs
		r4-212n_vms	