


Standard Highway Sign Designs for Texas



**Drawings may not be drawn to scale.
Do not photocopy for manufacturing.**

May 2021

(This page left intentionally blank)




R1-1
STOP

* Reduce spacing 40%

A	B	C	D	E
18	.375	6	6C	7.75
30	.75	10	10C	12.5
36	.875	12	12C	15
48	1.25	16	16C	20

COLORS: LEGEND - WHITE
BACKGROUND - RED




R1-2
YIELD

A	B	C	D	E	F	G
18	.375	2	1	1.5C	.625	1.5
30	.625	4	1.75	2.5C	.875	1.5
36	.75	5	2	3C	1.25	2
48	1	6	2.75	4C	2	3
60	1.5	8	3.5	5C	2.5	4

COLORS: LEGEND - RED
BACKGROUND - RED / WHITE

TEXAS



R1-2aP
TO ONCOMING TRAFFIC

A	B	C	D	E	F	G	H	J	K	L
24	18	.375	.625	2.5	3D	2	2.188	10	7.75	1.5
36	30	.625	.875	5.25	4.5D	3	3.266	14.873	11.496	2.25
48	36	.75	1.25	5	6D	4	4.355	19.829	15.327	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R1-2bTP
TO RAMP


A	B	C	D	E	F	G	H
21	15	.375	.625	2.5	4D	2	1.5
30	24	.375	.625	4	6D	4	1.5

TRAIN

R1-2cTP
TO TRAIN
Alternate 2nd line.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R1-3P
ALL WAY

A	B	C	D	E	F	G
18	6	.5	1.5	3 C	7	1.5
30	12	.75	3	6 C	13.25	1.875
36	15	.75	4	7 C	15.77	2.25
48	18	1	4.5	9 C	20.42	3

COLORS: LEGEND - WHITE
BACKGROUND - RED



R1-5L
YIELD HERE TO PEDESTRIAN (Ped symbol)

* See symbol section
for symbol design

** R10-6a arrow -
Reduce to fit




R1-5R

COLORS: LEGEND - BLACK
 YIELD SYMBOL - RED
 BACKGROUND - WHITE



* R10-6a arrow -
Reduce to fit

COLORS: LEGEND - BLACK
 YIELD SYMBOL - RED
 BACKGROUND - WHITE



R1-6
IN-STREET PED CROSSING (Ped symbol)

* See Symbol section for symbol design

** Legend is optional

COLORS: LEGEND - BLACK
YIELD - RED (AS SHOWN)
BACKGROUND - YELLOW
OPTIONAL: FLUORESCENT YELLOW GREEN



R1-9

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW
OPTIONAL-FLUORESCENT YELLOW GREEN
BACKGROUND - WHITE



R1-10P

BACKGROUND - WHITE




R2-1
SPEED LIMIT

* Optically space numerals about centerline.

A	B	C	D	E	F	G	H	J	K	L
18	24	0.375	0.625	3	3 E	2	8 E	7.052	5.491	1.5
24	30	0.375	0.625	4	4 E	2	10 E	9.403	7.321	1.5
30	36	0.5	0.75	4.5	5 E	2.5	12 E	11.754	9.151	1.875
36	48	0.625	0.875	6	6 E	5	14 E	14.105	10.981	2.25
48	60	0.75	1.25	8	8 E	6	16 E	18.806	14.642	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

**R2-1T**

SPEED LIMIT (with Red border)

A	B	C	D	E	F
30	36	36	42	3	4.5
36	48	44	56	4	6.25

The red border speed limit signs may only be used at the beginning of a speed reduction where a problem with speed exists. TRF suggests replacing the old "REDUCED SPEED AHEAD" sign (R2-5a) with the new fluorescent yellow "Reduced Speed Ahead" sign (W3-5) first. If this doesn't remedy the situation, then the district may use the red border speed limit sign but only on the first reduced speed limit sign. For example, entering a town with 70 mph reduced to 55 mph, the 55 speed limit could have a red border.

The recommended red border treatment is to add a red border to the standard Speed Limit sign. This border should be 3 inches for the standard sized Speed Limit sign (30 X 36 inches) and 4 inches for 36 x 48 inch size. It is further recommended that a microprismatic material be used for the red border to improve recognition of the treatment in nighttime conditions. However, the use of a microprismatic material should not be required, as the results found benefits to the red border even with a beaded Type III red border.

TEXAS




R2-4P
MINIMUM SPEED LIMIT (Plaque)

* Optically space numerals
about vertical centerline.

A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	4	4 C	2	10 D	9.188	6.813	1.5
36	48	.625	.875	6	6 C	5	14 D	13.75	10.188	2.25
48	60	.75	1.25	8	8 C	6	16 D	18.375	13.625	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R2-4a
COMBINED SPEED LIMIT

* Optically space numerals
about vertical centerline.


A	B	C	D	E	F	G	H	J	K	L	M
24	48	.375	.625	4	4 E	2.5	10 E	4 C	8 D	9.625	7.313
36	72	.625	.875	6	6 E	4	14 E	6 C	12 D	14.375	11
48	96	.75	1.25	8	8 E	6.5	16 E	8 C	14 D	19.25	14.625

N	P
9.188	1.5
13.75	2.25
18.375	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R2-4cT
MAX LEGAL SPEED




R2-5P
UNLESS OTHERWISE POSTED

* Reduce character spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
24	18	0.375	0.625	2.5	3 D	2	3 D*	7.191	10.008	7.01	1.5
36	24	0.375	0.625	3.25	4 D	2.75	4 D	9.587	13.848	9.347	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

TEXAS



R2-5aP
CITYWIDE


A	B	C	D	E	F	G	H
24	6	.375	.375	1.5	3D	9.48	1
30	9	.375	.625	2.5	4D	12.6	1.5



R2-5bP
NEIGHBORHOOD

A	B	C	D	E	F	G	H
24	6	.375	.375	1.5	3B	10.4	1
30	9	.375	.625	2.5	4B	13	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R2-5cP
RESIDENTIAL

A	B	C	D	E	F	G	H
24	6	.375	.375	1.5	3C	10.2	1
30	9	.375	.625	2.5	4C	13	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-1
No Right Turn (Symbol)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K
24	.375	.625	10.5	8.5	1.5	2.5	10.5	11.5	2
36	.625	.875	15.75	12.75	2.25	3.75	15.75	17.25	3
48	.75	1.25	21	17	3	5	21	23	4


COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE

**R3-1a**

NO RIGHT TURN ACROSS TRACKS

A	B	C	D	E	F	G	H	J	K	L
24	30	1	4D	2	3.205	7.125	6.41	10.015	9.74	1.5
30	36	1.75	4.5D	2.5	3.621	8.262	7.383	11.619	11.443	1.875

COLORS: LEGEND - WHITE
 BACKGROUND - BLACK




R3-2

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L
24	.375	.625	10.5	8.5	1.5	2.5	10.5	11.5	2	.5
36	.625	.875	15.75	12.75	2.25	3.75	15.75	17.25	3	.75
48	.75	1.25	21	17	3	5	21	23	4	1


COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE



R3-2a
NO LEFT TURN ACROSS TRACKS

A	B	C	D	E	F	G	H	J	K	L
24	30	1	4D	2	3.205	5.701	6.41	10.015	9.74	1.5
30	36	1.75	4.5D	2.5	3.621	6.609	7.383	11.619	11.443	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLACK



R3-3
NO TURNS

* Reduce spacing 50%

A	B	C	D	E	F	G	H	J	K	L	M
24	.375	.625	4.5	6 D	4	5 D	4.688	5	9.813	9.563	1.5
36	.625	.875	6	10 D	6	8 D	7.75	8.313	15.688	15.313	2.25
48	.75	1.25	9	12 D	8	10 D	9.313	10	19.625	19.125	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R3-4
No U Turn (Symbol)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
24	.375	.625	10.5	8.5	2.5	2.5	6	2.25	1.5	2	5
36	.625	.875	15.75	12.75	3.75	3.75	9	3.375	2.25	3	7.5
48	.75	1.25	21	17	5	5	12	4.5	3	4	10

COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE



R3-5R
Mandatory Lane Use Turn Arrow



R3-5L

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M	N
30	36	.5	.75	6.75	5.75	.5	3.75	2.5	6D	3.75	9.5	1.875
48	60	.75	1.25	11	9.25	.5	6	5	10D	6	12.25	3

TEXAS ►

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS




R3-5a
Mandatory Lane Use Through

* See Symbol section for arrow design
** Reduce spacing to fit


COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R3-5bP
LEFT LANE (Plaque)



R3-5dP
TAXI LANE (Plaque)




R3-5eP
CENTER LANE (Plaque)



R3-5fP
RIGHT LANE (Plaque)



R3-5gP
BUS LANE (Plaque)



R3-5cP
HOV 2+ LANE (Plaque)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R3-5hTP
Distance (Plaque)

Distances should be in 500 ft or ½ mile increments:

500 FT
1500 FT
½ MILE
1 MILE
1½ MILES
2 MILES


See Appendix for
fraction design

Vary letter and word
spacing as needed


A	B	C	D	E	F	G
24	8	.375	.375	2	4D	1
30	8	.375	.375	2	4D	1
36	12	.375	.438	3.5	5D	1.5
48	16	.375	.625	4	8D	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R3-6L
Optional Lane Use Arrows



R3-6R

* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R3-7R
Mandatory Turn Signs

**LEFT LANE
TURN LEFT**



R3-7L

A	B	C	D	E	F	G	H
30	.5	.75	4.5	4C	4	5C	1.875
36	.625	.875	5	4.5C	5	7C	2.25
48	.75	1.25	7	6C	6.5	9C	3

TEXAS ►

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R3-8R


R3-8L
Lane Use Control Sign

*See Symbol section for arrow design.
**Reduce spacing to fit.

A	B	C	D	E	F	G	H	I	J	K	L	M
30	.5	.75	12.625	3	4 D	5	12.875	1.75	9.75	10.25	2.5	8.5
36	.625	.875	15	3.6	5 D	6	15.45	2.1	11.7	12.3	3	10.2
48	.75	1.25	20.2	4.8	6 D	8	20.6	2.8	15.6	16.4	4	13.6

N	O	P	Q	R	S	T	U	V	W	X	Y	Z
12.332	4.75	7.5	4.5	2.625	6.5	5.75	8	2.75	14.5	.5	.75	1.875
15.445	5.7	9	5.4	3.15	7.8	6.9	9.6	3.3	17.4	.6	.9	2.25
19.556	7.6	12	7.2	4.2	10.4	9.2	12.8	4.4	23.2	.8	1.2	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R3-8a
Lane Use Control Sign

* Reduce spacing to fit and optically center

** See Symbol section for arrow design

A	B	C	D	E	F	G	H	I	J	K	L	M
48	30	.5	.75	4 D	3	12.125	1.188	.438	4	3.375	5.813	4.625
60	36	.5	.75	5 D	3.5	14.875	1.188	.709	5.116	4.453	7.825	6.231
N	O	P	Q	R	S	T	U	V	W	X	Y	Z
6.625	2.5	1.688	11.063	6.813	1.688	11	7.5	9.75	14.641	6.45	12.313	3
8.177	3	2.408	13.617	8.812	2.125	13.2	9.5	10.96	20	6.774	15.567	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R3-8b
Lane Use Control Sign


* Reduce spacing to fit and optically center

** See Symbol section for arrow design

A	B	C	D	E	F	G	H	J	K
48	30	.5	.75	4 D	3	12.313	6.813	12.125	4
60	36	.5	.75	5 D	3.5	15.567	8.812	14.875	5.116

L	M	N	P	Q	R	S	T
3.375	5.813	4.625	6.625	1.688	2.5	1.188	3
4.453	7.825	6.231	8.177	2.408	3	1.188	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R3-8cT

Lane Use Control Sign

* See Symbol section for arrow design


COLORS: LEGEND -BLACK
BACKGROUND - WHITE

TEXAS



R3-8 LLS

Lane Use Control Sign



R3-8 LLK


Lane Use Control Sign

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


* See Symbol section for arrow design

** Reduce spacing 50%

TEXAS



R3-8 LMS
Lane Use Control Sign




R3-8 LSS
Lane Use Control Sign


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

* See Symbol section
for arrow design
** Reduce spacing 50%

TEXAS



R3-8 ULM
Lane Use Control Sign




R3-8 UMS
Lane Use Control Sign

* See Symbol section
for arrow design


** Reduce spacing 50%

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R3-8 LS
Lane Use Control Sign




R3-8 LK
Lane Use Control Sign

* See Symbol section
for arrow design

** Reduce spacing 50%

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R3-8 MS
Lane Use Control Sign

- * See Symbol section for arrow design
- ** Reduce spacing 50%

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**R3-8uT**


Turnaround ONLY

* See Symbol section for arrow design

A	B	C	D	E	F	G	H	J	K	L	M	N	O
24	30	.375	.625	3	4D	4	6.75	12.25	1.875	.75	5	.75	2.5
30	36	.5	.75	3.5	6D	5	7.375	14.125	1.875	1.313	6.25	.86	3.125

COLORS: LEGEND - BLACK
 BACKGROUND - WHITE

TEXAS




R3-9a

Two-Way Left Turn Only (Overhead)

* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

**R3-9b**



Two-Way Left Turn Only (Post-Mounted)

A	B	C	D	E	F	G	H	J	K	L	M
24	36	.375	.625	2.5	3 E	1.5	16	1.5	8.438	5.75	8
36	48	.625	.875	3.5	5 E	1.5	20	2.25	14.063	9.5	12

N	P	Q	R	S
2.5	6	2	5.313	1.5
3	8	3	9.875	2

* See Symbol section
for arrow design


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



A	B	C	D	E	F	G	H	J	K
24	8	.375	.625	2	4D	1.5	4E	14.688	11.65
30	12	.5	.75	3	6D	1.875	6E	21.62	18.366
36	12	.625	.875	3	6D	2.25	6E	21.62	18.366
48	18	.75	1.25	4	10D	3	10E	36.72	28.384

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R3-9e
Reversible Lane Control (Symbol)

*Insert R3-8a, increase 17% to fit.
**Insert R3-9a.

COLORS: LEGEND	- BLACK
SYMBOLS	- BLACK
EXCLUSION	- RED
BACKGROUND	- WHITE

**R3-9f**

CENTER LANE DO NOT USE (Times and days)
Reversible Lane Control (post-mounted)


A	B	C	D	E	F	G	H	J	K	L	M
30	42	.375	.625	2.625	4E	2	1.875	2	4D	2.625	3D
36	54	.625	.875	3.31	5E	2	2.69	3	5D	3.25	4D

N	P	Q	R	S	T	U	V
3.875	11.26	7.65	9.3	4.62	8.68	7.53	1.5
4.75	14.061	9.496	12.422	6.055	12.383	10.891	2.25

TOP
COLORS: LEGEND - WHITE
BACKGROUND - BLACK

BOTTOM
COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R3-9g


END REVERSE LANE XXX FEET

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R3-9h

BEGIN REVERSE LANE XXX FEET



R3-9i

END REVERSE LANE (Mandatory Lane Sign)

*Insert R3-5.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

**R3-17**

BIKE LANE (with Symbol)


* See Symbol section for symbol design

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	18	0.375	0.625	11	1	4C	2	7	9.964	2	8	1.75	1.5
30	24	0.375	0.625	15	1.5	5C	2.5	9.188	12.455	2.5	10.5	2.375	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R3-17aP
AHEAD (Plaque)



R3-17bP
ENDS (Plaque)

A	B	C	D	E	F	G
24	8	.375	.625	2	4D	1.5
30	12	.5	.75	3.5	5D	1.875
36	12	.625	.875	3	6D	2.25
48	18	.75	1.25	5	8D	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R3-18
U-Turn and Left Turn Prohibition (Symbol)

*See Symbol section for arrow design.


A	B	C	D	E	F	G	H	J	K	L
24	.375	.625	10.407	8.566	2.081	3.682	1.841	6.805	.400	.879
36	.625	.875	15.611	12.889	3.122	5.524	2.722	10.247	.560	2.161
48	.75	1.25	20.815	17.133	4.163	7.365	3.682	13.610	.800	2.882

M	N	P	Q	R	S
4.323	2.241	2.922	1.601	8.086	1.5
6.484	3.362	4.363	2.401	12.089	2.25
8.646	4.483	5.844	3.202	16.172	3

COLORS: CIRCLE & DIAGONAL - RED
 SYMBOL & BORDER - BLACK
 BACKGROUND - WHITE



R3-20L
BEGIN LEFT TURN LANE (Arrow)




R3-20R


*See Symbol section for arrow design.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R3-23
ALL TURNS FROM RIGHT LANE




R3-23a
U TURN FROM RIGHT LANE

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R3-24
ALL TURNS (Arrow 45°)



R3-24a
U TURN AND LEFT TURNS (45° Arrow)




R3-24b
U TURN (Arrow 45°)


*See Symbol section for arrow design.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R3-25
ALL TURNS (Arrow)



R3-25a
U TURN AND LEFT TURNS (Arrow)




R3-25b
U TURN (Arrow)


*See Symbol section for arrow design.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R3-26
U TURN AND LEFT TURNS (Up Arrow)




R3-26a
U TURN (Up Arrow)

* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




* See Symbol section
for arrow design

R3-27
No Straight Thru (Symbol)

A	B	C	D	E	F	G	H	J	K
24	.375	.625	1.5	8.5	10.5	11.125	1.75	2	16
36	.625	.875	2.25	12.75	15.75	16.687	2.625	3	24
48	.75	1.25	3	17	21	22.125	3.75	4	32

COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE

TEXAS



R3-33R
RIGHT LANE MUST EXIT



R3-33L
LEFT LANE MUST EXIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R3-33TR
RIGHT LANE MUST EXIT



R3-33TL
LEFT LANE MUST EXIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R3-33aTL
LEFT LANE MUST ENTER RAMP

RIGHT LANE

R3-33aTR
RIGHT LANE MUST ENTER RAMP



R3-33bTL
LEFT LANE MUST ENTER FRWY

RIGHT LANE
R3-33bTR
RIGHT LANE MUST ENTER FRWY

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R3-33cT

R3-33cT ALL TRAFFIC MUST EXIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R4-1
DO NOT PASS

*Reduce spacing to fit.

A	B	C	D	E	F	G	H	J	K	L
12	18	.375	.438	2.875	2.75 D	2	2.125	2.188	3.188	3.438
18	24	.375	.625	3.5	4 D	2.5	3.125	3.313	4.75	4.875
24	30	.375	.625	3.5	6 D	2.5	4.688	5	7.125	7.375
36	48	.625	.875	7	8 D	5	6.25	6.625	9.5	9.75
48	60	.75	1.25	8	10 D	7	7.75	8.313	11.875	12.25

M	N	P
4.188	4.438	1.5
6.25	6.5	1.5
9.375	9.75	1.5
12.5	13	2.25
15.625	16.25	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-2
PASS WITH CARE

A	B	C	D	E	F	G	H	J	K	L
12	18	0.375	0.438	2.5	3C	2	3.75	4	3.75	3.375
18	24	0.375	0.625	3.5	4D	2.5	5.438	5.625	5	4.75
24	30	0.375	0.625	3.5	6D	2.5	8.188	8.438	7.5	7.188
36	48	0.625	0.875	7	8D	5	10.875	11.25	10	9.5
48	60	0.75	1.25	8	10D	7	13.625	14.063	12.5	11.938

M	N	P
3.938	4.125	1.5
5.375	5.5	1.5
8	8.25	1.5
10.688	11	2.25
13.375	13.75	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-2aT
LEFT LANE FOR PASSING ONLY * Reduce spacing 25%

A	B	C	D	E	F	G	H
24	36	.375	.625	3	4D	2.5	1.5
36	54	.625	.875	4.5	6D	3.75	2.25
48	72	.75	1.25	6	8D	5	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R4-3
SLOWER TRAFFIC KEEP RIGHT

*Reduce spacing 25%.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	.375	.438	3.25	1.75 D	1.5	4.313	4.5	2.625	2.813	3
18	24	.375	.625	3	3 D	2	7.313	7.5	4.563	4.875	5.25
24	30	.375	.625	3.625	4 D	2.25	9.75	10	6	6.563	7.125
36	48	.625	.875	6	6 D	4	14.625	15	9	9.813	10.688
48	60	.75	1.25	7.25	8 D	4.5	19.5	20	12	13.125	14.25

N	P
3.25	1.5
5.75	1.5
7.625	1.5
11.375	2.25
15.25	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-3bT
DO NOT CROSS DOUBLE WHITE LINE

A	B	C	D	E	F	G
36	.625	.875	4.75	4C	3.5	2.25
48	.75	1.25	5.25	6C	4.5	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS


**R4-4**

BEGIN RIGHT TURN LANE YIELD TO BIKES (Arrow)

* Reduce spacing 20%

** See Symbol section for arrow design
and optically locate

COLORS: LEGEND - BLACK
 BACKGROUND - WHITE
 ARROW - BLACK



R4-5aT
NO TRUCKS LEFT LANE

Note:


To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual, Ch. 5 Sect. 8.



BEGIN (R3-9cP), END (R3-9dP)
or AHEAD (R3-17aP) plaques
may be used with R4-5aT.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R4-5bT
BEGIN NO TRUCKS LEFT LANE

Note:

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual, Ch. 5 Sect. 8.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R4-5cT


END NO TRUCKS LEFT LANE

Note:

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual, Ch. 5 Sect. 8.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**R4-7**

Keep Right (Symbol)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
12	18	.375	.438	4	5.5	11	3.28	3.28	3.86	3.526	3.472
18	24	.375	.625	3.375	9.375	1.875	2.25	1.375	5.5	4.688	6
24	30	.375	.625	4.5	12.5	2.5	3	1.875	7.375	6.25	8
36	48	.625	.875	6.75	18.75	3.75	4.5	2.813	11.125	9.375	12
48	60	.75	1.25	9	25	5	6	3.75	14.813	12.5	16

N	P	Q	R	S	T	U	V	W
13	.831	1.75	4.212	4.38	1.826	.375	.5	1.5
22.5	1.5	3	6.75	4.125	2.25	1.063	.438	1.5
30	2	4	9	5.5	3	1.375	2.813	1.5
45	3	6	13.5	8.25	4.5	2	2.75	2.25
60	4	8	18	11	6	2.688	5	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R4-7a
KEEP RIGHT (Arrow)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
18	24	.375	.625	3.75	4 D	4.25	6	6.563	7.125	7.625	2.25
24	30	.375	.625	4.5	5 D	5.5	7.5	8.25	8.813	9.563	2.625
36	48	.625	.875	7.5	8 D	8.5	12	13.125	14.25	15.25	4.5
48	60	.75	1.25	9	10 D	11	15	16.5	17.625	19.125	5.25

N	P
6	1.5
7.125	1.5
11.438	2.25
14.25	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R4-7b
KEEP RIGHT (30° Arrow)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
18	24	.375	.625	2.5	4 D	5.5	6	6.563	7.125	7.625	2.25
24	30	.375	.625	3	5 D	7	7.5	8.25	8.813	9.563	2.625
36	48	.625	.875	5	8 D	11	12	13.125	14.25	15.25	4.5
48	60	.75	1.25	6	10 D	14	15	16.5	17.625	19.125	5.25


N	P
6	1.5
7.125	1.5
11.438	2.25
14.25	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-7c
Keep Right - Narrow (Symbol)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R4-8
Keep Left (Symbol)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
18	24	.375	.625	3.375	9.375	1.875	2.25	1.375	5.5	4.688	6
24	30	.375	.625	4.5	12.5	2.5	3	1.875	7.375	6.25	8
36	48	.625	.875	6.75	18.75	3.75	4.5	2.813	11.125	9.375	12
48	60	.75	1.25	9	25	5	6	3.75	14.813	12.5	16

N	P	Q	R	S	T	U	V	W
22.5	1.5	3	6.75	4.125	2.25	1.063	.438	1.5
30	2	4	9	5.5	3	1.375	2.813	1.5
45	3	6	13.5	8.25	4.5	2	2.75	2.25
60	4	8	18	11	6	2.688	5	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R4-8a

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K
18	24	.375	.625	3.75	4D	4.25	2.25	6	1.5
24	30	.375	.625	4.5	5D	5.5	2.625	7.125	1.5
36	48	.625	.875	7.5	8D	8.5	4.5	11.4375	2.25
48	60	.75	1.25	9	10D	11	5.25	14.25	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS


**R4-8b**

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K
18	24	.375	.625	2.5	4D	5.5	2.25	6	1.5
24	30	.375	.625	3	5D	7	2.625	7.125	1.5
36	48	.625	.875	5	8D	11	4.5	11.4375	2.25
48	60	.75	1.25	6	10D	14	5.25	14.25	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R4-8c
Keep Left - Narrow (Symbol)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-9
STAY IN LANE

**Reduce spacing to fit.

A	B	C	D	E	F	G	H	J	K	L
18	24	.375	.625	3	4 D	3	6.264	2.161	6.464	1.5
24	30	.375	.625	3.687	5 D	3.813	7.865	2.702	8.046	1.5
36	48	.625	.875	8.25	7 D	5.25	11	3.762	11.248	2.25
48	60	.75	1.25	7.5	10 D	7.5	15.651	5.424	16.172	3


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-10
RUNAWAY VEHICLES ONLY

**Reduce spacing to fit.


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R4-11
(Bicycle) MAY USE FULL LANE

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


**R4-12**

SLOW VEHICLES WITH X OR MORE FOLLOWING VEHICLES MUST USE TURN-OUT

A	B	C	D	E	F	G	H	J	K	L	M	N
42	24	0.375	0.625	2.5	4C	2	3C	2	2.5	3	3	2.5
72	42	0.625	0.875	4.5	6C	4	5C	3.75	5	6	4	4

P	Q	R	S	T	U	V	W	X	Y	Z	A1	A2
0.875	0.75	2.742	1.5	11.589	20.383	18.158	15.304	8.391	5.969	8.086	1.5	5.945
1.75	1.5	5.466	2.25	18.834	33.924	30.264	25.506	13.985	9.949	13.477	2.5	9.909

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R4-13

SLOW VEHICLES MUST USE TURN-OUT AHEAD

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R4-14
SLOW VEHICLES MUST TURN OUT (45° Arrow)

* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R4-17
DO NOT DRIVE ON SHOULDER

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	24	.375	.625	3	3C	2	3C	3B	13.342	9.123	4.052	14.616	1.5
24	30	.375	.625	3.25	4C	2.5	4C	4B	17.789	12.164	5.402	19.488	1.5
36	48	.875	.875	6	6C	4	6C	6B	26.684	18.246	8.103	29.232	2.25
48	60	.75	1.25	7.5	8C	5	7C	7C	34.578	24.328	9.454	39.984	3


COLORS: LEGEND - BLACK
BACKGROUND - WHITE


R4-18

DO NOT PASS ON SHOULDER

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	24	.375	.625	3	3C	2	3C	3B	13.342	7.953	4.052	14.616	1.5
24	30	.375	.625	3.25	4C	2.5	4C	4B	17.789	10.604	5.402	19.488	1.5
36	48	.875	.875	6	6C	4	6C	6B	26.684	15.906	8.103	29.232	2.25
48	60	.75	1.25	7.5	8C	5	7C	7C	34.578	21.208	9.454	39.984	3


COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R5-1
DO NOT ENTER

A	B	C	D	E	F	G	H	J	K	L
30	6.5	4 D	2	5	14.5	12.5	9.75	10	1.875	7.875
36	7.5	5 D	2.5	6	17.5	15	12	12.375	2.25	9.813
48	11	6 D	3	8	23.5	20	14.5	15	3	11.75

COLORS: SYMBOL - RED
LEGEND & BACKGROUND - WHITE



R5-1TP
RAMP (Plaque)
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R5-1a
WRONG WAY

A	B	C	D	E	F	G
30	18	.625	3	5D	2	1.5
36	24	.75	4.5	6D	3	1.5
42	30	.875	5	8D	4	1.875
48	36	1	6.5	9D	5	2.25

TEXAS ►

COLORS: LEGEND - WHITE
BACKGROUND - RED

TEXAS

**R5-1b**

WRONG WAY (with Bicycle Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - WHITE
BACKGROUND - RED



R5-2
No Trucks (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J	K
24	.375	.625	10.5	8.5	6.875	6.875	1.375	1.5	1
30	.5	.75	13.125	10.625	8.5	8.5	1.625	1.875	2.5
36	.625	.875	15.75	12.75	10.25	10.25	2	2.25	3
48	.75	1.25	21	17	13.625	13.625	2.625	3	4

COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE



R5-2a
NO TRUCKS (Symbol)

A	B	C	D	E	F	G	H	J	K
24	.375	.625	6	5 D	4 D	3	4	9.767	1.5
30	.5	.75	7.875	6 D	5 D	3.25	4.843	12.269	1.875
36	.625	.875	9.25	7 D	6 D	4.5	5.604	14.651	2.25
48	.75	1.25	12.5	9 D	8 D	6	7.225	19.534	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R5-3
NO MOTOR VEHICLES


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R5-4
NO COMMERCIAL VEHICLES

A	B	C	D	E	F	G	H	J	K	L	M
24	30	375	.625	5	4D	4	4B	6.621	19.75	17.599	1.5
36	48	.875	.875	9	6D	6	6B	9.932	29.624	26.399	2.25
48	60	.75	1.25	10	8D	8	8B	13.251	38.586	34.59	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R5-4aT

NO ENGINE BRAKE BY CITY ORDINANCE

(Sign to be installed by the City that has a City Ordinance)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R5-5
NO VEHICLES WITH LUGS

A	B	C	D	E	F	G	H	J	K	L	M	N
24	30	.375	.625	5	4D	4	4B	6.621	17.599	18.527	2	1.5
36	48	.625	.875	9	6D	6	6B	9.932	26.399	27.791	3	2.25
48	60	.75	1.25	10	8D	8	8B	13.242	34.198	37.054	4	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R5-6
No Bicycle (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J	K
18	.375	.625	7.5	6.25	3.5	.75	1.25	2.125	1.5
24	.375	.625	10.5	8.5	4.75	.75	2	3	1.5
30	.5	.75	13.125	10.625	5.875	.875	2.5	3.75	1.875
36	.625	.875	15.75	12.75	7.125	1.125	3	4.5	2.25
48	.75	1.25	21	17	9.5	1.5	4	6	3

COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE




R5-7
NO NON-MOTORIZED TRAFFIC

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	24	0.375	0.625	4	3.5D	2.75	3.5C	5.793	26.324	3.688	17.056	1.5	1.75
42	24	0.375	0.625	3	4D	3	4C	6.621	35.292	6	19.493	1.5	2
48	30	0.5	0.75	3.75	5D	3.75	5C	8.276	42.654	6.5	24.366	1.875	2.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R5-8
NO MOTOR-DRIVEN CYCLES

A	B	C	D	E	F	G	H	J	K	L	M	N
30	24	.375	.625	4	3.5D	2.75	3.5C	5.793	26.324	3.25	17.056	1.5
42	24	.375	.625	3	4D	3	4C	6.621	35.291	6	19.493	1.5
48	30	.625	.75	3.75	5D	3.75	5C	8.276	42.654	7.5	24.366	1.875

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R5-10a


NO PEDESTRIANS BICYCLES MOTOR - DRIVEN CYCLES

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R5-10b
NO PEDESTRIANS OR BICYCLES



R5-10c
NO PEDESTRIANS

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS


**R5-11T**

FOR OFFICIAL OR EMERGENCY VEHICLE USE ONLY

A	B	C	D	E	F	G	H	J	K	L
30	.5	.75	3	3C	3	6C	1.875	4	2.7	18.3
48	.75	1.25	4.5	5C	4	12C	3	6.6	4	30.0

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R6-1R
ONE WAY (Right)

A	B	C	D	E	F	G	H	J	K	L	M
36	12	.5	3.375	2.625	3	1.25	9.125	2	9.625	9	2
54	18	1	5.5	3.5	5	4	12.309	2.929	12.762	13	4

N	P	Q	R	S	T	U	V
4 D	1.5	11	9.125	2	9.625	1.25	3
5 D	1.875	17	12.309	2.929	12.762	4	5



R6-1L
ONE WAY (Left)

* See Symbol section
for arrow design

COLORS: ARROW - WHITE
LEGEND & BACKGROUND - BLACK



R6-2R
ONE WAY (with Arrow)(Right)

A	B	C	D	E	F	G	H	J	K	L	M
18	24	0.375	0.625	2.5	5D	1.5	4.5	5.5	6.244	6.124	6.044
24	30	0.375	0.625	3	6D	1.875	6.063	7.063	7.485	7.285	7.325
30	36	.5	1.875	2.75	8D	2.25	9.125	7.562	9.813	9.813	10.719
36	48	.625	.875	4.75	10D	3.25	9.5	10.5	12.369	12.249	12
48	60	.75	1.25	6	12D	4	12	14	15	14.571	14.811


N	P	Q	R	S
6.805	6	6.805	2.25	1.5
8.286	8.286	8.926	3	1.5
10.719	10.8	10.8	4	1.875
13.530	13.25	14.290	5	2.25
16.252	16.572	17.853	6	3



R6-2L
ONE WAY (with Arrow)(Left)

* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


R6-3


DIVIDED HIGHWAY (with Symbol)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
30	24	.5	.75	3	3 E	1.375	4.625	8.51 6	12.602	6.646	2
36	30	.625	.875	3.688	4 E	1.625	5.688	11.354	15.377	8.064	2.428

N	P	Q	R
1.327	1.327	9.842	1.875
1.62	1.62	13.051	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R6-3a
DIVIDED HIGHWAY (with Symbol)

* See Symbol section
for arrow design


A	B	C	D	E	F	G	H	J	K	L	M
30	24	.5	.75	3	3 E	2.625	3.375	4.625	1.375	8.51 6	12.643
36	30	.625	.875	3.688	4 E	3	4.133	5.867	1.625	11.354	15.851

N	P	Q	R	S	T
6.669	2.026	1.350	1.350	9.842	1.875
8.364	2.465	1.668	1.677	13.05 1	2.25


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R6-4




R6-4a



R6-4b

Roundabout Directional (Symbol) Signs

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R6-5P
R6-5P Roundabout Circulation (Plaque)

* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R6-6
BEGIN ONE WAY

A	B	C	D	E	F	G	H	J	K	L	M
24	30	.375	.625	3.5	6C	2.5	6D	18.426	14.829	16.329	1.5
30	36	.5	.75	4.25	7C	3.25	7D	21.497	17.3	19.05	1.875

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R6-7
END ONE WAY

A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	3.5	6D	2.5	14.35	14.829	16.329	1.5
30	36	.5	.75	4.25	7D	3.25	16.742	17.3	19.05	1.875

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R7-1L (R,DBL)



R7-2



R7-2aR (L,DBL)

COLORS: LEGEND, CIRCLE & DIAGONAL - RED
 SYMBOL - BLACK
 BACKGROUND - WHITE


* See Symbol section
 for arrow design

Parking Restrictions

COLORS: LEGEND - RED
 BACKGROUND - WHITE



R7-3DBL (L,R)



R7-4DBL (L,R)

Parking Restrictions

* See Symbol section for arrow design

COLORS: LEGEND - RED
BACKGROUND - WHITE



R7-5DBL (L,R)

COLORS: LEGEND - GREEN
BACKGROUND - WHITE



R7-6DBL (L,R)

COLORS: LEGEND - RED
BACKGROUND - WHITE



R7-7DBL (L,R)

COLORS: LEGEND - RED
BACKGROUND - WHITE

Parking Restrictions

* See Symbol section
for arrow design

**R7-8T**


RESERVED PARKING (HC Symbol)

* Reduce spacing 50%

** See Symbol section for symbol design

COLORS: LEGEND - GREEN
 SYMBOL - WHITE ON BLUE
 BACKGROUND - WHITE

TEXAS




R7-8P

VAN ACCESSIBLE (Plaque)

TEXAS ►

A	B	C	D	E	F	G	H	J	K	L
12	6	.375	.438	1.5	1.5 D	.5	1 D	1.871	3.859	1.5
18	9	.375	.438	2.25	2 D	1	1.5 D	2.493	5.784	1.5



R7-8aPT

VIOLATORS SUBJECT TO FINE AND TOWING (Plaque)

COLORS: LEGEND - GREEN
BACKGROUND - WHITE

TEXAS



TOP LEFT
 COLORS: LEGEND - WHITE
 BACKGROUND - RED

TOP RIGHT
 COLORS: LEGEND - RED
 BACKGROUND - WHITE

R7-9
 NO PARKING BIKE LANE


*Reduce spacing 60%
 **Reduce spacing 50%

BOTTOM
 COLORS: LEGEND - RED
 BACKGROUND - WHITE



R7-9a
(No parking symbol) BIKE LANE

COLORS: LEGEND, CIRCLE & DIAGONAL - RED
 SYMBOL - BLACK
 BACKGROUND - WHITE



R7-11T DBL (L,R)
 PARALLEL PARKING (Arrow)


NOTE:

Adjust character spacing

** See Symbol section
 for arrow design

COLORS: LEGEND - GREEN
 BACKGROUND - WHITE

TEXAS



R7-20
Fee Station (Symbol)

* See Symbol section for arrow design
** See Symbol section for symbol design

COLORS: LEGEND - GREEN
BACKGROUND - WHITE

UPPER RIGHT SECTION
COLORS: LEGEND - WHITE
BACKGROUND - GREEN


LOWER RIGHT SECTION
COLORS: LEGEND - GREEN
BACKGROUND - WHITE

Technical drawing of a 'Pay Parking 15 Minute Limit' sign. The sign is rectangular with rounded corners and a thick green border. It features a large green 'P' in a circle at the top, followed by the text 'PAY PARKING 15 MINUTE LIMIT' in green. A green arrow points to the right with an asterisk. Dimensions are provided in inches.

Dimensions:

- Overall Width:** 12
- Overall Height:** 18
- Top Section (P in Circle):**
 - Circle Diameter: 3.82
 - Circle Thickness: 0.625
 - Circle Offset from Top: 1.375
 - Circle Offset from Side: 0.375
 - Circle Offset from Bottom: 0.375
 - Circle Offset from Right: 0.625
- Text Section:**
 - 'PAY' Height: 1.5C
 - 'PARKING' Height: 1.5C
 - '15' Height: 2D
 - 'MINUTE' Height: 1C
 - 'LIMIT' Height: 1C
 - '15' Width: 2.301
 - 'MINUTE' Width: 0.342
 - 'LIMIT' Width: 2.681
 - 'PAY' Width: 8.138
 - 'PARKING' Width: 3.632
 - '15' Offset from Left: 1.25
 - '15' Offset from Right: 1.25
- Arrow Section:**
 - Arrow Height: 0.64
 - Arrow Offset from Bottom: 1.125
 - Arrow Offset from Right: 0.375

* See Symbol section
for arrow design



R7-22R
Pay Parking




R7-22L




R7-22DBL

* See Symbol section
for arrow design

COLORS: LEGEND, BORDER, CIRCLE - GREEN
BACKGROUND - WHITE
LEGEND - BLACK



R7-23DBL (L,R)




R7-23aDBL (L,R)

Permitted Parking

COLORS: LEGEND, BORDER, CIRCLE - GREEN
 BACKGROUND - WHITE
 LEGEND - BLACK

* See Symbol section
 for arrow design




R7-107R (L,DBL)
NO PARKING BUS STOP (with Arrow)

TOP LEFT
COLORS: LEGEND — WHITE
BACKGROUND — RED

TOP RIGHT
COLORS: LEGEND — RED
BACKGROUND — WHITE

BOTTOM
COLORS: LEGEND — RED
BACKGROUND — WHITE




R7-107aR (L,DBL)
No parking bus stop (with Arrow and Symbol)

COLORS: LEGEND, CIRCLE & DIAGONAL — RED
SYMBOLS, LOGO — BLACK
ARROW — RED
BACKGROUND — WHITE

* See Symbol section for arrow design
** See Symbol section for symbol design




R7-108DBL (L,R)
XX HR PARKING XXX-AM TO XXX PM)



XX MIN PARKING XXX-AM TO XXX PM)

* See Symbol section
for arrow design

COLORS: LEGEND - GREEN
BACKGROUND - WHITE



R7-111R (L)

NO PARKING EXCEPT ELECTRIC VEHICLES (with Arrow)

* Reduce character spacing 40%.

** Reduce character spacing 60%.

*** See Symbol section for arrow design.

UPPER LEFT SECTION


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

LOWER SECTION

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

**R7-111a**

NO PARKING EXCEPT ELECTRIC VEHICLES (with Schedule and Arrow)

* Reduce character spacing 40%.

** Reduce character spacing 60%.

*** See Symbol section for arrow design.

UPPER LEFT SECTION


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

LOWER SECTION

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-112L (R)
X HR PARKING ELECTRIC VEHICLES ONLY (with Arrow)

UPPER LEFT SECTION

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

- * Reduce character spacing 40%.
- ** Optically space numeral.
- *** See Symbol section for arrow design.

LOWER SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

**R7-112a**

X HR PARKING ELECTRIC VEHICLES ONLY (with Scheduled and Arrow)

UPPER LEFT SECTION

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

* Reduce character spacing 40%.

** Optically space numeral.

*** See Symbol section for arrow design.

LOWER SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-112bR (L)

X HR PARKING ELECTRIC VEHICLES ONLY (with Schedule and Arrow)

UPPER LEFT SECTION

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE


* Reduce character spacing 40%.

** Optically space numeral.

*** See Symbol section for arrow design.

LOWER SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

**R7-113**

X HR PARKING EXEMPT WHILE CHARGING (with Arrow)

* Reduce character spacing 40%.

** Reduce character spacing 60%.

*** See Symbol section for arrow design.

UPPER LEFT SECTION


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE


LOWER SECTION

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-113aP


VEHICLE MUST BE PLUGGED IN (Plaque)



R7-113bP

VACATE STALL WHEN CHARGING COMPLETED (Plaque)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

**R7-114L(R)**

X HR VEHICLES CHARGING ONLY (with Arrow)

UPPER LEFT SECTION

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

UPPER RIGHT SECTION


COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

* Optically space numeral.

** See Symbol section for arrow design.

LOWER SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-114a

X MIN VEHICLE CHARGING ONLY (with Schedule and Arrow)

UPPER LEFT SECTION

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN


UPPER RIGHT SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

LOWER SECTION

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

- * Reduce character spacing 50%.
- ** Optically space numerals.
- *** See Symbol section for arrow design.

**R7-114bR (L)**

X MIN VEHICLE CHARGING ONLY (with Schedule and Arrow)

UPPER LEFT SECTION

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

UPPER RIGHT SECTION

COLORS: LEGEND, BORDER — GREEN
BACKGROUND — WHITE

LOWER SECTION

COLORS: LEGEND, BORDER — GREEN
BACKGROUND — WHITE

* Reduce character spacing 50%.

** Optically space numerals.

*** See Symbol section for arrow design.




R7-200

* See Symbol section
for arrow design

COLORS: LEGEND - RED
BACKGROUND - WHITE

COLORS: LEGEND - GREEN
BACKGROUND - WHITE

**R7-200a**

NO PARKING ANY TIME (with Arrow)
 ONE HOUR PARKING (with Schedule and Arrow)

* See Symbol section
 for arrow design


COLORS: LEGEND - RED
 BACKGROUND - WHITE

COLORS: LEGEND - GREEN
 BACKGROUND - WHITE

COLORS:
LEGEND - BLACK OR RED
BACKGROUND - WHITE



R7-201P (BLK)




R7-201P (RED)

* See Symbol section
for symbol design

Tow Away Zone (Plaque/Symbol)


COLORS:
LEGEND - RED
BACKGROUND - WHITE



R7-201aP


TOW AWAY ZONE (Plaque)

COLORS:
LEGEND - RED
BACKGROUND - WHITE



R7-202P

THIS SIDE OF SIGN (Plaque)



R7-202aTP (RED)
BETWEEN SIGNS



R7-202aTP (GRN)

COLORS: LEGEND - RED OR GREEN
BACKGROUND - WHITE



R7-202bTP (GRN)
BETWEEN SIGNS



R7-202bTP (RED)

COLORS: LEGEND - GREEN OR RED
BACKGROUND - WHITE

TEXAS



R7-203
EMERGENCY SNOW ROUTE

A	B	C	D	E	F	G	H	J	K	L	M
18	24	.375	.625	9.813	2.25	2 D	1.75	3.5	2 C	3	7.685
24	30	.375	.625	12	2.75	2.5 D	2.25	4.813	2.5 C	3.187	9.591

N	P	Q	R	S
7.946	6.564	4.183	5.063	1.5
10.091	8.202	5.23	6.317	1.5

TOP COLORS: LEGEND - WHITE
BACKGROUND - RED

BOTTOM COLORS: LEGEND - RED
BACKGROUND - WHITE

**R8-1**

NO PARKING ON PAVEMENT

*Reduce spacing 50%

A	B	C	D	E	F	G	H	J	K	L	M
24	30	.375	.625	3.625	5 D	2.25	5 C	3 D	2.25	4.313	10.125
36	48	.625	.875	6	7 D	5	7 C	4 D	4	6.063	14.25
48	60	.75	1.25	7.5	9 D	6	9 C	5 D	5	7.75	18.313

N	P	Q	R
2.438	10	10.25	1.5
3.25	13.375	13.75	2.25
4.063	16.688	17.125	3

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-1bT
R8-1aT NO PARKING ON ROW

* Reduce spacing 50%

BRIDGE

R8-1aT
R8-1aT NO PARKING ON BRIDGE

TRACKS

R8-1cT
R8-1aT NO PARKING ON TRACKS

SHOULDER

R8-1dT
R8-1aT NO PARKING ON SHOULDER

A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	3.625	5D	2.25	5C	3D	2.25	1.5
36	48	.625	.875	6	7D	5	7C	4D	4	2.25
48	60	.75	1.25	7.5	9D	6	9C	5D	5	3

COLORS: LEGEND - RED
BACKGROUND - WHITE

TEXAS



R8-2
NO PARKING EXCEPT ON SHOULDER

* Reduce spacing 50%

A	B	C	D	E	F	G	H	J	K	L	M
24	30	.375	.625	3.625	5 D	2.25	5 C	3 C	2.25	4.313	10.125
36	48	.625	.875	6	7 D	5	7 C	4 C	4	6.063	14.25
48	60	.75	1.25	7.5	9 D	6	9 C	5 C	5	7.75	18.313

N	P	Q
9.188	8.563	1.5
12.25	11.5	2.25
15.313	14.25	3

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-2T
NO PARKING EXCEPT ON SHOULDER

* Reduce spacing 50%

COLORS: LEGEND - RED
BACKGROUND - WHITE


TEXAS



R8-3
NO PARKING

A	B	C	D	E	F	G	H	J
12	0.375	0.375	3	6 EM	4.875	3.875	1	1.5
18	0.375	0.625	4.5	9 EM	7.5	6	1.5	1.5
24	0.375	0.625	6	12 EM	10.5	8.5	2	1.5
30	0.5	0.75	7.5	15 EM	13	10.5	2.5	1.875
36	0.625	0.875	9	18 EM	15.75	12.75	3	2.25
48	0.75	1.25	12	24 EM	21	17	4	3

COLORS: CIRCLE & DIAGONAL - RED
 SYMBOL & BORDER - BLACK
 BACKGROUND - WHITE



R8-3a
NO PARKING

*Reduce spacing 50% for 24", 36" & 48" sizes.

**Recommend square shape for 36" and 48" sizes.

A	B	C	D	E	F	G	H	J	K	L
18	24	.375	.625	7	4 D	3	3 C	3.5	6.938	1.5
24	30	.375	.625	7.25	6 D	4.5	5 C	5.188	10.125	1.5
36	36	.625	.875	7.5	8 D	6	7 C	6.875	14.25	2.25
48	48	.75	1.25	10.5	10 D	8	9 C	8.625	18.313	3

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-3aTR
NO PARKING (with Arrow)



R8-3aTL



R8-3aTDBL


* Reduce spacing 50%

** Increase spacing 80%

*** See Symbol section
for arrow design

COLORS: LEGEND - RED
BACKGROUND - WHITE

TEXAS



R8-3bP
EXCEPT SUNDAYS AND HOLIDAYS (Plaque)

* Reduce spacing to fit

A	B	C	D	E	F	G	H
12	9	.375	.375	1.375	1.5B	.875	1.5
24	18	.375	.625	2.5	3C	2	1.5
30	24	.375	.625	4	3.5C	2.75	1.5

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-3cP
ON PAVEMENT (Plaque)

* Reduce spacing to fit

A	B	C	D	E	F	G	H
12	9	.375	.438	2.625	1.375D	1	1.5
18	12	.375	.625	3	2D	2	1.5
24	18	.375	.625	4.75	3D	2.5	1.5
30	24	.375	.625	6	4D	4	1.5

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-3dP
ON BRIDGE (Plaque)

A	B	C	D	E	F	G	H
12	9	.375	.438	2	2 D	1	1.5
18	12	.375	.625	2	3 D	2	1.5
24	18	.375	.625	3.75	4 D	2.5	1.5
30	24	.5	.75	5	5 D	4	1.875


COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-3eP
ON TRACKS (Plaque)

A	B	C	D	E	F	G	H
12	9	.375	.375	2	2C	1	1.5
24	18	.375	.625	3.5	4C	3	1.5
30	24	.375	.625	5	5C	4	1.5

COLORS: LEGEND - RED
 BACKGROUND - WHITE




R8-3fP
EXCEPT ON SHOULDER (Plaque)

* Reduce spacing to fit

A	B	C	D	E	F	G	H
12	9	.375	.375	2.375	1.5C	1.25	1.5
24	18	.375	.625	4.5	3C	3	1.5
30	24	.375	.625	6	4C	4	1.5

COLORS: LEGEND - RED
BACKGROUND - WHITE


**R8-3gP**

LOADING ZONE (Arrow) (Plaque)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M	N
12	9	.375	.375	1.5	1.5C	1.125	.375	2	1	7.75	.75	1.5
24	18	.375	.625	3	3C	2.25	.875	4	1.875	15.5	1.5	1.5
30	24	.375	.625	4	4C	3	1.375	5.375	2.25	20.5	2	1.5

COLORS: LEGEND - RED
 BACKGROUND - WHITE




R8-3hP
Times of day (Plaque)

* Reduce spacing to fit

** See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	9	.375	.375	1.5	1.5C	.875	.5	2	1.125	1	7.75	.75	1.5
24	18	.375	.625	3	3C	1.75	1.125	4	2.125	2	15.5	1.5	1.5
30	24	.375	.625	4	4C	2.25	1.625	5.375	2.75	2.5	20.5	2	1.5

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-3iTP
ON SHOULDER (Plaque)

A	B	C	D	E	F	G	H	J	K
12	9	.375	.375	2.375	1.5D	1.25	1.5C	8.554	1
24	18	.375	.625	3.5	4D	3	4C	20	1.5
30	24	.375	.625	5	5D	4	5C	26	1.5

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-3kT
NO TRUCK PARKING (Plaque) * Reduce Spacing 50%

A	B	C	D	E	F	G	H
24	30	.375	.625	3.5	6D	5C	1.5
36	48	.625	.875	6.25	9D	7C	2.25
48	60	.75	1.25	7.5	12D	9C	3

COLORS: LEGEND - RED
BACKGROUND - WHITE

TEXAS



R8-4
EMERGENCY PARKING ONLY

* Reduce spacing 50%
on 48x36.

TEXAS ►

A	B	C	D	E	F	G	H	J
30	24	.375	.625	3.5	4C	2.5	4D	1.5
36	24	.625	.875	3.5	4D	2.5	4D	1.5
48	36	.625	.875	5	6D	4	6D	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS


R8-5


NO STOPPING ON PAVEMENT

*Reduce spacing 25%.

A	B	C	D	E	F	G	H	J	K	L	M
24	30	.375	.625	3.625	5 D	2.25	5 B	3 D	2.25	4.313	10
36	48	.625	.875	6	7 D	5	7 B	4 D	4	6.063	14
48	60	.75	1.25	7.5	9 D	6	9 B	5 D	5	7.75	18

N	P	Q	R
2.438	10	10.25	1.5
3.25	13.375	13.75	2.25
4.063	16.688	17.125	3

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-6
NO STOPPING EXCEPT ON SHOULDER

*Reduce spacing 25%.

A	B	C	D	E	F	G	H	J	K	L	M
24	30	.375	.625	3.625	5 D	2.25	5 B	3 C	2.25	4.313	10
36	48	.625	.875	6	7 D	5	7 B	4 C	4	6.063	14
48	60	.75	1.25	7.5	9 D	6	9 B	5 C	5	7.75	18

N	P	Q
9.188	8.563	1.5
12.25	11.5	2.25
15.938	14.25	3

COLORS: LEGEND - RED
BACKGROUND - WHITE



R8-7
EMERGENCY STOPPING ONLY

* Reduce spacing 50%
on 48x36.

TEXAS ►

A	B	C	D	E	F	G	H	J
30	24	.375	.625	3.5	4C	2.5	4D	1.5
36	24	.375	.625	3.5	4D	2.5	4D	1.5
48	36	.625	.875	5	6D	4	6D	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R8-8
DO NOT STOP ON TRACKS

A	B	C	D	E	F	G	H	J	K	L	M	N
24	30	.375	.625	3.625	4 D	2.25	9.25	9.625	6.563	3.5	10	1.5
36	48	.625	.875	6	6 D	4	14	14.438	9.75	5.25	15	2.25
48	60	.75	1.25	7.25	8 D	4.5	18.5	19.25	13.125	7	20	3


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R8-9
TRACKS OUT OF SERVICE

A	B	C	D	E	F	G	H	J
24	.375	.625	3	4 C	8.086	7.805	8.826	1.5
36	.625	.875	4.5	6 C	12.129	11.708	13.230	2.25
48	.75	1.25	6	8 C	16.172	15.631	17.653	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



A	B	C	D	E	F	G	H	J	K	L	M
24	36	.375	.625	3	5D	2.5	3D	11.5	14.42	2.5	1.5
36	48	.625	.875	4.5	6.5D	3	4D	16	18.6	2.75	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	30	0.375	0.625	3	5 D	1.5	3 D	6.5	2	7.551	0.848	7.806	4.773
36	42	0.625	0.875	4	7 D	2.5	4 D	10	2.5	10.603	1.473	10.928	6.364
Q	R	S	T	U									
9.360	6.273	10.297	8.67	1.5									
12.639	9.280	12.728	11.56	2.25									

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R9-1


WALK ON LEFT FACING TRAFFIC



R9-2

CROSS ONLY AT CROSS WALKS

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




* See Symbol section
for symbol design


R9-3
No Pedestrians (Symbol)

A	B	C	D	E	F	G	H	J
18	.375	.625	3.5	5.5	6.375	7.875	1.5	1.5
24	.375	.625	4.5	7.5	8.5	10.5	2	1.5
30	.5	.75	5.75	9.25	10.625	13.125	2.5	1.875

COLORS: CIRCLE/DIA. - RED
LEGEND - BLACK
BACKGROUND - WHITE




R9-3a
NO PEDESTRIAN CROSSING
COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R9-3bPR
USE CROSSWALK (Arrow)


* See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R9-3cP
RIDE WITH TRAFFIC

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R9-4

No Hitchhiking (symbol)

* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J
18	.375	.625	7.875	6.375	1.5	7.75	10.5	1.5
24	.375	.625	10.5	8.5	2	5	14	1.5


COLORS: CIRCLE/DIA - RED
LEGEND - BLACK
BACKGROUND - WHITE

**R9-4a**

No Hitchhiking (symbol)

A	B	C	D	E	F	G	H	J	K	L	M
12	18	.375	.438	2.75	4.5 C	1.5	2.5 C	3.022	3.747	4.413	1.5
18	24	.375	.625	3	6 C	2	4 C	4.313	6	6.75	1.5


COLORS: LEGEND - BLACK
 BACKGROUND - WHITE



R9-5
USE PED SIGNAL (Bike symbol)

* See Symbol section
for symbol design


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R9-6
YIELD TO PEDS (Bike symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R9-7
YIELD TO PEDS (Bike symbol)

* See Symbol section
for symbol designs, positions
may be reversed as needed.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R9-8
PEDESTRIAN CROSSWALK



R9-9
SIDEWALK CLOSED


A	B	C	D	E	F	G	H	J	K
24	12	.375	.625	2.125	3 D	1.75	9.367	7.225	1.5
30	18	.625	.875	3.5	4 D	3	12.490	9.622	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



SIDEWALK CLOSED USE OTHER SIDE (Arrow)

A	B	C	D	E	F	G	H	J	K	L
24	12	.375	.625	1.75	2 C	2.250	9.967	9.014	1.6	1.5
48	24	.75	1.25	4.5	4 C	3.5	20	17.882	2	3




USE OTHER SIDE AHEAD CROSS HERE

A	B	C	D	E	F	G	H	J	K	L	M	N
24	12	.375	.625	1.75	1.5 D	.75	1.625	9.367	3.422	.680	6.284	1.5
48	36	.75	1.25	6	4 C	3	4.5	20	6.971	2	13.570	3

* See Symbol section for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


**R9-11aL**

SIDEWALK CLOSED CROSS HERE (Arrow)

**See Symbol section
for arrow design**R9-11aR**

A	B	C	D	E	F	G	H	J	K	L	M
24	12	.375	.625	1.75	2 C	2.250	9.967	8.75	7.785	1.6	1.5
48	24	.75	1.25	4.5	4 C	3.5	20	17.882	13.5	2	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R9-13
No Skaters(Symbol)

* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J
18	0.375	0.625	4.688	8.625	1.5	7.875	6.375	1.5
24	0.375	0.625	6.25	11.5	2	10.5	8.5	1.5
30	0.5	0.75	7.813	14.375	2.5	13.125	10.625	1.875

COLORS: LEGEND, BORDER — BLACK
CIRCLE, DIAGONAL — RED
BACKGROUND — WHITE




R9-14
No Equestrians (Symbol)


* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J	K
18	0.375	0.625	3.5	10	4.5	7.875	6.375	1.5	1.5
24	0.375	0.625	4.625	13.25	6.125	10.5	8.5	2	1.5
30	0.5	0.75	5.875	16.5	7.625	13.125	10.625	2.5	1.875

COLORS: LEGEND, BORDER — BLACK
CIRCLE, DIAGONAL — RED
BACKGROUND — WHITE




R10-1
CROSS ONLY ON GREEN (Green ball)



R10-2
CROSS ONLY ON PEDESTRIAN SIGNAL

COLORS: LEGEND - BLACK
CIRCLE - GREEN
BACKGROUND - WHITE

* See Symbol section
for symbol design




R10-3R

PUSH BUTTON FOR Pedestrian (Symbol)




R10-3L



* See Symbol section
for symbol design

**See Symbol section
for arrow design


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-3aL
PUSH BUTTON TO CROSS STREET WAIT FOR Pedestrian




R10-3aR




* See Symbol section
for symbol design
**See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

* See Symbol section for symbol and arrow designs





R10-3bL




R10-3bR

START CROSSING/WATCH FOR VEHICLES etc



COLORS: LEGEND
 BACKGROUND - BLACK
 HAND SYMBOL - ORANGE ON BLACK
 PEDESTRIAN SYMBOL - WHITE ON BLACK





R10-3cL

R10-3cR


START CROSSING/WATCH FOR VEHICLES etc.

* See Symbol section for arrow design




COLORS: LEGEND - BLACK
 BACKGROUND - WHITE
 WALK - WHITE ON BLACK
 DON'T WALK - ORANGE ON BLACK

* See Symbol section for symbol and arrow designs





R10-3dL



R10-3dR

START CROSSING/WATCH FOR VEHICLES etc



COLORS: LEGEND

BACKGROUND

HAND SYMBOL



PEDESTRIAN SYMBOL - WHITE ON BLACK

- BLACK


- WHITE

- ORANGE ON BLACK


- WHITE ON BLACK



* See Symbol section for symbol and arrow designs






R10-3eL





R10-3eR


START CROSSING/WATCH FOR VEHICLES etc





COLORS: LEGEND
 BACKGROUND - BLACK
 08, HAND SYMBOL - ORANGE ON BLACK
 PEDESTRIAN SYMBOL - WHITE ON BLACK




- * See Symbol section for symbol design
- ** Reduce character spacing 50%.



R10-3fL






COLORS: LEGEND
BACKGROUND
HAND SYMBOL
PEDESTRIAN SYMBOL - WHITE ON BLACK



R10-3fR

START CROSSING/WATCH FOR VEHICLES etc









COLORS: LEGEND - BLACK
BACKGROUND - WHITE
WALK - WHITE ON BLACK
DON'T WALK - ORANGE ON BLACK



- * See Symbol section for symbol designs.
- ** Reduce character spacing 50%.




R10-3hL





R10-3hR


START CROSSING/WATCH FOR VEHICLES etc



COLORS: LEGEND
 BACKGROUND - BLACK
 HAND SYMBOL - WHITE
 PEDESTRIAN SYMBOL - ORANGE ON BLACK








R10-4aL

R10-4aR
PUSH BUTTON TO CROSS STREET
WAIT FOR GREEN (Green ball)

* See Symbol section
for symbol design

**See Symbol section
for arrow design

COLORS: LEGEND - BLACK
CIRCLE - GREEN
BACKGROUND - WHITE



R10-4bL

R10-4bR
PUSH BUTTON FOR (Symbol)

* See Symbol section
for symbol design
** See Symbol section
for arrow design

COLORS: LEGEND - BLACK
SYMBOL - WHITE ON BLACK
BACKGROUND - WHITE



R10-5L
LEFT ON GREEN ARROW ONLY

* Reduce character spacing 50%




R10-5R

A	B	C	D	E	F	G	H	J
24	30	.375	.625	3.25	4C	2.5	4D	1.5
30	36	.5	.75	4.25	5C	2.5	5D	1.875
48	60	.75	1.25	6.125	8C	5.25	8D	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



A	B	C	D	E	F	G	H	J	K
24	36	0.375	0.625	4	5D	2.5	3D	8	8.188
36	48	0.625	0.875	5	7D	3	4D	19	11.451

L	M	N	P	Q	R	S	T	U
9	5.938	2.625	14.63	1.5	2.5	8.922	2.578	14
12.013	8.313	3.5	21.93	2.25	2.932	13.068	3	19

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


R10-6aR
R10-6aL
STOP HERE ON RED (Arrow)


* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	3	5D	1.5	3D	1.25	3.25
36	42	0.625	0.875	4	7D	2	4D	1.2	4.8

L	M	N	P	Q	R	S	T	U	V
0.5	1.5	3	8.188	4.875	4.875	2.625	11.88	3.25	8.5
2	2	4	11.430	6.438	6.438	5.161	16.626	5.161	12.5

W	X	Y	Z	AA	BB	CC
3.188	5.375	14.44	13.13	2.5	4	1.5
4.5	7	21.66	19.69	3.75	6	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

**R10-7**

DO NOT BLOCK INTERSECTION
(Alternate legends DRIVEWAY/CROSSING)



* Optional Text

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-8
USE LANE WITH GREEN ARROW

A	B	C	D	E	F	G	H	J	K	L	M	N
36	42	.625	.875	3.75	4.5 E	3	6.209	8.607	7.416	10.674	11.708	2.25
60	72	.75	1.25	6	8 E	5	11.04	15.304	13.186	18.98	20.817	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


**R10-9T**

PROTECTED LEFT ON GREEN ARROW

A	B	C	D	E	F	G	H
18	12	.375	.438	2	2C	1	1.5
36	24	.375	.625	4	4C	2	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R10-10L
LEFT/RIGHT TURN SIGNAL

RIGHT

R10-10R

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


**R10-11**

NO TURN ON RED (Red ball symbol)

A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	2.75	5 E	2	4 D	1.5	6	4.681
36	48	.625	.875	4.75	8 E	3.5	6 D	1.5	10	7.491

M	N	P
6.41	9.299	1.5
9.616	13.950	2.25


COLORS: SYMBOL - RED
 LEGEND - BLACK
 BACKGROUND - WHITE



R10-11a
NO TURN ON RED


A	B	C	D	E	F	G	H	J	K
30	36	.5	.75	4.5	6E	2.5	4.5D	4.5	1.875
36	48	.625	.875	6	8E	3.5	6D	5.5	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-11b
NO TURN ON RED

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-11c
NO TURN ON RED EXCEPT FROM RIGHT LANE

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R10-11d
NO TURN ON RED FROM THIS LANE (Arrow)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R10-11T
NO RIGHT TURN ON RED

A	B	C	D	E	F	G	H	J	K
24	30	.375	.625	3.25	5E	2.25	4D	3	1.5
36	48	.625	.875	6	8E	3.5	6D	5.5	2.25


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R10-12
LEFT TURN YIELD ON GREEN (Green ball symbol)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE
SYMBOL - GREEN



R10-13
EMERGENCY SIGNAL

	A	B	C	D	E	F	G	H	J
TEXAS ▶	24	18	.375	.625	4.5	2.5D	3.5	3D	1.5
	36	24	.375	.625	5.625	4.75C	3.25	4.75C	1.5
TEXAS ▶	42	30	.5	.75	7.125	5.5C	4.25	6C	1.875



R10-14T
EMERGENCY SIGNAL / STOP WHEN FLASHING RED


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R10-14aT

TEXAS




R10-14b

- * Increase character spacing 20%.
- ** Increase character spacing 25%.
- *** See Symbol section for arrow design

A	B	C	D	E	F	G	H	J	K	L	M	N
24	36	0.375	0.625	2.75	5 D	2	3 D	3 D	4 D*	1.25	8.922	2.078
36	48	0.625	0.875	3.75	7 D	2.5	4 D**	4 D	6 D*	1.375	11.608	2.767

P	Q	R	S	T	U	V	W	X	Y	Z
14.625	7	30°	7.806	8.689	0.856	3	4.834	9.201	4.779	1.5
19	9.25	30°	10.928	11.987	1.321	4	6.665	12.268	7.169	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-15L


R10-15R
TURNING VEH YIELD TO PED (Symbols)

* See Symbol section
for symbol design

**See Symbol section
for arrow design

COLORS: LEGEND - BLACK
BACKGROUND - YELLOW


COLORS: LEGEND - BLACK
SYMBOL - RED
BACKGROUND - WHITE



R10-16

U-TURN YIELD TO RIGHT TURN

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


**R10-17T**

LEFT TURN YIELD ON FLASHING YELLOW ARROW

A	B	C	D	E	F	G	H	J
30	30	.50	.75	3	3C	2	4D	1.875
36	42	.625	.875	4	4C	3	6D	2.25


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R10-17a
RIGHT ON RED ARROW AFTER STOP

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R10-18a

PHOTO ENFORCED (Signal head symbol)


A	B	C	D	E	F	G	H	J	K	L	M
30	42	.5	.75	3	1.25	6	2.5	4C	2	3.5	1.875
36	54	.625	.875	4.25	1.75	7.5	3.25	5C	2.5	4.5	2.25

COLORS: LEGEND - BLACK
 CIRCLE - RED, YELLOW & GREEN
 BACKGROUND - WHITE




**R10-20aP
(2 LINES)**

(2 Lines) Sunday (and Times)(Plaque)



**R10-20aP
(3 LINES)**


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-22
TO REQUEST GREEN WAIT ON (Bike symbol)


* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-23

COLORS: LEGEND - BLACK
CIRCLE - RED
BACKGROUND - WHITE




R10-24

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R10-25

* See Symbol section
for symbol design

PUSH BUTTON TO TURN ON WARNING LIGHTS (Symbol)



R10-26L
PUSH BUTTON FOR GREEN LIGHT (Symbols/Arrow)

* See Symbol section for symbol design


**See Symbol section for arrow design



R10-26R

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R10-27
LEFT TURN YIELD ON FLASHING RED ARROW AFTER STOP

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R10-28
ONE VEHICLE PER GREEN

COLORS: LEGEND - BLACK
 BACKGROUND - WHITE


TEXAS



R10-29
1 VEH PER GREEN EACH LANE


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R10-30
RIGHT TURN ON RED MUST YIELD TO U TURN


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R10-31P
AT SIGNAL (Plaque)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R10-32P

PUSH BUTTON FOR 2 SECONDS FOR EXTRA CROSSING TIME (Plaque)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R11-1
KEEP OFF MEDIAN

*Increase spacing 50%.

**Reduce spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	30	.375	.625	4.25	5 C	3.25	6.75	7.5	4.813	5.938	9.375	1.5
36	48	.625	.875	6.75	8 C	5.25	10.813	12	8.25	8.875	15	2.25
48	60	.75	1.25	8.5	10 C	6.5	13.5	15	9.625	11.875	18.75	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R11-2
ROAD CLOSED

ROAD CLOSED

Alternate 1st line legend

BRIDGE

R11-2aT
BRIDGE CLOSED

RAMP


R11-2bT
RAMP CLOSED

STREET

R11-2cT
STREET RAMP CLOSED


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R11-3a

ROAD CLOSED 10 MILES AHEAD LOCAL TRAFFIC ONLY



R11-3b

BRIDGE OUT 10 MILES AHEAD LOCAL TRAFFIC ONLY

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R11-4

ROAD CLOSED TO THRU TRAFFIC


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R11-5aT
 (FOLDING SIGN)
 HIGH WATER ROAD CLOSED (Folding Sign)

COLORS: LEGEND - BLACK
 BACKGROUND - YELLOW
 LEGEND - BLACK
 BACKGROUND - WHITE

TEXAS



R11-5bT
HIGH WATER ROAD CLOSED WHEN FLASHING

COLORS: LEGEND - BLACK
BACKGROUND - YELLOW
LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R12-1
WEIGHT LIMIT

*Optically space numerals about centerline.

A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	3	4 D	1.75	2.125	5 E	5D	9
36	48	.625	.875	4.75	6 D	3	3.75	8 E	8 D	13.5

M	N	P	Q
9.5	6.313	8.25	1.5
14.25	9.438	13.25	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R12-1T
WEIGHT LIMIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R12-2
WEIGHT LIMIT

*Reduce spacing 50%.


A	B	C	D	E	F	G	H	J	K	L
24	30	.375	.625	3.25	4 D	2	2.5	5 D	6.875	9
36	48	.625	.875	5.25	6 D	3.5	4.5	8 D	10.313	13.5

M	N	P	Q
9.5	6.313	10	1.5
14.25	9.438	15	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R12-2bT
WEIGHT LIMIT




R12-2cT
WEIGHT LIMIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R12-3
NO TRUCKS OVER 7000 LBS EMPTY WT



R12-4
WEIGHT LIMIT

* Reduced spacing


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R12-4aT
WEIGHT LIMIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R12-4bT
WEIGHT LIMIT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R12-4cT
WEIGHT LIMIT


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



* Alternate Text: LOAD ZONED ROAD

R12-6aT
WEIGHT LIMIT






* Alternate Text: LOAD ZONED BRIDGE

R12-6bT
WEIGHT LIMIT


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R12-8cT
WEIGHT LIMIT




R12-8dT
WEIGHT LIMIT


* Reduced spacing 75%
 ** Variable legend
 "X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND - BLACK
 BACKGROUND - WHITE

TEXAS



R12-8eT
WEIGHT LIMIT




R12-8fT
WEIGHT LIMIT


- * Reduced spacing 75%
- ** Variable legend
- "X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R12-8gT
WEIGHT LIMIT





R12-8hT
WEIGHT LIMIT

* Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS




* Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R12-8kT
WEIGHT LIMIT



R12-8mT
WEIGHT LIMIT


* Reduced spacing 75%

** Variable legend


"X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R12-8nT
EMERGENCY VEHICLE WEIGHT LIMIT



For advance sign, add warning
sign plaque W16-3aP (54x12)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R12-9T
WIDTH LIMIT 8 FEET

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R12-9aT
WIDTH LIMIT 8 FT 6 IN

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS


**R13-1T**

ALL COMMERCIAL VEH & BUSES NEXT RIGHT WHEN FLASHING

A	B	C	D	E	F	G	H	J	K	L	M	N
96	48	.75	1.25	5.25	6E	4.5	3	16.79	6	16.54	39.33	41.45
156	78	.75	1.5	7.75	10E	.75	6	28.81	10	29.16	67.97	69.09
O	P	Q	R	S	T	U	V	W	X	Y	Z	aa
1.99	4.01	5.2	6	28.23	22.36	4.65	1.35	25.66	24.27	6	6.89	37.16
1.82	6.68	8.67	8.5	47.06	37.26	7.26	2.26	42.76	40.45	10	11.48	61.93

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R13-1TPR
ALL TRUCKS NEXT RIGHT




R13-1TPL
ALL TRUCKS NEXT LEFT

A	B	C	D	E	F	G	H
72	30	.75	1.25	6	7D	4	3
144	48	.75	1.25	10	10E	8	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



**R13-1aT
(Folding Sign)**

ALL TRUCKS MUST STOP AHEAD


See Appendix
for folding sign
hinge details.



REVERSE SIDE WHEN FOLDED UP
STATION CLOSED

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R13-1bT
(Folding Sign)

See Appendix
for folding sign
hinge details.

TRUCKS-BUSES MUST STOP AHEAD



REVERSE SIDE WHEN FOLDED UP

STATION CLOSED

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**R13-1cT**

* Reduced spacing to 75%

ALL TRUCKS NEXT RIGHT WHEN FLASHING

A	B	C	D	E	F	G	H
48	48	.75	1.25	7	5.5D*	4	12.848
78	60	.75	1.25	6.5	8D	5	19.438

J	K	L	M	N	P
3	26.168	16.35	18.972	18.068	32.614
8	40.126	24.875	29.377	27.5	50.19


COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R13-2T

ALL VEHICLES MUST STOP AHEAD WHEN FLASHING




R13-3T

USE LOW BEAMS

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R13-7T

LIVESTOCK POULTRY - EXOTICS INSPECTION STATION NEXT RIGHT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




Reverse side
when folded up

R13-7aTP
(Folding Plaque)
OPEN STATION

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R14-1
TRUCK ROUTE

* Reduce spacing 20%.

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R14-2
Hazardous Material

NOTE:


For large guide signs, a 36x36 plaque should be used above the parent sign.

A	B	C	D	E	F	G	H
24	0.375	0.625	7.5	9C	8	10	1.5
30	0.5	0.75	10	10C	10	12.5	1.875
36	0.625	0.875	12	12C	12	15	2.25
42	0.625	0.875	14	14C	14	17.5	2.25
48	0.75	1.25	15	18C	17	21	3

TEXAS ►

COLORS: CIRCLE - GREEN
LETTER, BORDER - BLACK
BACKGROUND - WHITE

TEXAS



R14-3
No Hazardous Material

NOTE:


For large guide signs, a 36x36 plaque should be used above the parent sign.

A	B	C	D	E	F	G	H	J
24	0.375	0.625	7.5	9C	8	10	2	1.5
30	0.5	0.75	10	10C	10	12.5	2.5	1.875
36	0.625	0.875	12	12C	12	15	3	2.25
42	0.625	0.875	14	14C	14	17.5	3.5	2.25
48	0.75	1.25	15	18C	17	21	3	3

TEXAS ►

COLORS: CIRCLE & DIAGONAL - RED
LETTER, BORDER - BLACK
BACKGROUND - WHITE

TEXAS



R14-6T


(HM) MUST FOLLOW (Route shields)

COLORS: LEGEND - BLACK

BACKGROUND - WHITE

SHIELDS - SEE SECTION 3- SMALL GUIDE SIGN DETAILS


TEXAS



R15-1
RAILROAD CROSSING

A	B	C	D	E	F	G	H	J
24*	4.5	.875	2.75D	9	8.5	.5	.25	.75
48	9	1.75	5.5D	18	17	1	.5	1.5

* For bicycle only




R15-2P
3 TRACKS


A	B	C	D	E	F	G
13.5	9	.875	2.75D	1.25	2D	4.5
27	18	1.75	5.5D	2.5	4D	9

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R15-3P
EXEMPT (Plaque)




R15-4
REPORT PROBLEMS TO (Phone number) CROSSING

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R15-4a
LIGHT RAIL ONLY RIGHT LANE

* See Symbol section
for symbol design



R15-4b
LIGHT RAIL ONLY LEFT LANE



R15-4c
LIGHT RAIL ONLY CENTER LANE

** Reduce spacing to fit.

TOP: LEGEND - WHITE
BACKGROUND - BLACK
BOTTOM: SYMBOL, LEGEND - BLACK
BACKGROUND - WHITE




R15-5

LIGHT RAIL DO NOT PASS

* See Symbol section
for symbol designs


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



COLORS:
LEGEND - BLACK
BACKGROUND - WHITE

R15-5a

R15-5a DO NOT PASS STOPPED TRAIN



R15-6

No Motor Vehicles On Tracks (Symbol)


* See Symbol section
for symbol designs

COLORS: CIRCLE & DIAGONAL - RED
SYMBOL & BORDER - BLACK
BACKGROUND - WHITE



R15-6a
DO NOT DRIVE ON TRACKS


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R15-7
Light Rail Divided Highway (Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R15-7a

Light Rail Divided Highway (T-Intersection) (Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


**R15-8**

LOOK (Arrow)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
18	9	.375	.375	3	2.525	2F	1.475	7	1.125	4.559	1
36	18	.625	.875	6	3.75	4F	4.25	14	2	8.906	2.25
48	24	.75	1.25	8	5.25	5F	5.75	18	2.5	11.128	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

**R16-4**


FENDER BENDER MOVE VEH FROM TRAVEL LANE

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
36	24	0.375	0.625	3	3D	1.875	3	3C	2.25	4.25	15.5	7.875	2	1.5
48	36	0.625	0.875	4.75	4D	3.125	5	4C	3.375	6.875	23.25	11.88	3	2.25
60	48	0.75	1.25	6	5D	4.75	7.5	5C	3.75	9.75	31	15.75	3	3

COLORS: LEGEND - BLACK
 BACKGROUND - YELLOW

COLORS: LEGEND - BLACK
 BACKGROUND - WHITE

TEXAS




R19-1T

STOP FOR SCHOOL BUS LOADING OR UNLOADING

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R19-3T

DAMAGING TREES OR PLANTS ON HIGHWAYS PROHIBITED BY LAW

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**R19-3aT**

RESTRICTED ACTIVITY AREA (with Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
CIRCLE/DIA - RED
BACKGROUND - WHITE

TEXAS



* See Symbol section
for symbol design

R19-3bT

RESTRICTED ROW ACTIVITY CALL XXX-XXX (with Symbol)

COLORS: LEGEND - BLACK
CIRCLE/DIA - RED
BACKGROUND - WHITE

TEXAS

UNLAWFUL TO WRITE ON MAR OR DEFACE THE PROPERTY IN THIS AREA

TEXAS



R19-5T
NO DUMPING ALLOWED

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R19-6T

LITTERING PROHIBITED \$ FINE STATE LAW



R19-6aT

R19-6aT Don't Mess With Texas UP TO \$2000 FINE FOR LITTERING

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**R19-6bT**

R19-6bT PROHIBITED ELECTRONIC MESSAGING WHILE DRIVING STATE LAW-UP TO \$200 FINE

A	B	C	D	E	F	G	H	J	K	L	M
54	48	.75	1.25	3	22.5	4.125	6D	2	3	5C	3
72	60	.75	1.25	3	30.1	3.375	8D	2	3.5	7C	5

N	O	P	Q	R	S
3.5	3C	16.2	15.4	21.1	24
3.5	4C	22.7	21.6	29.6	32.2

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**R19-6cT**

FIREWORKS PROHIBITED IN REST AREA BY COUNTY COURT ORDER

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R19-7T
NO FISHING FROM BRIDGE

A	B	C	D	E	F	G	H	J	K
24	30	.375	.625	3.5	4D	2.25	4C	3.75	1.5
48	60	.75	1.25	6.5	8D	5	8C	6.5	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R19-8T
FASTEN SAFETY BELTS STATE LAW

A	B	C	D	E	F	G	H	J
30	.5	.75	3.5	4D	3	2.5	2.5D	1.875
48	.75	1.25	7	6E	4	4	4E	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




R19-8aT

Fasten Safety Belts State Law (Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R19-10aT
(Folding Sign)
 BURN BAN IN EFFECT

See Appendix
 for folding sign
 hinge details.

COLORS: BORDER - BLACK
 LEGEND - RED
 BACKGROUND - WHITE

TEXAS




R19-10bT
(Folding Sign)
 COUNTY BURN BAN IN EFFECT


See Appendix
 for folding sign
 hinge details.

COLORS: BORDER - BLACK
 LEGEND - RED
 BACKGROUND - WHITE

TEXAS




R19-11T
NON-MOW AREA



R20-1TP
NEXT X MILES (Plaque)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R20-4TP
X MILES AHEAD (Plaque)

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS



R23-1T
KEEP OUT (with Symbol)

* See Symbol section
for symbol design


COLORS: CIRCLE & DIAGONAL - RED
LEGEND & SYMBOL - BLACK
BACKGROUND - WHITE



R23-1aT
NO TRESPASSING CONSTRUCTION PERSONNEL ONLY

TEXAS

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



R24-1T

SOURCE WATER PROTECTION AREA FOR
INFORMATION CONTACT LOCAL WATER XXXX

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



* See Symbol section
for symbol design

COLORS: CIRCLE & DIAGONAL - RED
SYMBOL - BLACK
BACKGROUND - WHITE

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



R25-2T

WARNING ILLEGAL TO CARRY FIREARMS -
AMMUNITION INTO MEXICO PENALTY-PRISON

COLORS: AS SHOWN

TEXAS



R25-2aT

COLORS: AS SHOWN

TEXAS