


# Standard Highway Sign Designs for Texas




**Drawings may not be drawn to scale.  
Do not photocopy for manufacturing.**

(This page left intentionally blank)



| A  | B    | C    | D      | E    | F     | G      | H    | J     | K     | L     | M     | N     |
|----|------|------|--------|------|-------|--------|------|-------|-------|-------|-------|-------|
| 18 | .375 | .625 | 7.25   | 2.25 | 2.625 | 5.875  | 3.75 | 1.875 | 1     | .625  | 2.5   | 1.5   |
| 24 | .375 | .625 | 9.625  | 3    | 3.5   | 7.75   | 5    | 2.5   | 1.5   | .813  | 3.25  | 1.5   |
| 30 | .5   | .75  | 12     | 3.75 | 4.375 | 9.688  | 6.25 | 3     | 1.875 | 1     | 4.063 | 1.875 |
| 36 | .625 | .875 | 14.375 | 4.5  | 5.25  | 11.625 | 7.5  | 3.625 | 2.25  | 1.25  | 4.875 | 2.25  |
| 48 | .75  | 1.25 | 19.188 | 6    | 7     | 15.5   | 10   | 4.875 | 3     | 1.625 | 6.5   | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W1-1aL**


**W1-1aR**

Turn With Speed Advisory

| A  | B    | C    | D      | E     | F     | G   | H     |
|----|------|------|--------|-------|-------|-----|-------|
| 36 | .625 | .875 | 13.33  | 6.645 | 2.922 | 7 E | 5.444 |
| 48 | .75  | 1.25 | 18.654 | 9.327 | 5.043 | 9 E | 7.605 |

| J | K     | L      | M     | N     | P     | Q | R    |
|---|-------|--------|-------|-------|-------|---|------|
| 5 | 9.927 | 9.123  | 1.321 | 4     | 4.123 | 5 | 2.25 |
| 7 | 14.05 | 12.844 | 1.801 | 5.604 | 5.844 | 7 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




\* See Symbol section for arrow design

\*\* Optically position numerals.

| A  | Q | R   |
|----|---|-----|
| 36 | 3 | 7 E |
| 48 | 5 | 9 E |


| A  | B    | C    | D      | E      | F  | G     | H     | J     | K     | L     | M     | N      | P     |
|----|------|------|--------|--------|----|-------|-------|-------|-------|-------|-------|--------|-------|
| 18 | .375 | .625 | 5.405  | 5.144  | 6  | 4.687 | 3.375 | 1.75  | 1.312 | 2.06  | 2.625 | 6.187  | 1.5   |
| 24 | .375 | .625 | 7.094  | 7.25   | 8  | 6.25  | 4.5   | 2.344 | 1.75  | 2.75  | 3.5   | 8.25   | 1.5   |
| 30 | .5   | .75  | 8.875  | 9.063  | 10 | 7.813 | 5.625 | 2.938 | 2.188 | 3.438 | 4.375 | 10.313 | 1.875 |
| 36 | .625 | .875 | 10.625 | 10.875 | 12 | 9.375 | 6.75  | 3.5   | 2.625 | 4.125 | 5.25  | 12.375 | 2.25  |
| 48 | .75  | 1.25 | 14.188 | 14.5   | 16 | 12.5  | 9     | 4.688 | 3.5   | 5.5   | 7     | 16.5   | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



| A  | B    | C    | D      | E     | F     | G     | H     | J    | K      | L     | M     |
|----|------|------|--------|-------|-------|-------|-------|------|--------|-------|-------|
| 18 | .375 | .625 | 8.719  | 2.109 | 2.625 | .625  | 1.812 | 2.25 | 6.234  | .828  | 1.5   |
| 24 | .375 | .625 | 11.594 | 2.813 | 3.5   | .813  | 2.5   | 3    | 8.313  | 1.094 | 1.5   |
| 30 | .5   | .75  | 14.5   | 3.5   | 4.375 | 1     | 3     | 3.75 | 10.375 | 1.375 | 1.875 |
| 36 | .625 | .875 | 17.438 | 4.219 | 5.25  | 1.25  | 3.625 | 4.5  | 12.469 | 1.656 | 2.25  |
| 48 | .75  | 1.25 | 23.188 | 5.625 | 7     | 1.625 | 4.875 | 6    | 16.625 | 2.188 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* See Symbol section  
for arrow design


**W1-4L**

**W1-4R**  
Reverse Curve

| A  | B    | C    | D     | E     | F     | G    | H     | J      | K      | L     | M     |
|----|------|------|-------|-------|-------|------|-------|--------|--------|-------|-------|
| 18 | .375 | .625 | 2.375 | 1     | 3.875 | .25  | 2.625 | 8.625  | 6.25   | 4     | 2.625 |
| 24 | .375 | .625 | 3.156 | 1.5   | 5     | .313 | 3.5   | 11.25  | 8.25   | 5.25  | 3.5   |
| 30 | .5   | .75  | 3.938 | 1.875 | 6.25  | .375 | 4.375 | 14.063 | 10.625 | 6.563 | 4.375 |
| 36 | .625 | .875 | 4.719 | 2.25  | 7.5   | .469 | 5.25  | 16.875 | 12.375 | 7.875 | 5.25  |
| 48 | .75  | 1.25 | 6.313 | 3     | 10    | .625 | 7     | 22.5   | 16.5   | 10.5  | 7     |

| N     | P     | Q     |
|-------|-------|-------|
| .875  | 2     | 1.5   |
| 1.125 | 2.625 | 1.5   |
| 1.406 | 3.281 | 1.875 |
| 1.688 | 3.938 | 2.25  |
| 2.25  | 5.25  | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



| A  | B    | C    | D     | E      | F    | G     | H     | J     | K     | L      | M     |
|----|------|------|-------|--------|------|-------|-------|-------|-------|--------|-------|
| 18 | .375 | .625 | 1     | 9.625  | .375 | 2.5   | .625  | 3     | 1     | 4      | 4     |
| 24 | .375 | .625 | 1.25  | 12.75  | .5   | 3.25  | .875  | 4.125 | 1.25  | 5.188  | 5.25  |
| 30 | .5   | .75  | 1.563 | 15.938 | .625 | 4.063 | 1.094 | 5.156 | 1.563 | 6.484  | 9.563 |
| 36 | .625 | .875 | 1.875 | 19.125 | .75  | 4.875 | 1.313 | 6.188 | 1.875 | 7.781  | 7.875 |
| 48 | .75  | 1.25 | 2.5   | 25.5   | 1    | 6.5   | 1.75  | 8.25  | 2.5   | 10.375 | 10.5  |

| N      | P    | Q     | R     | S     |
|--------|------|-------|-------|-------|
| 8.625  | .25  | 2     | 1.25  | 1.5   |
| 11.375 | .25  | 2.5   | 1.598 | 1.5   |
| 14.219 | .313 | 3.125 | 2     | 1.875 |
| 17.063 | .375 | 3.75  | 2.406 | 2.25  |
| 22.75  | .5   | 5     | 3.188 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W1-6R**  
Large Arrow - Single Head




**W1-6L**

\* See Symbol section  
for arrow design

| A  | B  | C    | D    | E      | F    | G     |
|----|----|------|------|--------|------|-------|
| 24 | 12 | .375 | .625 | 9.625  | 3.25 | 1.5   |
| 36 | 18 | .375 | .625 | 14.625 | 5    | 1.5   |
| 48 | 24 | .5   | .75  | 19.5   | 6.5  | 1.875 |
| 60 | 30 | .625 | .875 | 24.375 | 8    | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW





**W1-7**

Large Arrow - Double Head

\* See Symbol section  
for arrow design

| A  | B  | C    | D    | E      | F    | G     |
|----|----|------|------|--------|------|-------|
| 24 | 12 | .375 | .625 | 10.375 | 3.25 | 1.5   |
| 36 | 18 | .375 | .625 | 15.625 | 5    | 1.5   |
| 48 | 24 | .5   | .75  | 20.5   | 6.5  | 1.875 |
| 60 | 30 | .625 | .875 | 25.375 | 8    | 2.25  |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W1-7T**  
Chevron/Two-Direction Large Arrow



COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




| A  | B  | C  | D  | E     | F     |
|----|----|----|----|-------|-------|
| 12 | 18 | 6  | 9  | .5    | 1.5   |
| 18 | 24 | 9  | 12 | .75   | 1.5   |
| 24 | 30 | 12 | 15 | .875  | 1.5   |
| 30 | 36 | 15 | 18 | 1     | 1.875 |
| 36 | 48 | 18 | 24 | 1.125 | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



### W1-9TL


Chevron/One Direction Large Arrow




### W1-9TR

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




| A  | B     | C     | D      | E      | F  | G     | H    | J     | K     | L     | M    | N      | P     |
|----|-------|-------|--------|--------|----|-------|------|-------|-------|-------|------|--------|-------|
| 36 | 0.625 | 0.875 | 10.625 | 10.875 | 12 | 9.375 | 6.75 | 3.5   | 2.625 | 4.125 | 5.25 | 12.375 | 5.5   |
| 48 | 0.75  | 1.25  | 14.167 | 14.5   | 16 | 12.5  | 9    | 4.667 | 3.5   | 5.5   | 7    | 16.5   | 7.333 |

| Q     | R | S | T    | U     |
|-------|---|---|------|-------|
| 3.875 | 3 | 6 | 2.25 | 1.875 |
| 5.167 | 4 | 8 | 3    | 2.5   |

COLORS: LEGEND, BORDER - BLACK  
BACKGROUND - YELLOW



**W1-10bL**


**W1-10bR**

Combination Horizontal Arrow (Curve)/Skewed Side Road

| A  | B     | C     | D      | E      | F  | G     | H    | J     | K     | L     | M    | N      | P    |
|----|-------|-------|--------|--------|----|-------|------|-------|-------|-------|------|--------|------|
| 36 | 0.625 | 0.875 | 10.625 | 10.875 | 12 | 9.375 | 6.75 | 3.5   | 2.625 | 4.125 | 5.25 | 12.375 | 2.25 |
| 48 | 0.75  | 1.25  | 14.167 | 14.5   | 16 | 12.5  | 9    | 4.667 | 3.5   | 5.5   | 7    | 16.5   | 3    |

| Q      | R | S     |
|--------|---|-------|
| 14.625 | 3 | 6.375 |
| 19.5   | 4 | 8.5   |

COLORS: LEGEND, BORDER - BLACK  
BACKGROUND - YELLOW



**W1-10cL**

**W1-10cR**


Combination Horizontal Arrow (Curve)/Fork Road

| A  | B     | C     | D      | E      | F  | G     | H    | J     | K     | L     | M    | N      | P      |
|----|-------|-------|--------|--------|----|-------|------|-------|-------|-------|------|--------|--------|
| 36 | 0.625 | 0.875 | 10.625 | 10.875 | 12 | 9.375 | 6.75 | 3.5   | 2.625 | 4.125 | 5.25 | 12.375 | 7.75   |
| 48 | 0.75  | 1.25  | 14.167 | 14.5   | 16 | 12.5  | 9    | 4.667 | 3.5   | 5.5   | 7    | 16.5   | 10.333 |

| Q    | R | S      |
|------|---|--------|
| 2.25 | 3 | 19.431 |
| 3    | 4 | 25.908 |

COLORS: LEGEND, BORDER - BLACK  
BACKGROUND - YELLOW



\* See Symbol section  
for arrow design

**W1-10dL**


**W1-10dR**

Combination Horizontal Arrow (Reverse Curve)/Side Road

| A  | B     | C     | D     | E    | F   | G   | H    | J      | K      | L     | M    | N     | P     |
|----|-------|-------|-------|------|-----|-----|------|--------|--------|-------|------|-------|-------|
| 36 | 0.625 | 0.875 | 4.875 | 2.25 | 7.5 | 90° | 5.25 | 16.875 | 12.375 | 7.875 | 5.25 | 1.688 | 3.938 |
| 48 | 0.75  | 1.25  | 6.5   | 3    | 10  | 90° | 7    | 22.5   | 16.5   | 10.5  | 7    | 2.25  | 5.25  |

| Q    | R | S     | T    |
|------|---|-------|------|
| 8.25 | 3 | 5.757 | 2.25 |
| 11   | 4 | 7.676 | 3    |

COLORS: LEGEND, BORDER - BLACK  
BACKGROUND - YELLOW



**W1-10eL**

**W1-10eR**


Combination Horizontal Arrow (Reverse Curve)/Cross Road

| A  | B     | C     | D     | E    | F   | G   | H    | J      | K      | L     | M    | N     | P     |
|----|-------|-------|-------|------|-----|-----|------|--------|--------|-------|------|-------|-------|
| 36 | 0.625 | 0.875 | 4.875 | 2.25 | 7.5 | 90° | 5.25 | 16.875 | 12.375 | 7.875 | 5.25 | 1.688 | 3.938 |
| 48 | 0.75  | 1.25  | 6.5   | 3    | 10  | 90° | 7    | 22.5   | 16.5   | 10.5  | 7    | 2.25  | 5.25  |

| Q    | R | S     | T    | U     | V      |
|------|---|-------|------|-------|--------|
| 8.25 | 3 | 5.757 | 2.25 | 3.981 | 10.75  |
| 11   | 4 | 7.676 | 3    | 5.308 | 14.333 |

COLORS: LEGEND, BORDER - BLACK  
BACKGROUND - YELLOW




**W1-11L**

**W1-11R**  
Hairpin Curve

| A  | B    | C    | D      | E     | F      | G      | H     | J     |
|----|------|------|--------|-------|--------|--------|-------|-------|
| 30 | .5   | .75  | 9.407  | 5.804 | 7.365  | 7.845  | 3.603 | 1.875 |
| 36 | .625 | .875 | 11.288 | 6.965 | 8.846  | 9.407  | 4.323 | 2.25  |
| 48 | .75  | 1.25 | 15.051 | 9.287 | 11.768 | 12.569 | 5.764 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W1-11T**  
CURVE BLOCKS VIEW

| A  | B    | C    | D  | E   | F    | G     |
|----|------|------|----|-----|------|-------|
| 30 | .5   | .75  | 5D | 2.5 | 12.5 | 1.875 |
| 36 | .625 | .875 | 6D | 3   | 15.5 | 2.25  |
| 48 | .75  | 1.25 | 8D | 4   | 20.5 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W1-11TP**  
CURVE BLOCKS VIEW (Plaque)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



| A  | B    | C    | D      | E      | F    |
|----|------|------|--------|--------|------|
| 36 | .625 | .875 | 14.651 | 10.891 | 2.25 |
| 48 | .75  | 1.25 | 19.534 | 14.52  | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



| A  | B    | C    | D      | E      | F      | G      | H     | J     | K      | L      | M      |
|----|------|------|--------|--------|--------|--------|-------|-------|--------|--------|--------|
| 30 | .5   | .75  | 9.287  | 10.167 | 8.606  | 10.327 | 1.875 | 3.202 | 8.406  | 9.447  | 8.966  |
| 36 | .625 | .875 | 11.128 | 12.209 | 10.327 | 12.409 | 2.25  | 3.842 | 10.087 | 11.328 | 10.768 |
| 48 | .75  | 1.25 | 14.851 | 16.252 | 13.770 | 16.532 | 3     | 5.123 | 13.450 | 15.131 | 14.330 |

| N      | P      | Q      | R     | S      |
|--------|--------|--------|-------|--------|
| 8.366  | 8.966  | 9.447  | 5.284 | 8.486  |
| 10.047 | 10.768 | 11.328 | 6.324 | 10.167 |
| 13.370 | 14.330 | 15.131 | 8.446 | 13.570 |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W2-1**  
Crossroad

| A  | B    | C    | D  | E | F     |
|----|------|------|----|---|-------|
| 18 | .375 | .625 | 6  | 3 | 1.5   |
| 24 | .375 | .625 | 8  | 4 | 1.5   |
| 30 | .5   | .75  | 10 | 5 | 1.875 |
| 36 | .625 | .875 | 12 | 6 | 2.25  |
| 48 | .75  | 1.25 | 16 | 8 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W2-1aT**  
HIGHWAY INTERSECTION AHEAD

**\*1000 FT   \*500 FT   \*1500 FT**


COLORS: LEGEND   - BLACK  
BACKGROUND - YELLOW

**TEXAS**




| A  | B    | C    | D  | E | F     |
|----|------|------|----|---|-------|
| 18 | .375 | .625 | 6  | 3 | 1.5   |
| 24 | .375 | .625 | 8  | 4 | 1.5   |
| 30 | .5   | .75  | 10 | 5 | 1.875 |
| 36 | .625 | .875 | 12 | 6 | 2.25  |
| 48 | .75  | 1.25 | 16 | 8 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



| A  | B    | C    | D      | E | F    | G     | H    | J    | K     |
|----|------|------|--------|---|------|-------|------|------|-------|
| 18 | .375 | .625 | 5      | 3 | 7.75 | .375  | .75  | 2.25 | 1.5   |
| 24 | .375 | .625 | 6.656  | 4 | 10   | .563  | 1    | 3    | 1.5   |
| 30 | .5   | .75  | 8.313  | 5 | 12.5 | .688  | 1.25 | 3.75 | 1.875 |
| 36 | .625 | .875 | 10     | 6 | 15   | .844  | 1.5  | 4.5  | 2.25  |
| 48 | .75  | 1.25 | 13.313 | 8 | 20   | 1.125 | 2    | 6    | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W2-4**  
"T" Intersection

| A  | B    | C    | D | E     | F     | G      | H     |
|----|------|------|---|-------|-------|--------|-------|
| 18 | .375 | .625 | 3 | 1.25  | 8.375 | 6.375  | 1.5   |
| 24 | .375 | .625 | 4 | 1.5   | 11    | 8.5    | 1.5   |
| 30 | .5   | .75  | 5 | 1.875 | 13.75 | 10.625 | 1.875 |
| 36 | .625 | .875 | 6 | 2.25  | 16.5  | 12.75  | 2.25  |
| 48 | .75  | 1.25 | 8 | 3     | 22    | 17     | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W2-5**  
"Y" Intersection

| A  | B    | C    | D      | E     | F      | G | H     |
|----|------|------|--------|-------|--------|---|-------|
| 18 | .375 | .625 | 4.5    | 1.75  | 6.75   | 3 | 1.5   |
| 24 | .375 | .625 | 5.906  | 2.406 | 9.094  | 4 | 1.5   |
| 30 | .5   | .75  | 7.375  | 3     | 11.375 | 5 | 1.875 |
| 36 | .625 | .875 | 8.844  | 3.594 | 13.656 | 6 | 2.25  |
| 48 | .75  | 1.25 | 11.813 | 4.813 | 18.188 | 8 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W2-6**  
Roundabout

| A  | B    | C    | D      | E      | F      | G      | H      | J     | K     | L     |
|----|------|------|--------|--------|--------|--------|--------|-------|-------|-------|
| 24 | .375 | .625 | 8.406  | 10.808 | 8.406  | 10.848 | 6.028  | 6.18  | 2.378 | 1.5   |
| 30 | .5   | .75  | 10.487 | 13.490 | 10.487 | 13.570 | 7.549  | 7.725 | 2.938 | 1.875 |
| 36 | .625 | .875 | 12.569 | 16.172 | 12.569 | 16.292 | 9.043  | 9.27  | 3.526 | 2.25  |
| 48 | .75  | 1.25 | 16.812 | 21.616 | 16.812 | 21.696 | 12.056 | 12.36 | 4.756 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W2-6aT**  
TRAFFIC ISLANDS AHEAD

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W2-7L**  
Offset Crossroad

| A  | B    | C    | D  | E | F    | G   | H     |
|----|------|------|----|---|------|-----|-------|
| 24 | .375 | .625 | 12 | 4 | 1    | 6   | 1.5   |
| 30 | .5   | .75  | 15 | 5 | 1.25 | 7.5 | 1.875 |
| 36 | .625 | .875 | 18 | 6 | 1.5  | 9   | 2.25  |
| 48 | .75  | 1.25 | 24 | 8 | 2    | 12  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W2-7R**  
Offset Crossroad

| A  | B    | C    | D  | E | F    | G   | H     |
|----|------|------|----|---|------|-----|-------|
| 24 | .375 | .625 | 12 | 4 | 1    | 6   | 1.5   |
| 30 | .5   | .75  | 15 | 5 | 1.25 | 7.5 | 1.875 |
| 36 | .625 | .875 | 18 | 6 | 1.5  | 9   | 2.25  |
| 48 | .75  | 1.25 | 24 | 8 | 2    | 12  | 3     |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW


TEXAS



| A  | B    | C    | D     | E | F   | G     |
|----|------|------|-------|---|-----|-------|
| 24 | .375 | .625 | 4.5   | 7 | 6   | 1.5   |
| 30 | .5   | .75  | 5.625 | 5 | 7.5 | 1.875 |
| 36 | .625 | .875 | 6.75  | 6 | 9   | 2.25  |
| 48 | .75  | 1.25 | 9     | 8 | 12  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W3-1**  
Stop Ahead (Symbol)

| A  | B    | C    | D   | E    | F | G    | H    | J      | K    | L     | M    | N     |
|----|------|------|-----|------|---|------|------|--------|------|-------|------|-------|
| 18 | .375 | .625 | 4.5 | 2.25 | 3 | .375 | .187 | 9.5    | 3    | 1.75  | .313 | 1.5   |
| 30 | .5   | .75  | 7.5 | 3.75 | 5 | .625 | .313 | 15.75  | 6.25 | 2.875 | .5   | 1.875 |
| 36 | .625 | .875 | 9   | 4.5  | 6 | .75  | .375 | 19     | 7.5  | 3.5   | .625 | 2.25  |
| 48 | .75  | 1.25 | 12  | 6    | 8 | 1    | .5   | 25.125 | 10   | 4.5   | .75  | 3     |

COLORS: BORDER & ARROW - BLACK  
 SYMBOL - WHITE BORDER ON RED BACKGROUND  
 BACKGROUND - YELLOW



\* See Symbol section  
for arrow design


\*\* See Symbol section  
for symbol design

**W3-2**  
Yield Ahead (Symbol)

| A  | B    | C    | D   | E    | F | G    | H    | J  | K    | L     | M     | N    |
|----|------|------|-----|------|---|------|------|----|------|-------|-------|------|
| 18 | .375 | .625 | 4.5 | 2.25 | 3 | .375 | .187 | 14 | 3    | 1.687 | 1.875 | .313 |
| 30 | .5   | .75  | 7.5 | 3.75 | 5 | .625 | .313 | 25 | 6.25 | 3     | 3.375 | .5   |
| 36 | .625 | .875 | 9   | 4.5  | 6 | .75  | .375 | 28 | 7.5  | 3.375 | 3.75  | .625 |
| 48 | .75  | 1.25 | 12  | 6    | 8 | 1    | .5   | 38 | 10   | 4.5   | 5     | .75  |

| P     | Q    | R     |
|-------|------|-------|
| .687  | .375 | 1.5   |
| 1.25  | .625 | 1.875 |
| 1.375 | .75  | 2.25  |
| 1.875 | 1    | 3     |


COLORS: BORDER & ARROW - BLACK  
SYMBOL - WHITE BORDER ON RED BACKGROUND  
BACKGROUND - YELLOW



**W3-3**  
Signal Ahead (Symbol)

| A  | B    | C    | D    | E     | F    | G    | H     |
|----|------|------|------|-------|------|------|-------|
| 18 | .375 | .625 | 3    | 8     | 2.25 | 5    | 1.5   |
| 30 | .5   | .75  | 5    | 13.75 | 3.75 | 8.75 | 1.875 |
| 36 | .625 | .875 | 5.75 | 15.75 | 4.25 | 10   | 2.25  |
| 48 | .75  | 1.25 | 7.5  | 20    | 5    | 12.5 | 3     |

COLORS: LEGEND      - BLACK  
 BACKGROUND        - YELLOW  
 TOP CIRCLE         - RED  
 MIDDLE CIRCLE    - YELLOW  
 BOTTOM CIRCLE     - GREEN




**W3-4**  
BE PREPARED TO STOP

| A  | B    | C    | D  | E   | F   | G     |
|----|------|------|----|-----|-----|-------|
| 30 | .5   | .75  | 4D | 2.5 | .75 | 1.875 |
| 36 | .625 | .875 | 5D | 3   | 1   | 2.25  |
| 48 | .75  | 1.25 | 7D | 3.5 | 1.5 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



\* See Symbol section  
for arrow design

**W3-5**  
Speed Reduction

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


| A  | B    | C    | D     | E  | F     | G     |
|----|------|------|-------|----|-------|-------|
| 36 | .625 | .875 | 10    | 12 | 9     | 15    |
| 48 | .75  | 1.25 | 11.75 | 18 | 10.75 | 19.25 |

| H  | J  | K    | L    | M   | N    | P    |
|----|----|------|------|-----|------|------|
| 9  | 9  | 2.25 | 2    | 3 E | 1    | 12 C |
| 12 | 12 | 3    | 2.25 | 4 E | 1.25 | 15 C |

| Q     | R     | S     | T    | U    | V    |
|-------|-------|-------|------|------|------|
| 7     | 5.46  | 7.126 | .375 | .625 | 2.25 |
| 9.327 | 7.279 | 9.258 | .375 | .625 | 3    |




COLORS: LEGEND - BLACK  
BACKGROUND - WHITE




| A  | B     | C     | D    | E    | F    | G      | H      | J    |
|----|-------|-------|------|------|------|--------|--------|------|
| 36 | 0.625 | 0.875 | 6 D  | 3.75 | 0.75 | 10.388 | 13.51  | 2.25 |
| 48 | 0.75  | 1.25  | 8 D  | 4.5  | 1.5  | 13.85  | 18.013 | 3    |
| 60 | 0.75  | 1.25  | 10 D | 5.25 | 2.25 | 17.313 | 22.517 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W3-7**  
RAMP METER AHEAD


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W3-7aT**  
RAMP SIGNAL AHEAD

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W3-8**  
RAMP METERED WHEN FLASHING

| A  | B    | C    | D  | E   | F    |
|----|------|------|----|-----|------|
| 36 | .625 | .875 | 4D | 2   | 2.25 |
| 48 | .75  | 1.25 | 5D | 2.5 | 3    |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



| A  | B    | C    | D     | E     | F     | G     | H     | J      | K     | L      | M    | N      | P      |
|----|------|------|-------|-------|-------|-------|-------|--------|-------|--------|------|--------|--------|
| 30 | .5   | .75  | 13    | 11    | 4.375 | 3     | 5.25  | 28     | 1.875 | 8      | 3    | 13     | 27.75  |
| 36 | .625 | .875 | 15.75 | 13.25 | 5.25  | 3.625 | 6.313 | 33.625 | 2.25  | 9.625  | 4    | 15.625 | 33.313 |
| 48 | .75  | 1.25 | 20.5  | 17    | 7     | 4.75  | 8.375 | 45     | 3     | 12.813 | 5.25 | 20.75  | 44.375 |


COLORS: LEGEND      - BLACK  
BACKGROUND -YELLOW

**W4-1aTR****W4-1aTL**  
THRU TRAFFIC MERGE LEFT

| A  | B    | C    | D   | E   | F   | G    |
|----|------|------|-----|-----|-----|------|
| 36 | .625 | .875 | 5 C | 2.4 | .56 | 2.25 |
| 48 | .75  | 1.25 | 6 C | 3   | .72 | 3    |


COLORS: LEGEND    - BLACK  
BACKGROUND - YELLOW

**TEXAS**



| A  | B    | C    | D  | E     | F     | G    | H     | J   | K    | L     |
|----|------|------|----|-------|-------|------|-------|-----|------|-------|
| 30 | .5   | .75  | 10 | 3.375 | 4.188 | .875 | 1.5   | 2.5 | 1.25 | 1.875 |
| 36 | .625 | .875 | 12 | 4     | 5     | 1    | 1.75  | 3   | 1.5  | 2.25  |
| 48 | .75  | 1.25 | 16 | 5.375 | 6.688 | 1.25 | 2.375 | 4   | 2    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



| A  | B    | C    | D    | E   | F     | G    | H      | J     | K      | L     | M      | N     | P  |
|----|------|------|------|-----|-------|------|--------|-------|--------|-------|--------|-------|----|
| 30 | .5   | .75  | 6.25 | 2.5 | 1.875 | 1.25 | 10.625 | 3.5   | 7.485  | 3.907 | 9.844  | 1.875 | 15 |
| 36 | .625 | .875 | 7.5  | 3   | 2.25  | 1.5  | 12.75  | 4.125 | 8.906  | 4.688 | 11.813 | 2.25  | 18 |
| 48 | .75  | 1.25 | 10   | 4   | 3     | 2    | 17     | 5.5   | 11.875 | 6.25  | 15.75  | 3     | 24 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W4-4P**

CROSS TRAFFIC DOES NOT STOP

\* Alternate text



**W4-4aPL**

TRAFFIC FROM LEFT DOES NOT STOP



**W4-4aPR**

TRAFFIC FROM RIGHT DOES NOT STOP




**W4-4bP**

ONCOMING TRAFFIC DOES NOT STOP

| A  | B  | C    | D     | E     | F      | G    | H      | J      | K    | L      | M      | N      | P      |
|----|----|------|-------|-------|--------|------|--------|--------|------|--------|--------|--------|--------|
| 24 | 12 | .375 | 0.625 | 2.875 | 2.25 C | 1.75 | 9.314  | 9.875  | 1.5  | 10.054 | 10.176 | 9.889  | 2.25 B |
| 36 | 18 | .625 | 0.875 | 4     | 3.5 C  | 3    | 14.487 | 15.333 | 2.25 | 15.807 | 15.995 | 15.47  | 3.5 B  |
| 48 | 24 | .75  | 1.25  | 5.75  | 4.5 C  | 3.5  | 18.628 | 19.749 | 3    | 20.104 | 20.35  | 19.778 | 4.5 B  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W4-5**  
Entering Roadway Merge (Symbol)

\*Scale and rotate W4-1 to fit dimensions.

| A  | B    | C    | D      | E      | F      | G      | H    |
|----|------|------|--------|--------|--------|--------|------|
| 36 | .625 | .875 | 10.928 | 16.532 | 12.569 | 9.807  | 2.25 |
| 48 | .75  | 1.25 | 14.571 | 22     | 16.732 | 13.049 | 3    |

COLORS: LEGEND    - BLACK  
BACKGROUND - YELLOW




**W4-5P**  
NO MERGE AREA (Plaque)

| A  | B  | C    | D     | E    | F  | G    | H   |
|----|----|------|-------|------|----|------|-----|
| 18 | 24 | .375 | 0.625 | 3.5  | 4C | 2.5  | 1.5 |
| 24 | 30 | .375 | 0.625 | 4.25 | 5C | 3.25 | 1.5 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS

**W4-6**

Entering Roadway Added Lane (Symbol)

\*\*Scale and rotate W4-3 to fit dimensions.

| A   | B    | C    | D      | E      | F      | G      | H      | J     |
|-----|------|------|--------|--------|--------|--------|--------|-------|
| 30* | .5   | .75  | 12.969 | 13.410 | 15.691 | 14.571 | 11.208 | 1.875 |
| 36  | .625 | .875 | 15.571 | 16.092 | 18.814 | 17.493 | 13.450 | 2.25  |
| 48  | .75  | 1.25 | 20.735 | 21.456 | 25.139 | 23.297 | 17.933 | 3     |

\* For construction use

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W5-1**  
ROAD NARROWS

\*Reduce spacing 25%

| A  | B    | C    | D   | E   | F    | G      | H      | J      | K      | L     |
|----|------|------|-----|-----|------|--------|--------|--------|--------|-------|
| 30 | .5   | .75  | 5 D | 3   | 1.75 | 7.875  | 8.625  | 14.75  | 15.125 | 1.875 |
| 36 | .625 | .875 | 6 D | 3.5 | 2    | 9.5    | 10.313 | 17.625 | 18.25  | 2.25  |
| 48 | .7   | 1.25 | 8 D | 4   | 3    | 12.688 | 13.75  | 23.5   | 24.375 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\*Reduce spacing 20%

**W5-2**  
ROAD BRIDGE

| A  | B    | C    | D   | E    | F   | G      | H      | J     |
|----|------|------|-----|------|-----|--------|--------|-------|
| 18 | .375 | .625 | 3 D | .375 | 1.5 | 7.844  | 6.531  | 1.5   |
| 30 | .5   | .75  | 5 D | .5   | 2.5 | 13.063 | 10.875 | 1.875 |
| 36 | .625 | .875 | 6 D | .75  | 3   | 15.688 | 13.063 | 2.25  |
| 48 | .75  | 1.25 | 8 D | .5   | 4   | 20.875 | 17.375 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W5-3**  
ONE LANE BRIDGE

| A  | B    | C    | D   | E    | F      | G      | H      | J     |
|----|------|------|-----|------|--------|--------|--------|-------|
| 30 | .5   | .75  | 5 C | 3.25 | 13.313 | 12.688 | 9.125  | 1.875 |
| 36 | .625 | .875 | 6 C | 4    | 16     | 15.25  | 11.5   | 2.25  |
| 48 | .75  | 1.25 | 8 C | 5    | 21.25  | 20.25  | 15.375 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W5-4a**  
PATH NARROWS

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W6-1**  
Divided Highway Begins (Symbol)

| A   | B    | C    | D     | E      | F     | G      | H     | J     | K     | L  | M      |
|-----|------|------|-------|--------|-------|--------|-------|-------|-------|----|--------|
| 30* | .5   | .75  | 3.313 | 8.313  | 4.125 | 25     | 1.688 | 4.125 | 1.875 | 10 | 11.625 |
| 36  | .625 | .875 | 4     | 10     | 5     | 30     | 2     | 5     | 2.25  | 12 | 14     |
| 48  | 5    | 1.25 | 5.25  | 13.125 | 6.563 | 39.313 | 2.625 | 6.563 | 3     | 16 | 18.688 |

\* For construction use


| N      | P      | Q      | R      | S     |
|--------|--------|--------|--------|-------|
| 7.938  | 13.688 | 7.875  | 8.313  | 2.063 |
| 9.5    | 16.5   | 9.5    | 10     | 2.5   |
| 12.688 | 22     | 12.438 | 13.125 | 3.313 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



| A  | B    | C    | D  | E | F     | G      | H      | J    |
|----|------|------|----|---|-------|--------|--------|------|
| 36 | .625 | .875 | 6C | 3 | 2.081 | 12.449 | 14.17  | 2.25 |
| 48 | .75  | 1.25 | 8C | 4 | 2.802 | 16.592 | 18.894 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\*\* See Symbol section  
for arrow design


**W6-2**  
Divided Highway Ends (Symbol)

| A   | B    | C    | D     | E      | F     | G      | H     | J     | K     | L  | M      |
|-----|------|------|-------|--------|-------|--------|-------|-------|-------|----|--------|
| 30* | .5   | .75  | 3.313 | 8.313  | 4.125 | 25     | 1.688 | 4.125 | 1.875 | 10 | 11.875 |
| 36  | .625 | .875 | 4     | 10     | 5     | 30     | 2     | 5     | 2.25  | 12 | 14     |
| 48  | .7   | 1.25 | 5.25  | 13.125 | 6.563 | 39.313 | 2.625 | 6.563 | 3     | 16 | 18.688 |

\* For construction use

| N      | P      | Q      | R      | S     |
|--------|--------|--------|--------|-------|
| 7.938  | 13.703 | 7.875  | 8.313  | 2.063 |
| 9.5    | 16.5   | 9.5    | 10     | 2.5   |
| 12.688 | 22     | 12.438 | 13.125 | 3.313 |


COLORS: LEGEND     - BLACK  
                              BACKGROUND - YELLOW



| A  | B    | C    | D  | E | F   | G      | H      | J      | K    |
|----|------|------|----|---|-----|--------|--------|--------|------|
| 36 | .625 | .875 | 6C | 3 | .88 | 12.449 | 14.17  | 8.166  | 2.25 |
| 48 | .75  | 1.25 | 8C | 4 | .96 | 16.592 | 18.894 | 10.888 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




\*\* See Symbol section  
for arrow design

**W6-3**  
Two Way Traffic (Symbol)

| A   | B    | C    | D     | E    | F     | G      | H     |
|-----|------|------|-------|------|-------|--------|-------|
| 30* | .5   | .75  | 2.438 | 3.75 | 11.25 | 10.625 | 1.875 |
| 36  | .625 | .875 | 2.938 | 4.25 | 13.5  | 12.75  | 2.25  |
| 48  | .75  | 1.25 | 3.875 | 6    | 18    | 17     | 3     |

\* For construction use

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W6-3aT**  
Two Way Traffic (Symbol)

| A  | B    | C    | D  | E     | F  | G  | H    | J     | K |
|----|------|------|----|-------|----|----|------|-------|---|
| 36 | .625 | .875 | .6 | 3.313 | 30 | 20 | 2.25 | 1.125 | 1 |
| 48 | .75  | 1.25 | 1  | 4.5   | 40 | 28 | 3    | 1.5   | 1 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W7-1**  
Hill (Symbol)

| A  | B    | C    | D     | E   | F     |
|----|------|------|-------|-----|-------|
| 24 | .375 | .625 | 8.75  | 6   | 1.5   |
| 30 | .5   | .75  | 11    | 7.5 | 1.875 |
| 36 | .625 | .875 | 13.25 | 9   | 2.25  |
| 48 | .75  | 1.25 | 17.5  | 12  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W7-1a**  
Hilll \_% (Symbol)

\*Optically space numerals about centerline


\*\* See Symbol section for symbol design

| A  | B    | C    | D      | E      | F | G  | H      | J     |
|----|------|------|--------|--------|---|----|--------|-------|
| 24 | .375 | .625 | 10.407 | 7.365  | 4 | 4D | 10     | 1.5   |
| 30 | .5   | .75  | 13     | 9.206  | 5 | 5D | 12.529 | 1.875 |
| 36 | .625 | .875 | 15.611 | 11.048 | 6 | 6D | 15.051 | 2.25  |
| 48 | .75  | 1.25 | 20.815 | 14.731 | 8 | 8D | 20.055 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W7-2P**  
USE LOW GEAR



**W7-2bP**  
TRUCKS USE LOWER GEAR

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




| A  | B  | C    | D    | E     |
|----|----|------|------|-------|
| 24 | 18 | .375 | .625 | 4     |
| 30 | 24 | .5   | .75  | 4.375 |

| F   | G    | H | J  | K     |
|-----|------|---|----|-------|
| 4 D | 2    | 4 | 9  | 1.5   |
| 6 D | 3.25 | 5 | 12 | 1.875 |


**W7-3P**  
\_ % GRADE (Plaque)

| A  | B  | C    | D    | E     |
|----|----|------|------|-------|
| 24 | 18 | .375 | .625 | 4     |
| 30 | 24 | .5   | .75  | 4.375 |
| 36 | 30 | .5   | .75  | 6     |

| F   | G    | H   | J  | K     |
|-----|------|-----|----|-------|
| 4 C | 2    | 5   | 9  | 1.5   |
| 6 C | 3.25 | 7   | 12 | 1.875 |
| 7 C | 4    | 9.5 | 14 | 1.875 |




**W7-3aP**  
W7-3aP \_ NEXT X MILES



**W7-3bP**  
W7-3bP \_ % X MILES (Plaque)  
COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

Note: Percent of grade and distance may vary on these signs.

TEXAS



**W7-4**


RUNAWAY TRUCK RAMP XX MILE



**W7-4b**

RUNAWAY TRUCK RAMP (Arrow)


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



TEXAS



**W7-4c**  
TRUCK ESCAPE RAMP



**W7-4eP**  
GRAVEL  
(Plaque)




**W7-4dP**  
SAND  
(Plaque)



**W7-4fP**  
PAVED  
(Plaque)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W7-5**  
Hill (Bike Symbol)

\* See Symbol section  
for symbol design

| A  | B    | C    | D    | E   | F  | G     | H     |
|----|------|------|------|-----|----|-------|-------|
| 18 | .375 | .625 | 1.75 | 4   | 6  | 13    | 1.5   |
| 24 | .375 | .625 | 2.3  | 5.3 | 8  | 17    | 1.5   |
| 30 | .5   | .75  | 3    | 7   | 10 | 21.75 | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W7-6**  
HILL BLOCKS VIEW

| A  | B    | C    | D   | E    | F     |
|----|------|------|-----|------|-------|
| 30 | .5   | .75  | 5 D | 3.75 | 1.875 |
| 36 | .625 | .875 | 6 D | 4.5  | 2.25  |
| 48 | .75  | 1.25 | 8 D | 5.25 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W7-6TP**  
HILL BLOCKS VIEW

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W8-1**  
BUMP

| A  | B    | C    | D    | E | F      | G      | H     |
|----|------|------|------|---|--------|--------|-------|
| 18 | .375 | .625 | 4 D  | 2 | 6.489  | 7.341  | 1.5   |
| 24 | .375 | .625 | 6 D  | 3 | 10.188 | 10.813 | 1.5   |
| 30 | .5   | .75  | 8 D  | 4 | 13.625 | 14.375 | 1.875 |
| 36 | .625 | .875 | 10 D | 5 | 16.938 | 17.938 | 2.25  |
| 48 | .75  | 1.25 | 12 D | 6 | 20.375 | 21.625 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-2**  
DIP

\*Increase spacing 50%

| A  | B    | C    | D    | E   | F      | G      | H     |
|----|------|------|------|-----|--------|--------|-------|
| 18 | .375 | .625 | 5 E  | 2.5 | 5.813  | 6.71   | 1.5   |
| 24 | .375 | .625 | 6 E  | 3   | 7.125  | 8.125  | 1.5   |
| 30 | .5   | .75  | 8 E  | 4   | 9.5    | 10.875 | 1.875 |
| 36 | .625 | .875 | 10 E | 5   | 11.875 | 13.5   | 2.25  |
| 48 | .75  | 1.25 | 12 E | 6   | 14.25  | 16.25  | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W8-3**  
PAVEMENT ENDS

| A  | B    | C    | D   | E    | F   | G      | H      | J      | K     |
|----|------|------|-----|------|-----|--------|--------|--------|-------|
| 18 | .375 | .625 | 3 C | 1.75 | .5  | 8.375  | 3.938  | 4.125  | 1.5   |
| 30 | .5   | .75  | 5 C | 3    | .75 | 13.938 | 6.625  | 6.875  | 1.875 |
| 36 | .625 | .875 | 6 C | 3.5  | 1   | 16.75  | 7.875  | 8.25   | 2.25  |
| 48 | .75  | 1.25 | 8 C | 5    | 1   | 22.376 | 10.626 | 10.876 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-4**  
SOFT SHOULDER

\* Reduce character spacing 25%.

| A  | B     | C     | D   | E   | F    | G    | H      | J     | K      | L      | M     |
|----|-------|-------|-----|-----|------|------|--------|-------|--------|--------|-------|
| 24 | 0.375 | 0.625 | 4 C | 2.5 | 4 C* | 0.5  | 5.537  | 4.787 | 11.024 | 10.524 | 1.5   |
| 30 | 0.5   | 0.75  | 5 C | 3   | 5 C* | 0.75 | 6.89   | 6.015 | 13.78  | 13.155 | 1.875 |
| 36 | 0.625 | .875  | 6 C | 3.5 | 6 C* | 1    | 8.243  | 7.243 | 16.536 | 15.786 | 2.25  |
| 48 | 0.75  | 1.25  | 8 C | 5   | 8 C* | 1.25 | 10.949 | 9.699 | 22.048 | 21.048 | 3     |

COLORS: LEGEND    - BLACK  
BACKGROUND - YELLOW




**W8-5aT**  
SLOW DOWN ON WET ROAD

| A  | B    | C    | D  | E   | F   | G     |
|----|------|------|----|-----|-----|-------|
| 30 | .5   | .75  | 4D | 2   | 1   | 1.875 |
| 36 | .625 | .875 | 5D | 2.5 | 1.5 | 2.25  |
| 48 | .75  | 1.25 | 6D | 4.5 | 2.5 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-5P**

WHEN WET (Plaque)

| A  | B  | C    | D    |
|----|----|------|------|
| 24 | 18 | .375 | .625 |
| 30 | 24 | .375 | .625 |
| 36 | 30 | .5   | .75  |

| E    | F   | G   | H     |
|------|-----|-----|-------|
| 3.5  | 4 D | 3   | 1.5   |
| 4.25 | 6 D | 3.5 | 1.5   |
| 5.75 | 7 D | 4.5 | 1.875 |




**W8-5aP**

ICE (Plaque)

| A  | B  | C    | D    |
|----|----|------|------|
| 24 | 12 | .375 | .625 |
| 30 | 18 | .375 | .625 |

| E | F   | G   |
|---|-----|-----|
| 3 | 6 E | 1.5 |
| 5 | 8 E | 1.5 |




**W8-5bP**

STEEL DECK (Plaque)

| A  | B  | C    | D    |
|----|----|------|------|
| 24 | 18 | .375 | .625 |
| 30 | 24 | .375 | .625 |
| 36 | 30 | .5   | .75  |

| E    | F   | G   | H     |
|------|-----|-----|-------|
| 3.5  | 4 D | 3   | 1.5   |
| 5    | 5 D | 4   | 1.5   |
| 5.75 | 7 D | 4.5 | 1.875 |



**W8-5cP**

EXCESS OIL (Plaque)

| A  | B  | C    | D    | E   |
|----|----|------|------|-----|
| 24 | 18 | .375 | .625 | 3.5 |
| 30 | 24 | .375 | .625 | 5   |
| 36 | 30 | .5   | .75  | 6.5 |

| F   | G | H    | J     |
|-----|---|------|-------|
| 4 D | 3 | 18.5 | 1.5   |
| 5 D | 4 | 23   | 1.5   |
| 6 D | 5 | 28   | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W8-6**  
TRUCK CROSSING

| A  | B    | C    | D   | E   | F      | G      | H     |
|----|------|------|-----|-----|--------|--------|-------|
| 24 | .375 | .625 | 4 C | 2.5 | 6.875  | 10.625 | 1.5   |
| 30 | .5   | .75  | 5 C | 3   | 8.625  | 13.313 | 1.875 |
| 36 | .625 | .875 | 6 C | 3.5 | 10.313 | 15.938 | 2.25  |
| 48 | .75  | 1.25 | 8 C | 5   | 13.75  | 21.25  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* Reduce spacing 40%

**W8-7**  
LOOSE GRAVEL

| A  | B    | C    | D  | E     | F     | G    | H      | J      | K     |
|----|------|------|----|-------|-------|------|--------|--------|-------|
| 24 | .375 | .625 | 4D | 2.75  | 2.25  | .5   | 7.563  | 9.313  | 1.5   |
| 30 | .5   | .75  | 5D | 3.438 | 2.813 | .625 | 9.438  | 11.688 | 1.875 |
| 36 | .625 | .875 | 6D | 4.125 | 3.375 | .75  | 11.313 | 14     | 2.25  |
| 48 | .75  | 1.25 | 8D | 5.5   | 4.5   | 1    | 15.125 | 18.688 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-7aT**  
LOOSE SAND

| A  | B    | C    | D   | E | F    |
|----|------|------|-----|---|------|
| 24 | .375 | .625 | 4 D | 3 | 1.5  |
| 36 | .625 | .875 | 6 D | 5 | 2.25 |
| 48 | .75  | 1.25 | 8 D | 6 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W8-8**  
ROUGH ROAD

| A  | B    | C    | D  | E | F    | G     | H      | J      | K    | L     |
|----|------|------|----|---|------|-------|--------|--------|------|-------|
| 24 | .375 | .625 | 4D | 3 | .75  | 2.25  | 8.563  | 6.75   | 7    | 1.5   |
| 30 | .5   | .75  | 5D | 4 | .875 | 3.125 | 10.688 | 8.438  | 8.75 | 1.875 |
| 36 | .625 | .875 | 6D | 5 | 1    | 4     | 12.875 | 10.125 | 10.5 | 2.25  |
| 48 | .75  | 1.25 | 8D | 6 | 1.5  | 4.5   | 17.125 | 13.5   | 14   | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W8-9**  
LOW SHOULDER

| A  | B    | C    | D   | E    | F    | G     | H     | J      | K      | L     |
|----|------|------|-----|------|------|-------|-------|--------|--------|-------|
| 24 | .375 | .625 | 4 C | 2.25 | .5   | 4.125 | 4.5   | 10.938 | 10.438 | 1.5   |
| 30 | .5   | .75  | 5 C | 3    | .75  | 5.188 | 5.625 | 13.688 | 13.063 | 1.875 |
| 36 | .625 | .875 | 6 C | 3.5  | 1    | 6.188 | 6.75  | 16.5   | 15.75  | 2.25  |
| 48 | .75  | 1.25 | 8 C | 5    | 1.25 | 8.25  | 9     | 21.875 | 20.875 | 3     |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW




**W8-9aT**  
SHOULDER DROP OFF

| A  | B    | C    | D     | E   | F     | G   | H      | J      | K     | L     |
|----|------|------|-------|-----|-------|-----|--------|--------|-------|-------|
| 24 | .375 | .625 | 1     | 3 C | 2     | 3 D | 8.526  | 4.992  | 3.472 | 1.5   |
| 30 | .5   | .75  | 1.5   | 4 C | 3     | 4 D | 11.368 | 6.655  | 4.628 | 1.875 |
| 36 | .625 | .875 | 1.625 | 5 C | 4     | 5 D | 14.230 | 8.318  | 5.785 | 2.25  |
| 48 | .75  | 1.25 | 2     | 7 C | 4.813 | 7 D | 19.915 | 11.648 | 8.101 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**

**W8-10**

Bicycle Surface Condition (Symbol)


| A  | B     | C     | D  | E     | F   | G     |
|----|-------|-------|----|-------|-----|-------|
| 18 | 0.375 | 0.625 | 6  | 6.75  | 15° | 1.5   |
| 30 | 0.5   | 0.75  | 10 | 11.25 | 15° | 1.875 |

**W8-10P**

SLIPPERY WHEN WET (Plaque)

\*\* Reduce character spacing 50%.

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-11**  
UNEVEN LANES

| A   | B    | C    | D   | E     | F    | G      | H      | J     |
|-----|------|------|-----|-------|------|--------|--------|-------|
| 30* | .5   | .75  | 5 D | 3.762 | .8   | 12.249 | 9.967  | 1.875 |
| 36  | .625 | .875 | 6 D | 4.523 | .96  | 14.711 | 11.969 | 2.25  |
| 48  | .75  | 1.25 | 8 D | 6     | 1.28 | 19.614 | 15.952 | 3     |

\* For construction use

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-12**  
NO CENTER LINE

| A   | B    | C    | D   | E    | F    | G     | H      | J      | K     |
|-----|------|------|-----|------|------|-------|--------|--------|-------|
| 30* | .5   | .75  | 5 D | 3.75 | 1.5  | 8.056 | 23.815 | 13.556 | 1.875 |
| 36  | .625 | .875 | 6 D | 4.5  | 2    | 9.668 | 28.578 | 16.268 | 2.25  |
| 48  | .75  | 1.25 | 8 D | 6    | 2.25 | 12.89 | 38.104 | 21.69  | 3     |

\* For construction use

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-13aT**  
BRIDGE MAY ICE IN COLD WEATHER

| A  | B    | C    | D    | E    | F   | G    |
|----|------|------|------|------|-----|------|
| 36 | .625 | .875 | 4.5C | 2.25 | .45 | 2.25 |
| 48 | .75  | 1.25 | 6C   | 4    | .85 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-14**  
FALLEN ROCKS

| A  | B    | C    | D   | E     | F     | G     |
|----|------|------|-----|-------|-------|-------|
| 24 | .375 | .625 | 4 D | 3     | 1     | 1.5   |
| 30 | .5   | .75  | 5 D | 3.625 | 1.125 | 1.875 |
| 36 | .625 | .875 | 6 D | 4.5   | 1.5   | 2.25  |
| 48 | .75  | 1.25 | 8 D | 6     | 2     | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**\*\* Alternate Legend:**  
**TEXTURED**  
**BRICK**

\* Reduce character spacing 20%.

**W8-15**  
 GROOVED PAVEMENT  
 (Alt legends TEXTURED & BRICK)

| A  | B     | C     | D    | E     | F     | G      | H      | J      | K     |
|----|-------|-------|------|-------|-------|--------|--------|--------|-------|
| 24 | 0.375 | 0.625 | 4 C* | 1.75  | 0.25  | 9.520  | 10.527 | 11.026 | 1.5   |
| 30 | 0.5   | 0.75  | 5 C* | 2.25  | 0.25  | 11.900 | 13.222 | 13.721 | 1.875 |
| 36 | 0.625 | 0.875 | 6 C* | 2.625 | 0.375 | 14.280 | 15.665 | 16.665 | 2.25  |
| 48 | 0.75  | 1.25  | 8 C* | 3.5   | 0.5   | 19.039 | 21.053 | 22.053 | 3.0   |

COLORS: LEGEND - BLACK  
 BACKGROUND - YELLOW




**W8-15P**  
Motorcycle (Plaque)

\* See Symbol section  
for design

| A  | B  | C    | D    | E    | F    | G    | H     |
|----|----|------|------|------|------|------|-------|
| 24 | 18 | .375 | .625 | 2    | 14   | 18   | 1.5   |
| 30 | 24 | .375 | .625 | 3.25 | 17.5 | 22.5 | 1.5   |
| 36 | 30 | .5   | .75  | 4.5  | 21   | 27   | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-16**  
METAL BRIDGE DECK

| A  | B    | C    | D   | E    | F    | G     |
|----|------|------|-----|------|------|-------|
| 24 | .375 | .625 | 4 C | 2.5  | 1.5  | 1.5   |
| 30 | .5   | .75  | 5 C | 3    | 2    | 1.875 |
| 36 | .625 | .875 | 6 C | 3.75 | 2.25 | 2.25  |
| 48 | .75  | 1.25 | 8 C | 5    | 3    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-17L**

**W8-17R**  
Shoulder Drop-Off (Symbol)

| A  | B     | C     | D    | E   | F    | G      | H      | J     |
|----|-------|-------|------|-----|------|--------|--------|-------|
| 24 | 0.375 | 0.625 | 9    | 5   | 14   | 12.421 | 9.929  | 1.5   |
| 30 | 0.5   | 0.75  | 11   | 6.5 | 17.5 | 15.564 | 12.373 | 1.875 |
| 36 | 0.625 | 0.875 | 13.5 | 7.5 | 21   | 18.630 | 14.895 | 2.25  |
| 48 | 0.75  | 1.25  | 18   | 10  | 28   | 24.850 | 19.850 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W8-17P**

SHOULDER DROP-OFF (Plaque)

| A  | B  | C    | D    | E   | F     | G | H   | J     |
|----|----|------|------|-----|-------|---|-----|-------|
| 24 | 18 | .375 | .625 | 4   | 3.5 C | 3 | .75 | 1.5   |
| 30 | 24 | .375 | .625 | 6   | 4 C   | 4 | 1   | 1.5   |
| 36 | 30 | .5   | .75  | 7.5 | 5 C   | 5 | 1   | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-18**  
ROAD MAY FLOOD

| A  | B    | C    | D   | E   | F     |
|----|------|------|-----|-----|-------|
| 24 | .375 | .625 | 4 C | 2   | 1.5   |
| 30 | .5   | .75  | 5 C | 2.5 | 1.875 |
| 36 | .625 | .875 | 6 C | 3   | 2.25  |
| 48 | .75  | 1.25 | 8 C | 4   | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-18aT**  
WATER CROSSING

| A  | B    | C    | D   | E | F    |
|----|------|------|-----|---|------|
| 36 | .625 | .875 | 5 D | 3 | 2.25 |
| 48 | .75  | 1.25 | 7 D | 4 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-18bT**

The sign may be used in addition  
to W8-18 or W8-18aT sign.


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**



**W8-19**  
Flood Gauge

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W8-19aTP**  
FLOOD GAUGE (Plaque)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-21**  
GUSTY WINDS AREA

| A  | B    | C    | D   | E | F    | G    |
|----|------|------|-----|---|------|------|
| 24 | .375 | .625 | 4 C | 2 | 1.5  | 1.5  |
| 36 | .625 | .875 | 6 C | 3 | 2.25 | 2.25 |
| 48 | .75  | 1.25 | 8 C | 4 | 2.75 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W8-22**  
FOG AREA

| A  | B     | C     | D    | E   | F   | G      | H      | J      | K    |
|----|-------|-------|------|-----|-----|--------|--------|--------|------|
| 24 | 0.375 | 0.625 | 5 D  | 2.5 | 1   | 5.604  | 6.104  | 8.505  | 1.5  |
| 36 | 0.625 | 0.875 | 7 D  | 3.5 | 1.5 | 7.820  | 8.570  | 11.907 | 2.25 |
| 48 | 0.75  | 1.25  | 10 D | 5   | 2   | 11.208 | 12.207 | 17.01  | 3.0  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W8-23**  
NO SHOULDER

| A  | B    | C    | D   | E    | F    | G     |
|----|------|------|-----|------|------|-------|
| 24 | .375 | .625 | 4 C | 3    | .5   | 1.5   |
| 30 | .5   | .75  | 5 C | 3.75 | .625 | 1.875 |
| 36 | .625 | .875 | 6 C | 4.5  | .75  | 2.25  |
| 48 | .75  | 1.25 | 8 C | 6    | 1    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W8-25**  
SHOULDER ENDS

| A  | B    | C    | D   | E    | F    | G     |
|----|------|------|-----|------|------|-------|
| 24 | .375 | .625 | 4 C | 4    | 1    | 1.5   |
| 30 | .5   | .75  | 5 C | 3.75 | 1.25 | 1.875 |
| 36 | .625 | .875 | 6 C | 4.5  | 1.25 | 2.25  |
| 48 | .75  | 1.25 | 8 C | 6    | 2    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



| A  | B    | C    | D   | E   | F   | G     | H      | J     | K      | L     |
|----|------|------|-----|-----|-----|-------|--------|-------|--------|-------|
| 30 | .5   | .75  | 5 D | 2.5 | 1.5 | 9.188 | 8.063  | 7.625 | 8.563  | 1.875 |
| 36 | .625 | .875 | 6 D | 3   | 2   | 11    | 9.688  | 9     | 10.375 | 2.25  |
| 48 | .75  | 1.25 | 8 D | 4   | 3   | 14.75 | 12.875 | 12.25 | 13.625 | 3     |

| M     | N     |
|-------|-------|
| 7.125 | 7.563 |
| 8.5   | 9.125 |
| 11.25 | 12.25 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




| A  | B    | C    | D   | E   | F    | G     | H     | J      | K      | L     |
|----|------|------|-----|-----|------|-------|-------|--------|--------|-------|
| 30 | .5   | .75  | 3 C | 2.5 | 5 D  | 8.938 | 9.313 | 10.375 | 10.563 | 7.125 |
| 36 | .625 | .875 | 4 C | 3   | 6 D  | 12    | 12.5  | 12.375 | 12.75  | 8.5   |
| 48 | .75  | 1.25 | 5 C | 4   | 8 D  | 16.5  | 17    | 16.375 | 17.125 | 11.25 |
| 60 | .75  | 1.25 | 6 C | 5   | 10 D | 18    | 18.75 | 21.625 | 21.69  | 15.28 |


| M     | N     | P      | Q     |
|-------|-------|--------|-------|
| 7.563 | 8.56  | 9.8125 | 1.875 |
| 9.125 | 10.25 | 11.75  | 2.25  |
| 12.25 | 13.75 | 15.75  | 3     |
| 16.18 | 17.25 | 19.75  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W9-4TR**  
RIGHT LANE ENDS 1/2 MILE




**W9-4TL**  
LEFT LANE ENDS 1/2 MILE

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W9-5TR**  
LANE ENDS MERGE RIGHT



**W9-5TL**  
LANE ENDS MERGE LEFT

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W10-1**  
Railroad Advance Warning (Symbol)

| A  | B    | C    | D  | E   | F      | G      | H   |
|----|------|------|----|-----|--------|--------|-----|
| 24 | .375 | .625 | 9  | 5 E | 9.187  | 5.812  | 2.5 |
| 30 | .5   | .75  | 15 | 7E  | 12.375 | 7.125  | 3   |
| 36 | .625 | .875 | 18 | 8E  | 14.375 | 8.625  | 4   |
| 48 | .75  | 1.25 | 24 | 10E | 18.375 | 11.625 | 5   |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W10-1aP**  
EXEMPT (Plaque)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W10-2L**


**W10-2R**

Railroad Advance (Parallel Tracks)

\* See Symbol section  
for symbol design

| A  | B    | C    | D | E     | F  | G     |
|----|------|------|---|-------|----|-------|
| 30 | .5   | .75  | 5 | 7.485 | 10 | 1.875 |
| 36 | .625 | .875 | 6 | 9     | 12 | 2.25  |
| 48 | .75  | 1.25 | 8 | 12    | 16 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W10-3L**

**W10-3R**  
Railroad Advance (Parallel Tracks)

| A  | B    | C    | D | E     | F  | G     |
|----|------|------|---|-------|----|-------|
| 30 | .5   | .75  | 5 | 7.485 | 10 | 1.875 |
| 36 | .625 | .875 | 6 | 9     | 12 | 2.25  |
| 48 | .75  | 1.25 | 8 | 12    | 16 | 3     |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW




**W10-4L**

**W10-4R**  
Railroad Advance (Parallel Tracks)

| A  | B    | C    | D | E     | F     | G  | H     | J  | K     |
|----|------|------|---|-------|-------|----|-------|----|-------|
| 30 | .5   | .75  | 5 | 7.485 | 3.442 | 10 | 14.41 | 10 | 1.875 |
| 36 | .625 | .875 | 6 | 9     | 4     | 12 | 17    | 12 | 2.25  |
| 48 | .75  | 1.25 | 8 | 12    | 5     | 16 | 22    | 16 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W10-4A**  
TRAIN WHEN FLASHING (Plaque)

| A  | B  | C    | D    | E   | F  | G | H   |
|----|----|------|------|-----|----|---|-----|
| 36 | 18 | .375 | .625 | 3.5 | 4C | 3 | 1.5 |
| 60 | 24 | .375 | .625 | 4   | 6D | 4 | 1.5 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W10-4B**  
TRAIN WHEN FLASHING

| A  | B    | C    | D  | E     | F     | G     |
|----|------|------|----|-------|-------|-------|
| 30 | .5   | .75  | 4D | 1.875 | .1875 | 1.875 |
| 36 | .625 | .875 | 5D | 1.375 | .25   | 2.25  |
| 48 | .75  | 1.25 | 7D | 2     | .5    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W10-5**  
TRAIN WHEN FLASHING

| A  | B    | C    | D      | E      | F      | G      | H    |
|----|------|------|--------|--------|--------|--------|------|
| 36 | .625 | .875 | 19.294 | 18.894 | 15.451 | 21.616 | 2.25 |
| 48 | .75  | 1.25 | 24.858 | 24.458 | 20.615 | 27.861 | 3    |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W10-5P**  
LOW GROUND CLEARANCE (Plaque)

\* Reduce character spacing 30%.

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW




**W10-6**  
UNEVEN TRACKS

| A  | B    | C    | D   | E     | F    | G     |
|----|------|------|-----|-------|------|-------|
| 30 | .5   | .75  | 5 C | 3.125 | 1.25 | 1.875 |
| 36 | .625 | .875 | 6 C | 3.75  | 1.5  | 2.25  |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W10-7**  
7 Light Rail Activated Blank-Out (Symbol)

\* See Symbol section  
for symbol design



**W10-8**  
TRAINS MAY EXCEED 80 MPH

| A  | B    | C    | D  | E   | F     |
|----|------|------|----|-----|-------|
| 30 | .5   | .75  | 4C | 2   | 1.875 |
| 36 | .625 | .875 | 5C | 2.5 | 2.25  |
| 48 | .75  | 1.25 | 6C | 3   | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W10-9**  
NO TRAIN HORN

| A  | B     | C     | D   | E   | F    | G     | H     | J      | K      | L    |
|----|-------|-------|-----|-----|------|-------|-------|--------|--------|------|
| 36 | 0.625 | 0.875 | 6 D | 4.5 | 5.25 | 4.584 | 5.084 | 10.837 | 10.088 | 2.25 |
| 48 | 0.75  | 1.25  | 8 D | 6   | 7    | 5.945 | 6.945 | 14.449 | 13.451 | 3    |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W10-9P**  
NO TRAIN HORN

\* Reduce character spacing 10%.


| A  | B  | C     | D     | E | F   | G | H    | J     | K      | L     | M     | N      | P   |
|----|----|-------|-------|---|-----|---|------|-------|--------|-------|-------|--------|-----|
| 18 | 12 | 0.375 | 0.375 | 2 | 3 D | 2 | 3 B* | 2.417 | 7.299  | 0.331 | 1.169 | 6.711  | 1.5 |
| 30 | 24 | 0.375 | 0.625 | 5 | 5 D | 4 | 5 B  | 4.028 | 12.455 | 0.563 | 1.937 | 11.455 | 1.5 |



**W10-10T**  
NO SIGNAL

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



\* See Symbol section  
for symbol design

**W10-11**  
Storage Space Symbol

| A  | B    | C    | D | E     | F  | G     |
|----|------|------|---|-------|----|-------|
| 30 | .5   | .75  | 5 | 7.485 | 10 | 1.875 |
| 36 | .625 | .875 | 6 | 9     | 12 | 2.25  |
| 48 | .75  | 1.25 | 8 | 12    | 16 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* Reduced by 50%

**W10-11a**

\_\_\_ FEET BETWEEN TRACKS AND HIGHWAY




**W10-11b**

\_\_\_ FEET BETWEEN HIGHWAY AND TRACKS BEHIND YOU

COLORS: LEGEND - BLACK

BACKGROUND - YELLOW




**W10-12**

| A  | B    | C    | D       | E      | F    | G      | H | J      | K      | L     |
|----|------|------|---------|--------|------|--------|---|--------|--------|-------|
| 18 | .375 | .625 | 8.646   | 3.802  | 45 ° | 6.805  | 3 | 4.923  | 4.963  | 1.5   |
| 24 | .375 | .625 | 11.528  | 5.083  | 45 ° | 9.086  | 4 | 6.564  | 6.645  | 1.5   |
| 30 | .5   | .75  | 14.4 10 | 6.364  | 45 ° | 11.368 | 5 | 8.206  | 8.286  | 1.875 |
| 36 | .625 | .875 | 17.293  | 7.645  | 45 ° | 13.650 | 6 | 9.847  | 9.927  | 2.25  |
| 48 | .75  | 1.25 | 23.057  | 10.167 | 45 ° | 18.173 | 8 | 13.129 | 13.250 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

\* Reduce character spacing 20%.  
\*\* Reduce character spacing 30%.




\* Reduce character spacing 20%.

May 2021



**W10-14aP**  
USE NEXT CROSSING \* Reduce character spacing 20%.



**W10-15P**  
ROUGH CROSSING \* Reduce character spacing 20%.

| A  | B  | C     | D     | E   | F   | G | H    | J      | K      | L     |
|----|----|-------|-------|-----|-----|---|------|--------|--------|-------|
| 30 | 24 | 0.375 | 0.625 | 5   | 5 C | 4 | 5 C* | 8.953  | 12.650 | 1.5   |
| 36 | 30 | 0.5   | 0.75  | 6.5 | 6 C | 5 | 6 C* | 10.744 | 15.180 | 1.875 |


COLORS: LEGEND -BLACK  
BACKGROUND -YELLOW



**W11-1**  
Bicycle Crossing (Symbol)

| A  | B    | C    | D      | E     | F     |
|----|------|------|--------|-------|-------|
| 18 | .375 | .625 | 5      | .594  | 1.5   |
| 24 | .375 | .625 | 6.688  | .813  | 1.5   |
| 30 | .5   | .75  | 8.5    | 1     | 1.875 |
| 36 | .625 | .875 | 10     | 1.188 | 2.25  |
| 48 | .75  | 1.25 | 13.375 | 1.625 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-2**  
Pedestrian Crossing (Symbol)

| A  | B    | C    | D    | E     |
|----|------|------|------|-------|
| 18 | .375 | .625 | 8    | 1.5   |
| 24 | .375 | .625 | 11   | 1.5   |
| 30 | .5   | .75  | 13.5 | 1.875 |
| 36 | .625 | .875 | 16   | 2.25  |
| 48 | .75  | 1.25 | 22   | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-3**  
Deer Crossing (Symbol)

| A  | B    | C    | D      | E     | F     | G     | H     |
|----|------|------|--------|-------|-------|-------|-------|
| 24 | .375 | .625 | 10.625 | 7.875 | 6.5   | 5.875 | 1.5   |
| 30 | .5   | .75  | 13.5   | 10    | 8.25  | 7.5   | 1.875 |
| 36 | .625 | .875 | 16.25  | 12    | 9.875 | 9     | 2.25  |
| 48 | .75  | 1.25 | 21.25  | 15.75 | 13    | 11.75 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-4**  
Cattle Crossing (Symbol)

| A  | B    | C    | D    | E      | F      | G      | H     |
|----|------|------|------|--------|--------|--------|-------|
| 24 | .375 | .625 | 4.75 | 6.313  | 9.25   | 8.313  | 1.5   |
| 30 | .5   | .75  | 6    | 8      | 11.75  | 10.5   | 1.875 |
| 36 | .625 | .875 | 7.25 | 9.625  | 14.125 | 12.625 | 2.25  |
| 48 | .75  | 1.25 | 9.5  | 12.625 | 18.5   | 16.625 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W11-5**  
Farm Machinery (Symbol)

\* See Symbol section  
for symbol design

| A  | B    | C    | D     | E    | F     | G     | H   | J    | K     |
|----|------|------|-------|------|-------|-------|-----|------|-------|
| 24 | .375 | .625 | 6.875 | 3.75 | 4.375 | 1.375 | 2   | 4.75 | 1.5   |
| 30 | .5   | .75  | 8.75  | 4.75 | 5.5   | 1.75  | 2.5 | 6    | 1.875 |
| 36 | .625 | .875 | 10.5  | 5.75 | 6.625 | 2.125 | 3   | 7.25 | 2.25  |
| 48 | .75  | 1.25 | 13.75 | 7.5  | 8.75  | 2.75  | 4   | 9.5  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* See Symbol section  
for symbol design

**W11-5a**  
Farm Vehicle (Symbol)

| A  | B    | C    | D      | E      | F      | G      | H     |
|----|------|------|--------|--------|--------|--------|-------|
| 24 | .375 | .625 | 7.365  | 7.645  | 9.447  | 9.287  | 1.5   |
| 30 | .5   | .75  | 9.206  | 9.567  | 11.808 | 11.608 | 1.875 |
| 36 | .625 | .875 | 11.048 | 11.488 | 14.17  | 13.93  | 2.25  |
| 48 | .75  | 1.25 | 14.731 | 15.331 | 18.894 | 18.574 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




\* See Symbol section  
for symbol design

**W11-6**  
Snowmobile (Symbol)

| A  | B     | C     | D     | E    | F     |
|----|-------|-------|-------|------|-------|
| 24 | 0.375 | 0.625 | 11    | 4    | 1.5   |
| 30 | 0.5   | 0.75  | 13.5  | 5.25 | 1.875 |
| 36 | 0.625 | 0.875 | 16.25 | 6.25 | 2.25  |
| 48 | 0.75  | 1.25  | 22    | 8    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W11-7**  
Equestrian (Symbol)

| A  | B    | C    | D      | E     |
|----|------|------|--------|-------|
| 24 | .375 | .625 | 16.25  | 1.5   |
| 30 | .5   | .75  | 19.625 | 1.875 |
| 36 | .625 | .875 | 23.75  | 2.25  |
| 48 | .75  | 1.25 | 31.5   | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




\* See Symbol section  
for symbol design

**W11-8L**

**W11-8R**  
Emergency Vehicle (Symbol)

| A  | B    | C    | D     | E     | F     |
|----|------|------|-------|-------|-------|
| 24 | .375 | .625 | 11    | 3.5   | 1.5   |
| 30 | .5   | .75  | 13.75 | 4.375 | 1.875 |
| 36 | .625 | .875 | 16.5  | 5.25  | 2.25  |
| 48 | .75  | 1.25 | 22    | 7     | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-9**  
Disabled Crossing (Symbol)

| A  | B    | C    | D     | E     |
|----|------|------|-------|-------|
| 30 | .5   | .75  | 11.25 | 1.875 |
| 36 | .625 | .875 | 13.5  | 2.25  |
| 48 | .75  | 1.25 | 18    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* See Symbol section  
for symbol design


**W11-10R**

**W11-10L**  
Truck Crossing (Symbol)

| A  | B    | C    | D  | E   | F     |
|----|------|------|----|-----|-------|
| 24 | .375 | .625 | 7  | 9.5 | 1.5   |
| 30 | .5   | .75  | 9  | 12  | 1.875 |
| 36 | .625 | .875 | 10 | 14  | 2.25  |
| 48 | .75  | 1.25 | 14 | 19  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**



\* See Symbol section  
for symbol design


**W11-11**  
Golf Cart (Symbol)

| A  | B    | C    | D      | E      | F      | G      | H     |
|----|------|------|--------|--------|--------|--------|-------|
| 24 | .375 | .625 | 7.285  | 6.064  | 9.467  | 9.126  | 1.5   |
| 30 | .5   | .75  | 9.126  | 7.605  | 11.889 | 11.448 | 1.875 |
| 36 | .625 | .875 | 10.928 | 9.126  | 14.250 | 13.730 | 2.25  |
| 48 | .75  | 1.25 | 14.571 | 12.129 | 18.934 | 18.253 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

## WATCH FOR EMERGENCY VEHICLES

TEXAS



**W11-12P**  
EMERGENCY SIGNAL AHEAD (Plaque)




**W11-12aT**  
EMERGENCY VEHICLE ENTERING INTERSECTION WHEN FLASHING

**ROADWAY**

ALTERNATE 3RD LINE

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W11-12bT**  
SIGNAL UNDER STUDY FOR REMOVAL

| A  | B  | C     | D     | E    | F   | G  | H    | J   | K   |
|----|----|-------|-------|------|-----|----|------|-----|-----|
| 36 | 24 | 0.375 | 0.625 | 1.5  | 3   | 4C | 14.7 | 0.8 | 2.2 |
| 54 | 36 | 0.625 | 0.875 | 2.25 | 4.5 | 6C | 22.1 | 1.3 | 3.5 |

| L    | M    | N   | O | P    | Q  |
|------|------|-----|---|------|----|
| 13.3 | 12.5 | 1.5 | 3 | 8    | 10 |
| 19.9 | 19.5 | 1.4 | 6 | 12.1 | 15 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



\* See Symbol section  
for symbol design

**W11-14**  
Horse and Buggy Traffic (Symbol)

| A  | B    | C    | D     | E     | F      | G      | H     |
|----|------|------|-------|-------|--------|--------|-------|
| 24 | .375 | .625 | 4.323 | 4.443 | 10.407 | 9.567  | 1.5   |
| 30 | .5   | .75  | 5.404 | 5.564 | 13.0   | 11.969 | 1.875 |
| 36 | .625 | .875 | 6.484 | 6.685 | 15.611 | 14.370 | 2.25  |
| 48 | .75  | 1.25 | 8.646 | 8.926 | 20.815 | 19.174 | 3     |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW




\* See Symbol section  
for symbol design

**W11-15**  
Combined Bike and Pedestrian Crossing

| A  | B    | C    | D     | E     | F  | G     | H      | J     | K    | L     |
|----|------|------|-------|-------|----|-------|--------|-------|------|-------|
| 18 | .375 | .625 | 6.25  | 1     | 9  | 0.125 | 1.5    | 2.524 | 2.25 | 1.5   |
| 24 | .375 | .625 | 8.5   | 1.375 | 12 | 0.125 | 7.438  | 3.366 | 3    | 1.5   |
| 30 | .5   | .75  | 10.75 | 1.75  | 15 | 0.25  | 9.41   | 4.207 | 3.75 | 1.875 |
| 36 | .625 | .875 | 12.75 | 2.125 | 18 | 0.375 | 11.156 | 5.049 | 4.50 | 2.25  |
| 48 | .75  | 1.25 | 17    | 2.75  | 24 | 0.375 | 14.875 | 6.732 | 6    | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



A W16-2P or W16-3aP distance plaque may be placed below signs.

**W11-15a**  
TRAIL CROSSING

| A  | B    | C    | D   | E    | F     |
|----|------|------|-----|------|-------|
| 24 | .375 | .625 | 4 C | 3    | 1.5   |
| 30 | .5   | .75  | 5 C | 3.75 | 1.875 |
| 36 | .625 | .875 | 6 C | 4.5  | 2.25  |
| 48 | .75  | 1.25 | 8 C | 6    | 3     |




**W11-15bT**  
TRAIL CROSSING (With combined symbols)

\* See Symbol section  
for symbol designs

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W11-15cT**

WATCH FOR SLOW MOVING VEHICLES

\* Reduce character spacing 30%.

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W11-15P**  
TRAIL X-ING (Plaque)

| A  | B  | C    | D    | E   | F     | G | H    | J    | K     |
|----|----|------|------|-----|-------|---|------|------|-------|
| 18 | 12 | .375 | .438 | 2.5 | 2.5 D | 2 | .375 | .625 | 1.5   |
| 24 | 18 | .375 | .625 | 3.5 | 4 D   | 3 | .5   | 1    | 1.5   |
| 30 | 24 | .5   | .75  | 5   | 5 D   | 4 | .5   | .625 | 1.5   |
| 36 | 30 | .625 | .875 | 6.5 | 6 D   | 5 | .625 | .75  | 1.875 |

COLORS: LEGEND    - BLACK  
                              BACKGROUND - YELLOW

TEXAS




**W11-16  
(Bear)**

\* See Symbol section  
for symbol design

| A  | B    | C    | D    | E     |
|----|------|------|------|-------|
| 24 | .375 | .625 | 10   | 1.5   |
| 30 | .5   | .75  | 12.5 | 1.875 |
| 36 | .625 | .875 | 15   | 2.25  |
| 48 | .75  | 1.25 | 20   | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-17  
(Sheep)**

| A  | B    | C    | D     | E     |
|----|------|------|-------|-------|
| 24 | .375 | .625 | 13    | 1.5   |
| 30 | .5   | .75  | 16.25 | 1.875 |
| 36 | .625 | .875 | 19.5  | 2.25  |
| 48 | .75  | 1.25 | 26    | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-18**  
**(Bighorn Sheep)**

| A  | B    | C    | D  | E     | F      | G      | H     |
|----|------|------|----|-------|--------|--------|-------|
| 24 | .375 | .625 | 8  | 7.75  | 8.22   | 6.722  | 1.5   |
| 30 | .5   | .75  | 10 | 9.75  | 10.307 | 8.432  | 1.875 |
| 36 | .625 | .875 | 12 | 11.75 | 12.517 | 10.018 | 2.25  |
| 48 | .75  | 1.25 | 16 | 16    | 16.932 | 13.431 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




\* See Symbol section  
for symbol design

**W11-19  
(Donkey)**

| A  | B    | C    | D    | E     |
|----|------|------|------|-------|
| 24 | .375 | .625 | 12.5 | 1.5   |
| 30 | .5   | .75  | 16   | 1.875 |
| 36 | .625 | .875 | 19   | 2.25  |
| 48 | .75  | 1.25 | 24.5 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-22**  
**(Wild Horse)**

| A  | B    | C    | D     | E    | F    | G      | H     |
|----|------|------|-------|------|------|--------|-------|
| 24 | .375 | .625 | 8.25  | 5.75 | 8.75 | 8.706  | 1.5   |
| 30 | .5   | .75  | 10.25 | 7.25 | 11   | 10.819 | 1.875 |
| 36 | .625 | .875 | 11.25 | 9.75 | 14   | 12.183 | 2.25  |
| 48 | .75  | 1.25 | 14.5  | 13.5 | 19   | 15.911 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W11-25T  
(Ducks)**

| A  | B    | C    | D     |
|----|------|------|-------|
| 30 | .5   | .75  | 1.875 |
| 36 | .625 | .875 | 2.25  |
| 48 | .75  | 1.25 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W11-26aT**




**W11-26bTP**

ENDANGERED SPECIES

| A  | B    | C    | D   | E    | F     | G    | H  | J  | K    | L    | M   | N     | P | Q   |
|----|------|------|-----|------|-------|------|----|----|------|------|-----|-------|---|-----|
| 36 | .625 | .875 | 5 C | 2.50 | 1.25  | 2.25 | 24 | 12 | .375 | .438 | 2.5 | 2.5 C | 2 | 1.5 |
| 48 | .75  | 1.25 | 7 C | 3.25 | 1.625 | 3    | 36 | 18 | .375 | .625 | 3.5 | 4 C   | 3 | 1.5 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**




\* See Symbol section  
for symbol design

**W11-26T**  
Pelican (Symbol)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



\* See Symbol section  
for arrow design

### W12-1

Double arrow

| A  | B    | C    | D  | E     | F      | G      | H    | J     |
|----|------|------|----|-------|--------|--------|------|-------|
| 30 | .5   | .75  | 10 | 5.25  | 12.375 | 14.688 | 4    | 1.875 |
| 36 | .625 | .875 | 12 | 6.125 | 14.625 | 17.5   | 4.75 | 2.25  |
| 48 | .75  | 1.25 | 16 | 8.25  | 19.5   | 23.25  | 6.25 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* When inches number is 10,  
use Series C.

\* Optically space numerals  
about center line.


### W12-2

Low Clearance


| A  | B    | C    | D     | E      | F     | G     | H   | J     | K     | L     | M     | N    |
|----|------|------|-------|--------|-------|-------|-----|-------|-------|-------|-------|------|
| 18 | .375 | .625 | 3.438 | 4      | 2.125 | .5    | 1.5 | 1     | 1.5   | .938  | .625  | .25  |
| 30 | .5   | .75  | 5.75  | 6.625  | 3.75  | .75   | 2.5 | 1.688 | 1.875 | 1.563 | 1     | .438 |
| 36 | .625 | .875 | 6.875 | 8      | 4.25  | 1     | 3   | 2     | 2.25  | 1.875 | 1.25  | .5   |
| 48 | .75  | 1.25 | 9.188 | 10.625 | 5.875 | 1.313 | 4   | 2.625 | 3     | 2.438 | 1.625 | .625 |

| P     | Q     | R | S*   |
|-------|-------|---|------|
| 1.375 | 2     | 3 | 6 D  |
| 2.25  | 3.313 | 5 | 10 D |
| 2.75  | 4     | 6 | 12 D |
| 3.625 | 5.58  | 8 | 16 D |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W12-2TP**  
LOW CLEARANCE (Plaque)




**W12-2a**  
\_\_FT \_\_IN (Low Clearance)

| A   | B   | C    | D    | E   | F    | G   | H | J   | K | L  | M    | N     |
|-----|-----|------|------|-----|------|-----|---|-----|---|----|------|-------|
| 66* | 12* | .375 | .625 | 2.5 | 7 E  | 5 E | 6 | 6.5 | 4 | 7  | 8.5  | 1.875 |
| 96* | 18* | .375 | .625 | 4   | 10 E | 8 E | 8 | 10  | 4 | 10 | 13   | 1.875 |
| 84  | 24  | .75  | 1.25 | 6   | 12 E | 8 E | 6 | 9   | 4 | 8  | 12.5 | 3     |

\* Only to be used in conjunction with TURNAROUND (D13-1T) sign.

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW

TEXAS




**W12-3TP**  
Downward Arrow (Plaque)

\* See Symbol section  
for arrow design

COLORS: LEGEND    - BLACK  
BACKGROUND -YELLOW


**TEXAS**



**W12-4T**  
LOW CLEARANCE 10 MILES AHEAD

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W12-5T**  
LOAD ZONED BRIDGE

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W13-1P**  
Advisory Speed (Plaque)

\* Optically space numerals  
about centerline

| A  | B    | C    | D     | E    | F    | G   | H     | J     |
|----|------|------|-------|------|------|-----|-------|-------|
| 18 | .375 | .625 | 2.5   | 8 E  | 2    | 3 E | 4.723 | 1.5   |
| 24 | .375 | .625 | 3.625 | 10 E | 2.75 | 4 E | 6.284 | 1.5   |
| 30 | .5   | .75  | 4.5   | 12 E | 4    | 5 E | 7.416 | 1.875 |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW



**W13-2**  
Advisory Exit Speed


\* Optically space numerals  
about centerline

\*\* Increase spacing 100%

| A  | B  | C    | D    | E   | F  | G   | H     | J   | K  | L | M     |
|----|----|------|------|-----|----|-----|-------|-----|----|---|-------|
| 24 | 30 | .375 | .625 | 3.5 | 4E | 2.5 | 2.875 | 8E  | 3E | 3 | 6.125 |
| 36 | 48 | .625 | .875 | 6   | 6E | 4   | 5.125 | 12E | 4E | 6 | 9.25  |
| 48 | 60 | .75  | 1.25 | 7   | 8E | 5   | 5.75  | 16E | 6E | 6 | 12.25 |

| N     | P      | Q    |
|-------|--------|------|
| 6.375 | 5.313  | 1.5  |
| 9.5   | 7.063  | 2.25 |
| 12.75 | 10.625 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**W13-3**

Advisory Ramp Speed


\* Optically space numerals  
about centerline

\*\* Increase spacing 100%


| A  | B  | C    | D    | E   | F   | G   | H     | J    | K   | L | M      |
|----|----|------|------|-----|-----|-----|-------|------|-----|---|--------|
| 24 | 30 | .375 | .625 | 3.5 | 4 E | 2.5 | 2.875 | 8 E  | 3 E | 3 | 8.25   |
| 36 | 48 | .625 | .875 | 6   | 6 E | 4   | 5.125 | 12 E | 4 E | 6 | 12.375 |
| 48 | 60 | .75  | 1.25 | 7   | 8 E | 5   | 5.75  | 16 E | 6 E | 6 | 16.5   |

| N     | P     | Q    |
|-------|-------|------|
| 8.5   | 5.313 | 1.5  |
| 12.75 | 7.063 | 2.25 |
| 17    | 10.63 | 3    |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW




**W13-4P**  
ON RAMP




**W13-4aTP**  
RAMP

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



W13-4bTP



W13-4cTP

TEXAS

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W13-5T**  
Curved Advisory Speed


\* Optically space numerals  
about centerline

\*\* Increase spacing 100%

| A  | B  | C    | D    | E     | F   | G     | H     | J    | K   | L     | M      |
|----|----|------|------|-------|-----|-------|-------|------|-----|-------|--------|
| 24 | 30 | .375 | .625 | 3.482 | 4 E | 2.481 | 2.401 | 8 E  | 4 E | 2.642 | 9.727  |
| 36 | 48 | .625 | .875 | 6     | 6 E | 4     | 4.803 | 12 E | 5 E | 4.403 | 14.611 |
| 48 | 60 | .75  | 1.25 | 7     | 8 E | 5     | 5.203 | 16 E | 6 E | 7     | 19.474 |

| N      | P    |
|--------|------|
| 5.243  | 1.5  |
| 8.966  | 2.25 |
| 11.048 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* See Symbol section for arrow design

\*\* Optically space numerals about centerline


\*\*\* Increase character spacing 100%.

### W13-6

Combination Horizontal Alignment/Advisory Exit Speed

| A      | B      | C      | D     | E     | F   | G     | H     | J      | K     | L    | M    | N      | P     |
|--------|--------|--------|-------|-------|-----|-------|-------|--------|-------|------|------|--------|-------|
| 24     | 42     | 0.375  | 0.625 | 3.485 | 4 E | 2.5   | 1.5   | 14.515 | 1.875 | 7 E  | 1.75 | 3 E    | 1.75  |
| 36     | 60     | 0.625  | 0.875 | 3.5   | 6 E | 2.5   | 2     | 22.531 | 2.25  | 10 E | 2.75 | 4.5 E  | 3.094 |
| 48     | 84     | 0.75   | 1.25  | 6.971 | 8 E | 5     | 3     | 29.029 | 3.75  | 14 E | 3.5  | 6 E    | 3.5   |
| Q      | R      | S      | T     | U     | V   | W     | X     | Y      | Z     | AA   | BB   | CC     | DD    |
| 5.875  | 6.367  | 7.343  | 6.75  | 2.5   | 5.5 | 1.125 | 1.735 | 6.125  | 4.25  | 165° | VAR  | 5.133  | 1.5   |
| 8.682  | 9.681  | 11.386 | 10.5  | 3.875 | 8.5 | 1.75  | 2.702 | 9.5    | 6.625 | 165° | VAR  | 7.698  | 2.25  |
| 11.750 | 12.734 | 14.686 | 13.5  | 5     | 11  | 2.25  | 3.471 | 12.25  | 8.5   | 165° | VAR  | 10.265 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



\* See Symbol section for arrow design

\*\* Optically space numerals about centerline

\*\*\* Increase character spacing 100%.

### W13-7


Combination Horizontal Alignment/Advisory Ramp Speed

| A  | B  | C     | D     | E     | F   | G   | H   | J      | K     | L    | M    | N     | P     |
|----|----|-------|-------|-------|-----|-----|-----|--------|-------|------|------|-------|-------|
| 24 | 42 | 0.375 | 0.625 | 3.48  | 4 E | 2.5 | 1.5 | 14.515 | 1.875 | 7 E  | 1.75 | 3 E   | 1.75  |
| 36 | 60 | 0.625 | 0.875 | 3.5   | 6 E | 2.5 | 2   | 22.531 | 2.25  | 10 E | 2.75 | 4.5 E | 3.094 |
| 48 | 84 | 0.75  | 1.25  | 6.971 | 8 E | 5   | 3   | 29.029 | 3.75  | 14 E | 3.5  | 6 E   | 3.5   |

| Q      | R      | S    | T     | U   | V     | W     | X     | Y     | Z    | AA  | BB     | CC   |
|--------|--------|------|-------|-----|-------|-------|-------|-------|------|-----|--------|------|
| 8.245  | 7.343  | 6.75 | 2.5   | 5.5 | 1.125 | 1.735 | 6.125 | 4.25  | 165° | VAR | 5.133  | 1.5  |
| 12.367 | 11.386 | 10.5 | 3.875 | 8.5 | 1.75  | 2.702 | 9.5   | 6.625 | 165° | VAR | 7.698  | 2.25 |
| 16.489 | 14.686 | 13.5 | 5     | 11  | 2.25  | 3.471 | 12.25 | 8.5   | 165° | VAR | 10.265 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


**W13-8T**

XX MPH WHEN FLASHING

| A   | B  | C    | D | E | F  | G | H | J |
|-----|----|------|---|---|----|---|---|---|
| 90  | 24 | .375 | 1 | 5 | 6D | 3 | 4 | 6 |
| 132 | 30 | .5   | 1 | 5 | 8E | 4 | 5 | 6 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


**TEXAS**



**W14-1**  
DEAD END

| A  | B    | C    | D    | E   | F   | G      | H      | J     | K    | L     |
|----|------|------|------|-----|-----|--------|--------|-------|------|-------|
| 24 | .375 | .625 | 5 D  | 1   | 2   | 8.25   | 8.563  | 5.625 | 6.25 | 1.5   |
| 30 | .5   | .75  | 6 D  | 1.5 | 2.5 | 9.75   | 10.25  | 6.75  | 7.5  | 1.875 |
| 36 | .625 | .875 | 7 D  | 2   | 3   | 11.375 | 11.938 | 7.875 | 8.75 | 2.25  |
| 48 | .75  | 1.25 | 10 D | 2   | 4   | 16.5   | 17.126 | 11.25 | 12.5 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W14-1T**  
ROAD ENDS

| A  | B    | C    | D   | E | F   | G     |
|----|------|------|-----|---|-----|-------|
| 24 | .375 | .625 | 5 D | 3 | 1   | 1.5   |
| 30 | .5   | .75  | 6 D | 4 | 1.5 | 1.875 |
| 36 | .625 | .875 | 7 D | 5 | 2   | 2.25  |
| 48 | .75  | 1.25 | 9 D | 6 | 2.5 | 3     |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W14-1aR**  
DEAD END

\* See Symbol section  
for arrow design



**W14-1aL**  
DEAD END

| A  | B | C    | D    | E   | F     | G   | H     | J      | K   | L     | M   | N   |
|----|---|------|------|-----|-------|-----|-------|--------|-----|-------|-----|-----|
| 24 | 6 | .375 | .375 | 1.5 | 1.125 | 3 B | 2.033 | 6.572  | 2   | 4.862 | 4.5 | 1.5 |
| 36 | 8 | .375 | .375 | 2   | 1.5   | 4 C | 3.057 | 10.803 | 2.5 | 8.083 | 6   | 1.5 |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W14-2**  
NO OUTLET


| A  | B    | C    | D    | E | F     | G     | H     | J      | K      | L     |
|----|------|------|------|---|-------|-------|-------|--------|--------|-------|
| 24 | .375 | .625 | 5 D  | 3 | .75   | 4.125 | 4.5   | 11.625 | 12.063 | 1.5   |
| 30 | .5   | .75  | 6 D  | 4 | .938  | 5     | 5.375 | 13.938 | 14.5   | 1.875 |
| 36 | .625 | .875 | 7 D  | 5 | 1.125 | 5.875 | 6.25  | 16.25  | 16.938 | 2.25  |
| 48 | .75  | 1.25 | 10 D | 6 | 1.5   | 8.25  | 9     | 23.25  | 24.126 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W14-2aR**  
NO OUTLET (Arrow)

\* See Symbol section  
for arrow design



**W14-2aL**  
NO OUTLET (Arrow)

| A  | B | C    | D    | E   | F     | G   | H     | J     | K     | L      | M   | N   |
|----|---|------|------|-----|-------|-----|-------|-------|-------|--------|-----|-----|
| 24 | 6 | .375 | .375 | 1.5 | 1.125 | 3 B | 1.852 | 3.242 | 1.625 | 9.304  | 4.5 | 1.5 |
| 36 | 8 | .375 | .375 | 2   | 1.5   | 4 C | 2.246 | 5.402 | 2.25  | 15.606 | 6   | 1.5 |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W14-3**  
 NO PASSING ZONE

| A  | B  | C    | D    | E    | F   | G   | H    | J   | K     | L     | M      | N      |
|----|----|------|------|------|-----|-----|------|-----|-------|-------|--------|--------|
| 40 | 30 | .5   | .75  | 7.25 | 4 D | 4 C | 1.75 | 2.5 | 1.875 | 6.5   | 22.563 | 11.063 |
| 48 | 36 | .625 | .875 | 8.5  | 5 D | 5 C | 2    | 3   | 2.25  | 8     | 26.813 | 12.75  |
| 64 | 48 | .75  | 1.25 | 12   | 6 D | 6 C | 3    | 4   | 3     | 10.75 | 33.688 | 16.563 |

COLORS: LEGEND - BLACK  
 BACKGROUND - YELLOW




**W15-1**  
Playground (Symbol)

| A  | B    | C    | D    | E   | F  | G     |
|----|------|------|------|-----|----|-------|
| 18 | .375 | .625 | 3.5  | 2   | 9  | 1.5   |
| 24 | .375 | .625 | 4.6  | 2   | 12 | 1.5   |
| 30 | .5   | .75  | 5.75 | 2.0 | 16 | 1.875 |
| 36 | .625 | .875 | 7    | 3   | 19 | 2.25  |
| 48 | .75  | 1.25 | 9.25 | 3.5 | 23 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W16-1P**  
SHARED THE ROAD (Plaque)

Note: For use with Warning Signs for slower forms of transportation such as the Bicycle, Golf Cart, Farm Machinery, Horse Drawn Vehicle and ATV.

| A  | B  | C    | D    | E    | F  | G    | H     | J     | K     | L   |
|----|----|------|------|------|----|------|-------|-------|-------|-----|
| 18 | 24 | .375 | .625 | 3.5  | 4C | 2.5  | 6.865 | 3.862 | 5.505 | 1.5 |
| 24 | 30 | .375 | .625 | 4.25 | 5C | 3.25 | 8.586 | 4.823 | 6.885 | 1.5 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W16-2P**  
Distance Plaque (2 lines)


\* Distances should be in 500 ft increments:

**1000**  
**1500**

| A  | B  | C    | D    | E     | F   | G    | H     |
|----|----|------|------|-------|-----|------|-------|
| 18 | 12 | .375 | .438 | 2     | 3 D | 2    | 1.5   |
| 24 | 18 | .375 | .625 | 3     | 5 D | 2    | 1.5   |
| 30 | 24 | .375 | .625 | 4.375 | 6 D | 3.25 | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**

**W16-2aP**

Distance Plaque (1 line)

Distances should be in 500 ft increments:

1000 FT


1500 FT

(Vary letter and word spacing as needed)

| A  | B  | C    | D    | E | F   | G     |
|----|----|------|------|---|-----|-------|
| 18 | 9  | .375 | .375 | 3 | 3 D | 1.5   |
| 24 | 12 | .375 | .625 | 4 | 4 D | 1.5   |
| 30 | 12 | .375 | .625 | 3 | 6 C | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**



**W16-3P (4)**

Distance Plaque (2 line)

Distances should be in ½ mile increments:



**W16-3P (1)**

**W16-3P (2)**


**W16-3P (3)**

- Note: 1. Distance may vary  
2. See Appendix for fraction design

| A  | B  | C    | D    | E   | F     | G  | H    | J   |
|----|----|------|------|-----|-------|----|------|-----|
| 30 | 24 | .375 | .625 | 1.5 | 4.375 | 6D | 3.25 | 4.5 |
| 36 | 24 | .375 | .625 | 1.5 | 3.5   | 7D | 3.25 | 4.5 |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W16-3aTP (1)**


Distances should be in 1/2 mile increments:



**W16-3aTP (2)**




**W16-3aTP (3)**






**W16-3aTP (4)**

Distance Plaque (1 line)  
 COLORS: LEGEND - BLACK  
 BACKGROUND - YELLOW

TEXAS



Distances should be in 1/2 mile increments:




**NOTE:**

Size 48 x 12 should be used with sign R12-8nT.

Distance Plaque (1 line)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W16-4P**  
NEXT XX FT (Plaque)


\* Distances should be in 500 ft increments:

**1000 FT**  
**1500 FT**


Vary letter and word spacing to fit

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**




| A  | B  | C    | D    | E | F     | G     | H    | J      | K   |
|----|----|------|------|---|-------|-------|------|--------|-----|
| 24 | 18 | .375 | .625 | 3 | 6.925 | 5.884 | .6   | 15.811 | 1.5 |
| 30 | 24 | .375 | .625 | 4 | 9.25  | 8.125 | .813 | 19.76  | 1.5 |



| A  | B  | C    | D    | E | F     | G     | H    | J     | K   | L    | M     | N      | P   |
|----|----|------|------|---|-------|-------|------|-------|-----|------|-------|--------|-----|
| 24 | 18 | .375 | .625 | 3 | 6.925 | 5.884 | .6   | 2.875 | .75 | 1    | 5.924 | 15.811 | 1.5 |
| 30 | 24 | .375 | .625 | 4 | 9.25  | 8.125 | .813 | 3.5   | .94 | 1.25 | 8.977 | 19.76  | 1.5 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W16-7PL**


45 Degree Downward Supplemental Arrow (Plaque)




**W16-7PR**

| A  | B  | C    | D    | E     | F   | G   | H     | J     | K     | L      | M   | N     |
|----|----|------|------|-------|-----|-----|-------|-------|-------|--------|-----|-------|
| 21 | 15 | .375 | .438 | 4.323 | 3   | 30° | 5.844 | 3.282 | 5.884 | 6.925  | .6  | 1.5   |
| 24 | 12 | .375 | .625 | 4.323 | 3   | 30° | 5.844 | 3.282 | 5.884 | 6.925  | .6  | 1.5   |
| 30 | 18 | .5   | .75  | 6.524 | 4.5 | 30° | 8.766 | 4.923 | 8.846 | 10.407 | .92 | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W16-8P**  
Advance Street Name (Plaque)




**W16-8aP**  
Advance Street Name (with Arrows)

\* See Symbol section  
for arrow design

If design allows, words like Road, Street, etc. may be spelled out.

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W16-9P**  
AHEAD (Plaque)

| A  | B  | C    | D    | E   | F   | G     |
|----|----|------|------|-----|-----|-------|
| 24 | 12 | .375 | .625 | 3.5 | 5 C | 1.5   |
| 30 | 18 | .5   | .75  | 5.5 | 7 C | 1.875 |
| 36 | 24 | .625 | .875 | 8   | 8 C | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W16-10aP**  
PHOTO ENFORCED (Plaque)

| A  | B  | C    | D    | E   | F   | G | H      | J      | K     |
|----|----|------|------|-----|-----|---|--------|--------|-------|
| 24 | 18 | .375 | .625 | 4.5 | 3 D | 3 | 6.049  | 9.892  | 1.5   |
| 36 | 24 | .375 | .625 | 6   | 4 D | 4 | 8.066  | 11.689 | 1.875 |
| 48 | 36 | .625 | .875 | 9   | 6 D | 6 | 12.098 | 19.783 | 2.25  |


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W16-12P**  
TRAFFIC CIRCLE (Plaque)

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W16-13P**  
WHEN FLASHING (Plaque)


| A  | B  | C    | D    | E   | F   | G | H     | J      | K     |
|----|----|------|------|-----|-----|---|-------|--------|-------|
| 24 | 18 | .375 | .625 | 3.5 | 4 C | 3 | 5.843 | 9.844  | 1.5   |
| 30 | 24 | .5   | .75  | 5   | 5 C | 4 | 7.268 | 12.782 | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W16-15P**  
NEW (Plaque)



**W16-17P**  
ROUNDAABOUT (Plaque)



**W16-18P**  
NOTICE (Plaque)


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W17-1**  
SPEED HUMP

| A  | B     | C     | D   | E     | F   | G      | H      | J      | K     |
|----|-------|-------|-----|-------|-----|--------|--------|--------|-------|
| 24 | 0.375 | 0.625 | 4 D | 1.25  | 2   | 7.886  | 6.961  | 7.210  | 1.5   |
| 30 | 0.5   | 0.75  | 5 D | 1.5   | 2.5 | 9.857  | 8.732  | 8.982  | 1.875 |
| 36 | 0.625 | 0.875 | 6 D | 1.875 | 3   | 11.828 | 10.379 | 10.878 | 2.25  |
| 48 | 0.75  | 1.25  | 8 D | 2.5   | 4   | 15.771 | 13.921 | 14.421 | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW




**W17-2T**  
RUMBLE STRIPS AHEAD

| A  | B    | C    | D   | E | F    |
|----|------|------|-----|---|------|
| 36 | .625 | .875 | 5 C | 3 | 2.25 |
| 48 | .75  | 1.25 | 7 C | 4 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W17-3T**  
LOOSE LIVESTOCK

| A  | B    | C    | D   | E   | F  | G     |
|----|------|------|-----|-----|----|-------|
| 30 | .5   | .75  | 4 D | 3   | .5 | 1.875 |
| 36 | .625 | .875 | 5 D | 3.5 | 1  | 2.25  |
| 48 | .75  | 1.25 | 7 D | 4.5 | 3  | 3     |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W17-4T**  
CATTLE GUARD

| A  | B    | C    | D   | E   | F   | G     |
|----|------|------|-----|-----|-----|-------|
| 30 | .5   | .75  | 5 D | 2.5 | .75 | 1.875 |
| 36 | .625 | .875 | 6 D | 3   | 1   | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W17-5T**  
HOSPITAL

| A  | B    | C    | D   | E     |
|----|------|------|-----|-------|
| 30 | .5   | .75  | 5 D | 1.875 |
| 36 | .625 | .875 | 6 D | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

**TEXAS**



**W17-6T**  
MILITARY ENTRANCE

| A  | B    | C    | D   | E   | F   | G    | H     |
|----|------|------|-----|-----|-----|------|-------|
| 30 | .5   | .75  | 5 C | 2.5 | 5 B | .75  | 1.875 |
| 36 | .625 | .875 | 6 C | 3   | 6 B | .875 | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W17-7T**  
MILITARY AREA

| A  | B    | C    | D   | E   | F    | G     |
|----|------|------|-----|-----|------|-------|
| 30 | .5   | .75  | 5 C | 2.5 | .75  | 1.875 |
| 36 | .625 | .875 | 6 C | 3   | .875 | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W17-9T**  
HITCHHIKERS MAY BE ESCAPING INMATES

| A   | B  | C    | D    | E | F  | G | H     |
|-----|----|------|------|---|----|---|-------|
| 78  | 24 | .375 | .625 | 4 | 6C | 4 | 1.5   |
| 108 | 30 | .5   | .75  | 5 | 8C | 4 | 1.875 |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS



**W17-10T**  
WATCH FOR LOW FLYING AIRCRAFT

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W17-11T**  
ROCK SLIDES

| A  | B    | C    | D   | E | F    |
|----|------|------|-----|---|------|
| 36 | .625 | .875 | 6 D | 3 | 2.25 |
| 48 | .75  | 1.25 | 8 D | 4 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W17-12T**  
EARTH SLIDES

| A  | B    | C    | D   | E | F    |
|----|------|------|-----|---|------|
| 36 | .625 | .875 | 6 D | 3 | 2.25 |
| 48 | .75  | 1.25 | 8 D | 4 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W17-14T**  
WATCH FOR SMOKE ON ROAD

| A  | B    | C    | D   | E | F   | G    | H    |
|----|------|------|-----|---|-----|------|------|
| 36 | .625 | .875 | 4 D | 3 | 5 E | .625 | 2.25 |
| 48 | .75  | 1.25 | 5 D | 4 | 7 E | .875 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W17-15T**  
WATCH FOR MUD ON ROAD

| A  | B    | C    | D   | E   | F   | G    | H    |
|----|------|------|-----|-----|-----|------|------|
| 36 | .625 | .875 | 4 D | 2.5 | 6 E | 1    | 2.25 |
| 48 | .75  | 1.25 | 5 D | 3.5 | 8 E | 1.25 | 3    |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW


TEXAS




**W18-1**  
NO TRAFFIC SIGNS

| A  | B    | C    | D   | E     | F    | G     | H      | J      | K     |
|----|------|------|-----|-------|------|-------|--------|--------|-------|
| 24 | .375 | .625 | 4 D | 2.5   | 1.25 | 6.438 | 21.344 | 15.126 | 1.5   |
| 30 | .5   | .75  | 5 D | 3.125 | 1.5  | 8.047 | 26.68  | 18.907 | 1.875 |
| 36 | .625 | .875 | 6 D | 3.75  | 1.8  | 9.656 | 32.016 | 22.689 | 2.25  |

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W19-1**  
FREEWAY ENDS 1 MILE




**\* Alternate text**

FREEWAY ENDS 1/2 MILE


COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS




**W19-3**  
FREEWAY ENDS

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W19-5**  
ALL TRAFFIC MUST EXIT

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW



**W23-2**  
NEW TRAFFIC PATTERN AHEAD

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W25-1**  
ONCOMING TRAFFIC HAS EXTENDED GREEN



**W25-2**  
ONCOMING TRAFFIC HAVE EXTENDED GREEN

COLORS: LEGEND - BLACK  
BACKGROUND - YELLOW

TEXAS



**W30-1T**  
WINTER OPERATIONS STAY BACK

\*Reduced spacing 15%

| A  | B  | C    | D    | E   | F  | G     |
|----|----|------|------|-----|----|-------|
| 30 | 18 | .625 | .375 | 1.5 | 4C | 1.5   |
| 48 | 30 | .75  | .5   | 3   | 6C | 1.875 |

COLORS: LEGEND      - BLACK  
BACKGROUND - YELLOW

TEXAS