

Standard Highway Sign Designs for Texas




**Drawings may not be drawn to scale.
Do not photocopy for manufacturing.**

May 2021

(This page left intentionally blank)

ROUTE SIGN FOR ATTACHMENT SIGN USE



M1-1
Interstate Route
Markers (Attachment)


*Optically space numerals about centerline. In a few cases numerals cannot be placed within the space available. For these cases, the Series D may be reduced to Series C, and as a second choice the next smaller height available.

SIGN	A	B	C	D	E	F	G	H	J	K	L	M
1,2 DIGITS	24	24**	.5	6.5	12 D	5.5	5	15	15	2	2.5 C	7.813
1,2 DIGITS	36	36	.75	9.75	18 D	8.25	7.5	22.5	22.5	3	3.75 C	11.688
1,2 DIGITS	48	48	1	13	24 D	11	10	30	30	4	5 C	15.563
3 DIGITS	30	24**	.5	6.5	12 D	5.5	24	17	17	2	2.5 C	7.813
3 DIGITS	45	36	.75	9.75	18 D	8.25	7.5	36	25.5	3	3.75 C	11.688
3 DIGITS	60	48	1	13	24 D	11	10	48	34	4	5 C	15.563

** 24" Interstate shield to be used on sequence signing.

COLORS: LEGEND - WHITE
TOP - RED
BOTTOM - BLUE

TEXAS




M1-2
Off Interstate Business Loop Marker (Attachment and Independent)

* Optically space numerals about vertical centerline.
** For Independent Mount.

SIGN	A	B	C	D	E	F	G	H	J	K	L	M	N	P
1,2 DIGITS	24**	24**	.5	8	10 D	6	5	15	15	2	2.5 C	1.5 D	6.625	2.5
1,2 DIGITS	36	36	.75	12	15 D	9	7.5	22.5	22.5	3	3.75 C	2.25 D	9.938	3.75
1,2 DIGITS	48	48	1	16	20 D	12	10	30	30	4	5 C	3 D	13.25	5
3 DIGITS	30**	24**	.5	8	10 D	6	5	24	17	2	2.5 C	1.5 D	6.625	2.5
3 DIGITS	45	36	.75	12	15 D	9	7.5	36.0	25.5	3	3.75 C	2.25 D	9.938	3.75
3 DIGITS	60	48	1	16	20 D	12	10	48	34	4	5 C	3 D	13.25	5

COLORS: LEGEND - WHITE
 BACKGROUND - GREEN

TEXAS

**M1-3**

Off Interstate Business Spur Marker (Attachment and Independent)

* Optically space numerals about vertical centerline.


** For Independent Mount.

SIGN	A	B	C	D	E	F	G	H	J	K	L	M	N	P
1,2 DIGITS	24**	24**	.5	8	10 D	6	5	15	15	2	2.5 C	1.5 D	6.625	2.563
1,2 DIGITS	36	36	.75	12	15 D	9	7.5	22.5	22.5	3	3.75 C	2.25 D	9.938	3.844
1,2 DIGITS	48	48	1	16	20 D	12	10	30	30	4	5 C	3 D	13.25	5.125
3 DIGITS	30**	24**	.5	8	10 D	6	5	24	17	2	2.5 C	1.5 D	6.625	2.563
3 DIGITS	45	36	.75	12	15 D	9	7.5	36.0	25.5	3	3.75 C	2.25 D	9.938	3.844
3 DIGITS	60	48	1	16	20 D	12	10	48	34	4	5 C	3 D	13.25	5.125

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS

ROUTE SIGN FOR ATTACHMENT SIGN USE




M1-4
U.S. Route Marker (Attachment)

*Optically space numerals about vertical centerline.

SIGN	A	B	C	D	E	F	G	H	J	K	L
1,2 digits	24	24	5.5	12 D	6.5	1	5	7	5	7	2
1,2 digits	36	36	8.25	18 D	9.75	1.5	7.5	10.5	7.5	10.5	3
1,2 digits	48	48	11	24 D	13	2	10	14	10	14	4
3 digits	30	24	5.5	12 D	6.5	4	5	7	9	10	2
3 digits	45	36	8.25	18 D	9.75	5.5	7.5	10.5	13.5	15	3
3 digits	60	48	11	24 D	13	8	10	14	18	20	4

COLORS: LEGEND - BLACK
SHIELD - WHITE

ROUTE SIGN FOR INDEPENDENT USE



M1-4

U.S. Business Route Marker (Independent)


SIGN	A	B	C	D	E	F	G	H	J	K	L	M
1,2 digits	24	24	5.5	12 D	6.5	1	5.5	2.5	7.5	7	5.5	4.5
1,2 digits	36	36	8.25	18 D	9.75	1.5	8.25	3.75	11.25	10.5	8.25	6.5
1,2 digits	48	48	11	24 D	13	2	11	5	15	14	11	9
3 digits	30	24	5.5	12 D	6.5	4	5.5	2.5	7.5	10	9.5	4.5
3 digits	45	36	8.25	18 D	9.75	5.5	8.25	3.75	11.25	15	14.25	6.5
3 digits	60	48	11	24 D	13	8	11	5	15	20	19	9

N	P
.5	1.5
.75	2.25
1	3
.5	1.5
.75	2.25
1	3

* Optically space numerals about vertical centerline.

COLORS: LEGEND - BLACK
SHIELD - WHITE
BACKGROUND - BLACK

**BUSINESS ROUTE SIGN ASSEMBLY
FOR INDEPENDENT USE**




M1-4B
U.S. Business Route Marker Assembly (Independent)

SIGN	A	B	C	D	E
1,2 DIGITS	24	24	2 D	3	3
1,2 DIGITS	36	36	2 D	4.5	3
3 DIGITS	30	24	2 D	3	3
3 DIGITS	45	36	2 D	4.5	3

- NOTES:**
- * Refer to M1-4 for shield design
 - ** For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.

COLORS: LEGEND - BLACK
 SHIELD - WHITE
 BACKGROUND - BLACK

TEXAS

**M1-5**

U.S. Business Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K	L	M
24	14.188	.375	5	2 D	2	8 D	3	6.625	5.125	3.125	9.313
36	21.282	.625	7.5	3 D	3	12 D	4.5	9.938	7.696	4.843	13.969


N	P	Q	R	S
VAR	5	5.188	2.688	5.313
VAR	7.469	7.762	4.031	7.969

*Optically space numerals
about centerline

COLORS: LEGEND - YELLOW
BACKGROUND - BLUE

TEXAS

TEXAS ROUTE SIGN FOR ATTACHMENT SIGN USE



A	B	C	D	E	F	G
VAR	24	2.5	4 D	3	12 D	1.5
VAR	36	4	6 D	4	18 D	2.25
VAR	48	5	8 D	6	24 D	3

PA BELTWAY

M1-6PA
PA Route Marker

M1-6B
BELTWAY Route Marker

FM

M1-6F
FM Route Marker

LOOP

M1-6L
Loop Route Marker

PARK

M1-6P
PARK Route Marker

RM

M1-6R
RM Route Marker


SPUR

M1-6S
SPUR Route Marker

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

TEXAS ROUTE SIGN FOR INDEPENDENT USE



M1-6T

Texas Route Marker (Independent)

A	B	C	D (3 digits)	E	F	G	H (2 digits)	J
24	1.5	5	7 D	4	4 D	4	9 D	1.5
36	1.5	7	11 D	6	6 D	5.5	14 D	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

**BUSINESS ROUTE SIGN ASSEMBLY
FOR INDEPENDENT USE**




M1-6TB
Business Route Marker Assembly (Independent)

A	B	C	D (3 digits)	E	F	G	H	J	K	L (2 digits)	M
24	1.5	4	7 D	3	4 D	1.5	2 D	2.5	3.5	9 D	1.5
36	1.5	6	11 D	5	6 D	3	2 D	3	5	14 D	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

ROUTE SIGNS FOR INDEPENDENT USE



M1-6L

LOOP Route Marker (Independent)

PA SPUR BELTWAY

M1-6PA

PA Route
Marker (Independent)

M1-6S

SPUR Route
Marker (Independent)

M1-6B


BELTWAY Route
Marker (Independent)

A	B	C	D	E (3 digits)	F	G (2 digits)	H (4 digits)	J (max)	K	L
24	1.5	4	4 D	7 D	5	9 D	6 D	18	4C	1.5
36	1.5	6	6 D	11 D	7	14 D	10 D	30	6 C	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

PARK ROUTE SIGN FOR INDEPENDENT USE



M1-6P
Park Road Route Marker

A	B	C	D	E	F	G	H
24	1.5	3.5	3D	2	7E	3.5	1.5
36	1.5	5	5D	2.5	11E	5	2.25

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS

ROUTE SIGN FOR INDEPENDENT USE



M1-6F

Texas Farm Road Route Marker (Independent)



M1-6FS

Texas Spur Road Route Marker (Independent)


* Alternate line

A	B	C	D	E	F	G	H	J	K	L	M	N
24	1.75	2 D	7	6 D	5 D	4 D	8.5	2 D	2.75	9.75	9.75	1.5
36	2.625	3 D	10.5	9 D	7 D	6 D	12.75	3 D	4.125	14.625	14.625	2.25

COLORS: NUMBERS - BLACK
 LEGEND & TEXAS - WHITE
 BACKGROUND - BLACK

TEXAS

**BUSINESS ROUTE SIGN ASSEMBLY
FOR INDEPENDENT USE**




M1-6FB
Texas Business Assembly Road Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K
24	1.75	9	6 D	5 D	4 D	4.75	2 D	6.5	1.5
36	2.75	13.25	9 D	7 D	6 D	8.25	2 D	9.75	2.25

COLORS: NUMBERS - BLACK
LEGEND & TEXAS - WHITE
BACKGROUND - BLACK

TEXAS

ROUTE SIGN FOR INDEPENDENT USE



M1-6R

Texas Ranch Road Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	1.75	2 D	7	6 D	5 D	4 D	8.5	2 D	2.75	10.5	9.75	1.5
36	2.625	3 D	10.5	9 D	7 D	6 D	12.75	3 D	4.125	15.75	14.625	2.25

COLORS: NUMBERS - BLACK
 LEGEND & TEXAS - WHITE
 BACKGROUND - BLACK

TEXAS

ROUTE SIGN FOR INDEPENDENT USE



M1-6RR
RR Road Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	1.125	4 D	5.625	6 D	5 D	4 D	8.5	2 D	2.75	7.375	9.75	1.5
36	1.625	6 D	8.5	9 D	7 D	6 D	12.75	3 D	4.125	11.125	14.625	2.25

COLORS: NUMBERS - BROWN
LEGEND & TEXAS - WHITE
BACKGROUND - BROWN

TEXAS

**M1-7**

Forest Route Marker (Independent)


* Optically space numerals about vertical centerline.

** See Symbol for symbol design section.

A	B	C	D	E	F	G	H	J
18	12.75	.5	2.625	6 D	1.125	4	1.625	2
24	17	.5	3.5	8 D	1.75	5	2.25	2.5
36	25.5	.75	5	12 D	3	7.5	3.5	3.75

COLORS: LEGEND - WHITE
 BACKGROUND - BROWN

TEXAS



* Optically space numerals about centerline.

** See Symbol section for symbol design.


M1-8

Bicycle Route (with bike symbol)

A	B	C	D	E	F	G	H	J	K
12	18	1	5.25	4	5 D	1.75	1	2.375	1.5
18	24	1	7.5	5.25	7 D	2.25	1	4.05	1.5

COLORS: LEGEND & SYMBOL - WHITE
INNER BACKGROUND - GREEN
OUTER BACKGROUND - WHITE

TEXAS

**M1-8a**


Bicycle Route (with bike symbol)

* Optically space numerals about centerline.

** See Symbol section for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	1	.25	4	.75	4.5	4 D	1.75	1	7.875	1.5
18	24	.75	.375	5	1.375	6.75	5 D	2.625	1	11.813	1.5

COLORS: LEGEND & SYMBOL - WHITE
 INNER BACKGROUND - GREEN
 OUTER BACKGROUND - WHITE




M1-9
Bicycle Route (with bike symbol)

* Optically space numerals about centerline.
** See Symbol section for symbol design.

A	B	C	D	E	F	G	H	J	K	L
12	18	1.25	3.5	5	1.125	.625	.5	4 D	1.5	1.5
18	24	1.75	4.75	7	1.5	.75	.625	5 D	2	1.5

COLORS: LEGEND & SYMBOL - BLACK
INNER BACKGROUND - WHITE
OUTER BACKGROUND - BLACK

TEXAS



M2-1
JCT

A	B	C	D	E	F	G
12*	6	.375	.375	1.5	3C	1
21	15	.375	.625	3	9C	1.5
30	24	.375	.625	5	14C	1.5

* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



A	B	C
12*	6	.5
21	15	.5
30	24	.75

* For bicycle use only

COLORS: LEGEND - WHITE
BACKGROUND - BLUE, GREEN OR BROWN




M2-2

Combination Junction (2 route signs)

** Increase width where more than two shields are used.

COLORS: LEGEND - WHITE
BACKGROUND - GREEN
SHIELDS - SEE ROUTE SIGN FOR ATTACHMENT USE DETAILS


TEXAS



M3-1
NORTH




M3-1B
(Blue)



** Reduce spacing to fit

A	B	C	D	E	F	G	H	J	K	L
12*	6	.375	.375	2	2.5C	1.5	3C	4.510	1	.5
24	12	.375	.625	3.5	6C	2.5	7C	9.945	1.5	.5
36	18	.375	.625	6	8C	4	10C	14.205	1.5	.5
48	18	.375	.625	4	12C	2	14C	19.891	1.5	.5


* For bicycle use



M3-2
EAST



M3-2B
(Blue)




A	B	C	D	E	F	G	H	J	K	L
12*	6	.375	.375	2	2.5C	1.5	3C	3.418	1	.5
24	12	.375	.625	3.5	6C	2.5	7C	8.147	1.5	.5
36	18	.375	.625	6	8C	4	10C	11.049	1.5	.5
48	18	.375	.625	4	12C	2	14C	16.295	1.5	.5

* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

COLORS: LEGEND - WHITE
BACKGROUND - BLUE, GREEN, BROWN

TEXAS




M3-3
SOUTH

** Reduce spacing to fit




M3-3B
(Blue)



A	B	C	D	E	F	G	H	J	K	L
12*	6	.375	.375	2	2.5C	1.5	3C	4.478	1	.5
24	12	.375	.625	3.5	6C	2.5	7C	9.857	1.5	.5
36	18	.375	.625	6	8C	4	10C	14.220	1.5	.5
48	18	.375	.625	4	12C	2	14C	19.714	1.5	.5


* For bicycle use



M3-4
WEST



M3-4B
(Blue)




A	B	C	D	E	F	G	H	J	K	L
12*	6	.375	.375	2	2.5C	1.5	3C	3.713	1	.5
24	12	.375	.625	3.5	6C	2.5	7C	8.828	1.5	.5
36	18	.375	.625	6	8C	4	10C	12.049	1.5	.5
48	18	.375	.625	4	12C	2	14C	17.656	1.5	.5

* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

COLORS: LEGEND - WHITE
BACKGROUND - BLUE, GREEN, BROWN

TEXAS




M4-1
ALTERNATE

A	B	C	D
12*	6	.375	.375
24	12	.375	.625
36	18	.375	.625
48	18	.375	.625

E	F	G
2	2B	1
4	4B	1.5
6	6B	1.5
5	8B	1.5

* For bicycle use




M4-1a
ALT

A	B	C	D
12*	6	.375	.375
24	12	.375	.625
36	18	.375	.625
48	18	.375	.625

E	F	G
1.5	3D	1
3	6D	1.5
4.5	9D	1.5
3	12D	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




M4-2
BY-PASS

A	B	C	D
12*	6	.375	.375
24	12	.375	.625
36	18	.375	.625
48	18	.375	.625

E	F	G	H
1.75	2.5B	9.5	1
3.5	5B	19	1.5
5.25	7.5B	28.5	1.5
4	10B	38	1.5

* For bicycle use

** Reduce spacing to fit



M4-3
BUSINESS

A	B	C	D
12*	6	.375	.375
24	12	.375	.625
36	18	.375	.625
48	18	.375	.625


E	F	G	H
1.75	2.5B	10	1
3.5	5B	20	1.5
5.25	7.5B	30	1.5
4	10B	40	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE


TEXAS




M4-1G*
ALTERNATE



M4-1aG*
ALT




M4-2G*
BY-PASS



M4-3G*
BUSINESS

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

* For bicycle use




M4-4
TRUCK

A	B	C	D	E	F	G
24	12	.375	.625	3	6C	1.5
36	18	.375	.625	4.5	9C	1.5
48	18	.375	.625	3	12C	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



M4-5
TO



M4-5B
(Blue)




M4-5G
(Green)

A	B	C	D	E	F	G	H
12*	6	.375	.375	1.5	3E	1	.5
24	12	.375	.625	3	6E	1.5	.5
36	18	.375	.625	4.5	9E	1.5	.5
48	18	.375	.625	3	12E	1.5	.5


* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

COLORS: LEGEND - WHITE
BACKGROUND - BLUE OR GREEN



M4-6
END



M4-6G*
* For bicycle use


A	B	C	D	E	F	G
12*	6	.375	.375	1.5	3D	1
24	12	.375	.625	3	6D	1.5
36	18	.375	.625	4.5	9D	1.5
48	18	.375	.625	3	12D	1.5

* For bicycle use

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




M4-7
TEMPORARY

A	B	C	D	E	F	G	H
12*	6	.375	.375	2	2B	10	1
24	12	.375	.625	4	4B	21	1.5
36	18	.375	.625	6	6B	31	1.5
48	18	.375	.625	5	8B	42	1.5

* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



M4-7B
(Blue)




A	B	C	D	E	F	G
12*	6	.5	2	2B	10	1
24	12	.5	4	4B	21	1.5
36	18	.5	6	6B	31	1.5
48	18	.5	5	8B	42	1.5

* For bicycle use

COLORS: LEGEND - WHITE
BACKGROUND - BLUE OR GREEN

TEXAS




M4-7a
TEMP

A	B	C	D	E	F	G
12*	6	.375	.375	1.75	2.5E	1
24	12	.375	.625	3.5	5E	1.5
36	18	.375	.625	5.25	7.5E	1.5
48	18	.375	.625	4	10E	1.5

* For bicycle use only

COLORS: LEGEND - BLACK
BACKGROUND - WHITE



M4-7aB
(Blue)




M4-7aG
(Green)

A	B	C	D	E	F
12*	6	.5	1.75	2.5E	1
24	12	.5	3.5	5E	1.5
36	18	.5	5.25	7.5E	1.5
48	18	.5	4	10E	1.5

* For bicycle use only


COLORS: LEGEND - WHITE
BACKGROUND - BLUE OR GREEN

TEXAS



M4-7bT - FUTURE

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




M4-14 - BEGIN

A	B	C	D	E	F	G	H
12*	6	.375	.375	1.75	2.5D	9.18	1
24	12	.375	.625	3.5	5D	18.013	1.5
36	18	.375	.625	5	8D	28.82	1.5

* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




* For bicycle use

M4-14G

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




M5-1L (R)

Advance Turn Arrow - 90 Degree

A	B	C	D	E	F
12**	9	.375	.375	1.026	3.959
21	15	.375	.625	2.063	7.125
30	24	.375	.625	3.25	11.375

G	H	J	K	L	M
1.932	1.5	3.375	.25	.5	1.5
3.188	2.625	5.063	.375	.563	1.5
5	4.25	8	.563	.875	1.5

** For bicycle use



M5-2L (R)

Advance Turn Arrow - 45°

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

A	B	C	D	E	F
12**	9	.375	.375	2.467	2.857
21	15	.375	.625	4.5	4.75
30	24	.375	.625	7.25	7.5


G	H	J	K	L	M
.747	1.5	2.963	.25	.5	1.5
1.125	2.625	5.438	.375	.75	1.5
1.75	4.25	8.750	.625	.875	1.5

**For bicycle use

* See Symbol section
for arrow design


A	B	C	D
12**	9	.375	1.5
21	15	.5	1.5
30	24	.75	1.5

** For bicycle use



COLORS: LEGEND - WHITE
BACKGROUND - BLUE, GREEN OR BROWN

TEXAS




A	B	C	D	E	F
21	15	.375	.625	1.565	11.81
30	24	.375	.625	2.8	18.38

G	H	J	K	L	M
1.625	3.063	5.75	7.375	3	130°
2.82	4.68	8.959	11.88	4.125	130°

N	P	Q	R	S	T
1.125	40°	1.375	2.25	1	1.5
1.987	40°	2.131	3.5	1.95	1.5

M5-3

Advance Turn Arrow Circular Intersection



A	B	C	D	E
21	15	.375	.625	5.25
30	24	.375	.625	8.375

F	G	H	J	K
5.75	.5	.75	2.25	1.5
9.25	.75	1.25	3.5	1.5


M5-3T

Advance Turnaround Arrow

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

* See Symbol section
for arrow design

A	B	C	D
21	15	.5	1.5
30	24	.75	1.5



M5-3TB
(Blue)




M5-3TG
(Green)




M5-3TBR
(Brown)

COLORS: LEGEND - WHITE
BACKGROUND - BLUE, GREEN OR BROWN

TEXAS




M5-4
LEFT LANE



M5-6
RIGHT LANE

A	B	C	D	E	F	G	H
24	18	.375	.625	3	5D	2	1.5
36	24	.375	.625	3.5	7D	3	1.5

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




M5-5
CENTER LANE

A	B	C	D	E
24	18	.375	.625	3
36	24	.375	.625	3.5

F	G	H	J
5C	2	5D	1.5
7C	3	7D	1.5


COLORS: LEGEND - BLACK
BACKGROUND - WHITE



A	B	C	D
24	18	.5	1.5
36	24	.75	1.5

COLORS: LEGEND - WHITE
BACKGROUND - BLUE OR GREEN

TEXAS




M6-1

Directional Arrow - Single Head Horizontal

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

A	B	C	D	E	F	G	H
12**	9	.375	.375	4.25	4.5	1.625	1.5
21	15	.375	.625	7.125	7.5	2.625	1.5
30	24	.375	.625	11.25	11.5	4.25	1.5

** For bicycle use



M6-1B
(Blue)

M6-1G
(Green)


M6-1BR
(Brown)

A	B	C	D
12**	9	.375	1.5
21	15	.5	1.5
30	24	.75	1.5

** For bicycle use

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE , GREEN OR BROWN

* See Symbol section
for arrow design




M6-1T

Directional Arrow - Single Head Horizontal

A	B	C	D	E	F	G	H
60	15	.375	.625	7.125	7.5	2.625	1.5
68	24	.375	.625	11.25	11.5	4.25	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

TEXAS



A	B	C	D	E	F	G	H	J	K
12*	9	.375	.375	3.375	3	2.625	1.625	3	1.5
21	15	.375	.625	5.625	5.063	4.313	2.625	5.063	1.5
30	24	.375	.625	9	8	6.875	4.25	8.125	1.5

* For bicycle use




A	B	C	D	E	F	G	H
12*	9	.375	.375	1.625	3	4.5	1.5
21	15	.375	.625	2.625	4.875	7.5	1.5
30	24	.375	.625	4.25	7.75	11.75	1.5

* For bicycle use

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

** See Symbol section for arrow design




A	B	C	D
12*	9	.375	1.5
21	15	.5	1.5
30	24	.75	1.5


* For bicycle use only

COLORS:
LEGEND, BORDER - WHITE
BACKGROUND - BLUE, GREEN OR BROWN

TEXAS



M6-5R (L)




M6-6R (L)

Directional Arrow - Double Head 90 Degree

A	B	C	D	E	F	G	H	J	K	L	M	N
12*	9	.375	.375	1.375	3.625	3	1.2	3.2	1.8	4	1.6	1.5
21	15	.375	.625	2.25	5.875	5.25	2.25	5.75	2.75	5.75	2.75	1.5
30	24	.375	.625	3.625	9.375	8.375	3.625	9.125	4.375	9.125	4.375	1.5

* For bicycle use



M6-7R (L)

Directional Arrow - Double Head 45 Bent Degree


A	B	C	D	E	F
12*	9	.375	.375	1.375	3.375
21	15	.375	.625	2.25	5.75
30	24	.375	.625	3.625	9.125

G	H	J	K	L
3.125	2.25	4	1.25	1.5
5.5	3.875	6.75	2.125	1.5
8.75	4.375	10.75	3.375	1.5

* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

** See Symbol section for arrow design




A	B	C	D
12*	9	.375	1.5
21	15	.5	1.5
30	24	.75	1.5

* For bicycle use only


COLORS:
LEGEND - WHITE
BACKGROUND - BLUE, GREEN OR BROWN

TEXAS



D1-1L


Destination (1 line) (Arrow)



D1-1R

A	B	C	D	E	F	G	H	J
VAR	6**	.375	2	2CV-3W	.75	2	3	.75
VAR	12	.5	3	6CV-3W	2.25	4.5	9	1.5
VAR	18	.5	5	8CV-3W	2.75	6	12	1.5






** For bicycle use



For 8CV-3W font only.

18" panel with 8" font is **STANDARD** design.
(12" panel with 6" font is used when right of way is limited.)

* See Symbol section for arrow design




10.125

VARx18 - For roundabout use only.

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




A	B	C	D	E	F	G	H	J	K
VAR	12**	.5	2.5	2CV-3W	3	.75	2	3	1.5
VAR	24	.75	3.75	6CV-3W	4.5	2.25	4.5	9	1.5
VAR	30	.75	4.5	8CV-3W	5	2.75	6	12	1.875

** For bicycle use

30" panel with 8" font is STANDARD design.
(24" panel with 6" font is used when right of way is limited.)


* See Symbol section for arrow design




COLORS: LEGEND - WHITE
BACKGROUND - GREEN

VARx30 - For roundabout
use only.

TEXAS




* See Symbol section
for arrow design



COLORS: LEGEND - WHITE
BACKGROUND - GREEN


TEXAS



A	B	C	D	E	F	G	H	J
VAR	18**	.5	3	2CV-3W	.75	2	3	1.5
VAR	36	.75	4.5	6CV-3W	2.25	4.5	9	2.25
VAR	42	.75	4.5	8CV-3W	2.75	6	12	2.25

** For bicycle use

42" panel with 8" font is STANDARD design.
(36" panel with 6" font is used when right of way is limited.)



COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D1-3b

Bicycle Destination (3 line) (Arrow)


* See Symbol section
for arrow design

** See Symbol section
for symbol design




COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D2-1
Distance (1 line)

12" Panel with 6" font is used when right of way is limited.




D2-1

18" Panel with 8" font is STANDARD design.


COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D2-2
Distance (2 line)

24" Panel with 6" font is used when right of way is limited.




D2-2

30" Panel with 8" font is STANDARD design.


COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D2-3
Distance (3 line)

36" Panel with 6" font is used when right of way is limited.




D2-3


42" Panel with 8" font is STANDARD design.

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D3-1
Street Name (1 line)




(Principal legend with descending strokes)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
VAR	6*	.25	.25	1.5	3D	2D	2.5	1.5	2.25	.75	1.25	1.75	2.25
VAR	8	.25	.375	2	4D	3D	3	2.25	3	1	1.5	2.5	2.5
VAR	12	.375	.438	3	6D	4D	5	3	4.5	1.5	2.5	3.5	4.5
VAR	18	.375	.625	5	8D	6D	7	4.5	6	1.5	4.5	5.5	6.5



* For bicycle use

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



D3-1G (Green)
Street Name (1 line)



(Without border, principal legend with or without descending strokes)


A	B	C	D	E	F	G	H	J	K	L	M	N
VAR	6*	.375	1.5	3CV-3W	2CV-3W	2.5	1.5	2.25	.75	1.25	1.75	2.25
VAR	8	.375	2	4CV-3W	3CV-3W	3	2.25	3	1	1.75	2.25	2.75
VAR	12	.5	3	6CV-3W	4CV-3W	5	3	4.5	1.5	2.75	3.25	4.75
VAR	18	.5	5	8CV-3W	6CV-3W	7	4.5	6	1.5	5	5	7

* For bicycle use




COLORS: LEGEND - WHITE
BACKGROUND - GREEN, BLUE OR BROWN


TEXAS



A	B	C	D	E	F	G	H	J	K	L
VAR	18	.5	4	10CV-3W	4	4CV-3W	2	4	4	1.5
VAR	24	.75	6	12CV-3W	4.5	6CV-3W	3	5	5	1.5



A	B	C	D	E	F	G	H	J	K
VAR	18	.5	4	10CV-3W	7CV-3W	7	5	7.5	1.5
VAR	24	.75	6	12CV-3W	8CV-3W	10	6	9	1.5

**D3-1G**

Overhead Street Name (1 or 2 line)


NOTES:

1. Street name signs for signalized intersections mounted on mast arms or span wires.
2. Border can be eliminated and spacing can be adjusted when there is a conflict with descenders and ascenders.
3. See special arrow designed for D1-1.
4. Supplementary lettering is optional.
5. 12" letter height and CV-3W letter are considered the desirable minimum.
 - a) 10" letter height may be used when space limitations restrict overall size of sign
 - b) 8" letter height and CV-2W should be limited only to dual street names at intersection

**D3-1B (Blue)****D3-1BR (Brown)**

COLORS: LEGEND - WHITE
BACKGROUND - GREEN, BLUE, OR BROWN

OVERHEAD MOUNT**TEXAS**



D3-1a
Street Name


A	B	C	D	E	F	G	H	J	K	L	M	N
VAR	8	.375	2	4CV-3W	3	3CV-3W	2	2.25	3	1	6	1
VAR	12	.5	3	6CV-3W	5	4CV-3W	3	3	4.5	1	10	1.5
VAR	18	.75	5	8CV-3W	7	6CV-3W	4	4.5	6	1	16	1.5
VAR*	18	.75	4	10CV-3W	7	7CV-3W	4	5	7.5	1	16*	1.5
VAR*	24	1	6	12CV-3W	10	8CV-3W	6	6	9	2	20*	1.5

* For overhead mount only



COLORS: LEGEND - WHITE
BACKGROUND - GREEN, BLUE OR BROWN


TEXAS



A	B	C	D	E
VAR	30	.75	6.75	6CV-3W
VAR	36	.75	7.75	8CV-3W

F	G	H	J
6	4.5CV-3W	6	1.875
6.5	6CV-3W	8	2.25


D3-2
(2 Lines)



D3-2
(3 Lines)

A	B	C	D	E	F
VAR	42	.75	5.5	6CV-3W	3.875
VAR	48	1	6.25	8CV-3W	4.25

G	H	J	K	L	M
6	4.5CV-3W	5.5	2.25	6	2.25
5	6CV-3W	5.25	2.75	8	3



A	B	C	D	E	F	G
VAR	42	.75	5.5	6CV-3W	4	3.75
VAR	54	1	9.25	8CV-3W	7.25	4.25

H	J	K	L	M	N	P
6	4.5CV-3W	5.5	10.75	6	2.25	2.25
5	6CV-3W	5.25	10.75	8	2.75	3





D3-2
(4 Lines)

* See Symbol section
for arrow design

A	B	C	D	E
VAR	54	1	5.5	6CV-3W
VAR	66	1	7	8CV-3W



F	G	H	J	K
5	4.5CV-3W	5.5	6	3
6	6CV-3W	5.5	8	3



Advance Street Name

COLORS: LEGEND - WHITE
BACKGROUND - GREEN




TEXAS



D3-3T
COUNTY RD (1 line)

* Reduce spacing to fit.

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

**D3-3aTL****D3-3aTR****D3-3bTL****D3-3bTR**

* See Symbol section
for arrow design

NOTE

Historical cemetery should
have brown background


Cemetery (1-2 line) (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D3-4T
COUNTY ROAD NAME



D3-4aT
COUNTY ROAD NAME

* Reduce spacing to fit.

NOTE

Vertical spacing can be adjusted when there is a conflict with descenders and ascenders.

COLORS: LEGEND - WHITE
BACKGROUND - GREEN




D4-1
PARKING (with Arrow)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M	N
18	15	.375	.375	4.75	6	2D	3	2.75	9E	6	1.5	1.5
30	24	.375	.625	7.25	9	3E	4.5	4.25	15E	10.125	2.5	1.5

COLORS: LEGEND - GREEN
BACKGROUND - WHITE



D4-2L

D4-2R

PARK-RIDE (with Arrow and Symbol)

* See Symbol section
for symbol design

** See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L
24	30	.625	2.5	7	2.5	4 D	1.5	4.126	1.874	13.55
30	36	.75	2.75	8.5	3	5 D	1.75	4.7	2.3	16.938
36	48	.875	4	11	4.5	6 D	3	6.126	2.874	20.325

M	N	P	Q	R	S
1.5	2	11.717	12	1.5	1.5
1.875	2.5	14.646	15	1.75	1.875
2.5	3	17.575	18	2.25	2.25

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D4-3L

Bicycle PARKING
(with Arrow and Symbol)

* See Symbol section
for symbol design

** See Symbol section
for arrow design



D4-3R

COLORS: LEGEND -GREEN
BACKGROUND - WHITE



D5-1aT

REST AREA X MILE ACCESSIBLE (with Symbol)

* See Symbol section
for symbol design




D5-1aTPR
ON RIGHT



D5-1aTPL
ON LEFT


COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D5-2aTR

REST AREA ACCESSIBLE (with Arrow and Symbol)



D5-2aTP

EMERGENCY 911 address (Plaque)


	A	B	C	D	E	F
	36	9	2.5	4D	2.25	.5
*	42	9	2.5	4D	2.25	.5
**	78	12	3	6CV-4W	3	1

* Size to be used with D5-5

** Size to be used with E21-3T. (See Section 4 - Large guide signs)

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




D5-5R
REST AREA (with Arrow)



D5-5L


COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D5-5aT

Picnic table (Symbol)



D5-5aTPR

Arrow



D5-5aTPL

A	B	C	D	E	F
18	.5	1.5	15	1.5	18
24	.5	2	20	1.5	24
30	.75	2.5	25	1.875	24


COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D5-1bT

* See Symbol section for symbol design



D5-2bTR



D5-2bTL


** See Symbol section for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D5-1cT
PARKING AREA X MILE



D5-2cTR
PARKING AREA (Arrow)




D5-2cTL


* See Symbol section
for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D5-1dT
SCENIC AREA X MILE



D5-2dTR
SCENIC AREA (VIEW) (Arrow)



D5-2dTL




* Alternate line


COLORS: LEGEND - WHITE
BACKGROUND - BLUE

** See Symbol section
for arrow design

TEXAS



D5-1eT
SCENIC OVERLOOK X MILE



D5-2eTR
SCENIC OVERLOOK (Arrow)


* See Symbol section
for arrow design



D5-2eTL

COLORS: LEGEND - WHITE
BACKGROUND - BLUE


TEXAS



D7-1T (L)
STATE / NATIONAL PARK (Arrow)



D7-1T (R)
STATE / NATIONAL PARK (Arrow)




D7-1T (UP)
STATE / NATIONAL PARK (Arrow)

NOTE:
For freeway sign, refer to
sign details on page 4-34.

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS




D7-2T
Distance STATE PARK

NOTE:
For freeway sign details, refer
to Large Guide signs - section 4,
page 4-34.


COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS



D7-5TL

PUBLIC BOAT RAMP (Arrow)



D7-5TR

* See Symbol section for arrow design

** Alternate text with 20% reduced spacing
(TEXAS PARKS AND WILDLIFE DEPARTMENT)

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS



D7-6aTR



D7-6aTL

HISTORICAL MARKER X MILE ON RIGHT/LEFT (Brown)



D7-7aTR

HISTORICAL MARKER (Arrow) (Brown)



D7-7aTL

* See Symbol section
for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS



D7-9TL

D7-9TR

PICNIC AREA HISTORICAL MARKER X MILE ON RIGHT/LEFT



D7-9aTL


D7-9aTR

PICNIC AREA HISTORICAL MARKER (Arrow)

* See Symbol section for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - BLUE


TEXAS



D7-10bT
HISTORIC ROADSIDE PARK

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS




D7-12T

BINOCULARS (Symbol)
Not to be used as a stand alone sign

A	B	C	D	E	F	G	H	J	K
6	.25	.75	.75	.8125	1.437	.5	.375	1.375	.562
9	.25	.75	1.125	1.218	2.156	.75	.562	2.062	.843
12	.25	.75	1.5	1.625	2.875	1	.75	2.75	1.125
18	.5	1.5	2.25	2.312	4.437	1.5	1.125	4.125	1.687
24	.5	1.5	3	3.25	5.75	2	1.5	5.5	2.25

* See Symbol section
for arrow design


L	M	N	P	Q	S
.875	.281	.062	.25	1.5	.062
1.312	.437	.062	.375	2.25	.093
1.75	.562	.125	.5	3	.125
2.625	.843	.187	.75	4.5	.187
3.5	1.125	.25	1	6	.25



D7-12aT

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS




D7-13TR

WILDLIFE VIEWING AREA (with Distance and Binoculars Shield attached (Arrow))

* See Symbol section for arrow design

** See sign detail D7-12T for symbol



D7-13TL

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS

**D8-1T**

CMV INSPECTION STATION 1 MILE

A	B	C	D	E	F	G	H	J	K
78	60	1.5	6.125	8CV-4W	5.25	6.25	6CV-4W	7.125	4
120	96	2	10.5	12CV-4W	9	10	10CV-4W	11.5	9

L	M	N	P	Q	R	S	T
11.75	32.99	24.61	3.39	6	4.78	14.17	8CV-4W
17.63	49.48	36.92	5.08	10	8.225	23.305	12CV-4W

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D8-1aT
CMV INSPECTION STATION 1/2 MILE

A	B	C	D	E	F	G	H	J	K
78	60	1.5	5.375	8CV-4W	5.25	7	6CV-4W	7.125	4
120	96	2	10.5	12CV-4W	9	10	10CV-4W	11.5	9

L	M	N	P	Q	R	S	T
11.75	32.99	24.61	12.92	6	0.005	18.91	8CV-4W
17.63	49.48	36.98	19.39	10	1.07	30.46	12CV-4W

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D8-1bT
CMV INSPECTION (45 Degree Arrow)

* See Symbol section
for arrow design

A	B	C	D	E	F	G	H	J	K	L	M
60	60	1.5	3	6.42	8CV-4W	6	6	19.16	11.75	24.61	9.58
66	66	1.5	6	6.67	10CV-4W	7.5	6	19.16	11.75	24.61	9.58

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D8-2T

INSPECTION STATION 1 MILE

A	B	C	D	E	F	G	H
90	54	2	9	8CW-4W	6	6CW-4W	9
132	78	2	12	12CW-4W	9	10CW-4W	12

COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D8-2aT

INSPECTION STATION 1/2 MILE

A	B	C	D	E	F	G	H
90	54	2	9	8CW-4W	6	6CW-4W	9
132	78	2	12	12CW-4W	9	10CW-4W	12

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



* See Symbol section
for arrow design

D8-3aT

** Reduce spacing to fit

INSPECTION STATION (Arrow)

A	B	C	D	E	F	G	H	J	K	L
48	42	1	4	6CV-4W	14	4.5	7	3	5CV-4W	5
66	60	1.5	6	8CV-4W	20	6	10	4	6CV-4W	8
84	78	2	8	10CV-4W	26	7.5	13	5	8CV-4W	10

COLORS: LEGEND - WHITE
BACKGROUND - GREEN




D8-4T

INSPECTION STATION AHEAD

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D9-1
Phone (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-1aP
1 MILE (Plaque)



D9-1bP
AHEAD (Plaque)



D9-1cP
CAMPING (Plaque)




D9-1dP
Arrow (Plaque)

* See Symbol section
for arrow design

Sheeting on plaques shall match parent sign.

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




D9-2
Hospital (Plaque)

A	B	C	D	E
24	.5	2	20 EM	1.5
30	.75	2.5	25 EM	1.875
TEXAS ▶ 36	.75	3	30 EM	2.25

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




D9-3
Camping (Plaque)

* See Symbol section
for symbol design

A	B	C	D	E	F
24	.5	2	20	8	1.5
30	.75	2.5	25	10	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-3a
Trailer Camping (Plaque)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-4
Litter Container (Plaque)

* See Symbol section
for symbol design

A	B	C	D	E	F
24	30	.5	5	20	1.5
36	48	.75	8	32	2.25


COLORS: LEGEND - WHITE
BACKGROUND - BLUE




A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

* See Symbol section
for symbol design

D9-6
Handicapped (Symbol)




A	B	C	D	E	F	G	H
24	6	.5	1.75	2.5 C	1.25	4	1.5
30	7	.5	2	3 C	2	5	1.5
36	9	.5	2.5	4 C	1.5	6	1.5



D9-6P
VAN ACCESSIBLE (Plaque)
COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




D9-7
Gas (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	3	9	1.5

Note:
**Freeway/Expressway size should be requested
through logo program.**

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-8
Food (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-9
Lodging (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-10
INFO

* Reduce spacing 50%

A	B	C	D	E	F	G
24	.5	6	12 B	10.055	10.054	1.5
30	.75	7.5	15 B	12.568	12.568	1.875

COLORS: LEGEND - WHITE
 BACKGROUND - BLUE




D9-10T
TOURIST INFO

A	B	C	D	E	F	G
24	18	.5	3.5	4 C	3	1.5
30	24	.75	5.125	5 C	3.75	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




D9-11
Electric EV (Symbol) (Alternate)

* See Symbol section
for symbol design

A	B	C	D	E	F
24	.5	2	20	6 EM	1.5

Note:
**Freeway/Expressway size should be requested
through logo program.**

COLORS: LEGEND - WHITE
 BACKGROUND - BLUE



D9-11a


* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J
24	.5	2.125	6	4 EM	.5	.75	19.75	1.5

Note:

**Freeway/Expressway size should be requested
through logo program.**

COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-11b (Alternate)
Electric Vehicle Charging (Alternate Symbol)


A	B	C	D	E	F	G	H	J	K	L	M
24	0.5	1.5	7.75	4EM	1.75	3	2	20.5	1.5	7.25	2.814

N	P	Q
0.148	3.174	0.507

* See Symbol section
for symbol design

Note:
**Freeway/Expressway size should be requested
through logo program.**

COLORS: BORDER & LEGEND - WHITE
LEGEND & BACKGROUND - BLUE




D9-11c
Gas E85 (Symbol)



D9-11d
Gas LNG (Symbol)



D9-11e
Gas LPG (Symbol)



D9-11f
Gas HYD (Symbol)



D9-11gT
Gas ALT (Symbol)

A	B	C	D	E	F	G	H	J
24	.5	2	6	4 EM	.625	.75	20	1.5

Note:


Freeway/Expressway size should be requested through logo program.

* See Symbol section for symbol design

** Alternate letter/number

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D9-11bP


ELECTRIC VEHICLE CHARGING (Plaque)

A	B	C	D	E	F	G
24	18	.5	2.5	3 C	2	1.5

Note:

Freeway/Expressway size should be request through logo program.

COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-11gP


CNG - LNG / LPG - HYD (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
24	12	.5	2	3D	2	7.447	1.5	0.554	0.946	7.055	6.785

N	P	Q	R
1.140	0.360	7.566	1.5

Note:

Freeway/Expressway size should be requested through logo program.




D9-11gPT

CNG - LNG / HYD (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
24	12	.5	2	3D	2	7.447	1.5	0.554	0.946	7.055	7.566

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




D9-12
RV Sanitary Station (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




* See Symbol section
for symbol design

D9-13
Emergency Medical Services (Symbol)

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875


COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-13aP
HOSPITAL (Plaque)

A	B	C	D	E	F	G	H
24	12	.5	4	4 C	10.076	10.451	1.5
30	12	.5	3.5	5 C	12.517	13.142	1.5


COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-13cP
EMERGENCY MEDICAL CARE (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
24	18	.5	2.5	3 C	2	9.709	6.948	6.947	4.052	4.051	1.5
30	24	.75	3.25	4 C	2.75	12.945	9.264	9.263	5.402	5.402	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-13dP
TRAUMA CENTER (Plaque)

* Increase character spacing 20%

A	B	C	D	E	F	G	H	J
24	12	.5	2	3 D	2	8.081	7.403	1.5
30	15	.5	2.375	4 D	2.25	10.775	9.87	1.5

COLORS: LEGEND - WHITE
 BACKGROUND - BLUE




D9-14
POLICE (Plaque)

* Reduce spacing 20%

A	B	C	D	E	F	G
24	.5	8.5	7 B	10.036	10.035	1.5
30	.75	10.5	9 B	12.903	12.902	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-15
Propane (Symbol)

* See Symbol section
for symbol design

Smaller size panels may be used as applicable within terminal area.

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875


COLORS: LEGEND - WHITE
BACKGROUND - BLUE



D9-16T
TRUCK PARKING

A	B	C	D	E	F	G	H	J
24	18	.5	3.5	4 C	3	6.885	9.046	1.5
30	24	.75	5.125	5 C	3.75	8.606	11.31	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-17TP
NEXT SERVICES XX MILES (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
72	24	.75	4	6CV-3W	4	6CV-3W	4	4	19.42	4.41	6.71
114	30	1	4	8CV-5W	6	6CV-5W	6	4	30.74	8.18	10.35

N	P	Q	R	S	T
30.54	VAR	6	3.12	18.88	1.875
49.27	VAR	8	1.77	24.87	3


COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D9-20
Pharmacy
(Symbol)

* See Symbol section
for symbol design



D9-20aP
24 HR
(Plaque)

A	B	C	D	E	F	G	H	J	K
24	.5	2.5	19	1.5	12	.5	4	4 D	1.5
30	.75	3	24	1.875	12	.5	3.5	5 D	1.5

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



* See Symbol section
for symbol design

D9-21
Telecommunication Device (Symbol)

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
BACKGROUND - BLUE




D9-22
Wireless Internet (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
 BACKGROUND - BLUE




* Reduce spacing 50%

A	B ₁	B ₂	B ₃	C	D	E	F	G	H	J	K
6**	12	18	24	.5	2	2CV-2W*	2	4CV-6W	2	2	1
10	18	27	36	.5	3	4CV-2W*	2	6CV-6W	3	3	1.5
12	24	36	48	.5	3	4CV-2W	3	10CV-6W	4	2.5	1.5


** For bicycle use

COLORS: LEGEND - WHITE
BACKGROUND - GREEN


TEXAS



D10-1a
Texas Number
Reference Location
(1 number with decimal)



D10-2a
Texas Number
Reference Location
(2 number with decimal)



D10-3a
Texas Number
Reference Location
(3 number with decimal)

Optically space numerals about centerline.


* Reduce spacing 50%

A	B ₁	B ₂	B ₃	C	D	E	F	G	H	J	K	L
6**	18	24	30	.5	2	2CV-2W*	2	4CV-6W	0.75	2	.75	1
10	27	36	48	.5	3	4CV-2W*	2	6CV-6W	1.25	3	2.75	1.5
12	36	48	60	.5	3	4CV-2W	3	10CV-6W	1.25	2	1.25	1.5


** For bicycle use

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D10-4
Enhanced Reference Location
(Number and shield)




D10-5
Enhanced Reference Location
(Number, decimal and shield)

* Optically space numerals about centerline


** Reduce spacing as needed

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D10-7aT




D10-7bT

Texas Reference Location Marker

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D11-1

* See Symbol section
for symbol design

A	B	C	D	E	F	G	H	J	K	L
24	18	.5	1.5	7	3.5	3 C	1.5	5.5	9.5	1.5
30	24	.625	2.125	9	4.5	4 C	2.25	6.875	12.5	1.5


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D11-1a

BIKE ROUTE (with Symbol)

* See Symbol section
for symbol design



D11-1bP

BIKE ROUTE


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D11-1c
TO Downtown (with Bike symbol)

* See Symbol section
for symbol design


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D11-2
Pedestrian (Symbol)

* See Symbol section
for symbol design


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D11-3
Skaters Permitted (Symbol)

* See Symbol section
for symbol design


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D11-4
Equestrians Permitted (Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D12-2
CAR POOL INFO CALL * CAR

A	B	C	D	E	F	G	H	J	K	L
60	42	.75	6	6 E	5	8	22.34	9.667	22.752	1.25
96	66	2	9	10 E	8	11	37.24	16.11	37.925	2.5

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

**D12-3**

CITY POLICE MONITORS CB CHANNEL 9 (with City Name)

A	B	C	D	E	F	G
84	48	1.5	6	6E	4	3
108	66	2	8	8E	6	4
132	84	2	10	10E	8	5

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

**D12-5**

TRAVEL INFO CALL 511 (with Symbol)

A	B	C	D	E	F	G	H	J	K
48	60	0.75	4.5	18	4.5	6D	6	14.288	8.345
66	72	1	6	16	6	8E	8	22.927	12.964

L	M	N	P	Q
18.038	1.173	6	10.865**	2.25
26.787	3.703	7	16.084**	3

* See Symbol section for symbol design
 ** Increase character spacing 50%

COLORS: LEGEND - WHITE
 BACKGROUND - BLUE

TEXAS



D12-5a
TRAVEL INFO CALL 511


* Increase character spacing 50%

A	B	C	D	E	F	G	H	J	K	L	M
48	36	.75	4.5	6 D	14.288	8.345	18.038	1.173	6	10.865	2.25
66	48	1	6	8 E	22.927	12.96	26.787	3.703	7	16.084	3

COLORS: LEGEND - WHITE
 BACKGROUND - BLUE



D12-5bTL
TEXAS TRAVEL INFO CENTER (Arrow)




D12-5bTR

* See Symbol section for symbol design

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



D12-5T
THE EYES OF TEXAS (with Cowboy symbol)

COLORS: LEGEND - RED, BLUE AND BLACK
BACKGROUND - WHITE

TEXAS



D12-6T
EMERGENCY 911

TOP PANEL
COLORS: LEGEND - WHITE
BACKGROUND - BLUE
BOTTOM PANEL
COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



D13-1TL
TURNAROUND (Arrow)

* See Symbol section
for arrow design



D13-1TR


A	B	C	D	E	F	G	H	J	K
66	24	.75	3.75	6CV-3W	7.5	6.75	2.625	24	1.875
96	48	1.25	9	8CV-3W	15	16	5.25	48	3

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D13-3
FREEWAY ENTRANCE




D13-3a
FREEWAY ENTRANCE (30 Degree arrow)

* See Symbol section
for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D13-4T
 FREEWAY ENTRANCE
 (45 Degree arrow and shield)

* See Symbol section
 for arrow design

COLORS: LEGEND - WHITE
 SHIELD - SEE ROUTE SIGN FOR ATTACHMENT USE DETAILS
 BACKGROUND - GREEN

TEXAS



3 line group name



4 line group name



Available plaque


D14-4T

ADOPT A HIGHWAY NEXT X MILES (GROUP NAME)

COLORS: LEGEND - WHITE
BACKGROUND - BLUE


COLORS: LEGEND - BLUE
BACKGROUND - WHITE

TEXAS



* See sign designations M1 through M6 for sign details.

** See section 1, for sign R3-5 or R3-5a for sign details.



D15-1

Combination Lane Use / Destination

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D15-10T
PASSING LANE X MILES



D15-11T
NEXT PASSING LANE X MILES

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS





D17-7
SLOW VEHICLE TURN-OUT X MILE

A	B	C	D	E	F	G	H	J	K
72	42	.75	7	6CV-3W	5	3.5	9CV-3W	5.5	2.25
96	54	1	8	8CV-3W	7	5	12CV-3W	6	3



COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



* See Symbol section
for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




D20-5T (R, L)



D20-5T (L, L)



D20-5T (R, R)



D20-5T (L, R)
COUNTY ROAD


* See Symbol section for arrow design


COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS

* See Symbol section for arrow design

TEXAS






D20-8T (R45, DBL)
COUNTY ROAD

* See Symbol
section for arrow
design

D20-8T (L45, DBL)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN


TEXAS




D20-9T (L45, L)



D20-9T (R45, L)



D20-9T (L45, R)



D20-9T (R45, R)
COUNTY ROAD

* See Symbol
section for arrow
design

COLORS: LEGEND - WHITE
BACKGROUND - GREEN


TEXAS




D21-1T (DBL)



D21-1T (UP)



D21-1T (L)



D21-1T (R)



D21-1T (L45)




D21-1T (R45)

COUNTY ROAD

* See Symbol section for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS





D21-1aT (L45)




D21-1aT (R45)




D21-1aT (DBL)



D21-1aT (UP)




D21-1aT (L)



D21-1aT (R)
COUNTY ROAD

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS





**D21-2T (L, L)****D21-2T (R, R)****D21-2T (L45, L45)****D21-2T (R45, R45)****D21-2T (L45, L)****D21-2T (R45, R)****D21-2T (L45, R)****D21-2T (L, R45)**

* See Symbol section
for arrow design

D21-2T
COUNTY ROAD

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

1 of 2
TEXAS




D21-2T
COUNTY ROAD

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

* See Symbol section
for arrow design

2 of 2
TEXAS




**D21-3T (L, L)****D21-3T (R, R)****D21-3T (L45, L)****D21-3T (L45, R)****D21-3T (UP, L)****D21-3T (UP, UP)****D21-3T (L45, R45)****D21-3T (R45, R)****D21-3T (L45, L45)****D21-3T (R45, R45)**

D21-3T
COUNTY ROAD

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

* See Symbol section
for arrow design

1 of 2
TEXAS




D21-3T
COUNTY ROAD

* See Symbol section
for arrow design


2 of 2

TEXAS

COLORS: LEGEND - WHITE
BACKGROUND - GREEN



D21-3aT (UP, R)



D21-3aT (UP, L)



D21-3aT (UP, L45)



D21-3aT (UP, R45)



D21-3aT (UP, L)



D21-3aT (UP, R)



D21-3aT (UP, DBL)



D21-3aT (UP, UP)

* See Symbol
section for
arrow design

D21-3aT
COUNTY ROAD
COLORS: LEGEND - WHITE
BACKGROUND - GREEN

1 of 2
TEXAS



D21-3aT (L, L)



D21-3aT (R, R)



D21-3aT (L45, L45)



D21-3aT (R45, R45)



D21-3aT (L45, L)



D21-3aT (L,R45)



D21-3aT (L45, R)



D21-3aT (L45, R45)



D21-3aT (R45, R)



* See Symbol section
for arrow design

D21-3aT
COUNTY ROAD

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

2 of 2

TEXAS



STATE SENATOR (with Arrow)

* See symbol section for arrow design

** Alternate text:

US Rep

US Representative

US Senator

State Rep

State Representative


COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D24-1T

PUBLIC BEACH PARKING AREA 700 FT



D24-2TR

PUBLIC BEACH ACCESS ROAD (Arrow)



D24-2TL

* "PUBLIC" may be replaced with beach name.

** A double headed arrow or a distance may be used.
See Symbol section for arrow design

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D25-1TR
VETERANS AFFAIRS CEMETERY (Arrow)



D25-2TR
VETERANS AFFAIRS HOSPITAL (Arrow)



D25-1TL



D25-2TL

* See Symbol section
for arrow design



D25-3TR
VETERANS AFFAIRS MEDICAL CLINIC (Arrow)



D25-3TL


COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D26-1TL

A	B	C	D	E	F	G	H	J	K
60	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.625	3.75	6CV-3W	4.5	4.5	9	2.25	1.5



D26-1TR



A	B	C	D	E	F	G	H	J	K
54	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.625	3.75	6CV-3W	4.5	4.5	9	2.25	1.5

* See symbol section for arrow design

TEXAS DEPARTMENT OF PUBLIC SAFETY (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS

**D26-2TL****D26-2TR**

* See symbol section for arrow design

A	B	C	D	E	F	G	H	J
60	24	.75	3	4CV-3W	3	7	1.5	1.5
84	36	.75	4.5	6CV-3W	4.5	9	2.25	2.25



TEXAS DEPARTMENT OF PUBLIC SAFETY DRIVER LICENSE (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS

[illegible]

2012 Edition - Revision 4


**D26-4TL****D26-4TR**

* See symbol section for arrow design


TEXAS DEPT OF AGING & DISABILITY SERVICES (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D26-5TL





D26-5TR

* See symbol section for arrow design

TEXAS DEPT OF FAMILY & PROTECTIVE SERVICES (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS


**D26-6TL****D26-6TR**

* See symbol section for arrow design

TEXAS DEPT OF ASSISTIVE & REHAB SERVICES (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D26-7TL



D26-7TR

* See symbol section for arrow design


NOTE:

1. This sign is used in lieu of multiple department signs when multiple departments are located at the same location.

TX HEALTH & HUMAN SERVICES OFFICES (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D26-8TL





D26-8TR

* See symbol section for arrow design

STATE OFFICES (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




TEXAS WORKFORCE SOLUTIONS VOCATIONAL REH SERVICES (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS

**D26-10TL**

A	B	C	D	E	F	G	H	J	K
60	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.75	3.75	6CV-3W	4.5	4.5	9	2.25	1.5

**D26-10TR**

A	B	C	D	E	F	G	H	J	K
60	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.75	3.75	6CV-3W	4.5	4.5	9	2.25	1.5

* See symbol section for arrow design

TEXAS DEPT OF TRANSPORTATION (Arrow)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



D60T

PET AREA (with Symbol)

* See Symbol section
for symbol design

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS













D61T
VISITOR INFO

A	B	C	D	E	F
18	.5	4.25	3.25D	3	1.5
24	.5	5.5	4.5D	4	1.5
30	.75	7	5.5D	5	1.875

D70 Series - See Section 8 - Construction signs

COLORS: LEGEND - WHITE
BACKGROUND - BROWN

TEXAS




NOTE:

See symbol section for arrow and symbol designs.

Texas Trail Signs

COLORS: LEGEND - WHITE
BACKGROUND - BLUE


TEXAS



D72T
DWI YOU CAN'T AFFORD IT

COLORS: LEGEND - BLACK
DWI - RED
TEXAS - WHITE
BACKGROUND - BLUE

TEXAS




NOTES:

1. Address will be optional (maximum of 3 lines).
2. TxDOT request: Contact TRF
3. Outside TxDOT: Contact LeGay Imler with Purchasing at 512-416-4707


COLORS: LEGEND - AS SHOWN - BLUE/BLACK
BACKGROUND - WHITE

TEXAS



I1-1
SIGNALS SET FOR 25 MPH

COLORS: LEGEND - WHITE
BACKGROUND - GREEN




I-2
TEXAS STATE LINE

A	B	C	D	E	F	G	H
30	18	.5	4	4CV-4W	3	3CV-3W	1.5
78	36	1	5	12CV-4W	6	8CV-3W	2.25

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



To be used for conventional roads.

CITY LIMIT
POP XXXX



To be used for freeway and expressway roads.

I-2aT

CITY LIMIT

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS




I-2bT
ENTERING CITY LIMIT/LEAVING


A	B	C	D	E	F	G	H	J	K	ROAD
VAR	42	.75	2.625	4CV-3W	3	6CV-5WR	3CV-3W	2	2.25	Conventional
VAR	54	1	3	5CV-3W	4	8CV-5WR	4CV-3W	2.5	3	Freeway and Expressway

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



A	B	C	D	E	F	ROAD
VAR	12	.5	3	6CV-5WR	1.5	Conventional
VAR	18	.5	5	8CV-5WR	1.5	Freeway and Expressway



A	B	C	D	E	F	G	H	ROAD
VAR	24	.75	4	8CV-5WR	4	4CV-3W	1.5	Conventional
VAR	36	.75	7	10CV-5WR	6	6CV-3W	2.25	Freeway and Expressway

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



I-2T

WELCOME TO TEXAS

A	B	C	D	E*	F	G	H	J	K	L
72	48	1	3.125	6	1	28	2	2.5D	5.375	6
144	96	2	6.25	12	1	59	1.5	5D	11.25	12
216	132	2	10.5	19	1.5	79.5	2.25	8D	11.25	12

* White brush Script MT

NOTE:

Contact TRF-Division for SignCAD file design.

COLORS: LEGEND - AS SHOWN
BACKGROUND - GREEN

TEXAS




I-3
TRINITY RIVER

A	B	C	D	E	F	G
VAR	18	.5	2.5	5CV-3W	3	1.5
VAR	30	.75	5	8CV-5WR	4	1.875
VAR	36	.75	5.5	10CV-5WR	5	2.25

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



I-5
Airport (Symbol)

* See Symbol section
for symbol design


NOTE:
For large guide signs, a 36x36 plaque should be used above the parent sign.

TEXAS ►

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875
36	.75	3	30	2.25

COLORS: LEGEND - WHITE
 BACKGROUND - GREEN

TEXAS




I-6
Bus Station (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
 BACKGROUND - GREEN




I-7
Train Station (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
 BACKGROUND - GREEN




* See Symbol section
for symbol design


I-8
Library (Symbol)

A	B	C	D	E
24	.5	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND - WHITE
 BACKGROUND - GREEN



I-8TP




I-ARW

* See Symbol section
for arrow design

Sheeting on plaques shall match parent sign.

COLORS: LEGEND - WHITE
BACKGROUND - GREEN

TEXAS



I-9
Vehicle Ferry Terminal (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	6.75	10.5	1.5
30	.75	8.4375	13.125	1.875


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



* See Symbol section
for symbol design

I-11
RECYCLING COLLECTION CENTER (with Symbol)

COLORS: LEGEND - WHITE
BACKGROUND - GREEN




I-12

Light Rail Train Sit (Symbol)

* See Symbol section
for symbol design

A	B	C	D	E
24	.5	1.625	20.75	1.5
30	.75	2	26	1.875


COLORS: LEGEND - WHITE
BACKGROUND - GREEN



I-13

REPORT EMERGENCY OR PROBLEM 1-800-XXX-XXXX

9



I-13T


TO REPORT EMERGENCY OR OTHER PROBLEM CALL XXX-XXXX

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS



I-17T




I-17aT

I-17bT


LIGHTS ON THE SAFETY TURN ON HEADLIGHTS NEXT XX MILES

COLORS: LEGEND - WHITE
BACKGROUND - BLUE

TEXAS




TX1-1T
STATE MAINTENANCE ENDS




TX1-2T
STATE MAINTENANCE BEGINS

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



TX1-3T
CONSTRUCTED AND MAINTAINED BY TEXAS DOT




TX1-4T
MAINTAINED BY TEXAS DOT

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



TX2-1T
NOTICE STATE LAW



TX3-1T
PROPERTY OF THE STATE OF TEXAS PENALTY FOR PRIVATE USE

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS




TX4-1T
PLEASE HELP PREVENT GRASS FIRES




TX4-2T
PLEASE HELP PREVENT FOREST FIRES

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS



TX5-1T
WOODLANDS ROAD UTILITY DISTRICT NO 1



TX5-2T
COUNTY MUNICIPAL UTILITY DISTRICT NO

COLORS: LEGEND - BLACK
BACKGROUND - WHITE

TEXAS