Terraform: Homework 1

**Aleksandr Usov**

Senior System Engineer

HashiCorp Certified: Terraform Associate

Requirements

- KISS principle(use the minimum amount of resources and arguments and no need to override default values)

- Dont's use modules and non-local backend

Task 1: Docker

Deploy nginx and php containers

Task 1: Docker

- Define three input variables:
    - Colon-separated name and tag for nginx container(default: "nginx:stable")
    - Colon-separated name and tag for php container(default: "php:7.4-fpm")
    - Internal network name(default: "epam")
- Define output variable:
    - URL to phpinfo()

Task 1: Docker

- Define five resources:
  - nginx `docker_image`
  - php `docker_image`
  - `docker_network` for containers
  - nginx `docker_container`
  - php `docker_container`
- Copy `default.conf` inside nginx configuration directory
- Copy `index.php` inside root for PHP

Task 1: Acceptance criterias

- URL in output

- phpinfo() into the URL

Task 2: AWS Lambdas

Deploy lambda(s) to stop/start EC2 instances

Task 2: AWS Lambdas

AWS Lambdas:

- Start and stop an EC2 instance if it has `test` tag
- Stop EC2 instances after 10 pm from Monday to Friday
- Start EC2 instances at 7 am from Monday to Friday

Task 2: AWS Lambdas

- Define input variables:
    - memory size
    - timeout
    - runtime
    - schedule expressions
- Use `archive_file` data source
- Terraform configuration should update lambdas when source code is changed

Task 2: AWS Lambdas

- Define two functions: for start and stop

- Define resources:
    - IAM role and managed policy

    - CloudWatch even rules and targets

    - Permissions for lambdas

Task 2: Acceptance criterias

- Modify input variables to stop in the middle of the hour

- Modify input variables to tart at the beginning of the hour

- Create a test instance with `test` tag

- Add your CloudWatch logs into `README.md`

Links

example

End