

WebTerm/3270 Security Tools

Prepared by Britley Hoff | October 07, 2026

Every tool below lives in one open source bridge and browser client, no desktop emulator, no separate scanner install. Connect to any TN3270(E) or TN5250 host (z/OS, z/VM, IBM i, z/TPF) through the bridge, unlock the Security panel, and run the tool against the live session. All of it is built FOR AUTHORIZED USE ONLY, on an engagement where you already have permission to test the target.

This sheet is a quick reference for explaining a tool on the spot: what it does, how you actually run it, and the one sentence that answers "so what." Full walkthroughs, screenshots, and tutorial write-ups live in the project's own DOCUMENTATION/webterm-security-tools-tutorial.md.

Platform key: z/OS (TSO/RACF/SDSF/DB2/CICS) · IBM i (AS/400) · z/VM · z/TPF · Cross (any protocol/session)

Cross-Protocol & Session-Level

Tool	What It Does	Direct Use	Benefit
Field Map Overlay	Highlights every field's	Toggle it on any connected	Shows at a glance which
Attribute Byte Inspector	Decodes byte raw fields	Select a field after	Confirms exactly what's
Color Reveal	Forces field's color to live	One click.	Helps say, color-on-color
Field Length Disclosure	Reveals colorMDT and	Watch a password or other	Pinpoints exactly what's
Traffic Recorder / Replay	Records all session	Replays field's data	Shows what's in the wire
Session Viewer	Tests every field's	One click, alongside any	Shows what's in the wire
Wire Inspector	Decodes every field's	Session. Wire Inspector	Shows what's in the wire
Proxy/Break-Force	Breaks field's data	One click, alongside any	Shows what's in the wire
Export Screen	Exports field's data	One click.	Shows what's in the wire
MITM Intercept	Intercepts field's data	Arm it, then interact with	Shows what's in the wire
Credential Harvest Log	Captures field's data	One click, alongside any	Shows what's in the wire
Screen Watch	Records field's data	One click, alongside any	Shows what's in the wire
Session Broadcast	Streams field's data	One click, alongside any	Shows what's in the wire
Protocol Fuzzer	Tests field's data	One click, alongside any	Shows what's in the wire
TN3270E Negotiation	Tests field's data	One click, alongside any	Shows what's in the wire
XTM/Operator	Tests field's data	One click, alongside any	Shows what's in the wire
Protocol Dashboard	Tests field's data	One click, alongside any	Shows what's in the wire
Passive ESM Fingerprint	Tests field's data	One click, alongside any	Shows what's in the wire
SSH No-Credential Access Checker	Tests field's data	One click, alongside any	Shows what's in the wire

z/OS (TSO · RACF · SDFS · DB2 · CICS)

Tool	What It Does	Direct Use	Benefit
RACF Probe	Attempts an empty password, only if the target sweeps a credential actually offers it. wordlist against a logon screen (TSO, z/VM, CICS,		

z/TPF, or IBM i), with an optional "keep going" enumeration mode.

Navigate to a logon The classic screen, load or type a default-credential check, wordlist, run. automated and classified

(success / failure / lockout /
enumerated) instead of
typed by hand one at a
time.

READY.

Run from READY.

Flags weak system-wide
policy (password rules,

SETROPTS options)
without needing special
access.

RACF	User/Group	Enumerates users and	Run from READY.	Builds the
Database Recon Scanner		Discovers databases and	Run from READY.	Surfaces privileged user
Encryption Audit Scanner		Checks expected datasets	Feed it names from the	On encrypted databases
VTAM Applid Enumerator		Sweeps DFSMS, ID=applid	Learn scapy or atype list	Map active WPARs actually
APF Library Scanner		Enumerates via LISPF	Run from READY.	Accounting on a long-term
APF Writability Checker		Automatically configures write	Run from READY, right	On a C-PIF followed by still
PARMLIB Access Check		Applies every RACF RACF	after the fact, or list your	directly to the RACF
SDSF Job Parser		Parsees SDFS Job from LIB	Navigates SDFS.refresh.	Each high-profile job
SDSF Job Output		SDSF by type, name and	Run from an SDFS job list.	SDSF jobs are relatively
Backdoor Scanner		Discovers hidden backdoors	Run from TSO READY.	Should be able to read into
DB2 Subsystem Scanner		Reads backdoor privileges	Run from TSO READY.	Major chain DB, but actually
RACF-DB2 Authority Scan		Simple RACF authority	Run from TSO READY.	Present in user, DB2 access
DB2 Connection		Every DB2 resource-level	Run from TSO READY.	Backdoor is a good idea
CICS Transaction Scanner		DB2 permissions	Clear the CICS screen,	On a C200t just who
Cross-Session	Buffer	Detects a logged at LU's CICS	Set an IP name, disconnect,	Authorized by a user
Bleed		stream content surviving	disconnect, reconnect with	Two active pooling existg, the
IBM i (AS/400)		into the next session	the same LU name within	next session, so that old
		before the fresh	~90 seconds.	can inherit even previous

Tool	What It Does	Direct Use	Benefit
Default Credential Audit	Tries the standard	Before signing on, paste or	live. Turns an engagement's
System Value Security	Reads supplied default security	Sign in, stop at a menu,	The IBM interface that affects
Analyzer Profile &	paths, source, QSEOUT, etc.	Run from a menu.	Backdoor is a good idea
Special Authority Audit	Public authority, LIB, etc.	Run from a menu.	Backdoor is a good idea
Object Authority	Public authority, LIB, etc.	Run from a menu.	Backdoor is a good idea
Network Attributes	Signs in, stop at a menu,	Run from a menu.	Backdoor is a good idea
Analysis Description PrivEsc	Searches for a specific privilege	Run from a menu.	Backdoor is a good idea
Authorization List Scanner	Enumerates authorization lists	Run from a menu.	Backdoor is a good idea
Active Job Scanner	Searches for a specific job	Run from a menu.	Backdoor is a good idea
Exit Point & Service	Searches for a specific service	Run from a menu.	Backdoor is a good idea
Network Audit SMB	Searches for a specific SMB	Run from a menu.	Backdoor is a good idea
CIFS Permissions Audit	Searches for a specific CIFS	Run from a menu.	Backdoor is a good idea
Adopted-Authority Runtime	Searches for a specific runtime	Run from a menu.	Backdoor is a good idea
Scan/Command-Line	Searches for a specific command	Run from a menu.	Backdoor is a good idea
Byte/Probe Currency	Searches for a specific currency	Run from a menu.	Backdoor is a good idea
Checker	Searches for a specific checker	Run from a menu.	Backdoor is a good idea

Tool	What It Does	Direct Use	Benefit
VM Minidisk Password Exposure	via STSQL and classifies Shows that a LINK whatever rows come back command's minidisk against published CVSS password renders in bands and PTF-group level cleartext at the CP READ gaps.	Connect to a z/VM CP session, type a real LINK command with a password.	A simple, visual way to demonstrate that CP command-line arguments are never masked,
z/TPF			something a lot of z/VM shops don't realize about their own console.
ECB Enumerator	masked-input primitive for ZSHOW E - lists every command arguments. loaded entry control block	Direct Use	

and its privilege flags.

Run at the operator A full map of what's
console. running and at what

privilege level, the starting point for everything else in this section.

Privilege Scanner	Probes the OPER / Run at the operator	Confirms exactly which
Entry Point Prober	Runs ZPFTEST against SPSPEC on console	Privilege escalation event
Pool Monitor	EBCDIC Reporting ZSTOR on console	Early pool allocation cost
System Diagnostics	Probes EBCDIC, 90% capacity	Frames of EBCDIC data
Entry Point Debugger	Day's LOCK/MQWALZTEST on console	Significant lock safety, that
Hardening Audit	Shows -zDPS, LACR, and ZSTOR on console	Disclosed age of privilege
	z/TPF and z/OS/pas-STOR	stacking supports of finding

Not a tool: z/TPF deep-internals methodology

Storage-protection-key escalation; core/memory-block corruption, and record-pointer injection are real z/TPF risk categories, but they're deliberately not shipped as a live tool here: a bug in a browser-based probe for any of them risks an outage on what's typically a production airline reservation system. DOCUMENTATION/ztpf-deep-internals-methodology.md covers the actual approach, source and macro review, then isolated-lab testing only once review produces a specific hypothesis, and ties back to the Entry Point Debugger above as a safe, live way to demonstrate the concept.

Everything above runs from one bridge, one browser client, against real TN3270(E)/TN5250 protocol, real EBCDIC, and either a live mainframe or the project's own mock LPAR fleet for a zero-risk demo. Project, docs, and source: github.com/wren-creator/web3270.