

SUMMARY REFERENCE

Capability Matters

Case Overview

A quick-reference guide to one hundred real cases of capability — how it fails, how it has been engineered, and where the discipline is being tested next — each with a brief callout, its key sources, and the LENS courses it informs.

Learning Engineering for Next-Generation Systems

LENS is a specialization within the Johns Hopkins University School of Education's **Master of Education in Learning Design and Technology** (LDT). Its premise is that capability — the ability of people and institutions to perform demanding, high-consequence work reliably — can be **engineered**: specified, measured, designed for, and improved, rather than left to tradition, heroics, or chance. The program trains practitioners to treat capability as a system parameter, to build the evidence that shows whether an intervention actually worked, and to design the human and technical halves of a system together rather than in isolation.

LENS rests on five pillars: **Mission Literacy** — fluency in the operational domains where capability is contested; the **JHU Ecosystem** — the research, applied-laboratory, and school assets the program draws on; **Intersectional Expertise** — pairing learning science with engineering and domain practice; **Capability Focus** — capability itself as the unit of design; and **Flywheel Iteration** — the Practice Flywheel, the iterative loop from requirements to evidence that animates the other four. The pillars are designed to be load-bearing together, not individually.

One hundred cases, three movements

The casebook assembles **one hundred** documented cases — from healthcare, defense, education, energy, transportation, and government — and organizes them in three parts.

Part I — The Failure Modes groups cases under six recurring patterns (see overleaf), with an evidence-gap chapter on measurement. The taxonomy is a finding, not a theory: six categories account for almost every well-documented preventable failure in the literature.

Part II — What Works collects the successes, which share one structural feature: a **paired intervention** — a technical artifact joined to a cultural authority; a measurement instrument joined to a body that acts on it. Neither half alone moves the curve.

Part III — The Frontier concerns the cases where the discipline is being asked to specify what good looks like before the catastrophe arrives — particularly human-AI teaming. These cases are deliberately less settled.

Reading an entry

Each case is distilled to a single panel with four parts: a **header** (case number, domain tags, and year); the **title**; an ~100-word **callout** that states what happened and why it matters; one to three **key references**; and a short note on its **LENS applicability** — the courses that use it and the capability lesson it carries. The full three-page treatment (an inline-cited narrative and a Learning Engineering Lens) lives in the main casebook; this guide is the index to it.

DOMAIN TAGS

DEFENSE Defense **AVIATION** Aviation **SPACE / AEROSPACE** Space / Aerospace **HEALTHCARE** Healthcare **ENERGY** Energy

EDUCATION AT SCALE Education at Scale **GOVERNMENT** Government **INDUSTRIAL** Industrial

TECHNOLOGY Technology **AUTONOMOUS SYSTEMS** Autonomous Systems

FAILURE-MODE CODES

In the main casebook each case carries one or more single-letter mode codes: **T** training gap · **D** capability designed out · **N** normalization of deviance · **H** human-system interface · **G** governance & trust · **K** knowledge & institutional memory. Most cases carry two or three; the primary mode is listed first.

The six failure modes

T Training gap

The operator lacked a capability the situation demanded — and the institution had the means to build it but had let it lapse or never delivered it.

D Capability designed out

The capability was removed from, or never built into, the system's design — a defect, omission, or a cost-and-packaging decision made upstream.

N Normalization of deviance

A known deviation became routine because it had not yet caused harm — until the margin ran out.

H Human-system interface

The interface misled the operator: ambiguous cues, hidden modes, or alarms that did not carry the weight the moment required.

G Governance & trust

The institution's incentives, oversight, or disclosure produced the harm — the measurement system or authority structure was the failure.

K Knowledge & institutional memory

The institution lost, or never built, the knowledge to do the work — through attrition, silos, or thin transfer between people and units.

The ten LENS courses

Each entry's "LENS applicability" names the courses it informs. Approximate case coverage is shown in parentheses.

LEN 1	Principles of learning engineering	~21
LEN 2	Human-AI teaming	~23
LEN 3	Systems integration	~18
LEN 4	Evidence and measurement	~31
LEN 5	Capability analysis	~36
LEN 6	Applied problem-solving	~13
LEN 7	Bias and governance	~49
LEN 8	Knowledge transfer	~45
LEN 9	Computational methods	~10
LEN 10	Capstone studio	~19

Cases are mapped to more than one course where they apply, so the counts sum to more than one hundred. The distribution is itself diagnostic: the literature is richest in governance, knowledge transfer, and capability analysis, and thinnest in computational instrumentation — a gap the studio sequence is built to close.

The hundred cases

Listed in reading order; the number is the case's catalog number in the main casebook.

1	USS Fitzgerald & USS John S. McCain	10
2	Boeing 737 MAX / MCAS	18
3	Air France Flight 447	10
4	Deepwater Horizon	22
5	Three Mile Island	11
6	Challenger & Columbia	22
7	Therac-25	18
8	inBloom	31
9	Marine Corps Training in the INDOPACOM AOR	11
10	Healthcare.gov Launch	31
11	V-22 Osprey	23
12	Crew Resource Management & CAST	48
13	WHO Surgical Safety Checklist	49
14	Keystone ICU / Pronovost Checklist	48
15	Navy Surface Warfare Readiness Reform	50
16	INPO and the Nuclear Academy	49
17	Bhopal	32
18	USS Vincennes & Iran Air Flight 655	27
19	Patriot Missile / Dhahran	19
20	Grenfell Tower	32
21	Summit Learning / Personalized Learning Rollout	33
22	Tennessee Voluntary Pre-K Study	33
23	Korean Air Safety Transformation	50
24	Toyota Production System / Andon Cord	51
25	EHR / CPOE Implementation	27
26	F-35 Sustainment & Maintainer Shortage	12
27	TeamSTEPPS	51
28	U.S. Nuclear Navy / Rickover Training Model	52
29	Uber ATG / Tempe Fatality	28
30	Kegworth / British Midland 92	12

31	Medical Errors as Systemic Failure	45
32	VA Wait-Time Scandal	40
33	Military Fratricide — Desert Storm to Afghanistan	13
34	ACGME 80-Hour Resident Duty-Hour Reform	13
35	UK A-Level Algorithm / Ofqual	34
36	Australia Robodebt	34
37	Algorithmic Bias in Educational Predictive Analytics	35
38	GIFT and the Adoption Gap	41
39	Georgia State University Predictive Analytics	52
40	xAPI / Total Learning Architecture — Interoperability Gap	41
41	Implementation Science in Healthcare — The 17-Year Gap	42
42	Cognitive Tutor / Carnegie Learning	53
43	Colgan Air Flight 3407	14
44	Asiana Airlines Flight 214	14
45	Mark 14 Torpedo Failures	15
46	Operation Eagle Claw	15
47	Helios Airways Flight 522	16
48	AeroPerú Flight 603	16
49	Atlas Air Flight 3591	17
50	TransAsia Airways Flight 235	17
51	Ford Pinto Fuel Tank	19
52	Takata Airbag Inflators	20
53	GM Ignition Switch	20
54	Mars Climate Orbiter — Unit Mismatch	21
55	Knight Capital Trading Loss	21
56	Texas City BP Refinery Explosion	23
57	Davis-Besse Reactor Head Corrosion	24
58	Mid Staffordshire NHS Foundation Trust	24
59	Sago Mine Disaster	25
60	Upper Big Branch Mine Explosion	25
61	Fukushima Daiichi	26
62	Northeast Blackout	26
63	Eastern Air Lines Flight 401	28
64	Boeing 737 Rudder Hardovers	29
65	CrowdStrike Falcon Outage	29

66	Stanislav Petrov / 1983 False Alert	30
67	TSB Bank IT Migration	30
68	UK Post Office Horizon Scandal	35
69	Theranos	36
70	Wells Fargo Fake Accounts	36
71	Volkswagen Dieselgate	37
72	Cambridge Analytica / Facebook	37
73	Equifax Data Breach	38
74	Hyatt Regency Walkway Collapse	38
75	FIU Pedestrian Bridge Collapse	39
76	Camp Fire / PG&E	39
77	Texas Grid Freeze	40
78	NASA Saturn V Documentation	42
79	Boeing Starliner	43
80	Ariane 5 Flight 501	43
81	Tacoma Narrows Bridge	44
82	Aliso Canyon Methane Leak	44
83	LIBOR Manipulation	45
84	Atlanta Public Schools Cheating Scandal	46
85	Bernard Madoff / SEC Failures	46
86	9/11 Intelligence Sharing Failures	47
87	Vioxx Withdrawal	47
88	Tylenol Recall	53
89	Aviation Safety Reporting System (ASRS)	54
90	Bristol Heart Babies Reform	54
91	Singapore Airlines Safety Transformation	55
92	Tesla Autopilot — Recurring Fatalities	55
93	Cruise Robotaxi — Pedestrian Drag	56
94	COMPAS Recidivism Algorithm	56
95	Radiology AI Miscalibration	57
96	ChatGPT in Healthcare — Hallucination Cases	57
97	Predictive Policing — PredPol	58
98	AlphaFold — Protein Structure Prediction	58
99	AI-Augmented Coding Tools	59
100	The Discipline We Build Next	59

CASE 1 DEFENSE

2017

USS Fitzgerald & USS John S. McCain

In the summer of 2017 two U.S. Navy destroyers of the forward-deployed Seventh Fleet collided with merchant ships nine weeks apart, killing seventeen sailors — seven on the Fitzgerald, ten on the John S. McCain. Their crews' seamanship, navigation, and console skills had eroded under a decade of relentless operational tempo and the self-study "training" that replaced the in-person school the Navy cut in 2003. Investigations by the Navy and the NTSB judged both collisions avoidable and traced them to insufficient training and weak oversight; on the McCain, a confusing touch-screen helm let a watch team believe it had lost steering it never actually lost. The case is this book's canonical training gap: stated readiness and real readiness diverged for years, and the system could no longer see the difference.

KEY REFERENCES

- T. C. Miller, M. Faturechi & R. Rotella, "Years of Warnings, Then Death and Disaster," ProPublica (2019) — the 2003 SWOS-in-a-Box shift.
- GAO, Navy Readiness, GAO-17-809T (Sept. 2017) — 37% of Japan-based warfare certifications expired by June 2017.
- NTSB, Collision between USS Fitzgerald and MV ACX Crystal, NTSB/MAR-20/O2 (2020), DCA17PM018.

LENS APPLICABILITY

LENS treats this as the worked example of LEN 5 (Human Capability Analysis and Requirements) interacting with LEN 4 (Evidence and Measurement). Students reconstruct the capability requirements for underway watchstanding from operational analysis and design the evidence system that would have surfaced the gap before the collisions. LEN 8 covers the institutional dynamics of deferred training.

CASE 3 AVIATION

2009

Air France Flight 447

Air France Flight 447, an Airbus A330, fell into the South Atlantic on 1 June 2009, killing all 228 aboard — the deadliest accident in the airline's history. At cruise altitude the pitot probes iced over, the airspeed readings failed, and the autopilot handed the jet to a crew that had never trained to fly it by hand in that regime. The pilot flying held the nose up into a full aerodynamic stall and never recognized it; the aircraft descended for nearly four and a half minutes. The BEA traced the loss to the airspeed failure, the crew's inappropriate inputs, and a training system that taught stall prevention at low altitude but never stall recovery at altitude — a gap between the trained envelope and the operational one that reshaped global pilot-training rules.

KEY REFERENCES

- Bureau d'Enquêtes et d'Analyses (BEA), Final Report on the accident on 1 June 2009 to the Airbus A330-203 registered F-GZCP operated by Air France flight AF447 (July 2012) — full report: flight, aircraft, and the known pitot-icing vulnerability with retrofit pending.
- BEA, Final Report AF447 (2012) — accident sequence: autopilot/autothrust disconnection, degraded control law, sustained nose-up input, stall, and the stall-warning logic dropping out at high angle of attack.
- BEA, Final Report AF447 (2012) — probable cause: airspeed inconsistency from pitot icing, inappropriate control inputs, and failure to recognize and recover from the stall.

LENS APPLICABILITY

LENS uses AF447 in LEN 5 to teach the difference between the trained capability envelope and the operational capability envelope, and in LEN 2 to introduce human-AI handoff as a capability problem: the autopilot disconnection was a transition the crew had been trained to avoid rather than to handle. The case maps directly to canonical problem type three — Capability Cliff at Automation Boundary.

CASE 5 ENERGY

1979

Three Mile Island

On 28 March 1979 a small cooling fault at Three Mile Island's Unit 2, a Babcock & Wilcox reactor near Harrisburg, escalated into a partial core meltdown — the most serious accident in U.S. commercial nuclear history. A relief valve stuck open while a control-room light reported it closed, and operators trained for dramatic design-basis ruptures misread the slow, ambiguous cascade and cut the cooling the core needed. A nearly identical near-miss at Davis-Besse eighteen months earlier had never been propagated to the fleet. The Kemeny Commission concluded the fundamental problems were people-related, not equipment. Off-site radiation was minimal, but the accident produced a system of reform — most enduringly INPO — making it the book's paired example of a failure that engineered lasting capability.

KEY REFERENCES

- Kemeny Commission, Report of the President's Commission on the Accident at Three Mile Island (Oct. 1979) — operator training oriented to large design-basis accidents.
- M. Rogovin & G. T. Frampton, Three Mile Island: A Report to the Commissioners and to the Public, NUREG/CR-1250 (U.S. NRC, 1980) — the September 1977 Davis-Besse stuck-PORV precursor and the failure to disseminate its lessons.
- U.S. Nuclear Regulatory Commission, Backgrounder on the Three Mile Island Accident — accident sequence, misleading PORV indication, throttled high-pressure injection, 50% core damage, minimal off-site dose.

LENS APPLICABILITY

LENS uses TMI in LEN 1 as the foundational problem-framing case: when trained scenarios and operational scenarios diverge, the divergence is the real risk. LEN 5 examines the control-room interface and the gap between what indicators displayed and what operators inferred; the pairing with INPO (Case 16) is the Failure-to-Reform arc this book treats as its strongest argument.

CASE 9 DEFENSE

ONGOING

Marine Corps Training in the INDOPACOM AOR

The 2022 National Defense Strategy names the Indo-Pacific the Pentagon's priority theater and China its "pacing challenge" — yet the theater so designated has among the least mature live-training infrastructure in the force. For nearly a decade the U.S. Marine Corps has been unable to meet its training requirements at Indo-Pacific ranges, papering over the gap with rotations back to U.S. ranges, virtual substitutes, and multinational exercises pressed into proxy duty. In May 2024 the GAO documented the decade-long shortfall and urged the Corps to analyze its unmet requirements and build a remediation plan. The case is this book's live, ongoing counterpart to its historical failures: a fully recognized, repeatedly documented capability gap that declared priority has not closed, because engineered priority — ranges, basing, certified units — is slow and expensive.

KEY REFERENCES

- 2022 National Defense Strategy of the United States of America (U.S. Department of Defense, 2022) — the Indo-Pacific as priority theater and China as the "pacing challenge."
- U.S. Government Accountability Office, Military Readiness: Actions Needed for DOD to Address Challenges, GAO-24-107463 (May 2024) — the least-mature training infrastructure in the priority theater.
- GAO-24-107463 (2024) — the Marine Corps unable to meet INDOPACOM training requirements for nearly a decade, and the CONUS-rotation, virtual, and multinational-exercise workarounds.

LENS APPLICABILITY

LENS uses INDOPACOM in LEN 5 to teach the gap between stated requirements and engineered requirements, and in LEN 8 to examine the organizational dynamics that allow declared priorities to coexist with unfunded capability gaps for a decade. The case is also a live test for any student's claim about how to engineer cross-service capability at scale.

CASE 26 DEFENSE

ONGOING

F-35 Sustainment & Maintainer Shortage

The F-35 is the most expensive weapons program in history — roughly 2,500 jets planned and a lifecycle cost above \$1.7 trillion, about \$1.3 trillion of it in operating and support. The hard part was never the airplane but keeping a global fleet ready, and that half has lagged from the start. As of March 2023 the fleet's mission-capable rate was about 55%, far short of goal, with more than 10,000 components in the repair queue and depots behind schedule. GAO traced the shortfall to maintainer shortages, the military's lack of access to technical data, and contractor dependency, and urged a full reassessment of the sustainment strategy. It is the book's cleanest case of a platform fielded faster than the capability infrastructure to sustain it.

KEY REFERENCES

- U.S. Government Accountability Office, F-35 Aircraft: DOD and the Military Services Need to Reassess the Future Sustainment Strategy, GAO-23-105341 (Sept. 2023) — 2,500 planned aircraft and a lifecycle cost exceeding \$1.7 trillion, \$1.3 trillion of it in operating and support.
- GAO-23-105341 (2023) — 55% fleet mission-capable rate (March 2023); over 10,000 components awaiting repair; 72-day average depot turnaround; depot stand-up behind schedule.
- GAO-23-105341 (2023) — sustainment shortfall traced to maintainer shortages, lack of military access to technical data, and contractor dependency.

LENS APPLICABILITY

LENS treats the F-35 in LEN 5 as the canonical case of **Capability– System Misalignment at Transition**, the program's first canonical problem type. Students design the capability infrastructure that should have accompanied each lot of aircraft delivered, including the training pipeline, technical-data deliverables, and depot establishment.

CASE 30 AVIATION

1989

Kegworth / British Midland 92

On 8 January 1989 British Midland Flight 92, a nearly new Boeing 737-400, crashed on the M1 motorway embankment near Kegworth, killing 47 and seriously injuring 74. After a fan blade fractured in the left engine, the crew shut down the right engine — the one still working. Reasoning from older 737s, on which the right engine fed the cabin air, they misattributed the smoke; new, harder-to-read electronic engine displays did not correct them, and the cabin crew who saw flames never told the flight deck. The pilots' mental model was right for the airplane they had flown the week before, but the brief conversion course never overwrote it. The AAIB issued 31 recommendations; Kegworth became the textbook case of capability degrading under system change.

KEY REFERENCES

- Air Accidents Investigation Branch, Report on the accident to Boeing 737-400 G-OBME near Kegworth, Leicestershire, on 8 January 1989, AAIB Aircraft Accident Report 4/90 (1990) — aircraft, route, and the limited conversion training; see also U.S. FAA, Lessons Learned: G-OBME.
- AAIB Report 4/90 (1990) — accident sequence: left-engine fan-blade failure, shutdown of the serviceable right engine, and total power loss on approach; 47 killed, 74 seriously injured.
- AAIB Report 4/90 (1990) — the older-737 bleed-air mental model misapplied to the 737-400's changed configuration.

LENS APPLICABILITY

LENS treats Kegworth in LEN 5 as the canonical **system-change** capability problem and in LEN 8 as the institutional version: how knowledge about what has changed travels from engineering to operations and what gets lost in transit. The case sits alongside Patriot (Case 19) in the canonical problem-type pair for system transition.

CASE 33 DEFENSE

1991 – 2014

Military Fratricide — Desert Storm to Afghanistan

Friendly fire killed an unusual share of coalition forces in the 1991 Gulf War: 35 of 146 U.S. combat deaths (24%) and 72 of 467 wounded (15%). (The often-cited “2% historical baseline” from Shrader’s 1982 study is contested — later estimates run nearer 10–15%, and Shrader stepped back from it.) Post-war reviews blamed the chaos of combat, weak situational awareness and fire-control discipline, and combat-identification failures — and noted the military lacked a shared record to even study its own pattern. Fratricide is the failure of several systems to integrate; despite a generation of combat-ID investment, recurrences in Afghanistan and after show the rate never fell to a confidently low level, because integration is the hardest property to engineer by program.

KEY REFERENCES

- C. R. Shrader, *Amicide: The Problem of Friendly Fire in Modern War* (U.S. Army Combat Studies Institute, 1982) — the under-2% estimate from 269 incidents, a baseline later challenged as too low (with estimates nearer 10–15%).
- “Friendly Fire: Facts, Myths and Misperceptions,” U.S. Naval Institute Proceedings (June 1994) — Desert Storm: 35 of 146 KIA (24%) and 72 of 467 wounded (15%) by friendly fire; critique of the 2% “historical norm.”
- Khafji and Warrior fratricide incidents (Feb. 1991) — see USNI Proceedings (1994) and *Time*, “They Didn’t Have to Die”. (Per-incident casualty figures vary across sources; see AUDIT.)

LENS APPLICABILITY

LENS uses fratricide in LEN 5 to teach systems-of-systems capability analysis and in LEN 2 to introduce combat identification as a Human-AI Teaming problem (operators rely on automated IFF systems whose limitations are not in their training). LEN 8 examines why decades of awareness have not produced a sustained reduction.

CASE 34 HEALTHCARE

2003 – 2017

ACGME 80-Hour Resident Duty-Hour Reform

After the 1984 death of Libby Zion focused decades of concern on resident-physician fatigue, the ACGME capped resident work at 80 hours a week in 2003 and limited first-year shifts to 16 hours in 2011. The logic was intuitive: tired doctors err, so cut the hours. But hours were one input to a many-variable system; cutting them multiplied error-prone hand-offs and cost residents continuity and procedural repetitions. Two large randomized trials — FIRST (2016) and iCOMPARE (2019) — found flexible schedules non-inferior to the strict caps on patient outcomes, so the promised safety gain never appeared, and in 2017 the ACGME relaxed the intern cap. The case is the book’s clearest example of a single-variable intervention into a capability system — and of evidence catching up with a well-meant policy.

KEY REFERENCES

- B. H. Lerner, *The Libby Zion Case and the Reform of Medical Education* (2006); and the 1989 New York State (Bell Commission) duty-hour regulations — the origin of the reform.
- Accreditation Council for Graduate Medical Education, *Common Program Requirements* (2003 and 2011 revisions) — the 80-hour weekly cap and the 16-hour first-year shift limit.
- D. A. Asch et al., “Resident Duty Hours and Medical Education Policy,” *NEJM* 370: 1671–1673 (2014); Institute of Medicine (Ulmer, Wolman & Johns, eds.), *Resident Duty Hours: Enhancing Sleep, Supervision, and Safety* (2008) — hand-offs and continuity trade-offs.

LENS APPLICABILITY

LENS uses duty-hour reform in LEN 5 as the foundational capability-system case (what was the long-hour regime **producing** that was lost when the input was capped?), in LEN 4 to discuss measurement architecture (what FIRST and iCOMPARE measured, and what they did not), and in LEN 10 as a studio prompt for the integrated resident-training redesign that the reforms did not deliver.

CASE 43 AVIATION

2009

Colgan Air Flight 3407

On approach to Buffalo in February 2009, the captain of Colgan Air 3407 responded to a stall warning by pulling back on the controls instead of lowering the nose; the Bombardier Q400 stalled and crashed into a house in Clarence Center, killing all 49 aboard and one person on the ground. The NTSB found the captain had a documented history of training failures, and the first officer was ill, fatigued, and paid about \$16,000 a year. The airline and the hiring pipeline knew the training history; the regulator did not. Victims' families mounted one of the most effective aviation-safety campaigns in a generation, producing the 2010 law that raised first-officer experience requirements to 1,500 hours and created the Pilot Records Database. The capability gap was visible to everyone except the system that licensed the pilots.

KEY REFERENCES

- › NTSB, Aircraft Accident Report: Colgan Air Flight 3407, NTSB/AAR-10/01 (2010) — probable cause (quoted).
- › NTSB/AAR-10/01 (2010) — the captain's training history, and the first officer's fatigue and pay.
- › NTSB/AAR-10/01 (2010) — the information-flow gap between known pilot history and the hiring decision.

LENS APPLICABILITY

LENS uses Colgan in LEN 4 as a case for evidence-system design (the PRD as a designed information flow) and in LEN 8 as a case for advocacy-driven institutional change. Studio projects examine how families of victims became the load-bearing element of a reform the industry had resisted for years.

CASE 44 AVIATION

2013

Asiana Airlines Flight 214

On a clear afternoon at San Francisco in July 2013, the crew of Asiana 214 allowed their Boeing 777 to slow far below approach speed without recognizing that the autothrottle was not maintaining it. The aircraft struck the seawall short of runway 28L, killing three of the 307 aboard and injuring nearly two hundred. The NTSB found the crew had mismanaged the approach and inadequately monitored airspeed — but also that the complexity of Boeing's autoflight systems contributed: after the pilots disconnected the autopilot and pulled thrust to idle, the autothrottle reverted to a HOLD mode in which it would not wake to hold the selected speed. The captain believed it would. Asiana 214 is the most prominent recent case of automation surprise on a Western wide-body airliner.

KEY REFERENCES

- › NTSB, Aircraft Accident Report: Asiana Airlines Flight 214, NTSB/AAR-14/01 (2014) — probable cause and contributing factors (quoted).
- › NTSB/AAR-14/01 (2014) — the autothrottle HOLD reversion and airspeed decay to 103 kt.
- › NTSB/AAR-14/01 (2014) — the captain's mental model of the autothrottle.

LENS APPLICABILITY

LENS treats Asiana 214 in LEN 2 as a worked case for automation transparency requirements. Students design the interface and training intervention that would have made the mode disconnect salient to the crew at the moment the aircraft slowed.

CASE 45 DEFENSE

1941 – 1943

Mark 14 Torpedo Failures

The U.S. Navy entered World War II with the Mark 14 torpedo, so expensive that the Bureau of Ordnance had effectively forbidden live testing in peacetime. Through 1942 submarine crews reported torpedoes running deep, failing to detonate, or exploding prematurely; the Bureau insisted the weapon was sound and blamed the operators. It took eighteen months and the personal intervention of Admiral Charles Lockwood — who ordered fleet-level live-fire tests — to confirm three separate defects: the torpedo ran about ten feet too deep, its magnetic exploder fired erratically, and its contact pin crushed on a square hit. The fixes were simple once the defects were acknowledged. The binding constraint was institutional: a bureau insulated from the operators who knew the weapon did not work.

KEY REFERENCES

- Blair, C. (1975), *Silent Victory: The U.S. Submarine War Against Japan* — operator reports and the Bureau's resistance (paraphrased).
- Rowland, B. & Boyd, W. (1953), *U.S. Navy Bureau of Ordnance in World War II* — testing policy and the three defects.
- Blair (1975) — the USS Tinosa's July 1943 attack (eleven consecutive duds on a stopped target) and Lockwood's fleet-level testing.

LENS APPLICABILITY

LENS uses the Mark 14 in LEN 7 as a governance failure case and in LEN 8 as an organizational-learning case in which the operators had the diagnosis and the institution lacked the structure to receive it. Studio projects (LEN 10) examine what the equivalent operator-to-institution feedback channel should look like.

CASE 46 DEFENSE

1980

Operation Eagle Claw

The April 1980 mission to rescue fifty-two American hostages held at the U.S. embassy in Tehran was aborted at a desert staging point when three of eight helicopters were lost to mechanical and weather problems. During the withdrawal a helicopter collided with a refueling C-130, killing eight servicemembers; the hostages remained captive for another nine months. The Holloway Commission found the operation had been assembled ad hoc: each service contributed its own units, equipment, and command relationships, the aircrews had not trained together, and there was no standing joint special-operations command to own the mission. The capability had to be improvised, and the improvisation failed. Eagle Claw catalyzed the creation of JSOC, the Goldwater-Nichols reforms, and ultimately U.S. Special Operations Command.

KEY REFERENCES

- Holloway Special Operations Review Group, *Rescue Mission Report* (1980) — the ad-hoc assembly and equipment choices (paraphrased).
- Holloway Commission (1980) — the Desert One sequence and the helicopter-C-130 collision.
- Goldwater-Nichols Department of Defense Reorganization Act of 1986, Pub. L. 99-433.

LENS APPLICABILITY

LENS uses Eagle Claw in LEN 5 as a worked case for cross-organizational capability requirements and in LEN 8 for the institutional reform that followed; it pairs with INPO (Case 16) as the defense analog of failure-driven institution building. The seven-year arc to Goldwater-Nichols (1986) and USSOCOM (1987) is itself a measurement: the institutional response time when the fix requires statutory action.

CASE 47 AVIATION

2005

Helios Airways Flight 522

Shortly after takeoff from Larnaca in August 2005, the crew of Helios 522 misread a warning horn. The same intermittent horn that signals an incorrect takeoff configuration on the ground sounds, in flight, when cabin altitude climbs past about 10,000 feet — and the pressurization selector had been left in “manual” after a leak check the night before. The cabin never pressurized. The crew, troubleshooting the wrong fault, lost consciousness to hypoxia; the Boeing 737 flew on autopilot until it ran out of fuel and crashed into a hillside near Athens, killing all 121 aboard. The investigation found a single cue carried two meanings with no differentiation, and the airline’s training had drilled only the ground meaning.

KEY REFERENCES

- Hellenic Air Accident Investigation & Aviation Safety Board, Aircraft Accident Report 11/2006 — probable cause and the warning misinterpretation (paraphrased).
- AAIASB Report 11/2006 — the manual pressurization selector and failure to pressurize.
- AAIASB Report 11/2006 — the dual-meaning warning horn and the training emphasis.

LENS APPLICABILITY

LENS uses Helios in LEN 5 as a case in cue ambiguity and in LEN 2 as a Human-AI Teaming case where the interface failed to communicate which of two possible system states it was warning about. Students redesign the cue.

CASE 48 AVIATION

1996

AeroPerú Flight 603

While polishing the fuselage of a Boeing 757 in Lima in October 1996, maintenance staff taped over the static ports and failed to remove the tape before flight. With the static system blocked, the aircraft’s altimeters, airspeed indicators, and altitude-alert and overspeed warnings all read inconsistently. The crew received a cascade of contradictory warnings — overspeed, stick shaker, ground proximity — and could not determine their true altitude or speed. Believing they were higher than they were, they flew into the Pacific, killing all 70 aboard. The investigation named the maintenance error as the primary cause but stressed that every cockpit instrument depended on the same blocked sensor: the apparent redundancy was an illusion, and the crew’s training had no procedure for “everything you see is wrong.”

KEY REFERENCES

- Peru Dirección General de Aeronáutica Civil, accident investigation board, final report on AeroPerú 603 (December 1996; with NTSB/FAA/Boeing participation) — primary cause and the instrument cascade (paraphrased).
- Peru CIIA report (1996) — the static-port tape and the contradictory warnings.
- Peru CIIA report (1996) — the absence of an independent cockpit reference.

LENS APPLICABILITY

LENS uses AeroPerú in LEN 5 to teach the difference between apparent and actual redundancy and in LEN 2 for the human role when all interface data is unreliable. Studio projects examine the “trust nothing” procedure design.

CASE 49 AVIATION

2019

Atlas Air Flight 3591

On approach to Houston in February 2019, the first officer of Atlas Air 3591 — an Amazon Prime Air cargo flight — inadvertently triggered the go-around mode during a turbulent descent. Experiencing a somatogravic illusion that the aircraft was pitching up, he pushed the nose down sharply and dove the Boeing 767 freighter into Trinity Bay, killing all three aboard. The NTSB found the first officer had a long, undisclosed history of training failures across multiple carriers — and that Atlas could not see it, because the Pilot Records Database mandated by Congress after Colgan Air 3407 (Case 43) was not yet operational. Atlas relied on the older PRIA system, which surfaced only five years of history. The case is the live recurrence of Colgan: the information existed; the data-flow system was not yet complete.

KEY REFERENCES

- NTSB, Aircraft Accident Report: Atlas Air Flight 3591, NTSB/AAR-20/02 (2020) — probable cause and contributing factors (paraphrased).
- NTSB/AAR-20/02 (2020) — the inadvertent go-around activation and the dive into Trinity Bay.
- NTSB/AAR-20/02 (2020) — the first officer's training history and Atlas's record-access limits.

LENS APPLICABILITY

LENS uses Atlas Air 3591 in LEN 4 as a case for measurement-system coverage (the PRD had been built but its mandatory coverage was incomplete), and in LEN 8 for the iteration cycle of reform: an intervention that leaves an aperture creates a measurable harm inside the aperture.

CASE 50 AVIATION

2015

TransAsia Airways Flight 235

Forty-three seconds after takeoff from Taipei Songshan in February 2015, the right engine of a TransAsia ATR 72 auto-feathered following a sensor fault. Working from memory under acute time pressure, the crew shut down the left engine — the one still producing thrust — leaving the aircraft with no power and too little altitude to recover. It clipped a viaduct, struck a taxi, and crashed into the Keelung River, killing 43 of the 58 aboard. The Aviation Safety Council found the captain had failed proficiency checks in the year before the accident and that the crew had not used the published engine-shutdown checklist, responding instead from a flawed memory of the procedure. The wrong-engine error mirrors Kegworth (Case 30) twenty-six years earlier.

KEY REFERENCES

- Aviation Safety Council (Taiwan), Aviation Occurrence Report: TransAsia Airways Flight GE235, final report (2016) — findings and the wrong-engine shutdown (paraphrased).
- ASC final report (2016) — the autofeather event and the crash sequence.
- ASC final report (2016) — non-use of the checklist and the captain's proficiency record.

LENS APPLICABILITY

LENS uses TransAsia 235 in LEN 5 as a recurrence case for well-known capability problems (wrong-engine shutdown) and in LEN 2 to teach the difference between checklist-driven response and memory-driven response under stress.

CASE 2 AVIATION

2018 – 2019

Boeing 737 MAX / MCAS

The Boeing 737 MAX was a re-engined 737 meant to fly without new pilot training — the commercial promise that sold it against the Airbus A320neo. Its bigger engines changed the jet's pitch behavior, so Boeing added software (MCAS) to mask the difference, then kept it out of the manuals and training and let it fire on a single angle-of-attack sensor. When that sensor failed on Lion Air 610 (2018) and Ethiopian 302 (2019), MCAS forced the nose down and crews who had never heard of it could not recover; 346 people died and the fleet was grounded. Investigations found the training omission was deliberate, to avoid certification cost. The MAX is the book's inverse case: human capability engineered out of a system to save the price of sustaining it.

KEY REFERENCES

- U.S. House Committee on Transportation and Infrastructure, The Boeing 737 MAX Aircraft: Costs, Consequences, and Lessons from Its Design, Development, and Certification (Final Committee Report, Sept. 2020) — the MCAS omission, the 2013 minutes, the 2016 survey, and the "diminished safety" conclusion.
- U.S. House report (2020) and MCAS design summary — MCAS firing on a single angle-of-attack sensor; the Lion Air 610 (189 killed) and Ethiopian 302 (157 killed) accident sequences.
- U.S. House Transportation Committee report (2020) — Boeing internal communications and the certification-and-training-impact reasoning (quoted).

LENS APPLICABILITY

LENS treats capability requirements as system requirements: derived from operational analysis, traceable to design decisions, falsifiable against operational outcomes. A LENS-trained engineer in the MAX certification process would have produced a capability-requirements artifact mapping pilot tasks to system behaviors — and flagged the proposed manual omission as an unmitigated requirements gap.

CASE 7 HEALTHCARE TECHNOLOGY

1985 – 1987

Therac-25

The Therac-25, a radiation-therapy machine, massively overdosed at least six patients between 1985 and 1987, killing at least three. Its predecessors used hardware interlocks to stop the high-energy beam from firing without its target in place; to save cost, the Therac-25 removed them and trusted software — adapted from the older machines and never engineered for safety — to keep the beam modes separated. A race condition let a fast operator trigger the full beam with no target, while the console showed only a meaningless "Malfunction 54." Leveson and Turner's 1993 investigation, the founding case of software-safety engineering, found a systemic failure: a safeguard removed with nothing put in its place. The lesson — a safeguard you delete does not remove the hazard; it relocates it to whatever you failed to build.

KEY REFERENCES

- N. G. Leveson & C. S. Turner, "An Investigation of the Therac-25 Accidents," IEEE Computer 26(7): 18–41 (1993). doi:10.1109/MC.1993.274940 — the removed hardware interlocks and the adapted software.
- Leveson & Turner (1993) — the race condition, the uninformative "Malfunction 54", overdoses up to 100×, six accidents, and at least three deaths.
- Leveson & Turner (1993); N. G. Leveson, Safeware: System Safety and Computers (Addison-Wesley, 1995) — the manufacturer's denial and the systemic findings.

LENS APPLICABILITY

LENS frames Therac-25 as a **Design-Out** failure made visible through Interface and Governance pathologies. Studio projects in LEN 5 ask students to produce capability-load diagrams tracing every safety function to a hardware backstop, a software check, or a trained operator action with the information needed to perform it. LEN 7 examines incident reporting as governance.

CASE 19 DEFENSE

1991

Patriot Missile / Dhahran

On 25 February 1991 a Scud missile struck a U.S. barracks in Dhahran, Saudi Arabia, killing 28 soldiers and wounding about a hundred; the Patriot battery defending the area never engaged it. Designed for short engagements against Soviet aircraft in Europe, the Patriot tracked time in a register whose tiny rounding error grew with every hour of uptime. After about a hundred hours of continuous operation the Gulf War demanded, the radar's range gate was off by a third of a second — enough to look in the wrong place. Israeli operators had flagged the drift two weeks earlier, and a patch reached Dhahran the day after the strike. The capability to hold accuracy under sustained use was assumed away at design time, and no one carried that assumption forward when the mission changed.

KEY REFERENCES

- U.S. General Accounting Office, Patriot Missile Defense: Software Problem Led to System Failure at Dhahran, Saudi Arabia, GAO/IMTEC-92-26 (1992) — the design-context mismatch and continuous-operation use.
- R. Skeel, "Roundoff Error and the Patriot Missile," SIAM News 25(4): 11 (1992) — the 24-bit fixed-point time truncation and the 0.34-second range-gate drift after 100 hours.
- GAO/IMTEC-92-26 (1992) — the prior Israeli warning, the software patch arriving in Dhahran on 26 February (the day after the strike), and the 28 killed.

LENS APPLICABILITY

LENS treats Patriot as the textbook example of **Capability Degradation Under System Change**. LEN 5 methods require operators of any transitioning system to have current capability-relevant documentation specifying what assumptions of the original design have changed. LEN 8 examines how organizational knowledge about design constraints travels from engineering to operations — and why, here, it arrived a day late.

CASE 51 INDUSTRIAL

1971 – 1978

Ford Pinto Fuel Tank

The Ford Pinto, a rushed early-1970s subcompact, placed its fuel tank where rear-impact collisions could rupture it; fuel-fed fires killed and burned people, and in *Grimshaw v. Ford* (1981) a jury found Ford liable, having known of the hazard and not fixed it. A **common misconception**, popularized by a 1977 Mother Jones exposé, holds that Ford ran a cost-benefit calculation and chose to pay death settlements rather than install an \$11 fix. The memo invoked for that story was actually a generic federal submission about rollover fires across the whole U.S. fleet — it never mentioned the Pinto. Strip away the myth and the real designed-out failure remains: rear-impact survivability lost to cost and packaging, and a known hazard went unfixed. It is the founding engineering-ethics case — and a lesson in accuracy.

KEY REFERENCES

- M. Dowie, "Pinto Madness," Mother Jones (Sept./Oct. 1977) — the contemporaneous exposé that popularized the \$11-fix / cost-benefit framing.
- *Grimshaw v. Ford Motor Co.*, 119 Cal. App. 3d 757 (1981) — Ford held liable for the rear-impact fuel-system hazard; punitive damages upheld in reduced amount.
- G. T. Schwartz, "The Myth of the Ford Pinto Case," Rutgers Law Review 43: 1013–1068 (1991) — the Grush-Saunby memo was a generic NHTSA rollover-fire submission for the whole fleet, not a Pinto-specific litigation calculation; the death toll was far lower than popularly claimed. (See AUDIT: corrects the prior edition's framing.)

LENS APPLICABILITY

LENS uses the Pinto in LEN 7 as the foundational engineering-ethics case and in LEN 1 as a problem-framing case for what happens when safety capability is treated as a cost line item.

CASE 52 INDUSTRIAL

2008 – 2023

Takata Airbag Inflators

Takata built its airbag inflators around ammonium nitrate — cheap and energetic but unstable, and used by almost no one else without a moisture-absorbing desiccant. Takata's inflators omitted the desiccant. Over years of heat and humidity the propellant degraded and could rupture the metal housing on deployment, spraying shrapnel at the driver; more than two dozen deaths and hundreds of injuries followed. Takata's own tests had shown the ruptures, but it reported them as isolated anomalies and, in places, falsified data; in 2017 it pleaded guilty to wire fraud, paid roughly \$1 billion, and went bankrupt. The recall — over 100 million inflators across 19 automakers — is the largest in automotive history. Two capabilities were designed out: the desiccant, and the independent verification regulators never had.

KEY REFERENCES

- U.S. National Highway Traffic Safety Administration, Takata air-bag inflator recall coordination materials — the ammonium-nitrate-without-desiccant design and the propellant-degradation rupture mechanism.
- NHTSA recall record and investigative reporting (Reuters, New York Times) — 100M+ inflators across 19 automakers; the largest automotive recall in history; deaths and injuries from ruptures.
- U.S. Department of Justice, settlement and guilty plea with Takata Corporation (2017) — wire fraud, \$1B in fine and restitution, and Takata's subsequent bankruptcy.

LENS APPLICABILITY

LENS uses Takata in LEN 4 as a measurement-system case (the manufacturer's data was reported but not interpreted as a class) and in LEN 7 as an industrial-governance failure spanning manufacturer, regulator, and customer auditors.

CASE 53 INDUSTRIAL

2002 – 2014

GM Ignition Switch

A faulty ignition switch in several GM compact cars (the Chevrolet Cobalt, Saturn Ion) could slip from "run" to "accessory" while driving, cutting power steering and brakes and — fatally — disarming the airbags. GM engineers identified it in 2002. In 2006 an engineer approved a redesigned switch but did not change its part number, so the fix propagated as neither a revision nor a recall, and defective cars kept selling. The recall came only in 2014 — about 2.6 million vehicles, with 124 deaths attributed through GM's compensation fund. The Valukas report found a culture that absorbed safety concerns, and GM paid a \$900 million federal penalty. What was designed out was not a part but the pathway by which a known safety problem reaches the decision to recall.

KEY REFERENCES

- A. R. Valukas, Report to the Board of Directors of General Motors Company Regarding Ignition Switch Recalls (Jenner & Block, 2014) — the 2002 identification of the defect and the switch-torque mechanism.
- U.S. NHTSA investigation of the GM ignition switch (2014) and the GM recall record — 2.6 million vehicles; 124 deaths via the GM compensation fund.
- Valukas Report (2014) — the unchanged part number, the "GM nod" and "GM salute," and the failure to use established escalation processes (quoted).

LENS APPLICABILITY

LENS uses GM in LEN 7 as a corporate-governance failure case, in LEN 8 to study Valukas-style retrospective institutional analysis, and in LEN 4 for the part-number-as-measurement-instrument story (changing the part without changing the number suppressed the signal).

CASE 54 SPACE / AEROSPACE

1999

Mars Climate Orbiter — Unit Mismatch

The Mars Climate Orbiter, a NASA spacecraft built by Lockheed Martin and navigated by JPL, was lost on arrival at Mars in September 1999. Lockheed's ground software reported thruster impulse in pound-force seconds; JPL's navigation expected newton-seconds. The conversion — a factor of about 4.45 — was never applied at the boundary between the two teams, so every trajectory correction was mis-modeled and the error accumulated over the cruise. The orbiter arrived too low, into the atmosphere, and burned up; the orbiter and its \$125 million were lost to a unit mismatch. The investigation found no individual blunder — both contractors did their own work correctly. What failed was the interface between them, which had no owner, specification, or verification step. It is the canonical case of interface-as-requirement.

KEY REFERENCES

- NASA, Mars Climate Orbiter Mishap Investigation Board: Phase I Report (Nov. 1999) — mission, the Lockheed/JPL split, and the program context.
- NASA MCO MIB Report (1999) — the pound-force-second vs newton-second mismatch (factor 4.45), the accumulated navigation error, and atmospheric destruction on 23 Sept. 1999 (root-cause statement quoted).
- NASA MCO MIB Report (1999) — the missing verified interface specification, the absent end-to-end validation, and the unresolved cruise-trajectory anomalies.

LENS APPLICABILITY

LENS uses Mars Climate Orbiter in LEN 5 to teach interface-as-requirement and in LEN 8 to discuss cross-contractor capability boundaries. The case is the foundational software-engineering parallel to Patriot (Case 19).

CASE 55 TECHNOLOGY

2012

Knight Capital Trading Loss

On 1 August 2012 Knight Capital, a major U.S. market maker, deployed new order-routing software to seven of its eight servers and missed the eighth. The new code reused a flag that, on the eighth server's old software, reactivated long-dead "Power Peg" test code never removed from the repository. At the opening bell it fired millions of unintended orders; in about 45 minutes Knight lost roughly \$440 million — more than the firm was worth — and was effectively acquired within months. The SEC found Knight had no procedure to verify the deployment across all servers and no controls to halt the runaway orders. The capability designed out was deployment verification; the dead code was technical debt that exercised its option at the worst possible moment.

KEY REFERENCES

- U.S. Securities and Exchange Commission, Order Instituting Administrative and Cease-and-Desist Proceedings, In re Knight Capital Americas LLC (2013) — the firm, the Retail Liquidity Program launch, and the deployment.
- SEC Order (2013) and Knight Capital 8-K filing (2012) — the missed eighth server, the reactivation of the dormant "Power Peg" code, the \$440 million loss in 45 minutes, and the near-collapse.
- SEC Order (2013) — the absence of a second-technician deployment verification, the lack of an automated code-consistency check, inadequate order controls, and the \$12 million penalty (quoted).

LENS APPLICABILITY

LENS uses Knight Capital in LEN 5 to teach deployment-as-capability and in LEN 9 for the technical-debt argument: every line of dead code carries an option on a future failure. Students design the deployment deliverable that would have caught the eighth server.

CASE 4 ENERGY

2010

Deepwater Horizon

On 20 April 2010 the Macondo well blew out beneath the Deepwater Horizon rig in the Gulf of Mexico, killing 11 workers and releasing roughly 4.9 million barrels of oil — the largest marine spill in U.S. history, and more than \$65 billion in eventual costs to BP. The crew had misread the negative-pressure test, the primary check of well integrity, and kept working a well that was no longer sealed. The National Commission found human error, not equipment, the root cause, and judged the failures so systematic they cast doubt on the safety culture of the whole industry. Every defense — procedure, training, supervision, contractor coordination, equipment — had drifted independently until none caught the others. It is the book's canonical multi-layer normalization failure.

KEY REFERENCES

- National Commission on the BP Deepwater Horizon Oil Spill, *Deep Water: The Gulf Oil Disaster and the Future of Offshore Drilling* (Report to the President, 2011) — human error as root cause; the misread negative-pressure test.
- National Commission (2011) — the well-control sequence and mud-displacement decision.
- National Commission (2011) — “systematic failures in risk management... place in doubt the safety culture of the entire industry” (quoted).

LENS APPLICABILITY

LENS uses Deepwater Horizon in LEN 5 as the canonical case for multi-layer capability analysis. Students reconstruct each defense layer, identify the deviation accumulated in each, and design the measurement system that would have surfaced the drift before April 20, 2010. LEN 8 examines contractor-coordination as a capability boundary problem.

CASE 6 SPACE / AEROSPACE

1986 / 2003

Challenger & Columbia

NASA lost two Space Shuttle crews to the same organizational pathology seventeen years apart: Challenger in 1986, when O-ring seals failed in cold weather, and Columbia in 2003, when foam debris breached the wing's thermal protection — fourteen astronauts in all. Both flaws had been seen repeatedly and accepted as routine. Sociologist Diane Vaughan named the mechanism “normalization of deviance” from the Challenger investigation; the Columbia Accident Investigation Board found the same culture intact and concluded NASA's organizational culture had as much to do with the accident as the foam. The pair is the strongest single-institution evidence that culture is an engineerable property of a system — and that a pathology diagnosed but left unrepaired will recur, at the same cost.

KEY REFERENCES

- Rogers Commission, *Report of the Presidential Commission on the Space Shuttle Challenger Accident* (1986) — the O-ring failure and the cold-weather launch decision.
- Columbia Accident Investigation Board, *Report Vol. I* (2003) — the foam strike and the recurrence of the cultural pattern.
- CAIB (2003) — “the NASA organizational culture had as much to do with this accident as the foam” (quoted).

LENS APPLICABILITY

LENS uses the pair in LEN 1 to introduce normalization of deviance as a systems concept, in LEN 8 to examine why organizational learning failed across a 17-year interval, and in LEN 7 to address the governance failure that allowed a known pathology to persist.

CASE 11 DEFENSE

1991 – PRESENT

V-22 Osprey

The V-22 Osprey — the tiltrotor flown by the Marines, Air Force, and Navy — has had about 17 hull-loss accidents and roughly 65 fatalities since 1991, including 19 Marines in a single 2000 test crash and 8 airmen off Yakushima, Japan, in 2023. The Yakushima crash traced to cracks in a transmission gear (a flaw in the X-53 steel alloy) and a pilot's decision to keep flying through warnings. In December 2025, GAO and a NAVAIR review found the V-22's joint program office had failed for years to assess and address mounting safety risks, that serious-mishap rates exceeded comparable fleets, and that some fixes stretch toward 2034. The Osprey is the steady-state form of normalization of deviance:

a documented, reviewed shortfall accepted as the cost of flying the airframe.

KEY REFERENCES

- Compiled V-22 accident record — 17 hull losses and 65 fatalities since 1991, including the 2000 Marana test crash (19 Marines).
- U.S. Air Force Accident Investigation Board findings, via USNI News (Aug. 2024) — the 29 Nov. 2023 Yakushima CV-22B crash: transmission-gear cracks (X-53 inclusions) and continued flight despite warnings.
- U.S. GAO, Osprey Aircraft: Additional Oversight and Information Sharing Would Improve Safety Efforts, GAO-26-108905 (Dec. 2025) — the joint program office's failure to assess and address risks.

LENS APPLICABILITY

LENS treats V-22 in LEN 5 as a multi-service capability-coordination problem and in LEN 8 as a study in long-cycle organizational learning failure. Students design the evidence system that would distinguish a true reduction in mishap rate from the natural variation of a chronically marginal platform.

CASE 56 ENERGY INDUSTRIAL

2005

Texas City BP Refinery Explosion

On 23 March 2005 a startup at BP's Texas City refinery overfilled a distillation tower — operators were working from instruments that had malfunctioned for years — and venting hydrocarbon vapor found an ignition source and exploded, killing 15 workers in trailers parked beside the unit and injuring 180. The Chemical Safety Board found accumulated safety-culture decay, deferred maintenance, and a celebrated cost-cutting program. Its central finding reshaped U.S. industrial safety: BP's **personal**-safety metrics were among the best in the industry, while its **process**-safety state — the integrity of the hazardous process itself — had been drifting, unmeasured. Texas City is the canonical evidence that the wrong measurement, reported as a win, is worse than no measurement at all.

KEY REFERENCES

- U.S. Chemical Safety and Hazard Investigation Board, Refinery Explosion and Fire, Investigation Report 2005-04-I-TX (2007) — the startup, malfunctioning instruments, and 15 killed / 180 injured.
- CSB (2007) — accumulated safety-culture decay, deferred maintenance, and the siting of occupied trailers beside a hazardous unit.
- CSB (2007) — "indicators of personal safety are not indicators of process safety" (quoted).

LENS APPLICABILITY

LENS uses Texas City in LEN 4 as the canonical wrong-measurement case and in LEN 7 for the governance failure that allowed years of cost-cutting to be reported as wins. Studio projects design the process-safety measurement deliverable.

CASE 57 ENERGY

2002

Davis-Besse Reactor Head Corrosion

During a 2002 refueling outage at the Davis-Besse nuclear plant in Ohio, workers found a football-sized cavity eaten through six inches of the carbon-steel reactor-vessel head by leaking boric acid, leaving only a thin layer of stainless cladding between the cavity and reactor coolant at 2,200 psi — a serious near-miss for a loss-of-coolant accident. The leakage had been visible for years and inspections deferred; FirstEnergy had won an NRC deferral of a mandatory inspection to fit its refueling schedule, and the NRC's Inspector General later found the decision had weighted economics over safety. Davis-Besse is the canonical post-Three-Mile-Island near-miss — evidence that even an industry that built INPO to engineer safety can let regulator-operator dynamics erode it.

KEY REFERENCES

- U.S. NRC Office of Inspector General, NRC's Regulation of Davis-Besse Regarding Damage to the Reactor Vessel Head (Case No. 02-03S, December 2002) — the post-TMI regulatory regime and oversight failures.
- NRC event records and OIG (2002) — the 6-inch corrosion cavity, the remaining cladding, and the 2,200-psi coolant margin.
- NRC Bulletin 2001-01 and the FirstEnergy inspection-deferral decision aligned to the February 2002 outage.

LENS APPLICABILITY

LENS uses Davis-Besse in LEN 7 to study regulatory-capture dynamics and in LEN 8 to compare with INPO's earlier success. The case is a reminder that institutional capability requires sustained re-engineering.

CASE 58 HEALTHCARE

2005 – 2009

Mid Staffordshire NHS Foundation Trust

Between roughly 2005 and 2009, Stafford Hospital, run by the Mid Staffordshire NHS Foundation Trust, subjected patients to appalling neglect — left without food, water, or basic care — while mortality ran above expected. The trust had been chasing financial targets that depended on staffing cuts. Robert Francis QC's public inquiry produced a 2,000-page report and 290 recommendations, identifying the structural problem as the gap between the trust's reported performance and patients' actual experience: every governance layer above the ward received reports that targets were being met, and none checked those reports against what was happening to patients. Mid Staffs is the dataset's strongest case for the harm done when measurement and reality diverge over years.

KEY REFERENCES

- R. Francis QC, Report of the Mid Staffordshire NHS Foundation Trust Public Inquiry (2013) — the staffing cuts and Foundation Trust targets.
- Healthcare Commission, Investigation into Mid Staffordshire NHS Foundation Trust (2009) — ward conditions and excess mortality.
- Francis QC (2013) — the 2,000-page report and 290 recommendations.

LENS APPLICABILITY

LENS uses Mid Staffs in LEN 4 for the divergence-of-measurement problem and in LEN 7 for the governance failure across multiple layers. Studio projects examine the Francis recommendations as a template for institutional reform deliverables.

CASE 59 ENERGY INDUSTRIAL

2006

Sago Mine Disaster

On 2 January 2006 lightning ignited methane in a sealed area of the Sago Mine in West Virginia; the seals failed, the explosion propagated, and thirteen miners were trapped behind it. Twelve died of carbon-monoxide poisoning over the hours that followed; only one, Randal McCloy Jr., survived. A communications failure briefly told the nation — and the families — that twelve had been found alive, when the opposite was true. The MSHA investigation found seals built to an inadequate design, an inadequate emergency plan, and lapsed self-rescue training — each marginal for years, all inadequate together in the one window that mattered. Sago drove the MINER Act of 2006, strengthening mine-rescue requirements and mandating underground refuge chambers.

KEY REFERENCES

- U.S. Mine Safety and Health Administration, Report of Investigation: Sago Mine (2007) — the seal design, emergency plan, and self-rescue training.
- MSHA (2007) — the explosion sequence: lightning ignition in the sealed area, seal failure, twelve dead and one survivor.
- MSHA (2007) — the inadequate seal design, emergency plan, and lapsed self-rescue training.

LENS APPLICABILITY

LENS uses Sago in LEN 5 for cumulative-inadequacy analysis and in LEN 8 for the legislative-reform arc that followed. Studio projects compare Sago and Upper Big Branch (Case 60) as paired cases.

CASE 60 ENERGY INDUSTRIAL

2010

Upper Big Branch Mine Explosion

On 5 April 2010 coal dust and methane ignited at Massey Energy's Upper Big Branch mine in West Virginia, killing 29 miners — the worst U.S. mine disaster in forty years. Investigators found Massey had kept two sets of records: an internal log of actual conditions and a separate, clean log for federal inspectors. Foremen were directed to suppress methane readings, disable monitors, and falsify pre-shift examinations — not as an aberration but as a stable routine across years and management layers. CEO Don Blankenship was convicted of a misdemeanor conspiracy to violate mine-safety standards — the first U.S. mining CEO criminally convicted on such a charge. Upper Big Branch is the dataset's clearest case of a measurement system engineered deliberately to defeat the regulator.

KEY REFERENCES

- U.S. MSHA, Internal Review of MSHA's Actions at Upper Big Branch and the accident investigation (2011–2012) — the dual records and the 29 deaths.
- Governor's Independent Investigation Panel (J. McAtee, 2011) — mine conditions: methane, ventilation, and coal-dust inerting.
- MSHA and U.S. DOJ findings — suppressed methane readings, disabled monitors, and falsified pre-shift examinations.

LENS APPLICABILITY

LENS uses Upper Big Branch in LEN 4 as the most explicit case for measurement-system protection and in LEN 7 as a corporate-criminal accountability case. Studio projects examine what regulator-side architecture would have detected the dual-records system earlier.

CASE 61 ENERGY

2011

Fukushima Daiichi

On 11 March 2011 the Tōhoku earthquake and the tsunami it spawned overwhelmed TEPCO's Fukushima Daiichi plant: the wave topped the seawall, flooded the emergency diesel generators, and cut cooling to the reactors. Three of the six cores melted down and hydrogen explosions spread radioactive material, displacing some 160,000 people; cleanup is projected above \$200 billion. The independent Diet commission (NAIIC), chaired by Kiyoshi Kurokawa, called it a disaster "made in Japan" — the product of regulatory capture and a culture reluctant to challenge utility assumptions; evidence of large historical tsunamis had been discussed internally but never forced a change to the seawall. Other reviews stressed under-estimated external hazards. Fukushima is the post-TMI evidence that safety institutions like INPO must be deliberately built, not assumed.

KEY REFERENCES

- National Diet of Japan Fukushima Nuclear Accident Independent Investigation Commission (NAIIC; K. Kurokawa, chair), Report (2012) — the internal tsunami evidence and the regulatory-capture finding.
- NAIIC (2012) — the accident sequence: seawall overtopping, generator inundation, and three core meltdowns.
- NAIIC (2012) — the "made in Japan" cultural and regulatory-capture conclusion (quoted).

LENS APPLICABILITY

LENS uses Fukushima in LEN 8 as the cross-cultural comparison to INPO and in LEN 7 for the regulator-utility dynamics study. The case is paired with INPO and Davis-Besse to triangulate what sustained nuclear-safety capability requires.

CASE 62 ENERGY

2003

Northeast Blackout

On 14 August 2003 a high-voltage transmission line in Ohio sagged into a tree and tripped — an event the grid should have absorbed. But FirstEnergy's control-room alarm system had been silently failing for over an hour, so operators did not know the line was gone. Further lines tripped, and a cascade swept across the Eastern Interconnection; within minutes 50 million people across eight U.S. states and Ontario lost power, at a cost above \$6 billion. The U.S.-Canada task force found FirstEnergy lacked situational awareness, its alarm system had failed without notice, vegetation management was poor, and the regional coordinator could not intervene. The reforms made reliability standards mandatory and enforceable (FERC Order 693). The gap sat at the automation-operator boundary: a silent failure left operators blind.

KEY REFERENCES

- U.S.-Canada Power System Outage Task Force, Final Report on the August 14, 2003 Blackout in the United States and Canada (2004) — the tree contact, the silent alarm, and the cascade.
- Task Force (2004) — 50 million people affected across eight states and Ontario; the minute-by-minute sequence.
- Task Force (2004) — FirstEnergy "did not have adequate situational awareness," plus the vegetation-management and reliability-coordinator findings (quoted).

LENS APPLICABILITY

LENS uses the 2003 blackout in LEN 2 as a Human-AI Teaming case for silent-automation-failure handling and in LEN 8 for the legislative-reform arc that produced enforceable reliability standards.

CASE 18 DEFENSE

1988

USS Vincennes & Iran Air Flight 655

On 3 July 1988, during a surface skirmish with Iranian gunboats in the Persian Gulf, the USS Vincennes shot down Iran Air Flight 655 — a civilian Airbus A300 climbing on a scheduled route — killing all 290 aboard, the deadliest airliner shootdown by a military force. The Aegis combat system worked: its radar correctly showed the aircraft ascending. Yet operators in the Combat Information Center, primed to expect a hostile attack, read the contact as a descending F-14 and fired. The Navy's inquiry attributed the tragedy to human error under extreme stress — confirmation bias and the unconscious distortion of data — not equipment failure. Vincennes is the book's foundational human-AI-teaming case: the most advanced system afloat failed because its interface did not support correct performance under combat stress.

KEY REFERENCES

- Rear Adm. W. Fogarty, Formal Investigation into the Circumstances Surrounding the Downing of Iran Air Flight 655 (U.S. Navy, 1988) — the engagement and the 290 deaths.
- Fogarty report (1988) — the Aegis system functioned; the aircraft was ascending while the crew perceived a descent.
- Fogarty report (1988) — “human error under extreme stress,” confirmation bias, and “unconscious distortion of data” (quoted).

LENS APPLICABILITY

LENS uses Vincennes in LEN 2 as the foundational case for human-AI teaming under operational stress, and in LEN 5 to teach the analysis of capability requirements in conditions the original interface designers never expected. The case sits at the center of the program's argument that interface design is a capability deliverable, not an aesthetic one.

CASE 25 HEALTHCARE

2005 – PRESENT

EHR / CPOE Implementation

The 2009 HITECH Act poured roughly \$30 billion into accelerating electronic health records, and adoption surged — but the systems had been built to billing and administrative specifications, not clinical workflow. New categories of harm followed. A disputed but canonical 2005 study found that deploying a commercial order-entry (CPOE) system at one pediatric ICU was associated with a near-doubling of mortality; later deployments showed mixed or improved results, yet the warning stuck. A 2023 survey across 200-plus hospitals found EHR usability is clinicians' top complaint, and that usability scores track patient-safety outcomes. Specific harms recur — a missed abnormal result hidden behind a default, a fatal overdose an unactivated alert would have caught. There is still no regulatory framework monitoring EHR safety. It is the book's live interface-mismatch case.

KEY REFERENCES

- Health Information Technology for Economic and Clinical Health (HITECH) Act (2009) — the \$30B EHR incentive program.
- Y. Han et al., “Unexpected Increased Mortality After Implementation of a Commercially Sold CPOE System,” *Pediatrics* 116(6): 1506–1512 (2005) — the disputed pediatric-ICU mortality result.
- KLAS Arch Collaborative, EHR usability and safety surveys (2023) — usability as the top clinician complaint, correlated with safety outcomes.

LENS APPLICABILITY

LENS treats EHR/CPOE in LEN 7 as the live, ongoing example of Design-Out and Interface failure under governance opacity, in LEN 2 as a human-AI teaming problem (alert fatigue, default surfacing), and in LEN 9 as a computational systems problem (the alerting architecture itself is a learnable model). The Han 2005 pediatric ICU finding is the durable warning; the KLAS 2023 surveys across two hundred hospitals are the contemporary, longitudinal evidence that usability is now itself a patient-safety variable.

CASE 29 AUTONOMOUS SYSTEMS

2018

Uber ATG / Tempe Fatality

On the night of 18 March 2018 a modified Volvo running Uber's self-driving system struck and killed Elaine Herzberg as she crossed a road in Tempe, Arizona — the first pedestrian killed by an autonomous vehicle. The NTSB found the safety operator had been watching a video on her phone, but placed heavy blame on Uber: it had not recognized the risk of automation complacency, trained for it, or enforced its own no-phone policy. The system itself was programmed not to brake when a crash was deemed unavoidable, and could not classify a pedestrian who was not near a crosswalk. The human was kept in the loop as a passive monitor — a role the NTSB noted is chronically unperformable — with no infrastructure to make it work. Uber ATG is the book's defining human-AI-teaming case.

KEY REFERENCES

- NTSB, Collision Between Vehicle Controlled by Developmental Automated Driving System and Pedestrian, Highway Accident Report HAR-19/03 (2019) — the Tempe collision and probable cause.
- NTSB HAR-19/03 (2019) — the safety operator's distraction (watching a video) before impact.
- NTSB HAR-19/03 (2019) — Uber "did not adequately recognize the risk of automation complacency"; training and policy failures (quoted in part).

LENS APPLICABILITY

LENS treats this case in LEN 2 as the live exemplar of monitoring as an unsupportable role. Students reconstruct the capability requirements for the safety operator and design the interface, training, and authority structure that would have made the role performable — or made the case for not retaining the role at all.

CASE 63 AVIATION

1972

Eastern Air Lines Flight 401

On 29 December 1972 an Eastern Air Lines L-1011 descended into the Florida Everglades on a night approach to Miami, killing 101 of the 176 aboard. The cause was attention, not mechanics: all three flight-deck crew became absorbed in a landing-gear indicator bulb that had failed to light, and while they worked it, the autopilot's altitude hold was inadvertently disengaged. The aircraft sank slowly; an altitude alert chimed but went unheeded in the cockpit clutter, and no one was monitoring the flight path. The NTSB findings launched decades of research into attention, monitoring, and cockpit-alert design, and the accident is a formative event behind Crew Resource Management. Eastern 401 is the canonical case of a low-priority task crowding out a life-critical one.

KEY REFERENCES

- NTSB, Aircraft Accident Report: Eastern Air Lines Flight 401, NTSB-AAR-73-14 (1973) — the night approach and full flight deck.
- NTSB-AAR-73-14 (1973) — the landing-gear-bulb fixation, the inadvertent autopilot disengagement, and 101 deaths of 176 aboard.
- NTSB-AAR-73-14 (1973) — the crew's preoccupation with the landing-gear indication that distracted them from maintaining altitude (paraphrased).

LENS APPLICABILITY

LENS uses Eastern 401 in LEN 5 to teach attention as a designable parameter and in LEN 2 to introduce alert prioritization as a capability deliverable. The case anchors the CRM origin story.

CASE 64 AVIATION

1991, 1994

Boeing 737 Rudder Hardovers

Two Boeing 737s fell out of controlled flight when their rudders reversed — moving opposite to the pilots' input: United 585 near Colorado Springs in 1991 (25 killed) and USAir 427 near Pittsburgh in 1994 (132 killed), 157 in all. The NTSB investigation took years because the failure was rare and unrecoverable. It traced the cause to a thermal-shock condition in the rudder's power-control-unit servo valve — cold-soaked hydraulic fluid hitting a hot valve — that could jam the valve and reverse the rudder. The pilots had no procedure to recognize or recover the failure; the manuals and training never anticipated it, and in that state no available control input could save the aircraft. The 737 rudder cases are the book's case for an unrecoverable failure mode hidden inside a working aircraft.

KEY REFERENCES

- NTSB, Uncommanded Flight Control Movements (USAir 427 / 737 rudder PCU), NTSB-AAR-99-01 (1999) — the thermal-shock servo-valve finding.
- NTSB, Aircraft Accident Report: United Airlines Flight 585, NTSB-AAR-92-06 (1992) — the initial (undetermined) Colorado Springs investigation, later reopened.
- NTSB-AAR-99-01 (1999) — the servo-valve reversal mechanism and the absence of any recoverable crew action.

LENS APPLICABILITY

LENS uses the 737 rudder cases in LEN 5 as a capability-limits case (when no human action is recoverable, capability engineering must move upstream) and in LEN 7 for certification governance.

CASE 65 TECHNOLOGY

2024

CrowdStrike Falcon Outage

On 19 July 2024 CrowdStrike pushed a content update to its Falcon endpoint sensor that contained a logic error in a small configuration file. On every Windows machine running the affected sensor, the file drove the kernel driver to crash, looping the blue screen of death and requiring hands-on recovery of each device. Roughly 8.5 million machines went down at once — across hospitals, airlines, banks, broadcasters, and governments worldwide — the largest IT outage on record. CrowdStrike's post-incident review found the content update had not been put through the same automated testing or staged rollout as code: the pipeline treated "content" as a lesser category than "code," though the operating system did not. CrowdStrike is the cybersecurity-vendor analog of Knight Capital, six orders of magnitude larger.

KEY REFERENCES

- CrowdStrike, Falcon Content Update: Preliminary Post-Incident Review (July 2024) — the content-vs-code testing and staged-rollout gap (paraphrased).
- CrowdStrike PIR (2024) — the configuration-file logic error, the kernel crash, and 8.5 million affected Windows machines.
- Microsoft resilient-engineering analyses and Windows kernel-access review (2024).

LENS APPLICABILITY

LENS uses CrowdStrike in LEN 5 as a categories-and-boundaries capability case and in LEN 2 for the vendor-customer trust architecture: customers trusted CrowdStrike's deployment safety; that trust was load-bearing for the operation of the global economy on a single day.

CASE 66 DEFENSE

1983

Stanislav Petrov / 1983 False Alert

On the night of 26 September 1983 the Soviet Oko early-warning system reported five U.S. intercontinental missiles inbound. The duty officer, Lt. Col. Stanislav Petrov, judged it a false alarm — a real first strike would involve hundreds of missiles, not five — and reported it as such rather than up the launch-decision chain. He was right: sunlight glinting off high-altitude clouds had fooled the satellite's infrared sensors. Petrov's judgment is widely credited with averting nuclear war. The case is the book's strongest positive evidence for human-in-the-loop capability: the automation failed in a mode its designers never anticipated, and a person with contextual judgment and the latitude to override it was the recoverability the system had. Keeping humans in some loops is not nostalgia — it is capability engineering.

KEY REFERENCES

- D. Hoffman, *The Dead Hand: The Cold War Arms Race and Its Dangerous Legacy* (2009) — the Oko system and Soviet launch-on-warning posture.
- Accounts of the 26 Sept. 1983 incident (Hoffman; Petrov interviews) — the five-missile alert and Petrov's assessment.
- Investigations of the Oko incident (incl. V. Aksenov, 2004) — sunlight-on-clouds satellite geometry as the false-positive cause.

LENS APPLICABILITY

LENS uses Petrov in LEN 2 as the positive Human-AI Teaming case at the highest possible stakes: the human role is the recoverability of an automation failure that the designers did not anticipate. The case anchors arguments against full-automation of strategic decisions.

CASE 67 TECHNOLOGY

2018

TSB Bank IT Migration

In April 2018 TSB Bank tried to migrate some five million customer accounts off its former parent Lloyds' systems onto a new platform from its current owner, Sabadell, over a single weekend. When services came back online, nearly every component failed: 1.9 million customers were locked out, some saw strangers' accounts, mortgages vanished, payments bounced. Recovery took months and cost over £330 million; the CEO resigned and the regulator fined the bank. The independent review found the platform had been tested under conditions that did not approximate real load, certified ready by a process that did not challenge the certification, and pushed live against technical recommendations that it was not ready. TSB is the financial-sector analog of Healthcare.gov: a migration shipped without adequate testing because schedule pressure overrode the technical signal.

KEY REFERENCES

- Slaughter and May, *Independent Review of the TSB Migration* (2019) — the single-weekend cutover and the testing failures.
- Slaughter and May (2019) and FCA materials — 1.9 million customers locked out, £330M+ in costs, and the CEO's resignation.
- Slaughter and May (2019) — inadequate load testing and an unchallenged readiness certification.

LENS APPLICABILITY

LENS uses TSB in LEN 7 as a corporate-governance case and in LEN 8 for the institutional structure of technical-decision authority. Studio projects compare TSB and Healthcare.gov.

CASE 8 EDUCATION AT SCALE

2014

inBloom

inBloom was a \$100-million, Gates-funded shared data infrastructure for U.S. student records — and the technology worked: no bug, no breach, no performance failure. What killed it in about fourteen months was everything around the technology. It launched without consent frameworks, community engagement, transparency about data use, or a way for parents to participate in decisions about their children's data. Parent-privacy groups organized opposition state by state, and nine states withdrew. Analysts read inBloom as the failure of technocratic reform — the assumption that technically sound infrastructure generates its own legitimacy. It is the purest governance failure in the dataset, and the book's clearest argument that in education at scale, stakeholder trust and governance are not optional features but load-bearing structure.

KEY REFERENCES

- M. Bulger, P. McCormick & M. Pitcan, *The Legacy of inBloom*, Data & Society Research Institute (2017) — inBloom as a failure of technocratic reform.
- Education Week and Hechinger Report coverage of the state withdrawals (2013–2014) — nine states exiting.
- Bulger et al. (2017) — governance, not technology, as the cause; “the technology was not the problem.”

LENS APPLICABILITY

LENS uses inBloom in LEN 7 as the canonical governance failure and in LEN 1 as a stakeholder-analysis case. The case anchors the LENS threading commitment that equity and accountability are design commitments, not modules. Studio projects (LEN 10) require students to produce a stakeholder-trust deliverable as a precondition for deployment.

CASE 10 GOVERNMENT

2013

Healthcare.gov Launch

When Healthcare.gov launched on 1 October 2013 it collapsed under load it had never been tested for — about 27,000 enrollments through the federal marketplace in its first month against a seven-million first-year target. The people assembled to build it knew insurance markets and government programs but not technology product launches; key technical roles went unfilled, no office clearly owned the integration (CMS thought the contractor CGI was the lead integrator; CGI did not), and no end-to-end test was run before launch. The fix-it team that rescued the site became the U.S. Digital Service. At root it was a capability mismatch at scale: the organization lacked the human capabilities the system required, and the governance chain surfaced no signal of the gap before launch. It is the rare governance failure that produced lasting institutional reform.

KEY REFERENCES

- U.S. GAO, *Healthcare.gov reports* (2014–2016) — the launch, the capability gaps, and the absent end-to-end testing.
- HHS Office of Inspector General, *Case Study of CMS Management of the Federal Marketplace*, OEI-06-14-00350 (2016) — unclear ownership and the CMS/CGI integration confusion.
- HHS OIG (2016) — “no single person had a clear understanding of the project's status” (quoted).

LENS APPLICABILITY

LENS uses Healthcare.gov in LEN 1 as a problem-framing case (the technical narrative obscures the capability narrative), in LEN 5 to teach capability-requirements analysis for a large government program, and in LEN 8 to discuss the founding of USDS as organizational learning that survived.

CASE 17 INDUSTRIAL

1984

Bhopal

On the night of 2–3 December 1984, about forty tons of methyl isocyanate gas escaped from a Union Carbide pesticide plant in Bhopal, India — the worst industrial disaster in history. Thousands died within hours; estimates of total deaths run to 15,000–20,000, with roughly half a million exposed or injured. Safety systems had been off-line for months, the plant was understaffed, and workers were inadequately trained to recognize or handle the emergency. Investigators traced the catastrophe to operating errors, design flaws, maintenance failures, training deficiencies, and cost-cutting that endangered safety. Bhopal catalyzed the creation of the U.S. Chemical Safety Board and reshaped industrial-safety regulation for decades. It is the largest-magnitude capability-and-governance failure on record.

KEY REFERENCES

- Union Carbide and government investigation reports (1985) — MIC storage, the disabled safety systems, and plant understaffing.
- Accounts of the 2–3 Dec. 1984 release — the contested toll (thousands of immediate deaths; 15,000–20,000 total estimates; 500,000 exposed). (Figures vary widely across sources; see AUDIT.)
- New York Times investigation (1985) — “operating errors, design flaws, maintenance failures, training deficiencies and economy measures that endangered safety” (quoted).

LENS APPLICABILITY

LENS treats Bhopal in LEN 5 as a multi-failure capability analysis case and in LEN 7 as the largest-magnitude governance failure in the dataset. The Failure → Reform arc to the CSB demonstrates the institution-building pattern at industry scale.

CASE 20 INDUSTRIAL

2017

Grenfell Tower

On 14 June 2017 a fire spread up the exterior of Grenfell Tower, a London public-housing block, killing 72 people. It raced because the tower had been wrapped in combustible aluminium-composite cladding during a refurbishment. The public inquiry found the disaster the culmination of decades of failure: cladding firms engaged in “systematic dishonesty,” marketing combustible materials as safe; regulators and inspectors missed effectively banned products across sixteen site visits; and the London Fire Brigade, whose “stay put” advice proved fatal, was unprepared for a cladding fire whose risks earlier incidents had already shown. The failure spanned manufacturers, regulators, inspectors, and responders — each contributing a piece, none owning the whole. Grenfell is the book’s case for capability failure distributed across many hands.

KEY REFERENCES

- Grenfell Tower Inquiry, Phase 1 Report (2019) — the fire’s spread up the cladding and the failure of “stay put.”
- Grenfell Tower Inquiry, Phase 2 Report (2024) — decades of failure and the combustible-cladding decision.
- Phase 2 Report (2024) — cladding firms’ “systematic dishonesty” and the inspection failures across sixteen visits.

LENS APPLICABILITY

LENS treats Grenfell in LEN 7 as the canonical multi-actor governance failure case, in LEN 8 to discuss institutional memory of warnings across the LFB and other agencies, and in LEN 10 as a studio prompt for designing the integrated capability-and-governance deliverable that would have caught the cladding decision.

CASE 21 EDUCATION AT SCALE

2014–2019

Summit Learning / Personalized Learning Rollout

Summit Learning, a personalized-learning platform from Summit Public Schools backed by the Chan Zuckerberg Initiative, was offered free to U.S. districts from 2015 and reached roughly 380 schools and 80,000 students by 2018. By 2019 prominent adopters were withdrawing under parent and student pressure — opt-out campaigns in Brooklyn, cancellations in Cheshire, Kennebunk, and McPherson — amid walkouts and complaints about screen time, disengagement, and data privacy. The pedagogy itself (competency-based progression, projects, mentoring) was defensible and often effective; what failed was deployment governance. There was no evaluation framework districts could read before adopting, no parent-facing data agreement, and no exit path independent of the vendor. Summit is a clean test of the book's claim that the governance architecture must be engineered alongside the tool.

KEY REFERENCES

- N. Bowles, "Silicon Valley Came to Kansas Schools. That Started a Rebellion," *New York Times* (2019) — the parent revolt.
- N. Singer, "The Silicon Valley Billionaires Remaking America's Schools," *New York Times* (2017) — the CZI/Summit rollout.
- B. Herold, *Education Week* coverage of Summit / CZI implementation (2019) — district adoptions and withdrawals.

LENS APPLICABILITY

LENS uses Summit Learning in LEN 7 as the foundational consent-and-evidence case for educational technology, and in LEN 10 as a studio prompt for the governance artifacts that any educational-technology adoption decision should produce: a public evidence summary at parent reading level, a data-handling agreement at the same resolution, and a documented exit pathway that does not depend on the vendor's goodwill.

CASE 22 EDUCATION AT SCALE

2009–2018

Tennessee Voluntary Pre-K Study

Tennessee's Voluntary Pre-K program enrolled some 18,000 four-year-olds a year, and Vanderbilt researchers studied it with a rare large-scale randomized controlled trial — children admitted by lottery against those who applied but didn't enroll. Through kindergarten the pre-K children showed the expected gains in literacy and vocabulary. By third grade the gains had faded, and by sixth grade the pre-K group did somewhat worse than controls on several academic and behavior measures. The unwelcome result was contested, its methods attacked, and the field largely declined to absorb it. The case is in the book not because pre-K is bad — other programs show durable effects — but because the measurement was unusually rigorous and the discipline's capacity to act on an inconvenient finding was tested and largely failed.

KEY REFERENCES

- M. Lipsey, D. Farran & K. Durkin, "Effects of the Tennessee Pre-Kindergarten Program... Through Third Grade," *Early Childhood Research Quarterly* 45: 155–176 (2018) — the RCT and fade-out.
- K. Durkin, M. Lipsey, D. Farran & E. Wiesen, "Effects of a Statewide Pre-Kindergarten Program... Through Sixth Grade," *Developmental Psychology* 58(3): 470–484 (2022) — the sixth-grade reversal (quoted).
- Responses and counter-analyses to the TN-VPK findings (2018–2022) — the contested reception.

LENS APPLICABILITY

LENS uses Tennessee Pre-K in LEN 4 as a measurement-architecture case (longitudinal RCT in a real policy context), in LEN 7 to discuss the institutional politics of unwelcome findings, and in LEN 10 as a studio prompt for designing the implementation-science pathway that would absorb such findings into program redesign rather than rejection.

CASE 35 EDUCATION AT SCALE

2020

UK A-Level Algorithm / Ofqual

When COVID-19 cancelled the UK's 2020 exams, the regulator Ofqual used an algorithm to "standardize" teacher-predicted A-level grades against each school's historical performance. About 39% of grades were adjusted downward and roughly 280,000 entries were downgraded; high-achieving students at historically low-performing state schools were systematically capped by their school's past results, while small-cohort private-school students kept their predicted grades. The algorithm encoded existing structural inequality and amplified it nationwide in a single day. After public outcry — Hannah Fry called it the first time an entire nation felt an algorithm's injustice at once — the government withdrew the algorithm within days and reverted to teacher assessment. It is the book's clearest case of an algorithm deployed without the governance to catch its discriminatory effect.

KEY REFERENCES

- MIT Technology Review, "The UK Exam Algorithm Fiasco" (2020) — Ofqual's standardization approach.
- University of Bristol Centre for Multilevel Modelling and Ofqual analyses — 39% downgraded, 280,000 entries, and the school-prior cap.
- Oxford Internet Institute commentary (2020) — the algorithm as encoded structural inequality ("magical thinking").

LENS APPLICABILITY

LENS uses A-Level in LEN 7 as the foundational case for bias, risk, and governance, in LEN 4 as a measurement-instrument case (an instrument that encodes the bias of its training data), and in LEN 10 as a technical case for bias detection and mitigation. The case is paired in this book with Robodebt (Case 36) and educational algorithmic bias (Case 37).

CASE 36 GOVERNMENT

2016 – 2020

Australia Robodebt

From 2016 the Australian government automated welfare-debt recovery with an income-averaging algorithm that compared welfare records against annual tax data spread evenly across the year. That assumption — steady, year-round employment — fit only about 7% of recipients; the rest, with irregular work, were misclassified as overpaid. Roughly a million debt notices went out, about 470,000 of them later found wholly or partly unlawful, with the burden of proof reversed onto recipients and no human review. The scheme was linked to deaths, including suicides. A 2023 Royal Commission found it sustained by "venality, incompetence and cowardice," and a class action settled for A\$1.8 billion. Robodebt is the canonical case of full automation deployed without a human in the loop and without lawful basis.

KEY REFERENCES

- Royal Commission into the Robodebt Scheme, Final Report (2023) — the scheme and its "venality, incompetence and cowardice."
- Royal Commission (2023) — the income-averaging mechanism, the 7%/93% mismatch, the reversed burden of proof, and deaths associated with the scheme.
- Royal Commission (2023) — the finding of unlawfulness and ministerial failure ("a costly failure of public administration," quoted).

LENS APPLICABILITY

LENS treats Robodebt in LEN 7 as the canonical case for automated decision-making without human oversight and in LEN 2 as a Human-AI Teaming failure at the institutional scale: the human role was designed out of the decision loop entirely. The case anchors the program's argument that automated decision systems require deliverable-grade accountability artifacts before deployment.

CASE 37 EDUCATION AT SCALE

ONGOING

Algorithmic Bias in Educational Predictive Analytics

Most U.S. public colleges now use predictive analytics to flag “at-risk” students for early support. Research finds these models carry racial calibration bias: they miscalibrate by race in ways that can misclassify Black and Latinx students — and so misdirect the very support the prediction is meant to trigger. The magnitude depends heavily on how “at-risk” is defined, making this partly a construct-definition problem: the choice of what to predict is itself a capability decision with equity consequences. The models inherit historical patterns of discrimination from their training data, and a “flag” can confirm a biased instructor’s low expectations rather than prompt help. It is the educational analog of the UK A-level case — an algorithm built to do good that can allocate help away from the students who need it most.

KEY REFERENCES

- Surveys of predictive-analytics adoption in U.S. higher education — a large majority of public colleges now use some form.
- K. Bird et al., “Are Algorithms Biased in Education? Exploring Racial Bias in Predicting Community College Student Success,” *Journal of Policy Analysis and Management* 44 (2025), 379–402 — racial calibration bias, 5× higher at the bottom decile depending on the “at-risk” construct.
- D. Gándara, H. Anahideh, M. Ison & L. Picchiarini, “Inside the Black Box: Detecting and Mitigating Algorithmic Bias across Racialized Groups in College Student–Success Prediction,” *AERA Open* (2024) — bias traced to training data encoding historical discrimination.

LENS APPLICABILITY

LENS treats this case as the positive counterpart to Georgia State (Case 39). LEN 4 examines construct definition as the load-bearing measurement choice. LEN 7 examines the governance architecture that determines whose construct gets adopted. LEN 9 covers the technical bias-mitigation methods.

CASE 68 TECHNOLOGY GOVERNMENT

1999 – 2015

UK Post Office Horizon Scandal

The UK Post Office’s Horizon accounting system, built by Fujitsu and rolled out in 1999, generated phantom shortfalls in sub-postmasters’ branch ledgers. Rather than accept the software was at fault, the Post Office prosecuted them — around 900 over two decades — for theft and false accounting; people were imprisoned, bankrupted, and driven to suicide, in what is now called the most widespread miscarriage of justice in UK history. Internal documents showed engineers had known about Horizon bugs throughout. Convictions began to be quashed in 2021, and a public inquiry continues. The failure ran through the prosecutor and the courts: each accepted “the computer said so” as authoritative because no actor had the standing or expertise to challenge it. Horizon is the book’s case for institutional deference to a flawed algorithm.

KEY REFERENCES

- Post Office Horizon IT Inquiry hearings and exhibits (2020–) — the system, the prosecutions, and the human toll.
- *Hamilton & Others v. Post Office Limited* (Court of Appeal, 2021) — quashed convictions.
- Internal Fujitsu and Post Office documents released through litigation — engineers’ knowledge of Horizon bugs.

LENS APPLICABILITY

LENS uses Horizon in LEN 7 as the canonical example of institutional deference to algorithmic output and in LEN 2 for the most extensive multi-decade automation-bias case in the dataset. Studio projects examine what evidentiary architecture would require **interrogating** automated output before acting on it.

CASE 69 HEALTHCARE TECHNOLOGY

2003 – 2018

Theranos

Theranos claimed a blood-testing device that could run hundreds of tests from a finger-stick drop. It did not work. Internal data showed accuracy far below what the company told investors, partners, and patients; to keep up appearances, Theranos ran most patient samples on conventional commercial analyzers and reported them as its own device's results. It reached a \$9-billion valuation and put unreliable tests in front of real patients through a Walgreens partnership. The fraud exploited a regulatory seam — the FDA had not validated the device, while the CLIA regime governing the lab did not match the company's product claims — and neither the board nor investors had the depth to challenge it; a journalist did. Elizabeth Holmes was convicted of wire fraud in 2022. Theranos is the book's case for fraud exploiting a governance gap between regulatory regimes.

KEY REFERENCES

- › United States v. Elizabeth Holmes (N.D. Cal., 2018–2022) — the indictment and conviction.
- › J. Carreyrou, *Bad Blood* (2018) — the device's failure and the commercial-analyzer substitution.
- › CMS inspection reports and the revocation of Theranos's CLIA certificate (2015–2016).

LENS APPLICABILITY

LENS uses Theranos in LEN 7 for the regulatory-seam failure and in LEN 4 for the measurement-validation gap. The case demonstrates that capability engineering at the boundary between regulatory regimes is itself a governance deliverable.

CASE 70 TECHNOLOGY GOVERNMENT

2011 – 2016

Wells Fargo Fake Accounts

To meet aggressive sales quotas, Wells Fargo employees opened roughly 3.5 million unauthorized customer accounts over years. The behavior was widespread and visible to internal risk and compliance functions, but the bank's response was to fire individual "bad apples" while leaving the incentive structure intact — and that structure was the actual cause: sales targets most employees could not meet by ethical means. The 2016 CFPB and OCC actions brought \$3 billion in penalties, the CEO resigned, and the Federal Reserve took the unprecedented step of capping the bank's assets. Wells Fargo is the canonical case of an incentive architecture that manufactured the misconduct the institution then prosecuted at the front line, while insisting the misconduct was individual.

KEY REFERENCES

- › Consumer Financial Protection Bureau, Consent Order against Wells Fargo (2016) — the unauthorized accounts and penalties.
- › Office of the Comptroller of the Currency, Consent Order AA-EC-2016-66 (2016) — unsafe or unsound sales practices tied to the incentive-compensation structure (paraphrased).
- › Independent Directors of Wells Fargo, Sales Practices Investigation Report (2017) — how the sales-target architecture drove the conduct.

LENS APPLICABILITY

LENS uses Wells Fargo in LEN 4 as a measurement-gaming case and in LEN 7 for the corporate-governance dynamics that allow such incentives to persist for years. Studio projects redesign the incentive architecture.

CASE 71 INDUSTRIAL GOVERNMENT

2015

Volkswagen Dieselgate

Volkswagen engineered a “defeat device” into its diesel emissions software: code that detected when a car was on a regulatory test bench and switched on full emissions controls only then. On the road the controls were largely disabled, producing nitrogen-oxide emissions up to forty times the legal limit, across roughly 11 million vehicles for years. The deception was uncovered not by regulators but by a small West Virginia university team comparing real-world to lab measurements. Internal documents showed the defeat device was an institutional decision — a deliberate response to a standard VW’s engineers did not believe they could meet within cost — not a rogue act. VW paid more than \$33 billion in penalties and remediation, with criminal convictions. Dieselgate is the book’s case for organized evasion of a measurement system.

KEY REFERENCES

- U.S. EPA, Notice of Violation to Volkswagen (2015) — the defeat device and emissions exceedances.
- West Virginia University / ICCT real-world diesel-emissions study (2014) — the discovery comparing road to lab.
- U.S. Department of Justice Plea Agreement with Volkswagen AG (2017) — the institutional decision, \$33B+ in penalties, and convictions (quoted).

LENS APPLICABILITY

LENS uses Dieselgate in LEN 4 as the canonical case for measurement-system evasion and in LEN 7 for the corporate-governance dynamics of engineered fraud. The reform pattern parallels Takata (Case 52).

CASE 72 TECHNOLOGY

2014 – 2018

Cambridge Analytica / Facebook

A Cambridge University researcher’s personality-quiz app, taken by about 270,000 people, exploited Facebook’s then-permissive Graph API to collect not only the quiz-takers’ data but their friends’ too — roughly 87 million profiles. The dataset was passed to Cambridge Analytica for political micro-targeting. Facebook’s permission architecture had been designed and tested for delivering social experiences, not red-teamed against systematic harvesting; its API contract assumed benevolent developer intent. The architecture worked exactly as designed — the design assumption was wrong. The scandal accelerated the EU’s GDPR, helped spur the California Consumer Privacy Act, and produced a \$5-billion FTC penalty and consent decree. Cambridge Analytica is the book’s case for platform-governance failure: a load-bearing assumption about how an interface would be used, never stress-tested against abuse.

KEY REFERENCES

- U.S. FTC, In the Matter of Facebook, Inc., Consent Order (2019) — the \$5B penalty; Facebook gave developers “far more user data than was necessary” (quoted).
- UK Information Commissioner’s Office, report on Cambridge Analytica / data analytics in political campaigns (2018) — the scope of the harvesting.
- C. Cadwalladr & E. Graham-Harrison, The Guardian investigation (2018) — the disclosure.

LENS APPLICABILITY

LENS uses Cambridge Analytica in LEN 7 as the foundational case for platform governance and data ethics, and in LEN 1 to teach that “design assumption” is a load-bearing capability deliverable.

Equifax Data Breach

In 2017 attackers exploited a known, two-month-old vulnerability in Apache Struts on an Equifax web portal — a patch had been available, and Equifax's own security team had told IT to apply it; no one did. Over the next 2.5 months the attackers exfiltrated the personal data of 147 million Americans, and Equifax did not disclose the breach until September. A Senate investigation found systematically inadequate patching, an incomplete asset inventory (so the company did not know which systems needed the fix), and an incident-response function treated for years as a cost center. The CEO resigned and Equifax settled for about \$700 million. No single failure caused the breach; cumulative inadequacy across routine cybersecurity work did. Equifax is the data-breach analog of the Sago mine disaster (Case 59).

KEY REFERENCES

- U.S. Senate Permanent Subcommittee on Investigations, *How Equifax Neglected Cybersecurity and Suffered a Devastating Data Breach* (2019) — the unpatched Apache Struts vulnerability.
- The breach record — 147 million affected, exploitation from May 2017, public disclosure in September 2017.
- Senate PSI (2019) — “Equifax lacked a comprehensive IT asset inventory” (quoted).

LENS APPLICABILITY

LENS uses Equifax in LEN 5 for cumulative-inadequacy analysis in cybersecurity and in LEN 7 for the institutional dynamics that allow routine work to be chronically underfunded.

Hyatt Regency Walkway Collapse

During a crowded tea dance in the atrium of the Kansas City Hyatt Regency on 17 July 1981, two suspended walkways collapsed, killing 114 and injuring 216 — then the deadliest structural collapse in U.S. history. The cause was a connection detail changed during construction: the original design hung the walkways from single long rods; the as-built version used a two-rod arrangement that doubled the load on the upper connection. The structural engineer's office approved the change without recalculating the load, and the connection had in fact been overstressed from the start. Missouri revoked the responsible engineers' licenses, and the case became the foundational engineering-ethics example. The capability gap was institutional: nothing required a change to a load-bearing connection to be re-analyzed by the engineer of record.

KEY REFERENCES

- National Bureau of Standards, *Investigation of the Kansas City Hyatt Regency Walkways Collapse*, NBSIR 82-2465 (1982) — the doubled-load connection (quoted).
- The 17 July 1981 collapse — 114 killed and 216 injured.
- NBSIR 82-2465 (1982) — the as-built connection inadequate even under the building code.

LENS APPLICABILITY

LENS uses Hyatt Regency in LEN 5 for change-control deliverables and in LEN 7 for the engineering-licensure architecture that holds the engineer of record accountable. Studio projects examine the change-control deliverable.

CASE 75 INDUSTRIAL

2018

FIU Pedestrian Bridge Collapse

On 15 March 2018 a pedestrian bridge under construction at Florida International University collapsed onto the road below, killing six. The NTSB found the design firm had made calculation errors — underestimating demand and overestimating capacity at a critical truss connection — that the independent peer review failed to catch. In the days before, large cracks appeared at that connection; they were inspected, discussed in a meeting the morning of the collapse, and judged not a safety concern, even as crews worked on the span and traffic ran beneath it. The errors were the timeless ones — a connection under-designed, a review that missed it, warning signs rationalized away — in a structure built with state-of-the-art tools. FIU is the contemporary proof that better design software does not retire the old failure modes.

KEY REFERENCES

- NTSB, Pedestrian Bridge Collapse over SW 8th Street, Miami, Highway Accident Report HAR-19/O2 (2019) — the FIGG design calculation errors (quoted).
- NTSB HAR-19/O2 (2019) — the 15 March 2018 collapse during construction; six killed.
- NTSB HAR-19/O2 (2019) — the observed cracking judged not safety-critical and the morning-of meeting.

LENS APPLICABILITY

LENS uses FIU in LEN 5 to teach review-process deliverables and in LEN 8 to compare with the Hyatt Regency (Case 74) case from forty years earlier — same failure mode, different decade.

CASE 76 ENERGY

2018

Camp Fire / PG&E

On 8 November 2018 a worn hook on a nearly century-old PG&E transmission line failed in high winds and drought, igniting the Camp Fire, which swept into the town of Paradise faster than people could evacuate. Eighty-five died — the deadliest U.S. wildfire in a century — and PG&E later pleaded guilty to 84 counts of involuntary manslaughter. Investigators found PG&E had known for years that its transmission infrastructure across high-fire-risk areas was deteriorating, and had deferred maintenance to fund other priorities, under a regulatory regime that let the deferrals continue. Infrastructure built for one climate was operating in another. Camp Fire is the book's foundational climate-era case for utility capability under changed conditions, and it restructured how California regulates utility wildfire risk.

KEY REFERENCES

- CalFire, Camp Fire Investigation Report (2019) — the worn transmission-line hardware as ignition source.
- The Camp Fire record — 85 killed; PG&E's guilty plea to 84 counts of involuntary manslaughter (2020).
- Butte County District Attorney, The Camp Fire Public Report (2020) — PG&E's knowledge and deferred maintenance (quoted).

LENS APPLICABILITY

LENS uses the Camp Fire in LEN 7 for utility regulatory governance and in LEN 8 for institutional response to changing operating conditions. The case is paired with the Northeast Blackout (Case 62) as utility-capability failures of different kinds.

CASE 77 ENERGY

2021

Texas Grid Freeze

In February 2021 Winter Storm Uri drove temperatures across Texas far below what the ERCOT grid's generators and gas supply were built to withstand. Gas wells froze, gas-fired generation (the bulk of the lost capacity) tripped, and coal, nuclear, and wind also fell; over roughly four days ERCOT shed load and millions lost power in blackouts that, in many cases, never rolled. Texas officially recorded 246 deaths; peer-reviewed excess-mortality estimates run 700–1,000, with about \$130 billion in damage. The proximate failure was the absence of winterization requirements for Texas generators — and ERCOT had been warned, after similar storms in 1989, 2011, and 2014, that winterization was inadequate. The warnings never produced a mandate, because the cost would pass to consumers and the rare event was judged acceptable.

KEY REFERENCES

- FERC–NERC, The February 2021 Cold Weather Outages in Texas and the South Central United States (Joint Inquiry, 2021) — winterization as the proximate failure (quoted).
- Texas DSHS official death count (246); peer-reviewed excess-mortality estimates (700–1,000); \$130 billion in damage.
- FERC–NERC (2021) — the prior cold-weather warnings (1989, 2011, 2014).

LENS APPLICABILITY

LENS uses the Texas Grid Freeze in LEN 7 as a regulatory–governance case and in LEN 8 for institutional learning across repeated near-misses (1989, 2011, 2014) that did not produce remediation.

CASE 32 GOVERNMENT

2014

VA Wait-Time Scandal

In 2014 the VA Inspector General found that staff at the Phoenix VA — and then nationwide — had created secret waiting lists and falsified appointment data to hide that veterans were waiting weeks or months for care; some died waiting while the system reported success. A 14-day access target, unrealistic given staffing, was met by hiding reality rather than surfacing it. The warning signs ran back fifteen years: GAO had flagged data-reliability problems since 2000, the IG since 2005, with no systemic fix — and schedulers, the staff operating the measurement, are among the VA's highest-turnover roles, so the institution kept losing the knowledge even to see it was lying to itself. The VA case is the book's canonical example of normalization of deviance applied to measurement itself.

KEY REFERENCES

- VA Office of Inspector General, Report 14-02603-267 (2014) — secret waiting lists and falsified appointment data.
- GAO Veterans Health Administration reports (2000–2019) — fifteen years of data-reliability warnings.
- VA OIG reports (2005, 2007, 2008) — prior, unactioned findings.

LENS APPLICABILITY

LENS treats the VA case in LEN 4 as the canonical evidence-gap case (the measurement system itself was the source of harm), in LEN 7 as a governance failure (multiple warnings unactioned over fifteen years), and in LEN 8 as a knowledge-loss case via turnover.

GIFT and the Adoption Gap

The Generalized Intelligent Framework for Tutoring (GIFT) is an open-source framework, originated at the U.S. Army Research Laboratory, for authoring and delivering intelligent tutoring systems. Computer-based tutoring has been shown to be about as effective as expert human tutors in well-defined domains, and GIFT exists to lower the barrier to building it; the framework is actively developed, with regular releases and a peer-reviewed annual symposium. The puzzle is not that GIFT failed — it did not — but that ubiquitous fielded adoption across routine military training remains limited despite decades of supporting research. That gap is the canonical learning-engineering problem: the science is settled, the platform exists, the studies are positive — and the institutional pathway to scaled adoption is still being built.

KEY REFERENCES

- K. VanLehn, “The Relative Effectiveness of Human Tutoring, Intelligent Tutoring Systems, and Other Tutoring Systems,” *Educational Psychologist* 46(4) (2011) — tutoring effectiveness.
- GIFT Project, gifttutoring.org — the framework, releases, and development under ARL / DEVCOM.
- Editors’ synthesis of the GIFT adoption record — active development but limited ubiquitous fielding (quoted).

LENS APPLICABILITY

LENS treats GIFT in LEN 1 as the problem-framing case for the discipline, in LEN 8 as the foundational adoption-pathway case, and in LEN 10 (capstone) as a prompt for designing the institutional deliverables that would close an adoption gap of this shape.

xAPI / Total Learning Architecture — Interoperability Gap

The Experience API (xAPI) was created to track learning experiences across platforms, and the Advanced Distributed Learning Initiative’s Total Learning Architecture envisioned learning records, competencies, and credentials flowing across organizational boundaries to support continuous capability development — the kind of evidence infrastructure LENS depends on. In practice, xAPI implementations remain largely siloed inside individual learning-management systems; the cross-organizational data sharing that matters most for high-consequence domains has not materialized at scale. The technical standard exists and reference implementations exist; what lags is governance — who owns the data, what consent applies, how quality is assured. xAPI mirrors inBloom (Case 8) in structure — technology ahead of governance — across the whole learning-technology ecosystem. It is the book’s case for treating data governance as a capability deliverable.

KEY REFERENCES

- Advanced Distributed Learning Initiative, Total Learning Architecture documentation — the cross-boundary vision.
- xAPI specification (xapi.com) — the technical standard and reference implementations.
- IEEE ICICLE proceedings on TLA adoption challenges — the persistence of siloed implementations.

LENS APPLICABILITY

LENS treats xAPI/TLA in LEN 4 as a data-governance and interoperability case and in LEN 8 as an example of organizational-learning infrastructure that has not scaled. The case is the technical underlay to the larger argument about evidence systems that decision-makers can trust.

CASE 41 HEALTHCARE

ONGOING

Implementation Science in Healthcare — The 17-Year Gap

Implementation science has a canonical finding: it takes an average of about seventeen years for research evidence to reach clinical practice, and only roughly 14% of research findings ever make it at all. This is not a single incident but a systemic condition — effective interventions exist; the system to adopt, sustain, adapt, and measure them at scale does not. Frameworks like the Active Implementation Frameworks (Fixsen et al., 2005) and EPIS (Aarons et al., 2011) were built specifically to attack this gap, and LENS threads implementation science throughout its curriculum in direct response. The seventeen-year gap is the meta-case for the whole book: every success case is a closure of this gap in one domain, every failure case the gap left open. The discipline exists to make seventeen years shorter.

KEY REFERENCES

- E. A. Balas & S. A. Boren (2000), Yearbook of Medical Informatics — the 17-year / 14% translation figures.
- Z. Morris, S. Wooding & J. Grant, “The answer is 17 years, what is the question,” J. Royal Society of Medicine (2011) (quoted).
- D. Fixsen et al., Implementation Research: A Synthesis of the Literature (2005) — the Active Implementation Frameworks.

LENS APPLICABILITY

LENS uses this case in LEN 1 as the foundational problem statement of the discipline, in LEN 10 as a studio constraint (designs must consider implementation, not just efficacy), and in LEN 8 as the central knowledge-transfer challenge. The case is referenced at least once in every required course.

CASE 78 AVIATION

1972 – PRESENT

NASA Saturn V Documentation

When NASA returned to heavy-lift rockets in the 2000s, it confronted an uncomfortable fact: the institutional capability to build a Saturn V — the rocket that sent Apollo to the Moon — had been lost. The drawings and documents survived; the practical knowledge of how the components were manufactured, tested, and assembled, and why each choice was made, had walked out with the workforce that retired by the 1990s. The vehicle could be redesigned but not reproduced. Apollo was documented to an unprecedented degree, yet the documentation was not the capability: when the engineers who built the system left, the system left with them. Saturn V is the book’s strongest evidence that institutional capability lives in people and sustaining practices, not in the artifacts an institution leaves behind.

KEY REFERENCES

- NASA Constellation Program documentation and reviews (2005–2010) — the difficulty of reproducing Saturn V capability.
- R. E. Bilstein, Stages to Saturn: A Technological History of the Apollo/Saturn Launch Vehicles (NASA SP-4206, 1980) — the program and its workforce.
- The documentation-vs-capability distinction (editors’ synthesis of the Saturn V record).

LENS APPLICABILITY

LENS uses the Saturn V case in LEN 8 as the foundational organizational-memory case and in LEN 1 to teach the distinction between recorded knowledge and institutional capability.

CASE 79 SPACE / AEROSPACE

2019 – 2024

Boeing Starliner

Boeing's Starliner, meant to be the second U.S. commercial crew vehicle alongside SpaceX's Crew Dragon, accumulated failures across a decade: software errors on its 2019 uncrewed flight, valve corrosion scrubbing a 2021 launch, and propulsion-system trouble on its 2024 crewed test that left two NASA astronauts on the ISS rather than returning them as contracted — NASA brought them home on SpaceX months later. GAO and NASA reviews found capability erosion across multiple engineering disciplines at a contractor whose human-spaceflight record had once been definitive. The erosion looks partly generational (Apollo- and Shuttle-era engineers retired) and partly institutional (cost and schedule pressure, and the thinning of NASA's in-house depth to challenge the contractor). Starliner is the contemporary case for capability erosion at a legacy contractor.

KEY REFERENCES

- U.S. GAO, NASA Commercial Crew Program, GAO-20-121 (Jan. 2020) and GAO-19-504 (2019) — schedule slips and technical risks across the program.
- The Starliner test history — 2019 software errors, 2021 valve scrub, and the 2024 crewed flight and ISS stay.
- NASA reviews and reporting on the Starliner test program — issues across software, valves, propulsion, and integration testing (editors' synthesis).

LENS APPLICABILITY

LENS uses Starliner in LEN 8 as a contemporary contractor- capability erosion case and in LEN 5 for the contractor-NASA interface capability that has thinned over decades.

CASE 80 SPACE / AEROSPACE

1996

Ariane 5 Flight 501

On its 1996 maiden flight, the Ariane 5 rocket destroyed itself 37 seconds after launch, losing around half a billion dollars in payloads. The cause was reused software: the inertial reference system inherited code from Ariane 4, where a horizontal-velocity value never exceeded a 16-bit integer's range. Ariane 5's steeper, faster trajectory pushed it past that range; the integer overflow crashed both redundant reference systems almost simultaneously, the vehicle lost guidance and broke up. The inquiry found the offending code path had been irrelevant on Ariane 4 and was never removed or re-verified for Ariane 5 — software reuse had been treated as risk-free. Ariane 5 is the foundational safety-critical- software case for the hazard of reusing code without re-verifying it against the new system's operating envelope.

KEY REFERENCES

- J. L. Lions (chair), Ariane 5 Flight 501 Failure Inquiry Board Report (1996) — the data-conversion overflow (quoted).
- Lions Report (1996) — the 37-second breakup and the lost payloads.
- Lions Report (1996) — the 64-bit-to-16-bit conversion overflow and the simultaneous shutdown of both inertial reference systems.

LENS APPLICABILITY

LENS uses Ariane 5 in LEN 5 for software-engineering capability deliverables and in LEN 8 for the institutional discipline that treats reuse as a verification event rather than as a savings.

CASE 81 INDUSTRIAL

1940

Tacoma Narrows Bridge

The Tacoma Narrows Bridge over Puget Sound twisted itself apart on 7 November 1940, four months after opening, in a wind no stronger than a stiff breeze and well within its design speed. The piers and cables were sound; the failure mode was aeroelastic flutter — a wind-driven oscillation that the bridge's slender, shallow deck (chosen for elegance and economy over a deeper, stiffer truss) was prone to, and that the discipline had not yet learned to recognize in long-span suspension bridges. No one died, and the collapse was captured on film shown to nearly every civil-engineering student since. The cost of the lesson was a bridge; the payoff is that no comparable bridge has failed the same way. Tacoma Narrows is the book's clearest example of an entire discipline learning permanently from one failure.

KEY REFERENCES

- O. Ammann, T. von Kármán & G. Woodruff, The Failure of the Tacoma Narrows Bridge (1941) — the failure inquiry.
- The 7 Nov. 1940 collapse in a 40 mph wind and the slender-deck design choice.
- K. Y. Billah & R. Scanlan, "Resonance, Tacoma Narrows Bridge Failure, and Undergraduate Physics Textbooks," American Journal of Physics (1991) — the aeroelastic-flutter analysis.

LENS APPLICABILITY

LENS uses Tacoma Narrows in LEN 1 as a problem-framing exemplar for discipline-level learning, in LEN 8 as the canonical case for successful institutional knowledge absorption, and in studio (LEN 10) as a worked example of what discipline-level reform requires.

CASE 82 ENERGY

2015 – 2016

Aliso Canyon Methane Leak

In October 2015 a well at SoCalGas's Aliso Canyon underground gas-storage field ruptured and could not be capped for nearly four months, releasing roughly 100,000 tons of methane — the largest such leak in U.S. history, equivalent to the annual emissions of half a million cars — and forcing the evacuation of about 8,000 households in Porter Ranch. The root-cause analysis found external corrosion of the well casing, a subsurface safety valve removed in the 1970s and never replaced, and a pattern of deferring integrity checks on the field's aging wells. The operator knew the wells were old and their integrity uncertain; so did the regulator; the inspection regime had not been engineered to catch the failure mode that occurred. Aliso Canyon is the book's case for legacy infrastructure aging past its oversight.

KEY REFERENCES

- Blade Energy Partners, Aliso Canyon Root Cause Analysis (2019) — external corrosion of the well casing (quoted).
- The leak record — 100,000 tons of methane; 8,000 households evacuated; the largest U.S. methane leak.
- Blade Energy (2019) — the removed subsurface safety valve and the deferred integrity checks on aging wells.

LENS APPLICABILITY

LENS uses Aliso Canyon in LEN 7 for regulatory-architecture capability and in LEN 8 for the institutional pattern of legacy assets aging past the regime governing them.

CASE 31 HEALTHCARE

ONGOING

Medical Errors as Systemic Failure

Medical error in the United States is not a single incident but a systemic condition that the system's own measurement instruments cannot see. In 2016, Makary and Daniel of Johns Hopkins estimated, in the BMJ, that medical errors cause more than 250,000 deaths a year — which would make them the third leading cause of death behind heart disease and cancer. Death certificates do not record medical error as a cause, so the problem is structurally invisible to the systems meant to track it. The 250,000 figure has been substantively contested on methodological grounds — a dispute that is itself a worked example of the gap-attribution problem. The Institute of Medicine raised the alarm in 1999; seventeen years later the problem persisted at scale.

KEY REFERENCES

- Makary, M. & Daniel, M. (2016), "Medical error — the third leading cause of death in the US," BMJ — the 250,000 estimate and the quoted framing.
- Makary & Daniel (2016), BMJ — death certificates do not capture medical error as a cause.
- Shojania, K. & Dixon-Woods, M. (2017), "Estimating deaths due to medical error," BMJ Quality & Safety — methodological contestation.

LENS APPLICABILITY

LENS treats this case as the central evidence anchor of the curriculum: LEN 1 as the foundational problem statement, LEN 4 as the canonical case for measurement systems blind to their own failures (death certificates do not capture the failure mode), and LEN 10 as the studio prompt for interventions at population scale.

CASE 83 GOVERNMENT TECHNOLOGY

2003 – 2012

LIBOR Manipulation

LIBOR — the London Interbank Offered Rate — was the benchmark interest rate referenced in roughly \$350 trillion of financial contracts, yet it was set each day not from observed transactions but from a small panel of banks' estimates of what they would pay to borrow. For about a decade, banks systematically shaded those estimates to favor their own derivatives positions; the coordination was later laid bare in subpoenaed trader-and-submitter messages. The capability gap was in the design of the benchmark itself: it asked for declarations, not observations, and the architecture invited gaming. Regulators levied more than \$9 billion in fines, and LIBOR was eventually replaced by SOFR, a rate built from actual transactions. The reform changed the unit of measurement, not just the rules.

KEY REFERENCES

- U.S. Department of Justice settlements with Barclays, UBS, Deutsche Bank, RBS et al. (2012–2015) — the manipulation and fines.
- Wheatley, M., The Wheatley Review of LIBOR: Final Report (2012) — the estimate-vs-transaction design flaw (paraphrased).
- Wheatley Review (2012) — recommendation to anchor benchmarks in observed transactions.

LENS APPLICABILITY

LENS uses LIBOR in LEN 4 as the canonical measurement-architecture case at financial-system scale and in LEN 7 for the cross-jurisdictional governance reform that produced SOFR. The case pairs with Wells Fargo (Case 70) and Volkswagen (Case 71) as measurement-gaming cases.

CASE 84 EDUCATION AT SCALE GOVERNMENT

2009 – 2015

Atlanta Public Schools Cheating Scandal

Under a celebrated superintendent, Atlanta Public Schools was held up nationally as a high-performing urban district. The performance was substantially fabricated. A state special investigation, supported by the Georgia Bureau of Investigation, and reporting by the Atlanta Journal-Constitution found that for several years educators across dozens of schools had systematically erased and corrected students' answers on state standardized tests. The cheating was organized — principals pressured teachers, staff held "erasure parties" after testing days — and the incentive system rewarded the gaming with bonuses and promotions. Around 180 educators were implicated, 35 indicted, and 11 convicted under Georgia's racketeering statute. The capability gap lay in the measurement architecture: the institution being measured operated the instrument that measured it, with no independent audit.

KEY REFERENCES

- Special Investigators, Final Report on Atlanta Public Schools (2011) — the organized cheating and the quoted finding.
- Atlanta Journal-Constitution investigative series (2009–2011) — the erasure-rate analysis.
- State of Georgia v. Hall et al. (2014–2015) — indictments and RICO convictions.

LENS APPLICABILITY

LENS uses APS in LEN 4 as the foundational U.S. education measurement-gaming case and in LEN 7 for the incentive-architecture failure. Studio projects examine how an independent audit would have caught the cheating.

CASE 85 GOVERNMENT TECHNOLOGY

1992 – 2008

Bernard Madoff / SEC Failures

Bernard Madoff ran the largest Ponzi scheme in history — roughly \$65 billion in fictitious account value — for years while the SEC repeatedly investigated and cleared him. Financial analyst Harry Markopolos delivered the agency a detailed memo in 2005, "The World's Largest Hedge Fund is a Fraud," showing that Madoff's steady returns were mathematically impossible. The SEC opened an investigation and concluded no action was warranted. Madoff operated until his sons turned him in during the 2008 crisis, when redemptions became impossible to honor. The SEC Inspector General later found the staff assigned lacked the expertise to evaluate Markopolos's arguments and had deferred to Madoff's industry stature. The capability gap was at the regulator's technical-evaluation pipeline, not at the evidence — which was specific and checkable.

KEY REFERENCES

- SEC Office of Inspector General, Investigation of Failure of the SEC to Uncover Madoff's Ponzi Scheme, Report OIG-509 (2009) — the quoted finding.
- Markopolos, H. (2010), No One Would Listen — the 2005 memo and its dismissal.
- United States v. Madoff (2009) — guilty plea and the \$65B figure.

LENS APPLICABILITY

LENS uses Madoff in LEN 4 for technical-evidence evaluation and in LEN 7 for regulator-capability deliverables. The case pairs with Theranos (Case 69) as cases where regulators lacked the technical depth to challenge the evidence presented to them.

CASE 86 DEFENSE GOVERNMENT

1996 – 2001

9/11 Intelligence Sharing Failures

The September 11, 2001 attacks, which killed 2,977 people, were enabled in part by intelligence the U.S. government already held but never integrated. The CIA knew, from a January 2000 meeting in Kuala Lumpur, that two future hijackers had entered the country; it did not tell the FBI. The FBI separately flagged suspicious flight-training activity in Phoenix and Minneapolis in 2001, but that information was never aggregated. Visa issuance, immigration tracking, and watch-listing were each run by a different agency, and the handoffs between them depended on individual initiative that no institution required. The 9/11 Commission called it a “failure of imagination” — a framing critics say understates the structural gap. The reform that followed built the cross-agency architecture, the ODNI and the NCTC, that had not existed.

KEY REFERENCES

- National Commission on Terrorist Attacks Upon the United States, The 9/11 Commission Report (2004) — the quoted “failure of imagination” and the specific sharing failures.
- 9/11 Commission Report (2004) — the Kuala Lumpur tracking and the Phoenix/Minneapolis flagging.
- Joint Inquiry into Intelligence Community Activities Before and After September 11, 2001 (2002) — cross-agency information-sharing failures.

LENS APPLICABILITY

LENS uses 9/11 in LEN 8 as the foundational case for cross-organizational capability and in LEN 7 for the governance architecture of multi-agency systems. Studio projects compare 9/11 with Eagle Claw (Case 46) as institutional-architecture failures of different kinds.

CASE 87 HEALTHCARE

1999 – 2004

Vioxx Withdrawal

Merck’s painkiller Vioxx (rofecoxib) was approved by the FDA in 1999 and prescribed to millions. A 2000 trial, VIGOR, found a roughly five-fold higher rate of heart attacks in the Vioxx arm than in the comparison drug — a signal many read as a protective effect of the comparator rather than a cardiovascular risk of Vioxx. Not until the placebo-controlled APPROVe trial was halted in 2004 was the risk established and the drug withdrawn. For nearly four years, the disclosure architecture between Merck’s internal data, FDA reviewers, and prescribers failed to surface the magnitude of the danger to a decision point; an FDA scientist estimated tens of thousands of excess cardiovascular events. The reforms that followed — REMS and the Sentinel Initiative — built post-market surveillance that had not existed.

KEY REFERENCES

- Graham, D. J. et al. (2005), Lancet — population-level cardiovascular risk analysis.
- Bombardier, C. et al. (2000), VIGOR trial, NEJM — the five-fold myocardial-infarction signal.
- Bresalier, R. et al. (2005), APPROVe trial, NEJM — placebo-controlled confirmation of cardiovascular risk.

LENS APPLICABILITY

LENS uses Vioxx in LEN 4 for post-market surveillance as a measurement deliverable and in LEN 7 for the corporate-regulator dynamics that allowed signal aggregation to be deferred.

CASE 12 AVIATION

1981 – PRESENT

Crew Resource Management & CAST

In March 1977, two 747s collided in fog at Tenerife and 583 people died — in part because a KLM flight engineer's twice-voiced doubt about the runway was overridden by his captain. The failure was not of skill but of the system by which skill in one seat reached another. Crew Resource Management, formalized by United Airlines in 1981, re-engineered the cockpit as a coordinated team: explicit communication protocols, named authority gradients, structured briefings. Twenty years later the Commercial Aviation Safety Team (CAST) added closed-loop analysis of operational data to find and fix hazards before they caused accidents. The pairing — cultural redesign plus continuous evidence — drove an 83% reduction in U.S. commercial-aviation fatality risk between 1998 and 2008, earning the 2008 Collier Trophy.

KEY REFERENCES

- FAA Advisory Circular 120-51E, Crew Resource Management Training — CRM protocols and authority-gradient training.
- Helmreich, Merritt & Wilhelm (1999), "The Evolution of Crew Resource Management Training in Commercial Aviation," *International Journal of Aviation Psychology*.
- Spanish CIAIAC / ALPA reports on the 1977 Tenerife collision — the overridden crew challenge.

LENS APPLICABILITY

LENS treats CRM/CAST as the foundational success case across the curriculum. LEN 1 uses it as the problem-framing exemplar; LEN 4 uses CAST as the model closed-loop evidence system; LEN 2 uses CRM as the template for redesigning human roles in automated environments — the logic now being applied to AI-augmented systems.

CASE 14 HEALTHCARE

2004 – PRESENT

Keystone ICU / Pronovost Checklist

Peter Pronovost's central-line checklist has five items — wash hands, clean the skin with chlorhexidine, drape the patient, use full barrier precautions, apply a sterile dressing — and not one of them was unknown to the physicians it governed. The question was never what to do, but whether it would be done every time. The Keystone project, launched across 103 Michigan ICUs in 2004, paired the checklist with a cultural change: nurses were not merely permitted but required to stop the procedure if a step was skipped. That authorization was the load-bearing element. Central-line-associated bloodstream infections fell to near zero, an estimated 1,500 lives and \$100 million were saved in eighteen months, and the effect was sustained at ten years.

KEY REFERENCES

- Pronovost, P. et al. (2006), "An Intervention to Decrease Catheter-Related Bloodstream Infections in the ICU," *NEJM* 355 — the trial and the near-zero result.
- Pronovost & Vohr (2010), *Safe Patients, Smart Hospitals* — the checklist-plus-nurse-authority pairing (paraphrased).
- Lipitz-Snyderman, A. et al. (2011), *BMJ* — sustained effect at follow-up.

LENS APPLICABILITY

LENS uses Keystone in LEN 4 and LEN 10 as the canonical worked example of measurement linked to intervention. Studio projects require students to specify both halves of the pair, name the authority that authorizes the cultural half, and identify the measurement signal that will confirm or refute the effect. The course treats "is the cultural change actually authorized?" as falsifiable, not stated.

CASE 16 ENERGY

1979 – PRESENT

INPO and the Nuclear Academy

Three Mile Island did not produce a reactor accident at the next plant over — it produced an institution. Within months of the 1979 Kemeny Commission report, the U.S. commercial nuclear industry founded the Institute of Nuclear Power Operations on a stark premise: an accident at any single plant would threaten every operator's license, and no utility could engineer its safety capability alone. Funded by the utilities it evaluated and operating without statutory authority, INPO set training and certification standards, accredited every plant's programs through the National Academy for Nuclear Training, and ran peer evaluations in which operators from one utility scrutinized another's control rooms and records. The pre-TMI culture of complacency gave way to mandated vigilance. No U.S. commercial reactor has had a significant INES-level event since.

KEY REFERENCES

- Rees, J. (1994), *Hostages of Each Other: The Transformation of Nuclear Safety since Three Mile Island* — INPO's design and the "hostages" premise (paraphrased).
- Report of the President's Commission on the Accident at Three Mile Island (Kemeny Commission, 1979) — the pre-TMI culture.
- Nuclear Energy Institute, "Lessons from the 1979 Accident at Three Mile Island"; National Academy for Nuclear Training — accreditation and peer evaluation.

LENS APPLICABILITY

LENS uses INPO in LEN 8 as the canonical example of industry-level learning: students identify the structural conditions in their own domain that would permit (or block) an INPO-equivalent and design the peer-review architecture required. LEN 1 uses the founding moment — nine months after TMI — to discuss the **speed** a credible response to catastrophe demands.

CASE 13 HEALTHCARE

2008 – PRESENT

WHO Surgical Safety Checklist

In 2008, Atul Gawande's team and the WHO introduced a single-page, nineteen-item surgical checklist applied at three junctures — before anesthesia, before incision, and before the patient leaves the operating room. Piloted across eight hospitals in eight countries, from Toronto to Tanzania, it nearly halved the surgical death rate (1.5% to 0.8%) and cut serious complications by more than a third — results published in the NEJM in 2009. The artifact was the checklist; the intervention was the system of forced pauses it created, three moments when a moving team had to stop and confirm shared state. A later Ontario study found no mortality benefit after a mandated rollout, surfacing the fidelity question: the artifact works only when the institution authorizes its honest use.

KEY REFERENCES

- Haynes, A. et al. (2009), "A Surgical Safety Checklist to Reduce Morbidity and Mortality," NEJM — the 1.5%→0.8% result and major-complication reduction.
- WHO Safe Surgery Saves Lives campaign documentation — the nineteen-item checklist and the three junctures.
- Gawande, A. (2009), *The Checklist Manifesto* — the pause as the active mechanism.

LENS APPLICABILITY

LENS uses the WHO checklist in LEN 10 (capstone) as the canonical end-to-end design exemplar: a problem identified, a minimal artifact prototyped, a multi-site pilot, a measurement regime, and global scale-out. LEN 4 examines the measurement architecture that made the effect provable.

CASE 15 DEFENSE

2018 – PRESENT

Navy Surface Warfare Readiness Reform

After the fatal 2017 Fitzgerald and McCain collisions (Case 1) exposed gutted seamanship training, the U.S. Navy overhauled how it builds surface-warfare competence. It restored the Surface Warfare Officers School from CD-ROM self-study to classroom and simulator instruction, stood up Maritime Skills Training Centers on both coasts, created ten pass-or-fail career assessments — three of them no-go gates — and adopted aviation-style debriefing. New Ready-for-Sea Assessments evaluated forward-deployed ships against a deliverable standard; three of the first eighteen were immediately sidelined. The structural change is real and the investment substantial. What is missing is the third half: the GAO has noted the Navy still lacks systematic evaluation of whether the reforms work — a live success in structure, with evidence of effect still outstanding.

KEY REFERENCES

- GAO-21-168 (and GAO-20-154), Navy readiness reform — the lack of systematic outcome evaluation (paraphrased).
- Readiness Reform Oversight Council, One-Year Report (2019) — restored training, assessments, and gates.
- Navy and NTSB reports on the Fitzgerald and McCain collisions (2017–2019) — the training-degradation antecedent.

LENS APPLICABILITY

LENS uses Navy SWO reform in LEN 10 (capstone) as a worked exercise in capability intervention at scale, and in LEN 4 as a case where the measurement infrastructure has lagged the intervention. Students design the evidence regime that should accompany the reform.

CASE 23 AVIATION

2000 – PRESENT

Korean Air Safety Transformation

Between 1970 and 1999, Korean Air had one of the worst safety records in commercial aviation — a loss rate roughly seventeen times United's, more than 700 lives lost — and after the 1997 Guam crash of Flight 801 killed 228, the president of South Korea called it “an embarrassment to the nation.” The NTSB traced root causes to cockpit authority gradients: junior officers were culturally unable to challenge a captain's errors. In 2000, Korean Air brought in Delta's David Greenberg to rebuild flight operations — mandating English as the cockpit language, adapting CRM for a high-power-distance culture, and bringing in outside consulting from Boeing and Delta. The airline has had no fatal passenger accident since, winning the 2006 Phoenix Award. Cultural legacy is not destiny when it is deliberately redesigned.

KEY REFERENCES

- NTSB, Aircraft Accident Report: Korean Air Flight 801, Guam (2000) — authority gradients as a root cause.
- Air Transport World Phoenix Award documentation (2006) — recognition of the turnaround.
- Gladwell, M. (2008), *Outliers* — the Korean Air chapter on power distance and the English-language change.

LENS APPLICABILITY

LENS uses Korean Air in LEN 8 as the canonical organizational-learning case under cultural constraint and in LEN 2 as a CRM-extension case for high-power-distance contexts. The case is paired in this book with the Toyota Andon Cord (Case 24) as cultural intervention success stories.

CASE 24 INDUSTRIAL

1950S – PRESENT

Toyota Production System / Andon Cord

The andon cord lets any assembly-line worker stop Toyota's entire production line on detecting a defect — handing the lowest-ranking person on the floor the power to halt operations worth millions per hour. The cord is trivially cheap; the authority it confers is the design. The case is decisive for capability engineering because when American automakers copied the cord in the 1980s and 1990s, workers were too afraid to pull it: the tool was present, the empowerment was not. Toyota's system works because it pairs the mechanism with a culture of psychological safety, fast supervisor response, no-blame problem-solving, and the codified "Five Whys" method. When the line stops at Toyota, the team treats it as a learning opportunity. The Andon Cord is the manufacturing twin of the Keystone nurse-authority intervention (Case 14).

KEY REFERENCES

- Liker, J. (2020), *The Toyota Way* (2nd ed.) — the andon cord, the cultural pairing, and the American imitation (paraphrased).
- Spear, S. & Bowen, H. (1999), "Decoding the DNA of the Toyota Production System," HBR — the response protocol and embedded learning.
- Shingo, S. (1989), *A Study of the Toyota Production System* — the technical mechanism.

LENS APPLICABILITY

LENS uses the Andon Cord in LEN 2 as the foundational example of paired technical-cultural intervention, in LEN 8 to discuss cross-domain transfer (and why imitation without the cultural half fails), and in LEN 10 as a studio exemplar of minimal-artifact design.

CASE 27 HEALTHCARE

2006 – PRESENT

TeamSTEPPS

TeamSTEPPS — developed jointly by the Agency for Healthcare Research and Quality and the Department of Defense and released in 2006 — is the healthcare analog of Crew Resource Management (Case 12): an evidence-based team-training framework distilled from fifty years of aviation, military, and nuclear research and adapted for clinical settings. It trains four core competencies: communication, leadership, situation monitoring, and mutual support. It is explicitly the translation pathway from high-reliability research into bedside practice — the cross-domain capability transfer LENS is built to teach. Because its implementation infrastructure was funded as part of the program, TeamSTEPPS moved from research to scaled deployment in years rather than decades, and has been adopted by thousands of healthcare organizations with measurable gains in teamwork and safety culture.

KEY REFERENCES

- AHRQ, *TeamSTEPPS 3.0 Curriculum* (2023) — the framework and four competencies.
- DoD / AHRQ partnership documentation — the joint development and implementation infrastructure.
- Salas, E., Rosen, M. et al. (2009) — cross-domain team-training evidence base.

LENS APPLICABILITY

LENS treats TeamSTEPPS in LEN 8 as the canonical cross-domain transfer case and in LEN 1 as evidence that the program's core proposition — that learning engineering is a discipline — has institutional precedent. Studio projects (LEN 10) reference TeamSTEPPS as the worked example of cross-domain adaptation methodology.

CASE 28 DEFENSE

1954 – PRESENT

U.S. Nuclear Navy / Rickover Training Model

Admiral Hyman Rickover built a training and qualification culture for the Naval Nuclear Propulsion Program that has produced zero reactor accidents across more than 60 years and thousands of reactor-years of operation, often in extreme conditions. Every nuclear-trained sailor must pass rigorous qualification to zero-defect standards and demonstrate competence in oral examination by senior nuclear-qualified officers; the culture demands personal accountability, deep technical mastery, and a questioning attitude that obliges operators to challenge assumptions, including superiors'. The sharpest contrast in this book is internal: the same Navy that ran the nuclear program to this standard let surface-warfare training decay to CD-ROMs and paid for it at Fitzgerald and McCain (Case 1). Same institution, two philosophies — and the choice shows up in the casualty columns.

KEY REFERENCES

- › Polmar, N. & Allen, T. (2007), Rickover: Father of the Nuclear Navy — the program and Rickover's philosophy (paraphrased).
- › Naval Nuclear Propulsion Program documentation (NRC/DOE) — qualification standards and the accident record.
- › Admiral Hyman G. Rickover, "Doing a Job" (Columbia University commencement address, 1982) — "people, not organizations... get things done" (quoted).

LENS APPLICABILITY

LENS treats the Rickover model in LEN 8 as the foundational organizational-learning case and in LEN 5 as a worked example of capability requirements traceable from operational analysis through qualification standards. The internal Navy comparison anchors the program's core argument about capability as a system parameter.

CASE 39 EDUCATION AT SCALE

2012 – PRESENT

Georgia State University Predictive Analytics

Georgia State University built a predictive-analytics advising system that tracks some 800 risk factors per student and triggers proactive outreach when early warning signs appear. Crucially, it was designed with equity as a primary constraint — the explicit goal was to eliminate, not reproduce, graduation gaps — and the alerts prompt human advisors rather than making automated decisions. The six-year graduation rate rose from 32% to 54%; Black and Pell-eligible students now graduate at the same rate as their peers, and GSU produces roughly 2,000 more graduates a year. The difference from the algorithmic-bias cases (35–37) is design: GSU built equity in from the start, used predictions to trigger more human support rather than gatekeeping, and tracked outcomes by demographic group as a primary metric.

KEY REFERENCES

- › Renick, T. & Strom, A. (2020) on GSU's advising transformation — the system design and outcomes.
- › Georgia State University institutional research and Strategic Plan reports — graduation-rate and equity data.
- › New York Times, "How Colleges Know You're Not Finishing" (2018) — the 800-factor advising model.

LENS APPLICABILITY

LENS treats GSU as the canonical positive case for predictive analytics in education. LEN 4 examines the measurement architecture that made equity a primary outcome. LEN 7 examines the governance structure that kept the system as decision support rather than automated decision. LEN 1 uses it as a problem-framing exemplar.

CASE 42 EDUCATION AT SCALE

1990S – PRESENT

Cognitive Tutor / Carnegie Learning

Carnegie Learning's Cognitive Tutor, built from John Anderson's ACT-R cognitive architecture at Carnegie Mellon, is the most rigorously evaluated intelligent tutoring system in education. It uses Bayesian knowledge tracing to model each student's mastery and adapts instruction accordingly, and a RAND Corporation evaluation found statistically significant positive effects on Algebra I achievement. The system is a learning-engineering success in the discipline's own terms — learning science to engineered software to randomized-trial evidence to deployment across 3,000-plus schools. Its limitations are instructive: it works best in well-defined domains like algebra and less well in ill-structured ones, making it the canonical evidence that the pipeline delivers for problems that fit it — leaving open whether the same discipline can deliver where problems do not.

KEY REFERENCES

- Anderson, J., Corbett, A., Koedinger, K. & Pelletier, R. (1995), "Cognitive Tutors: Lessons Learned," Journal of the Learning Sciences — the ACT-R basis and design.
- Koedinger, K. & Corbett, A. (2006), Cambridge Handbook of the Learning Sciences — knowledge tracing and adaptive instruction.
- RAND Corporation Algebra I evaluation — the statistically significant achievement effects.

LENS APPLICABILITY

LENS uses Cognitive Tutor in LEN 1 as the foundational LE-process exemplar, in LEN 4 as the canonical case for Bayesian knowledge tracing as a measurement instrument, and in LEN 9 as a technical case for model-based adaptive instruction.

CASE 88 HEALTHCARE INDUSTRIAL

1982

Tylenol Recall

In 1982, seven people in the Chicago area died after taking Tylenol capsules laced with potassium cyanide. Not knowing who was responsible or how widespread the tampering was, Johnson & Johnson recalled every Tylenol product nationwide — 31 million bottles, at a cost of roughly \$100 million — suspended advertising, and engaged openly with the FBI and FDA. The response was unprecedented in U.S. corporate practice, and it was a direct application of the J&J Credo, written in 1943, which had pre-specified that the company's first responsibility was to its customers. The reform that followed reshaped consumer packaging worldwide — tamper-evident seals and blister packs — and the FDA issued tamper-resistant-packaging rules within months. Tylenol recovered its market share within a year.

KEY REFERENCES

- Kaplan, T. (2014), The Tylenol Crisis — the recall and corporate response.
- James Burke (J&J CEO), in Lasting Leadership (Wharton) — the Credo quote.
- Greyser, S., Johnson & Johnson: The Tylenol Tragedy (HBS case, 1992) — market recovery and crisis management.

LENS APPLICABILITY

LENS uses Tylenol in LEN 7 as the foundational positive case for institutional governance under crisis and in LEN 10 (capstone) as a worked example of pre-committed capability that executed under operational pressure.

CASE 89 AVIATION

1976 – PRESENT

Aviation Safety Reporting System (ASRS)

The Aviation Safety Reporting System, run by NASA on behalf of the FAA since 1976, accepts confidential reports from pilots, controllers, mechanics, and cabin crew about incidents, near-misses, and safety concerns. Its load-bearing feature is institutional, not technical: reporting an event to ASRS confers immunity from FAA enforcement for the conduct reported, within specified limits, making honest reporting the rational choice. Over nearly fifty years and more than two million reports, ASRS has become the world's largest repository of aviation-safety information, surfacing patterns — automation surprise, runway incursions, fatigue effects — before they reached formal investigation thresholds. The architecture has been emulated across domains, and is the canonical success case for an evidence system paired with a credible commitment to non-punitive use.

KEY REFERENCES

- NASA ASRS Program documentation and annual reports — system design, immunity provision, and report volume.
- Reason, J. (1997), Managing the Risks of Organizational Accidents — non-punitive reporting as a model (paraphrased).
- NASA ASRS technical reports (Connell et al.) — patterns first surfaced via ASRS data.

LENS APPLICABILITY

LENS uses ASRS in LEN 4 as the foundational positive case for evidence architecture and in LEN 8 for institutional commitment to non-punitive learning. Studio projects design ASRS-equivalents for new domains.

CASE 90 HEALTHCARE

1984 – PRESENT

Bristol Heart Babies Reform

Through whistleblowing and a public inquiry, the Bristol Royal Infirmary was found to have had substantially worse pediatric cardiac-surgery outcomes than other UK centers for years. The Kennedy Inquiry — one of the most influential UK healthcare inquiries in modern times — located the capability gap in the absence of routine specialty-level outcomes reporting: surgeons did not know how their results compared with peers, patients did not know, and referrals did not respond to actual outcome data. The reform built national specialty-level outcomes registries, first in cardiac surgery and then across other specialties, making the UK one of the few countries that routinely publishes surgeon-level results — a paired intervention of technical registry plus institutional commitment to publish that ended outcomes data as the private property of clinicians.

KEY REFERENCES

- Kennedy, I. (2001), Learning from Bristol: The Report of the Public Inquiry into Children's Heart Surgery at the Bristol Royal Infirmary 1984–1995 — the inquiry and recommendations (paraphrased).
- Society for Cardiothoracic Surgery in GB & Ireland, national outcomes reports — the registry and surgeon-level publication.
- Berwick, D. (2013), A Promise to Learn — A Commitment to Act — the broader NHS-safety reform.

LENS APPLICABILITY

LENS uses Bristol in LEN 4 for outcomes-transparency as a paired- intervention deliverable and in LEN 7 for the institutional reform that made surgeon-level publication acceptable. The case pairs with Keystone ICU (Case 14) as healthcare-outcomes interventions at different layers.

CASE 91 AVIATION

1980S – PRESENT

Singapore Airlines Safety Transformation

Singapore Airlines has invested in safety capability across decades in a way that sets it apart from carriers operating under comparable conditions — early adoption of CRM, heavy simulator investment, a young-fleet policy, and a strong reporting culture, sustained even through rapid growth. The 2000 crash of Flight SQ006, which attempted takeoff from a closed, partly-constructed runway at Taipei during a typhoon and killed 83, prompted a sustained institutional self-examination — operational changes, training updates, and public transparency about what had happened — that became a model in the literature on post-accident learning. The airline is the operational successor to Korean Air (Case 23): an Asian carrier that engineered its safety capability deliberately and sustained the investment as a competitive differentiator, not only in response to crisis.

KEY REFERENCES

- › Aviation Safety Council (Taiwan), SQ006 Accident Investigation Final Report (2002) — the accident and the airline's response.
- › Singapore Airlines safety reports (multiple years) — training, fleet, and reporting-culture investment.
- › IATA Operational Safety Audit (IOSA) documentation — investment ahead of regulatory minimums (paraphrased).

LENS APPLICABILITY

LENS uses Singapore Airlines in LEN 8 for sustained institutional capability investment under competitive pressure. The case pairs with Korean Air (Case 23) as Asian-carrier capability stories of different shapes — one transformation under crisis, the other sustained investment without crisis.

CASE 92 AUTONOMOUS SYSTEMS

2016 – PRESENT

Tesla Autopilot — Recurring Fatalities

Tesla's Autopilot and Full Self-Driving Beta are Level-2 driver-assistance systems: the human driver remains legally and operationally responsible at all times. NHTSA's Standing General Order data has documented dozens of fatal crashes involving Autopilot since the 2016 death of Joshua Brown in Florida, and the pattern is consistent — the system performs capably for long stretches, the driver's monitoring attention attenuates, and an edge case (a stationary object, a faded lane line, a crossing vehicle) produces a collision the inattentive driver fails to catch. NHTSA's investigation has found Tesla's driver-engagement design inadequate to sustain the attention safe operation requires. At consumer scale, Autopilot is the live test of whether passive monitoring of good-enough automation is a role a human can actually perform.

KEY REFERENCES

- › NTSB, Highway Accident Report HAR-17/02 (Williston, FL, 2016) — the quoted disengagement finding.
- › NTSB, Highway Accident Report HAR-20/01 (Mountain View, CA, 2018) — Autopilot crash analysis.
- › NHTSA Standing General Order 2021-01 reports — documented Autopilot fatal crashes.

LENS APPLICABILITY

LENS uses Tesla Autopilot in LEN 2 as the live consumer-scale test of monitoring as a sustainable role and in LEN 7 for the governance dynamics of a Level-2 system marketed at the boundary of higher autonomy. Studio projects examine the driver-engagement design that would make the role performable.

CASE 93 AUTONOMOUS SYSTEMS

2023

Cruise Robotaxi — Pedestrian Drag

In October 2023, a pedestrian in San Francisco was struck by a human-driven car and thrown into the path of a GM Cruise robotaxi. The robotaxi hit her, detected an impact, and then — executing a pull-to-the-side maneuver — dragged her about twenty feet. The injury was severe, but it was Cruise’s institutional response that proved company-ending: regulators found Cruise had initially shown investigators only the first portion of the incident video, omitting the drag. California suspended Cruise’s driverless permit, NHTSA opened an investigation, and GM ultimately shut down the commercial operation. The case is the foundational governance-failure case in commercial autonomy: the technology produced one injury; the partial disclosure converted it into the program’s collapse. The gap was at governance, not technology.

KEY REFERENCES

- California Public Utilities Commission decision suspending Cruise permits (2023) — the omitted-facts finding (paraphrased).
- California DMV order of suspension (2023) — the partial video disclosure.
- Quinn Emanuel report on Cruise incident response (2024) — the disclosure failures.

LENS APPLICABILITY

LENS uses Cruise in LEN 7 as a foundational autonomous-vehicle governance case and in LEN 10 (capstone) for the institutional- response deliverable that should pre-exist any commercial autonomy program.

CASE 94 GOVERNMENT TECHNOLOGY

2016 – PRESENT

COMPAS Recidivism Algorithm

COMPAS is a proprietary risk-assessment algorithm used in some U.S. jurisdictions to inform bail, sentencing, and parole. A 2016 ProPublica investigation found Black defendants were nearly twice as likely as white defendants to be wrongly flagged high-risk (a false-positive rate of about 44.9% versus 23.5%), while white defendants were more often wrongly flagged low-risk. The vendor responded that COMPAS satisfied predictive parity — equal calibration within each group. The literature that followed (Chouldechova 2017; Kleinberg, Mullainathan & Raghavan 2017) proved this an impossibility: when base rates differ, calibration and equal error rates cannot all hold at once. COMPAS surfaced, at criminal-justice scale, that a model can be “accurate” by one metric and inequitable by another — and that choosing the metric is a governance decision, not a technical one.

KEY REFERENCES

- Angwin, Larson, Mattu & Kirchner, “Machine Bias,” ProPublica (2016) — the false-positive-rate disparity (quoted).
- Northpointe technical response (2016) — the predictive-parity (calibration) defense.
- Chouldechova, A. (2017) — the fairness impossibility result for differing base rates.

LENS APPLICABILITY

LENS uses COMPAS in LEN 7 as a foundational algorithmic- accountability case in criminal justice, in LEN 9 for the technical fairness-criterion analysis, and in LEN 4 for the construct-definition question (what counts as recidivism?).

CASE 95 HEALTHCARE TECHNOLOGY

2018 – PRESENT

Radiology AI Miscalibration

FDA-cleared radiology AI tools — for chest X-ray classification, mammography, CT triage — have been repeatedly documented performing worse in deployment than in their validation studies, often with the degradation concentrated in patient groups under-represented in the training data. Larrazabal et al. (PNAS 2020) showed this structurally for chest-X-ray classifiers, and Obermeyer et al. (Science 2019) showed that bias in the labels used to train clinical AI can under-allocate care to Black patients even when the model looks well-calibrated. The FDA's 510(k) clearance process does not routinely require demographic stratification of validation metrics or post-market monitoring of how a tool performs in the population using it. The capability gap is in the regulatory architecture, not the model: clearance is not the same thing as clinically performable deployment.

KEY REFERENCES

- FDA, "Proposed Regulatory Framework for Modifications to AI/ML-Based Software as a Medical Device" (2019) — clearance vs deployment (synthesized).
- Larrazabal et al. (2020), "Gender imbalance in medical imaging datasets," PNAS — sensitivity drops for under-represented groups.
- Obermeyer et al. (2019), "Dissecting racial bias in an algorithm used to manage the health of populations," Science — label bias.

LENS APPLICABILITY

LENS uses radiology AI in LEN 4 for clearance-vs-deployment measurement architecture, in LEN 7 for FDA AI/ML regulatory governance, and in LEN 9 for the technical bias-detection pipeline. The case pairs with Vioxx (Case 87) as a post-market surveillance failure pattern at a new technological boundary. The Obermeyer (2019) finding generalizes the diagnosis: bias enters through the labels and through the population, both of which the 510(k) process currently treats as outside its scope.

CASE 96 HEALTHCARE TECHNOLOGY

2023 – PRESENT

ChatGPT in Healthcare — Hallucination Cases

Since ChatGPT's public release in late 2022, the clinical and peer-reviewed literatures have documented a recurring pattern: clinicians use large language models to draft patient education, summaries, or treatment guidance, and the output contains fabricated citations, hallucinated drug dosages, or fictitious clinical guidelines. The failures range from cosmetic — invented references in academic submissions — to potentially clinical, such as unsafe dosing or fabricated contraindications. The capability gap is at the human-verification interface: the model presents hallucinated content with the same fluent confidence as accurate content, and early reports suggest clinicians accept LLM output less critically than a colleague's. The case is the live, foundational case for LLM integration into clinical workflow — the discipline must specify what verification looks like at the moment of use, while deployment is already happening.

KEY REFERENCES

- JAMA editorials on LLM integration into clinical practice (2023–2024) — the hallucination/verification problem (synthesized).
- Sallam (2023), "ChatGPT Utility in Healthcare Education, Research, and Practice" — documented benefits and risks.
- Case reports of LLM hallucinated citations and dosages in clinical and academic use (2023–2024).

LENS APPLICABILITY

LENS uses this case in LEN 2 as the live frontier for human-AI teaming with LLMs, in LEN 7 for the governance of LLM deployment in clinical workflows, and in LEN 10 (capstone) as a prompt for designing verification practices at the moment of use.

Predictive Policing — PredPol

PredPol and similar predictive-policing tools use historical crime data to forecast where future crime is likely, directing patrols to those locations. Multiple analyses (Lum & Isaac 2016; Richardson, Schultz & Crawford 2019) found that because the historical data records where police have enforced, not where crime has occurred, the algorithm tends to reinforce existing enforcement patterns rather than predict underlying crime — a feedback loop that concentrates policing on already-over-policed neighborhoods. Cities including Santa Cruz, New Orleans, and Los Angeles have since suspended or abandoned predictive-policing deployments after equity reviews. The capability gap is at the construct definition: “where crime occurs” and “where crime is recorded” are different variables, and the tools treated them as one. It is the canonical algorithmic-governance case in U.S. policing.

KEY REFERENCES

- › Lum, K. & Isaac, W. (2016), “To Predict and Serve?” Significance — the enforcement-vs-crime feedback loop (paraphrased).
- › Richardson, Schultz & Crawford (2019), “Dirty Data, Bad Predictions” — biased records feeding predictive systems.
- › Brantingham et al. (2018) — predictive-policing field experiments.

LENS APPLICABILITY

LENS uses predictive policing in LEN 7 as a foundational AI- governance case in policing and in LEN 9 for the technical construct-validity analysis. The case is paired with COMPAS as criminal-justice algorithmic cases of different kinds.

AlphaFold — Protein Structure Prediction

DeepMind’s AlphaFold (2020) and AlphaFold 2 (2021) substantially solved the half-century-old protein-structure prediction problem in computational biology. The publicly released AlphaFold Protein Structure Database now contains predicted structures for more than 200 million proteins — essentially the entire known protein universe — and has been integrated into structural-biology and drug-discovery workflows worldwide. AlphaFold is the strongest positive AI case in this book, and its lesson is in the conditions that made the benefit possible: a benchmark (CASP) the field had agreed on for decades, high-quality training data, an output biologists could verify against experimental structures, and an open release that let the global community adopt it fast. Each was a precondition for the success — and none of them was the model itself.

KEY REFERENCES

- › Jumper et al. (2021), “Highly accurate protein structure prediction with AlphaFold,” Nature — the method and accuracy.
- › Varadi et al. (2022), AlphaFold Protein Structure Database, Nucleic Acids Research — the 200M+ structures and open release.
- › Moulton, J. (CASP organizer) commentary on AlphaFold2 (2020) — the benchmark and the achievement (paraphrased).

LENS APPLICABILITY

LENS uses AlphaFold in LEN 1 as a problem-framing case for what productive AI deployment looks like, in LEN 9 as a technical achievement, and in LEN 7 for the open-release governance decision that distributed the benefit globally.

CASE 99 TECHNOLOGY

2021 – PRESENT

AI-Augmented Coding Tools

AI-augmented coding tools — GitHub Copilot, Cursor, Codeium, and peers — represent the largest real-time experiment in human-AI collaboration in this book, with tens of millions of developers using them daily. Published studies (Peng et al. 2023) document real short-term productivity gains; other work (Pearce et al. 2022) finds a substantial share of AI-generated completions in security-sensitive settings contain vulnerabilities, though a controlled study (Sandoval et al. 2023) found AI assistance did not significantly raise the rate of critical security bugs. The capability question is open: are developers becoming more capable, or more dependent? The short-term gains are real; the long-term consequences — especially for those who learn the craft with these tools always available — are not yet known. The discipline is being asked to define good before the longitudinal evidence is in.

KEY REFERENCES

- › Peng et al. (2023), “The Impact of AI on Developer Productivity” — short-term productivity gains.
- › Pearce et al. (2022), “Asleep at the Keyboard? Assessing the Security of GitHub Copilot’s Code Contributions.”
- › Sandoval et al. (2023), “Lost at C,” USENIX Security — AI assistance did not significantly increase critical security-bug rates.

LENS APPLICABILITY

LENS uses AI-augmented coding in LEN 2 as the largest live human-AI teaming case in the dataset, in LEN 8 for the long-term capability-development question, and in LEN 10 (capstone) as a prompt for evaluating AI augmentation in professional practice.

CASE 100 EDUCATION AT SCALE HEALTHCARE DEFENSE

ONGOING

The Discipline We Build Next

The ninety-nine cases that precede this one are closed: the investigations are complete, the failures diagnosed, the interventions evaluated. This one is open. It belongs to the practitioners now in training — the students of the LDT program and the LENS specialization, the graduates who will take positions in healthcare, defense, education at scale, and the human-AI frontier, and the institutions they will build. The strongest evidence for the discipline is the cumulative record of what its absence has cost; the strongest argument for its possibility is the record of what its presence has produced. Capability engineering in 2026 sits roughly where INPO sat in 1979 or CRM in 1981 — evidence accumulating, practitioners in training, institutional architecture not yet complete. What the reader does next is what fills in this case.

KEY REFERENCES

- › LDT / LENS program statement, Johns Hopkins School of Education — the program and its commitments.
- › Goodell & Kolodner (2022), Learning Engineering Toolkit — the discipline’s methods.
- › The preceding ninety-nine cases of this volume — the cumulative record of cost and of possibility.


LENS APPLICABILITY

LENS is organized to produce the practitioners who can do this work. The curriculum’s commitments — capability as a system parameter, evidence as a deliverable, ethics as design, implementation as a thread — are the operational form of the argument the ninety-nine preceding cases evidence. Every studio project (LEN 10) is a small attempt at this case.

ABOUT THE EDITORS

The editors.

The casebook's central argument — that capability engineering is the applied form of the educational sciences, taught from the School of Education and informed by operational practice — is embodied in the two editors. Each has spent a career working in one half of that pairing and a substantial portion of it in the other. Each contributes to the five pillars on which LENS rests: Mission Literacy · JHU Ecosystem · Intersectional Expertise · Capability Focus · Flywheel Iteration.



William Gray-Roncal, Ph.D.

APPLIED RESEARCH · LEARNING ENGINEERING · STEM WORKFORCE

William Gray-Roncal, Ph.D., is Principal Research Engineer at the Johns Hopkins University Applied Physics Laboratory, where he applies systems engineering methods to challenges spanning defense, space, biomedical, and learning systems. His research — sponsored by DARPA, IARPA, NIH, and DoD — bridges computational neuroscience, artificial intelligence, and large-scale data infrastructure. He developed the College Prep and CIRCUIT workforce-development models, through which he has mentored nearly 500 students, and is currently pursuing research on quantitative measures of human cognitive performance in operational contexts. He leads the LENS (Learning Engineering for Next-Generation Systems) specialization in the Johns Hopkins Master of Education in Learning Design and Technology program. Gray-Roncal holds a Ph.D. in Computer Science from Johns Hopkins, an M.S. in Electrical Engineering from USC, and a B.S. in Electrical Engineering from Vanderbilt.



James Diamond, Ph.D.

LEARNING SCIENCES · EDUCATIONAL DESIGN · EVALUATION

James Diamond, Ph.D., is Assistant Professor in the Johns Hopkins University School of Education and Program Director of the Master of Education in Learning Design and Technology, where he applies design-based research and learning-sciences methods to the design and evaluation of technology-mediated learning environments. His research — supported by the National Science Foundation, the Institute of Education Sciences, the Bill & Melinda Gates Foundation, the MacArthur Foundation's HASTAC Digital Media and Learning Initiative, the Robin Hood Learning + Technology Fund, the Wellcome Trust, and the UK Economic and Social Research Council — bridges digital games and simulations for learning, digital badges and micro-credentialing, classroom technology integration, and disciplinary literacy in history, social studies, civics, and STEM. Before joining Johns Hopkins, he was Senior Research Associate at the Education Development Center's Center for Children and Technology in New York City, where he led projects including Zoom In and the Who Built America? Teacher Mastery Badge System, contributed to Mission US and Possible Worlds, and taught at New York University as an adjunct. He is a principal faculty member of the LENS (Learning Engineering for Next-Generation Systems) specialization in the LDT program. Diamond holds a Ph.D. in Educational Communication and Technology from New York University, an Ed.M. in Educational Technology from Boston University, and a B.A. in History from Boston University.

These biographies reference careers documented in publications, program reports, faculty pages, and the curricular materials of the LDT program and the LENS specialization.