

Can We Trust an AI Tutor That’s Supposed to Use Only the Rulebook?

A plain-language companion to the paper

This is a high-school-level retelling of the technical paper, written so we can check that the argument actually holds together. It is a companion, not the paper of record; every claim here is stated more carefully (and hedged) in `main.tex`.

The problem in one paragraph

Imagine an AI tutor that is only supposed to teach from an approved rulebook—say, the rules that stop ships from colliding. Two things can go wrong, and both are hard to see from the outside. (1) **The tutor cheats.** Instead of using the rulebook, it just leans on whatever the underlying language model already memorized from the internet. It sounds right, but it isn’t really using *your* rules—so if your rules change, or the model’s memory is wrong, you won’t know. (2) **The rulebook has holes.** Maybe a rule is missing or worded badly, and you can’t tell which one. Normally you’d find out by running an expensive study with real students. We wanted a cheap “test bench” that answers both questions *before* involving any people.

Idea 1: a test with a right answer (the “Transfer Instrument”)

Multiple-choice quizzes are a weak way to measure a tutor, because a fluent-sounding answer can still be wrong in practice. So instead we drop the learner into a **realistic task that has a measurable best move**: steering a ship to avoid a collision. For any situation, a standard piece of autopilot software computes a strong “reference” move. We then score the learner by **how far its decision lands from that reference move**. Small distance = good; large distance = bad. We call that distance *regret*. Unlike a quiz score, regret is smooth—it can tell “slightly off” from “about to crash.”

The clever part: we build the rulebook so that **each rule controls exactly one part of the score**. Remove the “turn to starboard” rule and *only* the “did you turn the right way” part of the score gets worse; nothing else moves. We check this actually holds (it’s not automatic—if the scoring terms were tangled, removing one rule would smear across several). That one-rule→one-number property is what makes the next idea work.

Idea 2: run the same test backwards (the “Corpus Diagnosis”)

Here’s the key move, and the thing worth double-checking: **the diagnosis is not a second tool. It is the exact same test, run in reverse.**

- **Which rule is missing?** If the learner keeps failing one specific part of the score, and that part is the one a particular rule controls, then *that* rule is the hole in your rulebook. The test that measures learning, read backwards, points at the gap.
- **Is the tutor cheating?** Take a rule *out* of the rulebook and re-run the test. If the score gets worse, the tutor was genuinely relying on that rule—good. If the score *doesn't budge*, the tutor already “knew” the answer from its own memory and never needed your rulebook—that’s a leak.

Same simulator, same score. One direction grades learning; the other direction audits the rulebook and catches cheating. That’s why the paper insists it is *one* instrument, not two.

The catch, and why unlearning is not optional

The cheating test has a soft spot, and it’s the honest heart of the paper. When we remove a rule from the *prompt* and the score doesn’t move, we *conclude* the model was using its own memory. But maybe the model just got confused by a now-incomplete prompt. Removing text from a prompt doesn’t *prove* the knowledge was baked into the model’s brain.

The only way to close that gap is to actually **erase the rule from the model’s brain** and check that our test notices. There’s a real technique for this—“machine unlearning”—that surgically removes one fact from an open-weight model’s weights. If, after erasing “turn to starboard,” the model now fails the steering test *even with no rulebook at all*, and then *recovers* once we hand it the rulebook, that proves two things at once: the knowledge really was in the weights, and **our test can tell**. So the unlearning experiment isn’t a bonus chapter—it’s what makes the cheating detector trustworthy. Take it away and the leak-detection claim is just a hunch.

(Status, honestly: we ran the surgery on a GPU and it produced a surprise that is better than a tidy confirmation. Erasing “turn to starboard” *gently* makes the model stop *saying* the rule—it even quits citing “Rule 14” and starts naming other rules—so every text-based “did we forget it?” score reports success. But when we run the actual steering test, the ship still turns to starboard, exactly as before. In other words: the model changed what it *says*, not what it *does*. The text scores were fooled; our steering test was not. That is the whole thesis in miniature—the test measures the *decision*, and the decision never budged. A “benign relearning” check (a few normal training steps) confirms the fact was only *hidden*, not truly gone: the model’s memory of the rule springs right back, while the steering decision stays put the entire time.)

(Two footnotes, kept honest. If instead we erase *aggressively*, we get the opposite failure: the ship starts turning the *wrong* way—the test catches that too, which is the point. And there’s a real limit: because *every* big model already knows “head-on → starboard” from its own training, erasing it can’t make the test flip from “corpus-bound” to “gone”—there’s no room to move. To show that clean flip, the next experiment teaches a model a made-up rule no model could already know—a fictional strait with its own strict speed limit—then erases *that*, where the test has room to register the change.)

The dress rehearsal: two kinds of fake students

Before testing a tutoring method on real people, we rehearse it on two kinds of *simulated* students, both scored on the same steering test:

1. a **dial-a-skill** student, where we turn competence up or down directly, and
2. the **brain-erased** student from the unlearning experiment above.

If a teaching method can’t move the needle on these controllable stand-ins, it probably isn’t worth an expensive human trial. Two different kinds of fake student agreeing is a stronger check than either alone.

What we are *not* claiming (the honest part)

- **This is a test bench, not proof that students learn more.** Everything is simulation. The real human study is written down as the next step, not skipped.
- **The evidence here is small on purpose.** We show the machinery works on *two* ship rules and *six* models from *one* company. That’s a demonstration, not a benchmark; a convincing claim needs many more rules and models, which the released code is built to run.
- **Cleanly pulling one rule out may not always work.** We *designed* our rulebook so each rule controls exactly one thing. Real rulebooks are messier—rules overlap and lean on each other—so this “one rule, one number” cleanliness might not hold for a corpus we didn’t build ourselves. When rules are tangled, the diagnosis gets coarser (it points at a *group* of rules, not one).

Five checks (does the logic survive a plain retelling?)

1. The score is a *distance from an expert’s move*, so “better” is a measurable quantity, not a vibe. [measurement]
2. Each rule moves exactly one part of that score—verified, not assumed. [identifiability]
3. Running that same score backwards finds missing rules *and* catches cheating. [one tool, two uses]
4. “Cheating” means the score ignores the rulebook—which is only believable if we can show the test reacts when knowledge is truly erased from the weights. [why unlearning is load-bearing]
5. We rehearse on controllable fake students before spending on real ones. [pre-trial screen]

If any of these five feels like a leap, that’s exactly where the technical paper needs to work harder—and where more experiments (more rules, more models, the made-up-rule erasure that gives the test room to flip) would change “plausible” into “demonstrated.”