

Bulk actions for public API

Draft documentation of product bulk actions

Edit operation

Plytix's API allows bulk actions on products. This document explains how to update product attributes.

Attributes

One of the operations a bulk can do is changing attribute values. The server needs to get a .json file containing a list of products, and a list of attributes with their new values.

Each product should be identified by the *id* or *sku*, and the maximum number of editable products per each operation is 1000. Consider that the server distinguishes between system and user attributes. In fact, they are situated in different places.

All user attributes can be updated with this operation. On the other hand, only *label* and *status* can be updated as system attributes.

The attribute label is not the attribute name. It is usually calculated as the name in lowercase and with '_' instead of spaces. It can be found in the Settings tab > Product attributes.

Product id can be found as part of the url of a product details view (for example: <https://pim.plytix.com/products/60a4eecc2b4fbe88b257d9d0>).

Json input format

POST - <http://pim.plytix.com/api/v1/bulk/products>

```
{
  "products": [
    {
      "id": "[ProductId]",
      "data": {
        // System attributes
        "[System Attribute label]": "[Value]"
        "attributes": {
          // User attributes
          "[User Attribute label]": "[Value]"
          // ,
          // Attributes
        }
      }
    }
    // ,
    // Products
  ],
  "action": "update"
}
```

Json output format

If the introduced payload is valid, the server will give the code 200 (success) and the following json.

```
{
  "data": [
    {
      "by_user": "hello@plytix.com",
      "created_at": "2021-04-04T15:21:56.710204+00:00",
      "display_name": "Edit products",
      "id": "610ab094cc31a32cb9a3d2a9", // This is the job_id
      "is_system": "false",
      "modified": "2021-04-04T15:21:56.710350+00:00",
      "source": "null",
      "state": "QUEUED"
    }
  ]
}
```

Get bulk summary

The `job_id` can be used to get more information about the product bulk action.

GET - `http://pim.plytix.com/api/v1/bulk/products/<job_id>`

For example:

`http://pim.plytix.com/api/v1/bulk/products/610ab094cc31a32cb9a3d2a9`

```
{
  "data": [
    {
      "action": "Edited",
      "errors": [
        {
          "errors": [
            {
              "[Attribute Label]": "[Error message]"
              // ,
              // Attributes
            }
          ],
          "sku": "[Product sku]"
        }
        // ,
        // Products
      ],
      "products": [
        {
          "id": "[Product id]",
          "sku": "[Product sku]"
        }
        // ,
        // Products
      ],
      "status": "FINISHED",
      "summary": {
        "error": "[Number of Errors]",
        "ok": "[Number of Ok]"
      }
    }
  ]
}
```

Examples

Text

```
{
  "action": "update",
  "products":
  [
    {
      "id": "60ffd7989b3f57429352157a",
      "data":
      {
        "label": "ps4"
        "attributes":
        {
          "name": "Playstation 4"
        }
      }
    },
    {
      "id": "60ffd7989b3f57429352157a",
      "data":
      {
        "attributes":
        {
          "name": "Xbox One"
        }
      }
    }
  ]
}
```

Multiselect

For a list of attribute values, the correct format is ["item1", "item2", ...]

```
{
  "action": "update",
  "products":
    [
      {
        "id": "60ffd7989b3f574293521578",
        "data":
          {
            "attributes":
              {
                "multiselect_attribute": ["Option1"],
                "language": ["spanish", "english", "german"]
              }
            }
        }
      ]
    }
```

Decimal

Do not use ',' as a decimal separator, use '.' instead.

```
{
  "action": "update",
  "products":
    [
      {
        "id": "60ffd7989b3f57429352157a",
        "data":
          {
            "attributes":
              {
                "price": 1.50 // Without quotes
              }
            }
        }
      ]
    }
```

Date

The accepted date format is 'yyyy-mm-dd'

```
{
  "action": "update",
  "products":
    [
      {
        "sku": "sku001",
        "data":
          {
            "attributes":
              {
                "modified_date": "2021-12-31"
              }
            }
        }
      ]
    }
```