Public

Plytix MCP documentation brief

For WriteChoice

27 October 2026

We want to introduce Plytix MCP in the Developer Portal with a short guide that helps users understand its purpose, connect their account and complete a first task. Please refine the proposed copy and validate the connection instructions. This must be announced as a beta version.

Recommended portal structure

Start with one page under Tools > MCP, titled Plytix MCP. Keep the following sections on that page. Add MCP entries to the portal changelog, or use a short dated section at the bottom if there is no shared changelog.

1. Overview: what MCP is and what the Plytix MCP connects to.
2. Connect your account: requirements, server URL, OAuth and a first connection test.
3. Available capabilities: a concise summary of the tools available in this release.
4. Example workflows: three short prompts with their expected outcomes.
5. Limitations and troubleshooting: the few details users need to get unstuck.
6. Changelog: dated additions, changes and removals.

What to take from other platforms

Akeneo separates overview, setup, use cases and capabilities. Its coverage matrix helps users see which PIM entities support reading or editing. For Plytix, keep that idea as a much smaller summary of confirmed capabilities. [1]

Sales Layer documents a remote setup flow with prerequisites, authentication and a connection check. This is a useful quickstart reference, although its catalog-token flow and client-specific URLs should not be copied into Plytix. [2]

Webflow separates setup from client-specific instructions and authorizes account access through OAuth. Use this pattern when adding tested Claude or ChatGPT walkthroughs. [3]

commercetools provides a detailed tool catalog and permission controls. This is useful as a later reference; the initial Plytix page can remain substantially shorter. [4]

How to keep the page current

The live MCP tool definitions should remain authoritative for exact names, descriptions and input schemas. The portal should explain the user journey and summarize capabilities. Avoid manually reproducing every parameter. A changelog records history; it does not replace a current capability summary. [8]

Proposed portal copy

Agency note: the text below is a starting point. The client walkthroughs must be tested against the release endpoint before publication.

Overview

The Plytix MCP connects a compatible AI application to your Plytix account. It uses the Model Context Protocol, an open standard that lets AI applications discover and call tools exposed by external services.

Once connected, you can ask your assistant to work with Plytix in natural language. The actions it can perform depend on the tools available in the current release and the access granted during authorization.

This is a preliminary release. See Available capabilities for the current scope and the changelog for updates.

[This fist version is a wrapper of v3. Do not describe MCP as an API version or imply that all API v3 endpoints are available as tools.]

Connect your account

You need a Plytix account with [confirmed eligibility and permissions] and an AI application that supports the remote MCP transport and OAuth flow used by Plytix. Your AI application or workspace may also require administrator approval.

Server URL: https://pim.dev.plytix.com/mcp *[This is the DEV url]*

Authentication: OAuth

1. Open the custom connector or MCP server settings in your AI application.
2. Add a connection named Plytix and enter the server URL above.
3. Use OAuth authentication and follow the prompts to sign in to Plytix.
4. Review the requested access and complete authorization.
5. Return to your AI application and enable the Plytix connection for the conversation, if required.
6. Check that the application has discovered the Plytix tools. Then try the first example below and confirm that a Plytix tool is called successfully.

First prompt: “What can you do with my Plytix account through this connection?”

A working connection should expose the tools supported by this release. This prompt checks discovery; complete a small read operation as well to verify account access. Use the first confirmed read example from Example workflows.

Client walkthroughs

Add short tabs for Claude and ChatGPT after testing each flow. Each tab should cover the actual menu path, URL entry, authorization, enabling the connector and one successful read. Link to the client's official guidance for account and workspace requirements. [5][6]

For Google, name the exact client. Gemini CLI documents remote MCP with OAuth, but this alone does not establish support in every Gemini application. Add a Gemini CLI guide only after testing it with Plytix. [7]

Capabilities and example workflows

Available capabilities

Your AI application discovers the available Plytix tools directly from the server. Each tool includes a description and an input schema, which help the application understand how to use it. The summary below describes the capabilities available in this release. [8]

[You can see the available list of tools when testing the connection]

Suggested entry format: [Capability] — [One sentence describing the task]. Access: [Read or Write]. Limitations: [Only if relevant]. Last verified: [Date].

Example workflows

Publish only examples supported by the release tools and tested on a sample account. These prompts describe user goals, not proposed tool names.

Find a product. "Find the product with SKU EXAMPLE-001 and show its name and description." Expected outcome: the assistant retrieves the matching product and reports the returned values. Requires product lookup and access to those fields.

Understand the catalog structure. "List the product attributes available in my account and explain which ones describe product dimensions." Expected outcome: the assistant retrieves attribute definitions and explains the relevant fields. Requires attribute discovery; omit if unavailable.

Review content quality. "Inspect 10 products from [a supported selection] and identify which have an empty description. Show the SKUs and do not change anything." Expected outcome: a bounded review of the products actually retrieved. Requires product retrieval with the relevant fields. Do not present it as a complete catalog audit.

Optimize product content: "For SKU EXAMPLE-001, propose a clearer description and show me the proposed text before saving anything."

[We are open to more cases suggestions]

Limitations and troubleshooting

If the connection fails, check the exact server URL and complete OAuth authorization again. If no tools appear, verify that the connector is enabled and refresh its tool list if your client offers that option. If an action is unavailable, check the current capability summary and authorized access.

MCP Changelog

[Release date] — Initial preliminary release. Added: [confirmed capabilities]. Limitations: [material restrictions].

[Later release date] — Added, changed or removed: [user-visible change]. Action required: [only if users must reconnect, refresh tools or adjust a workflow].

Official references

Reviewed on 27 October 2026. These references inform the structure and client guidance; they do not establish Plytix compatibility or product behavior.

[1] Akeneo MCP overview https://api.akeneo.com/mcp/overview.html

[2] Sales Layer MCP quickstart https://docs.api.saleslayer.com/mcp-server/quickstart

[3] Webflow MCP getting started
https://developers.webflow.com/mcp/reference/getting-started

[4] commercetools Commerce MCP
https://docs.commercetools.com/dev-tooling/mcp/commerce-mcp

[5] Claude remote custom connectors
https://support.claude.com/en/articles/11175166-get-started-with-custom-connectors-using-remote-mcp

[6] ChatGPT custom MCP server
https://developers.openai.com/api/docs/guides/custom-mcp-server

[7] Gemini CLI MCP servers https://geminicli.com/docs/tools/mcp-server/

[8] MCP tool discovery and schemas
https://modelcontextprotocol.io/specification/2025-06-18/server/tools