



1. Vertical section at X = 23.6 (lens axis): eave, front plate, holder, board, back plate, puck

case frame; Z (front -> puck) right, Y (up) up. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark hatch = holder
green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube




2. Across the case at the lens axis (Y = 56.98): walls, notches with the ears, holder, board, plate lip

case frame, section at Y = 56.98; X right, front (Z 0) UP, puck below. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark hatch = holder
green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube




3. Across the case through the board's middle (Y = 65.45): walls, holder legs + lips, headers, plate lip

case frame, section at Y = 65.45; X right, front (Z 0) UP, puck below. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark hatch = holder
green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube




4. Across the case through the ledges (Y = 52.75): ledges under the PCB corners, USB plug envelope

case frame, section at Y = 52.75; X right, front (Z 0) UP, puck below. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark hatch = holder
green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube




5. Plan at Z = 9.5: the ears sitting in the wall notches, front plate lip band above

case frame, section at Z = 9.50, viewed from the front; X right, Y up. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark h
green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube



6. Plan at Z = 16.7: through the PCB — holder legs, ledges under the bottom corners, walls, cup body

case frame, section at Z = 16.70, viewed from the front; X right, Y up. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube



7. Plan at Z = 21.0: through the holder lips and header bodies

case frame, section at Z = 21.00, viewed from the front; X right, Y up. blue hatch = ring · dotted = front plate · cross-hatch = back plate · dark green = XIAO stack · purple = header body/pins · orange = USB plug envelope (assumed) · grey = power puck tube

