

Oxygen Analysis Log

Cruise: TN 393
Date/Time: Aug 4 1818-1930
Analyst: JN

Standard Normality: 0.0100
 Pipette Volume: 10.0
 Avg Standard: _____
 Avg Correction Factor: _____

General comments:

[illegible]

Std #	Value	pre/post analysis?	Blank #	Value	pre/post analysis?
Std #1	0.5660	pre	Blank #1	6.0535	pre
Std #2	0.5665	pre	Blank #2	0.0530	pre
Std #3	0.5620	pre	Blank #3		
Std #4			Blank #4		
Std #5					
Std #6					

entered
✓ checked

Aug 6 WR
Aug 6 JR

Oxygen Analysis Log

Cruise: TN393
 Date/Time: Aug 6 1700
 Analyst: JN

Standard Normality: 0.0100
 Pipette Volume: 10.0
 Avg Standard: _____
 Avg Correction Factor: _____

General comments: _____

Cast #	Niskin #	Depth (m)	O2 Bottle #	O2 Bottle Volume	Buret Reading	Notes
J2-1341	star board / forw		324		0.2295	
	" "		325		0.2145	
	star / aft		322		0.4525	
5	1	220	313		0.2495	
	7	160	314		0.2555	
	11	126	315		0.2980	
	11	120	319		0.3250	
	14	100	316		0.3525	
	17	60	317		0.5335	
	19	40	318		0.5485	
	20	20	320		0.7170	
	23	10	321		0.8420	
3	1	220	326		0.4920	
	5	180	328		0.4975	
	6	180	327		0.4730	
	9	140	329		0.6090	
	13	100	330		0.7505	
	17	60	331		0.9055	
	22	20	332		0.7090	
	22	20	335		0.7060	
J2-1347	for/star		333		0.2700	
	" "		334		0.2820	
	aft/star		323		0.2805	
	aft/star		336		0.2630	

Std #1	0.5375	pre/post analysis?	Blank #1	0.0530	pre/post analysis?
		pre			pre
Std #2	0.5275	"	Blank #2	0.0535	"
Std #3	0.5175	"	Blank #3		
Std #4	0.5185	"	Blank #4		
Std #5					
Std #6					

entered 7/8/29 *[initials]*
 checked *[initials]*

Oxygen Analysis Log

Cruise: TN 393
Date/Time: Aug 26 1310
Analyst: JPK

Standard Normality: 0.0100

Pipette Volume: 10.0

Avg Standard: _____

Avg Correction Factor: _____

General comments:

[illegible]

Std #1	0.5095	pre/post analysis?
		pre

Blank #1	0.0560	pre/post analysis?
		pre

Std #2 0.5220 | pre

Blank #2 0.0535 | pre

Std #3	0.4865	11
--------	--------	----

Blank #3

Std #4 0.5215 | pre

Blank #4 _____

Std #5

Entered 8/29/91

Std #6

entered 8/29 *gm*

Oxygen Analysis Log

Cruise: TN 393
Date/Time: Sept 2, 2021 1030
Analyst: gm

Standard Normality: 0.0100
 Pipette Volume: 10.0
 Avg Standard: _____
 Avg Correction Factor: _____

General comments:

[illegible]

not clear added	more mL of H_2SO_4
-----------------	----------------------

Std #1	pre/post analysis?
0.5175	pre

Blank #1 0.0520 pre/post analysis?

Std #2 0.5160 | pre

Blank #2 0.0520 |

Std #3 0.5170 | pre.

Blank #3

Std #4

Blank #4

Std #5

Std #6

entered 9-8 94