

Chlorophyll Filtration Log

Cruise:

TN-422

Date/Time:

Aug 17 2023 950

Analyst:

JN

General comments:

Chlor Log Run 1

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
CTD 001	5	180	Aug 17 1010	CHL- 010	500	10	1100	
	7	160	1020	CHL 037	500	10	1101	
	9	140	1030	CHL 026	500	10	1102	
	13	100	1035	CHL 003	500	10	1103	
	15	80	1042	CHL 013	500	10	1104	
	19	40	1100	CHL 011	500	10	1105	
	21	20	1110	CHL 009	500	10	1106	
	23	10	1112	CHL 039	500	10	1107	

Chlorophyll Filtration Log

Cruise: TN-422
 Date/Time: Aug 17 2023 1110
 Analyst: JN

General comments:

Chlor Log Run 2

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
002	10	180	Aug 17 1120	CHL 038	500	10	1108	
	11	160	1125	CHL 032	500	10	1109	
	13	140	1135	CHL 024	500	10	1110	
	15	100	1136	CHL 020	500	10	1111	
	18	60	1150	CHL 012	500	10	1112	
	20	40	1155	CHL 025	500	10	1113	
	22	20	1246	CHL 007	500	10	1114	
↙	24	10	1254	CHL 008	500	10	1115	
J2-1523	Aft Jason Niskin	2901	Aug 19 1600	CHL 038	500	10	1116	Aug 19 *
J2-1528	For Jason Niskin	80	Aug 22 1500	CHL 003	500	10	1117	Aug 22 *

Chlorophyll Filtration Log

Cruise: TN-422Date/Time: Aug 25 2023Analyst: O MW

General comments:

Chlor Log Run 3

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
003	7	160	8/25 11:01	CHL 009	500	10	1118	
	9	140	1119	CHL 020	500	10	1119	
	19	40	1128	CHL 024	500	10	1120	
	21	20	1138	CHL 037	500	10	1121	
	5	180	1148	CHL 003	500	10	1122	
	15	80	1222	CHL 038	500	10	1123	
	13	100	1350	CHL 025	500	10	1124	
	23	10	1402	CHL 026	500	10	1125	

Chlorophyll Filtration Log

Cruise: TN-422
 Date/Time: 9/3
 Analyst: H. Weirich, M. White

General comments:

chl Log Run 4

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
004	15	250	9/3 16:26	003	410	10	1126	Not full
004	21	30	9/3 16:43	020	500	10	1127	
004	1	2600	16:52	039	500	10	1128	
004	7	2000	16:54	009	475	10	1129	
004	11	1600	17:01	038	500	10	1130	
064	23	10	17:17	024	470	10	1131	

Chlorophyll Filtration Log

Cruise: TN-422
 Date/Time: Sept 11 2023
 Analyst: DN

General comments:

Chl Log Run 5A

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
CTD -005	7	450	9-11 18:20	CHL- 637	500	10	1132	
↑	21	225	9-11 18:35	CHL -015			1133	
	19	250	9-11 18:40	CHL -016			1134	
	11	350	9-11 18:47	CHL -020			1135	
↓	15	300	9-11 18:50	CHL -024			1136	
CTD 005	3	550	9-11 19:05	CHL -003			1137	
CTD -006	23	200	9-11 19:05	CHL -004			1138	
↑	7	450	9-11 19:15	CHL- 012			1139	
	19	250	9-11 19:40	CHL- 010			1140	filtered slowly 2-filters
	15	300	9-11 19:45	CHL 032			1141	

Chlorophyll Filtration Log

Cruise: TN-422
 Date/Time: Sept 11 2023
 Analyst: JN

General comments:

Chl Log Run SB cont

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
CTD 006	3	525	9-11 1955	CHL 038			1142	
CTD 006	11	356	9-11 1958	CHL 026			1143	
CTD -007	11	1500	9-11 2003	CHL 031			1144	
↑	3	2750	9-11 2007	CHL 028			1145	
	19	500	9-11 2018	CHL 002			1146	
	7	2000	9-11 2021	CHL 013			1147	
↓	15	1000	9-11 2025	CHL 039			1148	
CTD 007	23	200	9-11 2028	CHL 001			1149	

Chlorophyll Filtration Log

Cruise: TN-422
 Date/Time: Sept 12, 2023
 Analyst: JN

General comments:

chl Log Run 6

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
CTD-008	9	1750	2130	CHL 026			1150	
	13	1250	2140	CHL 031			1151	
	23	200	2147	CHL 003			1152	
	17	750	2152	CHL 038			1153	
	5	2250	2156	CHL 020			1154	
	1	2596	2200	CHL 037			1155	
J2-1554 aft		2600	Sept 13 0515	CHL 032			1156	

Chlorophyll Filtration Log

Cruise:

TXI-422

Date/Time:

Sept 15 2023 1550

Analyst:

JN

General comments:

Chlor Log Run 7

Cast #	Niskin #	Depth (m)	Date/Time	Sample Bottle #	Volume Filtered	Acetone Volume	Chlorophyll Vial	Notes
CTD-009	3	525	9-15 1600	CHL 026	500	10	1157	
"	7	450	1603	003	"	"	1158	
"	11	350	1606	031	"	"	1159	
"	15	300	1610	037	"	"	5053	
"	19	250	1613	020	"	"	5054	
"	21	225	1617	038	"	"	5055	