

Concept prototype — illustrative sample data, not a live deployment

Planned design

No live Axis device connection

Walkthrough

wsafeai

WSafe AI + Axis Communications

Axis camera events → verified hazard alerts

Clickable concept prototype of how WSafe AI would work with Axis network cameras already installed on a jobsite. Video comes in over **RTSP**, device events (including **AXIS Object Analytics**) arrive over **MQTT / VAPIX**, and WSafe AI checks them across **10 hazard classes and 35 sub-hazards** (PPE, exclusion zones, fall exposure, equipment proximity, and more). A Competent Person approves each finding before it reaches people, the VMS, or Procore. A WSafe AI Edge app on the camera (**ACAP**) is shown as Phase 2.

! Concept prototype. Illustrative sample data. WSafe AI is not yet deployed and this Axis integration has not been built or tested. WorkSafeAgent is pre-revenue, with no customers or pilots. The MVP covers PPE (hard hat, hi-vis) and exclusion-zone entry; other classes are planned. Camera models are sample inventory only. Built from Axis's public developer documentation; **no Axis partnership, certification, or endorsement** is claimed or implied.

Start walkthrough →

▶ Watch walkthrough (video)

or use ← → keys

WorkSafeAgent LLC (WSafe AI) · Abilene, TX · Patent pending (US 63/992,261) · Draft, Oct 2026. Also available: [walkthrough PDF](#) · [walkthrough video \(MP4\)](#). "Axis", "AXIS OS", "VAPIX", "ACAP", "AXIS Object Analytics", and "Procore" are referenced by name only to describe the planned integration. All screens are WSafe AI concept mocks, not Axis or Procore software, and imply no endorsement.

WALKTHROUGH

1 Axis camera fleet

WSafe · Axis devices

2 Live view

WSafe Ops

3 Alert raised

Axis event → WSafe

4 Reviewer decision

WSafe review

5 Site risk heat map

WSafe Ops

6 Integration architecture

Architecture

HAZARD CLASSES

FALL

Falls & fall protection

CAUGHT

Caught-in / between

PPE

Personal protective equi...

HOUSE

Housekeeping & slip / trip

EGRESS

Confined space & egress

STRUCK

Struck-by

ELEC

Electrical

ZONE

Restricted / exclusion-z...

FIRE

Fire & hot work

HEALTH

Ergonomics & heat stress

MVP

MVP

Axis cameras · RTSP + MQTT events

→

WSafe AI cloud

→

Human review

→

Alerts · VMS · Procore

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Clickable UI walkthrough: Axis camera fleet → live WSafe overlays → alert from an Axis device event (AXIS Object Analytics over MQTT) → human review with evidence clip → site risk heat map → integration architecture (VAPIX / RTSP / MQTT, ACAP edge as Phase 2). Pre-revenue concept; no customers or pilots.

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Concept prototype — illustrative sample data, not a live deployment

Planned design

No live Axis device connection

Walkthrough step 1 of 6

wsafeai

Axis devices

Review queue 7

Site risk map

Integration

SAMPLE DATA

Axis · VAPIX / RTSP / MQTT

mock

CP

Competent Person

sample reviewer · Safety

Axis devices

Sample DC Campus · Hall 3 expansion

+ Add Axis device

Cameras already on site. WSafe connects to each one with a dedicated service account; no new hardware.

6 cameras

+1 horn speaker (output)

6/6

RTSP streams healthy

7

AOA scenarios subscribed

0 of 2

ACAP edge (Phase 2)

| DEVICE                    | MODEL (SAMPLE)              | AXIS OS | VIDEO            | EVENTS | AOA SCENARIOS | ACAP WSAFE AI EDGE | HAZARDS TODAY   |
|---------------------------|-----------------------------|---------|------------------|--------|---------------|--------------------|-----------------|
| AX-01 North laydown       | AXIS P1468-LE · Bullet      | 12.x    | RTSP · 15 fps    | MQTT   | 1             | Cloud only         | HOUSE           |
| AX-02 Generator yard      | AXIS Q1656-LE · Box         | 12.x    | RTSP · 15 fps    | MQTT   | 1             | Planned · Phase 2  | PPE             |
| AX-03 Level 2 deck east   | AXIS Q6135-LE · PTZ         | 12.x    | RTSP · 12 fps    | MQTT   | 1             | Cloud only         | FALL            |
| AX-04 Gate 2 · Haul road  | AXIS Q1808-LE · Bullet      | 12.x    | RTSP · 15 fps    | MQTT   | 1             | Cloud only         | STRUCK          |
| AX-05 Electrical room B   | AXIS M3088-V · Dome         | 12.x    | RTSP · 10 fps    | MQTT   | —             | Cloud only         | ELEC            |
| AX-06 Crane pick zone     | AXIS Q6135-LE · PTZ         | 12.x    | RTSP · 15 fps    | MQTT   | 2             | Planned · Phase 2  | ZONE STRUCK     |
| AX-07 Gate 2 horn speaker | AXIS C1310-E · horn speaker | 12.x    | — (audio output) | VAPIX  | —             | n/a                | Audio · planned |

Model names are sample inventory for illustration; WSafe would read the real model, firmware, and capabilities from each device over VAPIX. IPs are private sample addresses.

AX-06 · Crane pick zone

Connected (mock)

AXIS Q6135-LE · 10.20.3.16 · sample frame · live

Connect

VAPIX over HTTPS · digest auth · service account wsafe-svc

Device info

/axis-cgi/basicdeviceinfo.cgi

getAllProperties

Video

rtsp://10.20.3.16/axis-media/media.amp H.264 · 1080p · 15 fps

Events

MQTT Event Bridge →

mqtt://broker.wsafeai.example (or WebSocket event stream)

AOA scenarios

EZ-3 load path · Object in area

Pick zone · Occupancy in area

Edge app

WSafe AI Edge (ACAP) · planned, Phase 2 · not built

Coverage

ZONE STRUCK PPE

Test connection

Open live view →

1

Axis camera fleet — devices connected via VAPIX + RTSP

Each Axis camera is added with a dedicated service account. WSafe reads device info over VAPIX, pulls video over RTSP, and subscribes to device events (MQTT Event Bridge). ACAP edge app is Phase 2.

INTEGRATION TOUCHPOINTS IN THIS STEP

AXIS VAPIX · basicdeviceinfo.cgi

AXIS RTSP · axis-media/media.amp

AXIS MQTT Event Bridge

← Back

Next →

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

WSafe AI's device list for a sample jobsite: Axis cameras added over VAPIX, video pulled over RTSP, and device events subscribed over MQTT, with per-camera hazard coverage.

Integration touchpoints: [AXIS VAPIX · basicdeviceinfo.cgi](#) [AXIS RTSP · axis-media/media.amp](#) [AXIS MQTT Event Bridge](#)

Concept prototype — illustrative sample data, not a live deployment

Planned design

No live Axis device connection

Walkthrough step 2 of 6

wsafeai

Ops

concept

Live view

Alerts 7

Site risk map

Sample DC Campus · Hall 3

10:42:31 AM CT

SL

⚠ WSafe AI's own console (concept mock). Not Axis software; no Axis logos; no endorsement. Sample data; classes beyond PPE + exclusion zone are planned.

6 Axis cameras · RTSP + MQTT (mock)

LIVE VIEW · HALL 3 (6 AXIS CAMERAS)

WSafe overlays on · sample frames

AX-01 · North laydown

SAMPLE

HOUSE P3 0.76 P1468-LE · 15 fps

AX-02 · Generator yard

SAMPLE

PPE P2 0.87 Q1656-LE · 15 fps

AX-03 · Level 2 deck east

SAMPLE

FALL P1 0.90 Q6135-LE · 12 fps

AX-04 · Gate 2 · Haul road

SAMPLE

STRUCK P2 0.78 Q1808-LE · 15 fps

AX-05 · Electrical room B

SAMPLE

ELEC P1 0.79 M3088-V · 10 fps

AX-06 · Crane pick zone

SAMPLE

ZONE P1 0.81 Q6135-LE · 15 fps

AX-06 · Crane pick zone

P1

AXIS EVENT → WSAFE ALERT

ZONE

PPE

Person inside EZ-3 during pick · no hard hat

AX-06 · AXIS Object Analytics "Object in area" → verified by WSafe AI · 10:42:30 AM CT

View alert >

Event received over MQTT (mock)

AXIS Q6135-LE · RTSP H.264 · WSafe overlay

LIVE (sample)

WSAFE DETECTIONS ON AX-06

ZONE

Person inside EZ-3 during pick · hard hat missing

P1

0.81

STRUCK

Worker under suspended load

P1

0.84

Overlays are drawn in WSafe's console over the Axis stream. Drawing them on the camera's own stream with an ACAP app (Bounding Box API) is Phase 2.

2

Live view — WSafe AI detection overlays on Axis streams

WSafe draws its detections over the Axis RTSP streams in its own console. Click a tile to focus it. Drawing boxes on the camera's own stream (ACAP Bounding Box API) is Phase 2.

INTEGRATION TOUCHPOINTS IN THIS STEP

AXIS RTSP H.264 in

WSAFE Hazard inference · 10 classes

PHASE 2 On-camera overlay · ACAP

← Back

Next →

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Live Axis streams with WSafe AI overlays: hazard boxes, class chips, confidence, and the exclusion-zone polygon drawn on each camera.

Integration touchpoints: AXIS RTSP H.264 in WSAFE Hazard inference · 10 classes PHASE 2 On-camera overlay · ACAP

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

wsafeai

Ops

concept

Live view

Alerts7

Site risk map

Sample DC Campus · Hall 3

10:42:33 AM CT

SL

⚠ WSafe AI's own console (concept mock). Not Axis software; no Axis logos; no endorsement. Sample data; classes beyond PPE + exclusion zone are planned.

6 Axis cameras · RTSP + MQTT (mock)

AXIS DEVICE EVENTS

MQTT · live (sample)

10:42:29 AX-06

ObjectAnalytics/Device1Scenario1

EZ-3 load path · Object in area · active=1

→ WSafe alert

10:42:12 AX-06

ObjectAnalytics/Device1Scenario2

Pick zone · Occupancy in area · count=3

10:41:55 AX-04

ObjectAnalytics/Device1Scenario1

Haul road · Line crossing · human

10:41:20 AX-02

ObjectAnalytics/Device1Scenario1

Yard gate · Line crossing · human

10:40:48 AX-01

ObjectAnalytics/Device1Scenario1

Walkway · Object in area · active=0

10:40:02 AX-03

VMD/Camera1ProfileANY

Motion (VMD) · active=1

10:39:31 AX-05

Device/Status/SystemReady

Topics abbreviated from axis/<serial>/event/CameraApplicationPlatform/...

ALERT A-3108 · WSAFE AI

Awaiting review

AX-06 · Crane pick zone

ILLUSTRATIVE PLACEHOLDER

P1

ZONE

PPE

Person inside EZ-3 during pick · hard hat missing

10:42:29.4

AXIS Object Analytics · Object in area (Human) active on AX-06

Scenario "EZ-3 load path", received over MQTT Event Bridge

10:42:29.6

WSafe grabs frames from the RTSP stream (~2 s ... +2 s)

No continuous upload needed for this check

10:42:30.2

WSafe AI verifies: person in EZ-3 (0.81) · no hard hat (0.84)

Crane pick active (Occupancy in area = 3) → raised to P1

10:42:30.5

Alert A-3108 raised · queued for Competent Person review

Open review with evidence clip ↗

Notify rigger lead (radio)

HOW THIS ALERT WAS RAISED

sample payloads

Axis analytic + WSafe · MVP

ACAP WSafe AI Edge · Phase 2

The camera's built-in AXIS Object Analytics watches the EZ-3 area. Its event is published to WSafe's MQTT broker by the camera's MQTT Event Bridge; WSafe then adds PPE and context checks.

MQTT TOPIC

axis/B8A44F0000A6/event/CameraApplicationPlatform/

ObjectAnalytics/Device1Scenario1

PAYLOAD (ABBREVIATED SAMPLE)

{ "topic": ".../ObjectAnalytics/Device1Scenario1",

"timestamp": 1791387749400,

"message": { "source": {}, "key": {}},

"data": { "active": "1" } }

SET UP ONCE OVER VAPIX

/axis-cgi/mqtt/client.cgi · configureClient, activateClient

/axis-cgi/mqtt/event.cgi · configureEventPublication

3

Alert raised — Axis device event + WSafe AI verification

The camera's own analytic (AXIS Object Analytics · Object in area) fires; WSafe receives the event over MQTT, checks the frame for PPE and zone context, and raises one alert. Edge-only path via ACAP shown as Phase 2.

INTEGRATION TOUCHPOINTS IN THIS STEP

AXIS AOA · Object in area

AXIS MQTT event

WSAFE PPE + zone verification

PHASE 2 ACAP WSafe AI Edge

← Back

Next →

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

An AXIS Object Analytics “Object in area” event on the crane-pick camera arrives over MQTT; WSafe AI verifies it (person in EZ-3, hard hat missing) and raises a P1 alert.

Integration touchpoints: AXIS AOA · Object in area AXIS MQTT event WSAFE PPE + zone verification PHASE 2 ACAP WSafe AI Edge

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Concept prototype — illustrative sample data, not a live deployment

Planned design

No live Axis device connection

Walkthrough step 3 of 6

wsafeai

Ops

concept

Live view

Alerts 7

Site risk map

Sample DC Campus · Hall 3

10:42:33 AM CT

SL

⚠ WSafe AI's own console (concept mock). Not Axis software; no Axis logos; no endorsement. Sample data; classes beyond PPE + exclusion zone are planned.

6 Axis cameras · RTSP + MQTT (mock)

AXIS DEVICE EVENTS

MQTT · live (sample)

10:42:29 AX-06

ObjectAnalytics/Device1Scenario1

EZ-3 load path · Object in area · active=1

→ WSafe alert

10:42:12 AX-06

ObjectAnalytics/Device1Scenario2

Pick zone · Occupancy in area · count=3

10:41:55 AX-04

ObjectAnalytics/Device1Scenario1

Haul road · Line crossing · human

10:41:20 AX-02

ObjectAnalytics/Device1Scenario1

Yard gate · Line crossing · human

10:40:48 AX-01

ObjectAnalytics/Device1Scenario1

Walkway · Object in area · active=0

10:40:02 AX-03

VMD/Camera1ProfileANY

Motion (VMD) · active=1

10:39:31 AX-05

Device/Status/SystemReady


Topics abbreviated from axis/<serial>/event/CameraApplicationPlatform/...

ALERT A-3108 · WSAFE AI

Awaiting review

AX-06 · Crane pick zone

ILLUSTRATIVE PLACEHOLDER



Snapshot · 10:42:30 AM CT · sample frame, not real footage

boxes by WSafe

P1

ZONE

PPE

Person inside EZ-3 during pick · hard hat missing

10:42:29.4

AXIS Object Analytics · Object in area (Human) active on AX-06

Scenario "EZ-3 load path", received over MQTT Event Bridge

10:42:29.6

WSafe grabs frames from the RTSP stream (-2 s ... +2 s)

No continuous upload needed for this check

10:42:30.2

WSafe AI verifies: person in EZ-3 (0.81) · no hard hat (0.84)

Crane pick active (Occupancy in area = 3) → raised to P1

10:42:30.5

Alert A-3108 raised · queued for Competent Person review

Open review with evidence clip ↗

Notify rigger lead (radio)

HOW THIS ALERT WAS RAISED

sample payloads

Axis analytic + WSafe · MVP

ACAP WSafe AI Edge · Phase 2

Planned, not built.

A WSafe AI Edge app (ACAP Native SDK) on capable cameras would read frames with the VDO API, run the PPE / zone model with Larod on the camera's deep-learning processor, and publish only hazard events + a snapshot, so no continuous video leaves the site.

EVENT (PLANNED APP EVENT · SAMPLE)

topic: CameraApplicationPlatform/WSafeAIEdge/HazardDetected

{ "class": "zone", "sub": "person in ez", "conf": 0.81, "ppe": { "hard\_hat": false, "conf": 0.84 }, "snapshot": "evidence/2051.jpg" }

PACKAGING

.eap package · manifest.json · Event API (axevent) · MQTT out

Best for jobsites with limited uplink. The cloud path (first tab) stays the MVP.

3

Alert raised — Axis device event + WSafe AI verification

The camera's own analytic (AXIS Object Analytics · Object in area) fires; WSafe receives the event over MQTT, checks the frame for PPE and zone context, and raises one alert. Edge-only path via ACAP shown as Phase 2.

INTEGRATION TOUCHPOINTS IN THIS STEP

AXIS AOA · Object in area

AXIS MQTT event

WSAFE PPE + zone verification

PHASE 2 ACAP WSafe AI Edge

← Back

Next →

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Same alert via the Phase 2 edge path: a planned WSafe AI Edge ACAP app (VDO frames, Larod inference on the camera, axevent) would send only hazard events and a snapshot.

Integration touchpoints: AXIS AOA · Object in area AXIS MQTT event WSAFE PPE + zone verification PHASE 2 ACAP WSafe AI Edge

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Concept prototype — illustrative sample data, not a live deployment

Planned design

No live Axis device connection

Walkthrough step 4 of 6

wsafeai

Axis devices

Review queue 7

Site risk map

Integration

SAMPLE DATA

Axis · VAPIX / RTSP / MQTT

mock

CP

Competent Person

sample reviewer · Safety

REVIEW QUEUE · 7 OPEN

6 classes

WS-2051 · Person inside EZ-3 during pick · hard ha... Needs review

ZONE Inside EZ-3 + no hard hat

AX-06 · 0.81 · P1 MVP

PPE Hard hat missing

AX-02 · 0.87 · P2 MVP

FALL Unprotected side / lead...

AX-03 · 0.90 · P1 Planned

STRUCK Worker under suspe...

AX-06 · 0.84 · P1 Planned

STRUCK Vehicle-pedestrian ...

AX-04 · 0.78 · P2 Planned

ELEC Open panel / energized...

AX-05 · 0.79 · P1 Planned

HOUSE Cords / hoses across ...

AX-01 · 0.76 · P3 Planned

Evidence clip · AX-06 · -2 s

sample · not real footage

-6 s

-4 s

-2 s

detection

+2 s

+4 s

Axis analytic → WSAfe AX-06 · AXIS Q6135-LE · 10:42:30 AM CT

Evidence

12 s clip (-6 s ... +6 s) cut from the AX-06 RTSP stream + snapshot

Trigger

AXIS Object Analytics event (MQTT), verified by WSAfe AI

Full video

Stays on site (camera edge storage or the site's VMS)

i

Restricted / exclusion-zone intrusion is in the MVP (with PPE).

Reviewer decision

AI suggests · a person decides

Confidence 0.81 · hard hat 0.84 Source Axis AOA event

HAZARD CLASS

SUB-HAZARD

ZONE · Restricted / exclusio

Person inside configured ex

SUGGESTED OSHA REF.

SEVERITY

Site rule · 1926.1424(a)(2)

P1

Also confirm: hard hat missing (PPE · 0.84 · 1926.100(a))

REVIEWER NOTE

Worker crossed into EZ-3 load path during an active pick, no hard hat. Rigger lead notified by radio.

Reject (false positive)

Approve finding

4

Reviewer decision — approve or reject with evidence clip

Every finding carries a short evidence clip from the Axis stream, the class, confidence, and a suggested OSHA reference. A person approves or rejects; nothing is sent until they decide.

INTEGRATION TOUCHPOINTS IN THIS STEP

WSAFE Review queue

WSAFE Evidence clip ±6 s

No output until a human decides

Back

Next

Concept prototype. Illustrative data. WSAfe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Human in the loop: a Competent Person plays the evidence clip, then approves or rejects each finding; only approved findings go out to alerts, the VMS, or Procore.

Integration touchpoints: WSAFE Review queue WSAFE Evidence clip ±6 s — No output until a human decides

Concept prototype. Illustrative data. WSAfe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Concept prototype — illustrative sample data, not a live deployment

Planned design

No live Axis device connection

Walkthrough step 4 of 6

wsafeai

Axis devices

Review queue 6

Site risk map

Integration

SAMPLE DATA

Axis · VAPIX / RTSP / MQTT

mock

CP

Competent Person  
sample reviewer · Safety

REVIEW QUEUE · 6 OPEN

6 classes

ZONE Inside EZ-3 + no hard hat  
AX-06 · 0.81 · P1 Approved

PPE Hard hat missing  
AX-02 · 0.87 · P2 MVP

FALL Unprotected side / lead...  
AX-03 · 0.90 · P1 Planned

STRUCK Worker under suspe...  
AX-06 · 0.84 · P1 Planned


STRUCK Vehicle-pedestrian ...  
AX-04 · 0.78 · P2 Planned

ELEC Open panel / energized...  
AX-05 · 0.79 · P1 Planned

HOUSE Cords / hoses across ...  
AX-01 · 0.76 · P3 Planned

WS-2051 · Person inside EZ-3 during pick · hard hat ...

Approved



Evidence clip · AX-06 · detection

sample · not real footage

-6 s -4 s -2 s detection +2 s +4 s

Axis analytic → WSafe AX-06 · AXIS Q6135-LE · 10:42:30 AM CT

Evidence 12 s clip (-6 s ... +6 s) cut from the AX-06 RTSP stream + snapshot

Trigger AXIS Object Analytics event (MQTT), verified by WSafe AI

Full video Stays on site (camera edge storage or the site's VMS)

Restricted / exclusion-zone intrusion is in the MVP (with PPE).

Decision posted ✓ Approved 10:44 AM

✓ Alert to superintendent + rigger lead  
SMS / email / app push (sample recipients)

WSAFE notify

✓ Event + bookmark in the site's VMS  
Optional, if the site uses a VMS integration

WSAFE VMS

✓ Procore Safety Observation (draft)  
Optional, per site · snapshot + clip link

PROCORE create

Audio warning on AX-07 horn speaker  
Planned, site opt-in · triggered over VAPIX

PHASE 2 planned

Rejected findings close as false positives and help tune that camera's thresholds. Video stays on site except the short evidence clip.

Next: site risk map →

4

Reviewer decision — approve or reject with evidence clip

Every finding carries a short evidence clip from the Axis stream, the class, confidence, and a suggested OSHA reference. A person approves or rejects; nothing is sent until they decide.

INTEGRATION TOUCHPOINTS IN THIS STEP

WSAFE Review queue

WSAFE Evidence clip ±6 s

No output until a human decides

← Back


Next →

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

After approval: alert to site contacts, optional VMS event + bookmark, optional Procore Safety Observation draft, and a planned opt-in audio warning on an Axis horn speaker.

Integration touchpoints: WSAFE Review queue WSAFE Evidence clip ±6 s — No output until a human decides

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.



Approved findings roll up by zone, Axis camera, and hazard class into a relative risk map for targeting walk-downs and toolbox talks.

Integration touchpoints: WSAFE Approved findings only    AXIS Camera placement + coverage    PHASE 2 Dashboard · Phase 2

How the pieces connect: Axis cameras send RTSP video and VAPIX/MQTT events (or, later, ACAP edge events) to WSafe AI, which sends reviewed alerts to people, the VMS, and Procore.

Concept prototype. Illustrative data. WSafe AI is not yet deployed; integration to be built on Axis VAPIX® APIs and the ACAP SDK. Not affiliated with or endorsed by Axis.

Edge path (Phase 2, not built): WSafe AI Edge as an ACAP app on capable Axis cameras; only hazard events + snapshots leave the site.

Integration touchpoints: [AXIS VAPIX](#) [AXIS RTSP](#) [AXIS MQTT](#) [PHASE 2 ACAP](#) [PROCORE Procore](#)