



FREE GUIDE · FOR PLASTIC SURGERY

The Plastic Surgery Practice's Guide to Compliant Disposal.

Anesthesia controls, surgical sharps, and
tissue biohazard — every stream, handled right.

DEA-REGISTERED

EPA-COMPLIANT

NO CONTRACT

CERTIFICATE OF DESTRUCTION

Compliance, made simple.

Surgery-grade waste, done right.

Plastic surgery practices run surgical procedures with anesthesia — so controlled substances, surgical sharps, and tissue biohazard join the injectables and expired meds of an aesthetic practice. The anesthesia controls and their wasting logs draw the most scrutiny. This guide covers every stream.

The good news

One DEA-registered vendor can take your anesthesia controls, surgical sharps, biohazard, and expired injectables — with non-retrievable destruction, Form 41, and a Certificate of Destruction. No contract.

AT A GLANCE

Who regulates what.

Agency	What it covers in your practice
OSHA	Bloodborne Pathogens Standard — sharps handling, containers, and annual staff training.
EPA	RCRA — hazardous pharmaceutical waste identification, segregation, and destruction.
DEA	Controlled substances — non-retrievable destruction and DEA Form 41 documentation.
DOT	Safe shipping of regulated medical and pharmaceutical waste in transit.
State	Health-department and environmental rules that vary by state.

THE STREAMS

Every stream, in depth.

Below is each regulated stream your practice produces — what belongs in it, what does not, the rule behind it, how to dispose of it, and a tip to stay clean.

WASTE STREAM 01

Controlled substances

Anesthesia and sedation controls — the stream the DEA scrutinizes most.

GOES IN THIS STREAM

- Expired / unused Schedule II–V anesthetics
- Wasted & partial sedation doses
- Surrendered controlled stock

DOES NOT GO HERE

- Non-controlled meds (pharmaceutical kit)
- Sharps

THE RULE · DEA — render non-retrievable, complete a DEA Form 41 for surrendered controls, keep witnessed waste logs.

DISPOSE WITH · Controlled-substance / medication mail-back kit, to DEA standards.

Tip

Log and witness every wasted controlled dose — the DEA checks the paper trail.

WASTE STREAM 02

Sharps

Surgical and injection sharps.

GOES IN THIS STREAM

- Surgical needles & scalpel blades
- Injection & suture needles
- Cannulas

DOES NOT GO HERE

- Bloody gauze (biohazard)
- Expired meds (pharmaceutical)
- Non-sharp packaging

THE RULE · OSHA Bloodborne Pathogens Standard — FDA-cleared, puncture-resistant containers, no overfilling, annual training.

DISPOSE WITH · Sharps mail-back kit.

Tip

Replace containers at the fill line; keep them upright, closable, and out of reach.

WASTE STREAM 03

Biohazard / regulated medical waste

Surgical tissue and blood waste, including liposuction.

GOES IN THIS STREAM

- Surgical & excised tissue (per state)
- Blood-soaked drapes & gauze
- Contaminated PPE

DOES NOT GO HERE

- Sharps (sharps kit)
- Lightly soiled everyday items
- Expired meds (pharmaceutical)

THE RULE · OSHA plus your state's medical-waste rules — red bags, labeling, treatment/destruction, retained documentation.

DISPOSE WITH · Biohazard mail-back kit.

Tip

Only visibly blood/OPIM-contaminated items are red-bag waste — check your state's definition.

WASTE STREAM 04

Pharmaceutical waste

Expired injectables and non-controlled medications.

GOES IN THIS STREAM

- Expired neurotoxins & fillers
- Injectable anesthetics (lidocaine)
- Non-controlled meds & samples

DOES NOT GO HERE

- Controlled substances (own kit)
- RCRA-hazardous drugs (own kit)
- Sharps

THE RULE · Do not drain-dispose; segregate hazardous and controlled drugs; destroy with documentation.

DISPOSE WITH · Pharmaceutical waste mail-back kit.

Tip

Segregate hazardous and controlled drugs first — everything else routes here.

YOUR CHECKLIST

The plastic surgery compliance checklist.

- ☐ Anesthesia controls logged, wasted doses witnessed, non-retrievable with Form 41.
- ☐ Surgical and injection sharps in FDA-cleared containers.
- ☐ Surgical tissue and blood waste red-bagged and handled per state rules.

- ☐ Expired injectables (neurotoxins, fillers) destroyed with documentation.
- ☐ Staff trained annually on OSHA bloodborne pathogens.
- ☐ Certificates of Destruction retained per your state's rules.

QUESTIONS PLASTIC SURGEONS ASK

Your plastic surgery questions, answered.

How do we handle wasted anesthesia controls?

Witness and log every wasted dose, then render it non-retrievable with a DEA Form 41 — the wasting log plus a Certificate of Destruction keeps your records audit-ready.

What about liposuction and surgical tissue?

It's regulated medical waste; tissue-specific rules vary by state — we'll confirm yours.

Are expired Botox and fillers handled the same as a med spa?

Yes — as pharmaceutical waste, destroyed with documentation.

Do we need a contract?

No — no contract, no minimums.

THE EASY WAY

Handle it with mail-back.

Easy Rx Cycle ships prepaid mail-back kits (or scheduled pickup for surgical volume) sized to a plastic surgery practice — controls, sharps, biohazard, and expired injectables — with Form 41 handled and a Certificate of Destruction. No contract.

QUICK REFERENCE · WHICH KIT FOR WHICH STREAM

Waste stream	The right path
Anesthesia controls	Controlled destruction (Form 41, wasting logs)
Surgical & injection sharps	Sharps mail-back kit
Surgical tissue biohazard	Biohazard mail-back kit
Expired injectables	Pharmaceutical waste kit

Prefer pickup, or higher volume?

Surgical volume may favor scheduled pickup over mail-back — we'll size it. Get a quote at easyrxcycle.com/get-a-quote or call 501-904-2929.

WHY PLASTIC SURGERY PRACTICES CHOOSE EASY RX CYCLE

- No contract, no minimums — buy as you need
- Flat-rate pricing — no fuel or hidden surcharges
- One vendor for every stream you generate
- DEA-registered, EPA- & OSHA-aligned destruction
- A Certificate of Destruction on every single order

Ready to simplify your plastic surgery practice waste?

Shop mail-back kits with prices, or get a custom quote for pickup and higher volume. No contract, cancel anytime.

501-904-2929 · sales@easyrxcycle.com · easyrxcycle.com/shop