


eevee evolution



blob plush

A FREE EMBROIDERY DESIGN BY



OVERVIEW

These embroidery files contain face, ear, tail, and collar designs for all nine Eeveelutions for the **EEVEELUTION BLOB PLUSH** sewing pattern. All the main face pieces fit hoops 4" x 4" and above (or have 4" x 4" alternatives), but some of the extra pieces might need a larger hoop. Below are where you can find the information and instructions for each Eeveelution.

**EEVEE** PG. 6-13**VAPOREON** PG. 14-26**JOLTEON** PG. 27-32**FLAREON** PG. 33-38**UMBREON** PG. 39-44**GLACEON** PG. 45-53**LEAFEON** PG. 54-59**ESPEON** PG. 60-62**SYLVEON** PG. 63-70

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated.
You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.

BASIC TOOLS

Embroidering requires a few special tools that are different from general sewing. What brands to get can differ depending on what your machine likes. So don't be afraid to test different kinds to see how they go.

- embroidery machine
- embroidery scissors
- spray adhesive
- bobbin thread
- sewing needles
- at least 4" x 4" embroidery hoop
- masking tape
- medium-weight cut-away stabilizer
- water soluble stabilizer (if using minky)
- heavyweight tear-away stabilizer



EMBROIDERY SCISSORS

Small sharp scissors that sometimes have curved blades. These make it easier to trim very close to your stitching or cut away backing stabilizer.



SPRAY ADHESIVE

A temporary adhesive that holds your fabric to the stabilizer during stitching and peels off easily afterwards.



BOBBIN THREAD

Thread specially made for embroidery machine bobbins. Polyester or cotton are both good options, but one might work better for your machine than another.



CUT-AWAY STABILIZER

Plush face designs have a lot of dense stitching. This requires a stabilizer that doesn't shift or tear. Medium to heavyweight is preferred.



WASH-AWAY STABILIZER

This stabilizer goes on top of your fabric to keep the fur fibers from poking out. The excess tears away easily and small bits can be dissolved with a wet Q-tip or paper towel.



TEAR-AWAY STABILIZER

Tear-away stabilizer works best for designs that don't have dense stitching, especially in-the-hoop embroidery designs. This will allow you to tear away the excess when the stitching is done.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

STANDARD HOOPING

To get the fabric ready for embroidering, these are the standard steps to follow. Some prefer to deviate in their own ways that suit their machine better, but if you're new to embroidery this is a good place to start.





CUT YOUR FABRIC

Your fabric should be at least 1" larger than your hoop on all sides, but also large enough for your pattern piece.

FOR EXAMPLE:

a 4" x 4" hoop should have at least a 6" x 6" piece of fabric. This is compared to the pattern piece you'll be embroidering for. Cut the fabric larger than the hoop size if needed.

Refer to the guide at the beginning of your Eeveelution section for help with what size fabric to cut.



CUT YOUR STABILIZER

Cut your stabilizer at least 1" larger than your hoop on all sides.



SPRAY THE FABRIC

Use your adhesive spray (according to the manufacturer's directions) to spray the back side of your fabric to be embroidered.



SPREAD THE FABRIC

Spread the minky over your stabilizer until it's smooth and adheres well.



PLACE THE FABRIC

Place all your embroidery layers on top of your outer hoop. Make sure the right side is facing up and the nap is going in the correct direction.



PRESS THE INNER HOOP

Press the inner hoop into your outer hoop. There should be some tension so the fabrics feel taut when secure.



WASH-AWAY STABILIZER

Refer to the instructions for your design regarding adding top stabilizer. For applique, it's often added later in the embroidery.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

FLOATING HOOPING

Floating is another kind of hooping technique that involves just securing the stabilizer and allowing the main fabric to sit on top (so it's floating on top of the stabilizer). This method works best for small or light embroidery. Very large or heavy embroidery might shift with this method.





CUT YOUR FABRIC

Your fabric should be at least 1" larger than your pattern piece on all sides.

FOR EXAMPLE:

a 4" x 5" pattern piece should have at least a 6" x 7" piece of fabric. Refer to the guide at the beginning of your Eeveelution section for help with what size fabric to cut.



CUT YOUR STABILIZER

Cut your stabilizer at least 1" larger than your hoop on all sides.



PRESS THE INNER HOOP

Press the inner hoop into your outer hoop. There should be some tension so the fabrics feel taut when secure.



SPRAY THE FABRIC

Use your adhesive spray (according to the manufacturer's directions) to spray the back side of your fabric to be embroidered.

ALTERNATIVELY: you can also spray the stabilizer instead. This will leave some residue on your hoop so it may need to be cleaned later.



SPREAD THE FABRIC

Spread the minky over your stabilizer until it's smooth and adheres well.



WASH-AWAY STABILIZER


Refer to the instructions for your design regarding adding top stabilizer. For applique, it's often added later in the embroidery.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |


DIAGONAL HOOPING

To make the most of the small 4" x 4" hoop space, some designs are placed diagonally to fit fully. Make a small adjustment to your hooping when this is mentioned in the instructions.



LOOK OUT FOR DIAGONAL DESIGNS

Diagonal designs are pointed out in the instructions to remind you to adjust your hooping accordingly.



ROTATE THE FABRIC

When hooping your fabric (either through standard or floating method), rotate the fabric 45°.



CHECK THE PLACEMENT

Place your pattern piece over the fabric to check the placement of the new rotated design.

FINISHING

When your embroidery is done, follow these quick steps so it sews up great with your project!



REMOVE THE FABRIC

When finished embroidering, remove the hoop from the machine. Rip off the water-soluble stabilizer and cut away the backing stabilizer. If there are spots of water-soluble stabilizer left, clean them up with a moist cotton swab or paper towel.



PLACE THE PATTERN

Align the paper pattern onto the embroidery, matching up the paper inside the alignment guides.



CUT THE PATTERN

Pin the paper pattern in place (or trace the outline). Cut around the pattern. Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated. You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.



EEVEE

Files for the Eevee plush include the face, collar, ears, and tail.



FACE

Used for the **FRONT (A)**
FITS: 4" x 4" hoops



COLLAR

Used for the **BODY (B)**
FITS: 5" x 7" hoops



EARS

Sewn in-the-hoop.
FITS: 4" x 4" hoops




TAIL

Sewn in-the-hoop with
 applique for the tail tip.
FITS: 5" x 7" hoops

FABRIC & THREAD

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
 - Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
 - Two 7" x 4" pieces of fabric for **COLLAR (EF)** embroidery
 - 9" x 5" piece of fabric for **TAIL (E1)** embroidery
 - 7" x 3" piece of fabric for **TAIL TIP (E2)** embroidery
 - Four 4" x 6" pieces of fabric for **EAR (EFJG)** embroidery
- *See main plush pattern for more help with choosing fabric.*
- black thread for eyes and nose
 - white thread for eye shines
 - accent thread for eye highlights
 - dark accent thread for inner ears
 - thread to match collar and tail tip



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



EEVEE FACE:

SIZE:

96mm x 96mm
(3.8 in x 3.8 in)

FABRIC:

- 9" x 7" piece of fabric for **FRONT (A)** embroidery

COLORS:

Colors needed: 3

- eyes, nose
- eye highlights
- eye shines

Color changes: 4



BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Eevee Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Black is the character accurate color for this step.




EYE HIGHLIGHTS

- Use brown here for a regular Eevee, gray for a shiny Eevee



EYE SHINES

- White thread is best here.




ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Use the fabric as usual with the rest of the instructions!



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



EEVEE COLLAR:

SIZE:

138mm x 66mm
(5.4 in x 2.6 in)

FABRIC:

- Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
- Two 7" x 4" pieces of fabric for **COLLAR (EF)** embroidery

COLORS:

Colors needed: 1

- collar edge

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Eevee Collar" into your machine.



HOOP YOUR FABRIC

- Hoop your bottom stabilizer and fabric (pg. 4-5)
- Top stabilizer is added later.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.



PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the jagged edge around the collar. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a



7b



8

COLOR C

CLEAN THE FABRIC

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole collar area.
Place the hoop back in the machine.

APPLIQUE EDGE

- Use cream here for a regular Eevee or white for a shiny Eevee.



9a



9b




9c

CUT YOUR FABRIC

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- b. Align the **BODY (B)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- c. Cut around the pattern.
Repeat steps 1-9 with your other collar file for two sides of the body total.
Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



EEVEE EAR:

SIZE:

48mm x 99mm
(1.9 in x 3.9 in)

FABRIC:

- Four 4" x 6" pieces of fabric for **EAR** (EFJG) embroidery

COLORS:

Colors needed: 1


- inner ear

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Eevee Ear" into your machine.



use
heavyweight
tear-away
stabilizer

HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.



COLOR A


INNER EAR

- Use brown here for a regular Eevee and dark gray for a shiny Eevee.



REMOVE THE STABILIZER

- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



COLOR B

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.



5a

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads. Place your second ear fabric over the placement line, right side down.
- Tape the edges of the fabric in place.



5b



COLOR C

SEAM LINE

- Use brown here for a regular Eevee and gray for a shiny Eevee.




7

TRIM THE EAR

- Trim away the excess ear fabric and cut straight across the opening to finish.
- Repeat steps 1-7 for two ears total.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



EEVEE TAIL:

SIZE:

153mm x 127mm
(6 in x 5 in)

FABRIC:

- 9" x 5" piece of fabric for **TAIL (E1)** embroidery
- 7" x 3" piece of fabric for **TAIL TIP (E2)** embroidery

COLORS:

Colors needed: 2


- tail tip
- tail seam

Color changes: 7

BEFORE YOU BEGIN:


LOAD YOUR FILE

- Load the file labeled "Eevee Tail" into your machine.



HOOP YOUR STABILIZER

- The tail is sewn in-the-hoop. Begin by hooping just your bottom tear-away heavyweight stabilizer.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the first fabric layer.




PLACE THE FIRST FABRIC LAYER

- Remove the hoop from your machine. Trim the threads.
- Place your **TAIL FABRIC (E1)** over the guidelines with right side up.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

CUTTING LINE

- Any color can be used for this.
- This creates the cutting line for the first fabric layer.



TRIM THE FIRST FABRIC LAYER

- Remove the hoop from the machine. Trim the threads. Trim the first fabric layer near the cutting line. It doesn't have to be exact.
- Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.





sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated. You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.

**PLACEMENT LINE**

- Any color can be used for this.
- This creates a guideline for placing the next fabric layer.

**PLACE THE NEXT FABRIC LAYER**


- Remove the hoop from your machine. Trim the threads.
- Place the **TAIL TIP FABRIC (E2)** over the guidelines with the right side facing up.
- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.

**CUTTING LINE**

- Any color can be used for this.
- This creates the cutting line for the next fabric layer.

**TRIM THE APPLIQUE FABRIC**


- Remove the hoop from the machine. Trim the threads.
- Trim the next fabric layer right up to the stitching. Use curved embroidery scissors for the best result.
- Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.

**CENTER FOLD LINE**

- Any color can be used for this.
- This stitches a center fold guide for use in step 14.

**ADD THE STABILIZER**

- Tape water-soluble stabilizer over the tail tip area. Place the hoop back in the machine.

**APPLIQUE EDGE**

- Use cream if making a regular Eevee or white if making a shiny Eevee.

sew desu ne?


| WWW.CHOLYKNIGHT.COM |

**FOLD THE FABRIC**

- a. Remove the hoop from your machine and trim the threads from both the front and the back. Tear away the top stabilizer so the whole embroidery area looks clear and clean.
- b. Carefully tear away the right side of your fabric from the stabilizer.
- c. Keep tearing until you reach the center stitching (from step 11). This is the fold point for your tail.
- d. Flatten the right side of your tail over the left so the embroidery stitching matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

**SEAM LINE**

- Use brown for a regular Eevee or gray for a shiny Eevee.
- This will stitch out the seam line for the tail.

**TRIM YOUR TAIL**

- a. Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- b. Along the base, cut straight across for the opening of the tail.
- c. Turn the tail right side out. Use the tail as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



— VAPOREON —

Files for Vaporeon include the face, collar, side fins, top fin, and tail.



FACE

Used for the **FRONT (A)**
4" x 4" without applique and
5" x 7" with applique included.



COLLAR

Used for the **BODY (B)**
FITS: 5" x 7" hoops



TAIL

Sewn in-the-hoop.
FITS: 5" x 7" hoops



SIDE FINS

Sewn in-the-hoop with
applique for the fin edge.
FITS: 5" x 7" hoops




TOP FIN

Sewn in-the-hoop with
applique for the fin edge.
FITS: 5" x 7" hoops

FABRIC & THREAD

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
 - 8" x 6" piece of fabric for **CROWN (V1)**
 - Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
 - Two 7" x 4" pieces of fabric for **COLLAR (V6)** embroidery
 - Two 5" x 6" pieces of fabric for **TAIL (V8)** embroidery
 - Two 7" x 4" pieces of fabric for **SIDE FIN (V4)** embroidery
 - Two 4" x 4" pieces of fabric for **SIDE FIN EDGE (V5)** embroidery
 - 7" x 4" piece of fabric for **TOP FIN (V2)** embroidery
 - 4" x 4" piece of fabric for **TOP FIN EDGE (V3)** embroidery
- *See main plush pattern for more help with choosing fabric.*
- black thread for eyes and nose



- white thread for eye shines
- thread to match collar
- thread to match fin edges
- thread to match base fabric

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



VAPOREON FACE 5X7:

SIZE:

176mm x 128mm
(6.9 in x 5 in)

FABRIC:

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
- 8" x 6" piece of fabric for **CROWN (V1)**

COLORS:

Colors needed: 3


- crown edge
- eyes, nose
- eye shines

Color changes: 5

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Vaporeon Face" into your machine.



HOOP YOUR FABRIC

- Hoop your bottom stabilizer and fabric (pg. 4-5)
- Top stabilizer is added later.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.




PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the stitching around the face. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a



7b

CLEAN THE FABRIC

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole face area. Place the hoop back in the machine.



8

COLOR C**APPLIQUE EDGE**

- Use a dark blue for a regular Vaporeon and a dark magenta for a shiny Vaporeon.



9

COLOR D**EYES, NOSE**

- Black is the character accurate color here.



10

COLOR E**EYE SHINES**

- White thread is best here.



11a

CUT YOUR FABRIC

11b




11c

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- b. Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- c. Cut around the pattern. Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



VAPOREON FACE 4X4:

SIZE:

97mm x 97mm
(3.8 in x 3.8 in)

FABRIC:


- 9" x 7" piece of fabric for **FRONT (A)** embroidery

COLORS:

Colors needed: 2

- eyes, nose
- eye shines

Color changes: 3



BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Vaporeon Face 4x4" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Black is the character accurate color for this step.



WHITE

- White thread is best here.



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



VAPOREON COLLAR:

SIZE:

138mm x 76mm
(5.4 in x 3 in)

FABRIC:

- Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
- Two 7" x 4" pieces of fabric for **COLLAR (V6)** embroidery

COLORS:

Colors needed: 1


- collar edge

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Vaporeon Collar" into your machine.




HOOP YOUR FABRIC

- Hoop your bottom stabilizer and fabric (pg. 4-5)
- Top stabilizer is added later.



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.



PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.




TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the jagged edge around the collar. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a



7b



8

COLOR C

CLEAN THE FABRIC

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole collar area.
Place the hoop back in the machine.

APPLIQUE EDGE

- Use white here to be character accurate.



9a



9b




9c

CUT YOUR FABRIC

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- b. Align the **BODY (B)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- c. Cut around the pattern.
Repeat steps 1-9 with your other collar file for two sides of the body total.
Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



VAPOREON TAIL:

SIZE:

76mm x 110mm
(3 in x 4.3 in)

FABRIC:

- Two 5" x 6" pieces of fabric for **TAIL (V8)** embroidery

COLORS:

Colors needed: 1

- tail seam

Color changes: 2

BEFORE YOU BEGIN:


LOAD YOUR FILE

- Load the file labeled "Vaporeon Tail" into your machine.



HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom.




PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.




PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads.
- Place your second tail fabric over the placement line, right side down. Tape the edges of the fabric in place.




SEAM LINE

- Use light turquoise here for a regular Vaporeon and light magenta for a shiny Vaporeon.




TRIM YOUR TAIL

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the tail.
- Turn the tail right side out. Use the tail as usual with the rest of the instructions!



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



VAPREON SIDE FINS:

SIZE:

145mm x 86mm
(5.7 in x 3.4 in)

FABRIC:

- Two 7" x 4" pieces of fabric for **SIDE FIN (V4)** embroidery
- Two 4" x 4" pieces of fabric for **SIDE FIN EDGE (V5)** embroidery

COLORS:

Colors needed: 2


- fin edge
- seam line

Color changes: 7

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Vapreon Side Fin" into your machine.



HOOP YOUR STABILIZER

- These fins are sewn in-the-hoop. Begin by hooping just your bottom tear-away heavyweight stabilizer.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the first fabric layer.



PLACE THE FIRST FABRIC LAYER

- Remove the hoop from your machine. Trim the threads.
- Place your **SIDE FIN FABRIC (V4)** over the guidelines with right side up.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B


CUTTING LINE

- Any color can be used for this.
- This creates the cutting line for the first fabric layer.



TRIM THE FABRIC

- Remove the hoop and trim the threads. Trim the fabric along the inside of the cutting lines.




COLOR C

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the next fabric layer.

sew desu ne?


| WWW.CHOLYKNIGHT.COM |



8a




8b



8c

PLACE THE NEXT FABRIC LAYER


- Remove the hoop from your machine. Trim the threads.
- Place the **SIDE FIN EDGE FABRIC (V5)** over the guidelines with the right side facing up.
- Tape the edges of the fabric in place to hold it for the next stitching.



9

COLOR D**CUTTING LINE**

- Any color can be used for this.
- This creates the cutting line for the next fabric layer.



10a



10b

trim outside
the lines

10c

TRIM THE APPLIQUE FABRIC


- Remove the hoop from the machine. Trim the threads.
- Trim the fin edge fabric along the outside of the stitching. Use curved embroidery scissors for the best result. You should have fabric in the middle when complete.
- Run a lint roller over the cut edges. This will eliminate any stray fuzz.




11

COLOR E**CENTER FOLD LINE**

- Any color can be used for this.
- This stitches a center fold guide for use in step 15.



12



13

COLOR F**APPLIQUE EDGE**

- Use dark blue for a regular Vaporeon or dark magenta for a shiny Vaporeon.



14

ADD THE STABILIZER

- Tape water-soluble stabilizer over the whole fin area. Place the hoop back in the machine.

REMOVE THE STABILIZER

- Remove the hoop and trim the threads from both the front and the back. Tear away the top stabilizer.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |




FOLD THE FABRIC

- Carefully tear away the right side of your embroidery from the stabilizer.
- Keep tearing until you reach the center stitching (from step 11). This is the fold point for your fins.
- Flatten the right side of your fin over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

SEAM LINE

- Use light yellow thread to be character accurate here.
- This will stitch out the seam line for the fin.




TRIM YOUR FINS

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the fin, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the fin.
- Turn the fin right side out. Repeat steps 1-17 with your remaining fin fabric pieces so you have two fins total for your Vaporeon. Use the fins as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated.
You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.



VAPREON TOP FIN:

SIZE:

119mm x 84mm
(4.7 in x 3.3 in)

FABRIC:

- 7" x 4" piece of fabric for **TOP FIN (V2)** embroidery
- 4" x 4" piece of fabric for **TOP FIN EDGE (V3)** embroidery

COLORS:

Colors needed: 2


- fin edge
- seam line

Color changes: 7

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Vapreon Top Fin" into your machine.



HOOP YOUR STABILIZER

- These fins are sewn in-the-hoop. Begin by hooping just your bottom tear-away heavyweight stabilizer.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the first fabric layer.



PLACE THE FIRST FABRIC LAYER

- Remove the hoop from your machine. Trim the threads.
- Place your **TOP FIN FABRIC (V2)** over the guidelines with right side up.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B


CUTTING LINE

- Any color can be used for this.
- This creates the cutting line for the first fabric layer.



TRIM THE FABRIC

- Remove the hoop and trim the threads. Trim the fabric along the inside of the cutting lines.




COLOR C

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the next fabric layer.

sew desu ne?


| WWW.CHOLYKNIGHT.COM |



8a



8b



8c

PLACE THE NEXT FABRIC LAYER

- Remove the hoop from your machine. Trim the threads.
- Place the **TOP FIN EDGE FABRIC (V3)** over the guidelines with the right side facing up.
- Tape the edges of the fabric in place to hold it for the next stitching.




9

COLOR D

CUTTING LINE

- Any color can be used for this.
- This creates the cutting line for the next fabric layer.



10a



10b

trim outside
the lines

10c

TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the fin edge fabric along the outside of the stitching. Use curved embroidery scissors for the best result. You should have fabric in the middle when complete.
- Run a lint roller over the cut edges. This will eliminate any stray fuzz.




11


COLOR E

CENTER FOLD LINE

- Any color can be used for this.
- This stitches a center fold guide for use in step 15.



12



13

COLOR F



14

ADD THE STABILIZER

- Tape water-soluble stabilizer over the whole fin area. Place the hoop back in the machine.

APPLIQUE EDGE

- Use dark blue for a regular Vaporeon or dark magenta for a shiny Vaporeon.

REMOVE THE STABILIZER

- Remove the hoop and trim the threads from both the front and the back. Tear away the top stabilizer.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |




FOLD THE FABRIC

- Carefully tear away the right side of your embroidery from the stabilizer.
- Keep tearing until you reach the center stitching (from step 11). This is the fold point for your fin.
- Flatten the right side of your fin over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

SEAM LINE

- Use light yellow thread to be character accurate here.
- This will stitch out the seam line for the fin.



TRIM YOUR FINS

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the fin, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the fin.
- Turn the fin right side out. Use the fin as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated.
You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.



— JOLTEON —

Files for Jolteon include the face, collar, ears, and tail.



FACE

Used for the **FRONT (A)**
FITS: 4" x 4" hoops



COLLAR

Used for the **BODY (B)**
FITS: 5" x 7" hoops



EARS

Sewn in-the-hoop.
FITS: 4" x 4" hoops






TAIL

Sewn in-the-hoop.
FITS: 5" x 7" hoops


— FABRIC & THREAD —

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
 - Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
 - Two 6" x 5" pieces of fabric for **TAIL (J)** embroidery
 - Four 4" x 6" pieces of fabric for **EAR (EFJG)** embroidery
 - Two 7" x 4" pieces of fabric for **COLLAR (J1)** embroidery
- *See main plush pattern for more help with choosing fabric.*
- black thread for eyes, nose, and inner ears
 - white thread for eye shines
 - thread to match collar



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



JOLTEON FACE:

SIZE:

97mm x 97mm
(3.8 in x 3.8 in)

FABRIC:


- 9" x 7" piece of fabric for **FRONT (A)** embroidery

COLORS:

Colors needed: 2

- eyes, nose
- eye shines

Color changes: 3




BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Jolteon Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.




EYES

- Black is the character accurate color for this step.



EYE SHINES

- White thread is best here.



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



JOLTEON COLLAR:

SIZE:

138mm x 76mm
(5.4 in x 3 in)

FABRIC:

- Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
- Two 7" x 4" pieces of fabric for **COLLAR (J1)** embroidery

COLORS:

Colors needed: 1


- collar edge

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Jolteon Collar" into your machine.



HOOP YOUR FABRIC

- Hoop your bottom stabilizer and fabric (pg. 4-5)
- Top stabilizer is added later.



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.



PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.




TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the jagged edge around the collar. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a



7b



8

COLOR C

CLEAN THE FABRIC

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole collar area.
Place the hoop back in the machine.

APPLIQUE EDGE

- Use white here to be character accurate.



9a



9b




9c

CUT YOUR FABRIC

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- b. Align the **BODY (B)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- c. Cut around the pattern.
Repeat steps 1-9 with your other collar file for two sides of the body total.
Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



JOLTEON EAR:

SIZE:

48mm x 99mm
(1.9 in x 3.9 in)

FABRIC:

- Four 4" x 6" pieces of fabric for **EAR** (EFJG) embroidery

COLORS:

Colors needed: 1

- inner ear

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Jolteon Ear" into your machine.



HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.




INNER EAR

- Use black here for the character appropriate color.



REMOVE THE STABILIZER

- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.




PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.




PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads.
- Place your second ear fabric over the placement line, right side down. Tape the edges of the fabric in place.



SEAM LINE

- Use yellow here for a regular Jolteon or acid green for a shiny Jolteon.




TRIM THE EAR

- Trim away the excess ear fabric and cut straight across the opening to finish.
- Repeat steps 1-7 for two ears total.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



JOLTEON TAIL:

SIZE:

109mm x 80mm
(4.3 in x 3.1 in)

FABRIC:

- Two 6" x 5" pieces of fabric for **TAIL (J3)** embroidery

COLORS:

Colors needed: 1

- tail seam

Color changes: 2

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Jolteon Tail" into your machine.



HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom.



PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.



PLACE THE SECOND FABRIC

- Remove the hoop and trim the threads.
- Place your second tail fabric over the placement line, right side down. Tape the edges of the fabric in place.




SEAM LINE

- Use yellow here for a regular Jolteon and acid green for a shiny Jolteon.



TRIM YOUR TAIL

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the tail.
- Turn the tail right side out. Use the tail as usual with the rest of the instructions!



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



— FLAREON —

Files for Flareon include the face, collar, ears, and tail.

The face uses a new revised **FRONT** pattern (A1) found at the end of these instructions, pg. 72.



FACE

Used for the **FRONT (A1)**
FITS: 4" x 4" hoops



COLLAR

Used for the **BODY (B)**
FITS: 5" x 7" hoops



EARS

Sewn in-the-hoop.
FITS: 4" x 4" hoops








TAIL

Sewn in-the-hoop.
FITS: 4" x 4" hoops


— FABRIC & THREAD —

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery
 - Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
 - Two 5" x 7" pieces of fabric for **TAIL (F1)** embroidery
 - Four 4" x 6" pieces of fabric for **EAR (EFJG)** embroidery
 - Two 7" x 4" pieces of fabric for **COLLAR (EF)** embroidery
- *See main plush pattern for more help with choosing fabric.*
- black thread for eyes and nose
 - white thread for eye shines
 - thread to match collar
 - yellow thread for forehead flame



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



FLAREON FACE:

SIZE:

98mm x 97mm
(3.9 in x 3.8 in)

FABRIC:

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery

COLORS:

Colors needed: 3

- eyes, nose
- eye shines
- forehead flame

Color changes: 4



BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Flareon Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Black is the character accurate color for this step.




EYE SHINES

- White thread is best here.




FLAME

- Light yellow is the character accurate color for this step.




ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.



CUT YOUR FABRIC


- Refer to the steps on page 6 for how to finish.
- Print the new **FRONT (A1)** template (found on page 72) with the set of double darts. This will make room for the center embroidery. Align the pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Sew two darts into the piece when the pattern calls for 1.



use
piece A1

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



FLAREON COLLAR:

SIZE:

138mm x 66mm
(5.4 in x 2.6 in)

FABRIC:

- Two 7" x 8" pieces of fabric for **BODY (B)** embroidery
- Two 7" x 4" pieces of fabric for **COLLAR (EF)** embroidery

COLORS:

Colors needed: 1

- collar edge

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Flareon Collar" into your machine.



HOOP YOUR FABRIC

- Hoop your bottom stabilizer and fabric (pg. 4-5)
- Top stabilizer is added later.



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.



PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the jagged edge around the collar. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a



7b



8

COLOR C**CLEAN THE FABRIC**

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole collar area.
Place the hoop back in the machine.

APPLIQUE EDGE

- Use light yellow to be character accurate.



9a



9b




9c

CUT YOUR FABRIC

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- b. Align the **BODY (B)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- c. Cut around the pattern.
Repeat steps 1-9 with your other collar file for two sides of the body total.
Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



FLAREON EAR:

SIZE:

48mm x 99mm
(1.9 in x 3.9 in)

FABRIC:

- Four 4" x 6" pieces of fabric for **EAR** (EFJG) embroidery

COLORS:

Colors needed: 2

- inner ear
- seam line

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Flareon Ear" into your machine.



use
heavyweight
tear-away
stabilizer

HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.



COLOR A


INNER EAR

- Use black here for the character appropriate color.



REMOVE THE STABILIZER

- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



COLOR B

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.



5a



5b

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads. Place your second ear fabric over the placement line, right side down.
- Tape the edges of the fabric in place.



COLOR C

SEAM LINE

- Use reddish orange here for a regular Flareon or orange for a shiny Flareon.




7

TRIM THE EAR

- Trim away the excess ear fabric and cut straight across the opening to finish.
- Repeat steps 1-7 for two ears total.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



FLAREON TAIL:

SIZE:

87mm x 95mm
(3.4 in x 3.7 in)

FABRIC:

- Two 5" x 7" pieces of fabric for **TAIL (F1)** embroidery

COLORS:

Colors needed: 1

- tail seam

Color changes: 2

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Flareon Tail" into your machine.




1

use
heavyweight
tear-away
stabilizer

HOOP DIAGONALLY

- See pg. 6 for diagonal hooping help. Use heavyweight tear-away stabilizer on the bottom.



2

COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.




3a



3b

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads.
- Place your second tail fabric over the placement line, right side down. Tape the edges of the fabric in place.




4


COLOR B

SEAM LINE

- Use light yellow here to be character appropriate.



5a



5b



5c

TRIM YOUR TAIL

- Remove the hoop and tear away the remaining bottom stabilizer from the fabric. Trim away the fabric around the tail, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the tail.
- Turn the tail right side out. Use the tail as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



— UMBREON —

Files for Umbreon include the face, ears, and tail.

The face uses a new revised **FRONT** pattern (A1) found at the end of these instructions, pg. 72.



FACE

Used for the **FRONT (A1)**

FITS: 4" x 4" hoops



EARS

Sewn in-the-hoop with an applique stripe.

FITS: 5" x 7" hoops









TAIL

Sewn in-the-hoop with an applique stripe.

FITS: 5" x 7" hoops


FABRIC & THREAD

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery
 - Two 8" x 6" pieces of fabric for **EAR (U2)** embroidery
 - Two 7" x 3" pieces of fabric for **EAR MIDDLE (U1)** embroidery
 - 9" x 7" piece of fabric for **TAIL (U5)** embroidery
 - 8" x 3" piece of fabric for **TAIL MIDDLE (U4)** embroidery
- *See main plush pattern for more help with choosing fabric.*
- black thread for pupils, nose
 - accent thread for eyes
 - white thread for eye shines
 - accent thread for forehead ring



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



UMBREON FACE:

SIZE:

98mm x 98mm
(3.9 in x 3.9 in)

FABRIC:

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery

COLORS:

Colors needed: 4

- eyes
- pupils, nose
- eye shines
- forehead ring

Color changes: 5




BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Umbreon Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Use red here for a regular Umbreon or yellow for a shiny Umbreon




PUPILS

- Black works best for this step.



EYE SHINES

- White thread is best here.



RING

- Use yellow here for a regular Umbreon or turquoise for a shiny Umbreon



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Print the new **FRONT (A1)** template (found on page 72) with the set of double darts. Align the pattern onto the embroidery.
- Cut around the pattern. Sew two darts into the piece when the pattern calls for 1.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



UMBREON EAR:

SIZE:

126mm x 107mm
(5 in x 4.2 in)

FABRIC:

- Two 8" x 6" pieces of fabric for **EAR (U2)** embroidery
- Two 7" x 3" pieces of fabric for **EAR MIDDLE (U1)** embroidery

COLORS:

Colors needed: 2

- ear stripe
- ear seam

Color changes: 5

BEFORE YOU BEGIN:


LOAD YOUR FILE

- Load the file labeled "Umbreon Ear" into your machine.



HOOP YOUR FABRIC

- The ear is sewn in-the-hoop. Use tear-away heavyweight stabilizer in the bottom.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.




PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the **EAR MIDDLE FABRIC (U4)** over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC


- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.




TRIM THE APPLIQUE FABRIC

- Remove the hoop and trim the threads.
- Trim the applique fabric as close as you can to the outside edges. Use curved embroidery scissors for the best result.




sew desu ne?


| WWW.CHOLYKNIGHT.COM |

**CLEAN THE FABRIC**


- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.

**CENTER FOLD LINE**

- Any color can be used for this.
- This stitches a center fold guide for use in step 11.

**ADD THE STABILIZER**

- a. Tape water-soluble stabilizer over the middle area. Place the hoop back in the machine.

**APPLIQUE EDGE**


- Use yellow for a regular Umbreon and turquoise for a shiny Umbreon.

**FOLD THE FABRIC**


- a. Remove the hoop from your machine and trim the threads from both the front and the back. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



tear right side away from bottom




pull until you reach the middle seam



tape edges in place


- b. Carefully tear away the right side of your embroidery from the stabilizer.
- c. Keep tearing until you reach the center stitching (from step 8). This is the fold point for your ear.
- d. Flatten the right side of your ear over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

**SEAM LINE**

- Use black here to be character accurate.


**TRIM YOUR EAR**

- a. Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the ear, about 1/8" from the stitching.
- b. Along the base, cut straight across for the opening of the ear.
- c. Turn the ear right side out. Repeat steps 1-13 with your remaining fabric pieces for two ears total. Use the ear as usual with the rest of the instructions!



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



UMBREON TAIL:

SIZE:

153mm x 127mm
(6 in x 5 in)

FABRIC:

- 9" x 7" piece of fabric for **TAIL (U5)** embroidery
- 8" x 3" piece of fabric for **TAIL MIDDLE (U4)** embroidery

COLORS:

Colors needed: 2


- tail stripe
- tail seam

Color changes: 5

BEFORE YOU BEGIN:


LOAD YOUR FILE

- Load the file labeled "Umbreon Tail" into your machine.



HOOP YOUR FABRIC

- The tail is sewn in-the-hoop. Use tear-away heavyweight stabilizer in the bottom.



COLOR A


PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.




PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the **TAIL MIDDLE FABRIC (U4)** over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop and trim the threads.
- Trim the applique fabric as close as you can to the outside edges. Use curved embroidery scissors for the best result.




sew desu ne?

| WWW.CHOLYKNIGHT.COM |

**CLEAN THE FABRIC**


- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.

**CENTER FOLD LINE**

- Any color can be used for this.
- This stitches a center fold guide for use in step 11.

**ADD THE STABILIZER**

- a. Tape water-soluble stabilizer over the middle area. Place the hoop back in the machine.

**APPLIQUE EDGE**


- Use yellow for a regular Umbreon and turquoise for a shiny Umbreon.

**FOLD THE FABRIC**


- a. Remove the hoop from your machine and trim the threads from both the front and the back. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



tear right side away from bottom




pull until you reach the middle seam




tape edges in place


- b. Carefully tear away the right side of your embroidery from the stabilizer.
- c. Keep tearing until you reach the center stitching (from step 8). This is the fold point for your tail.
- d. Flatten the right side of your tail over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

**SEAM LINE**

- Use black here to be character accurate.

**TRIM YOUR TAIL**

- a. Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- b. Along the base, cut straight across for the opening of the tail.
- c. Turn the tail right side out. Use the tail as usual with the rest of the instructions!



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON

Files for Glaceon include the face, back, ears, tail, ribbons, and head crest. This uses an altered version of the **BODY** piece (B1), found at the end of the instructions, pg. 73.



FACE

Used for the **FRONT (A)**
FITS: 4" x 4" hoops



BACK

Used for the **BODY (B1)**
FITS: 4" x 4" hoops



EARS

Sewn in-the-hoop.
FITS: 4" x 4" hoops



TAIL

Sewn in-the-hoop with
applique for the tail tip.
FITS: 5" x 7" hoops



RIBBONS

Sewn in-the-hoop with
applique for the tip.
FITS: 5" x 7" hoops



HEAD CREST







Sewn in-the-hoop with
stitched ridges.
FITS: 4" x 4" hoops

FABRIC & THREAD

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
- 12" x 9" piece of fabric for **BODY (B1)** embroidery
- Two 7" x 5" pieces of fabric for **HEAD CREST (G5)** embroidery
- Two 7" x 6" pieces of fabric for **RIBBON (G3)** embroidery
- Two 6" x 4" pieces of fabric for **RIBBON TIPS (G4)**
- Four 4" x 6" pieces of fabric for **EAR (EFJG)** embroidery
- 8" x 7" piece of fabric for **TAIL (G1)** embroidery
- 8" x 4" piece of fabric for **TAIL TIP (G2)**

**See main plush pattern for more help with choosing fabric.*


- accent thread for eyes, nose, and inner ears



- white thread for eye shines
- dark accent thread for head crest
- thread to match ribbon & tail tips

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON FACE:

SIZE:

97mm x 97mm
(3.8 in x 3.8 in)

FABRIC:


- 9" x 7" piece of fabric for **FRONT (A)** embroidery

COLORS:

Colors needed: 2

- eyes, nose
- eye shines

Color changes: 3




BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Glaceon Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Use dark turquoise/teal for a regular Glaceon, dark royal blue for a shiny Glaceon.



WHITE

- White thread is best here.





ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Use the fabric as usual with the rest of the instructions!



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON BACK:

SIZE:

92mm x 92mm
(3.6 in x 3.6 in)

FABRIC:


- 12" x 9" piece of fabric for **BODY (B1)** embroidery

COLORS:

Colors needed: 1

- diamonds

Color changes: 2




BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Glaceon Back" into your machine.



HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.




DIAMONDS

- Use dark turquoise/teal for a regular Glaceon, dark royal blue for a shiny Glaceon.



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.

CUT YOUR FABRIC

- Align the altered **BODY (B1)** template onto the embroidery. This new template can be found on page 73. It combines the two original body pieces so the diamonds can be embroidered in the middle. Match up the paper inside the alignment guides.




- Cut around the pattern.

- When sewing, sew darts at each end of the new body piece instead of sewing the back body seam as usual.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON EAR:

SIZE:

48mm x 99mm
(1.9 in x 3.9 in)

FABRIC:

- Four 4" x 6" pieces of fabric for **EAR** (EFJG) embroidery

COLORS:

Colors needed: 2

- inner ear
- ear seam

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Glaceon Ear" into your machine.



use
heavyweight
tear-away
stabilizer

HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.



COLOR A


INNER EAR

- Use dark teal/turquoise here for a regular Glaceon or dark royal blue for a shiny Glaceon.



REMOVE THE STABILIZER


- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.




COLOR B

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.




5a



5b

PLACE THE SECOND FABRIC.


- Remove the hoop and trim the threads. Place your second ear fabric over the placement line, right side down.
- Tape the edges of the fabric in place.



COLOR C

SEAM LINE

- Use light teal/turquoise here for a regular Glaceon and light blue for a shiny Glaceon.




7

TRIM THE EAR

- Trim away the excess ear fabric and cut straight across the opening to finish.
- Repeat steps 1-7 for two ears total.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON TAIL:

SIZE:

153mm x 127mm
(6 in x 5 in)

FABRIC:

- 8" x 7" piece of fabric for **TAIL (G1)** embroidery
- 8" x 4" piece of fabric for **TAIL TIP (G2)**

COLORS:

Colors needed: 2

- tail tip
- tail seam

Color changes: 5

BEFORE YOU BEGIN:


LOAD YOUR FILE

- Load the file labeled "Glacion Tail" into your machine.



HOOP YOUR FABRIC


- The tail is sewn in-the-hoop. Use tear-away heavyweight stabilizer in the bottom.



COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.



PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the **TAIL TIP FABRIC (G2)** over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop and trim the threads.
- Trim the applique fabric as close as you can to the upper edge. You can trim the bottom but it's not necessary. Use curved embroidery scissors for the best result.




sew desu ne?

| WWW.CHOLYKNIGHT.COM |

**CLEAN THE FABRIC**


- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.

**COLOR C****CENTER FOLD LINE**

- Any color can be used for this.
- This stitches a center fold guide for use in step 11.

**ADD THE STABILIZER**

- a. Tape water-soluble stabilizer over the tail tip area. Place the hoop back in the machine.

**COLOR D****APPLIQUE EDGE**

- Use dark turquoise/teal for a regular Glaceon or dark royal blue for a shiny Glaceon.

**FOLD THE FABRIC**

- a. Remove the hoop from your machine and trim the threads from both the front and the back. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



tear right side away from bottom




pull until you reach the middle seam




tape edges in place

- b. Carefully tear away the right side of your embroidery from the stabilizer.
- c. Keep tearing until you reach the center stitching (from step 8). This is the fold point for your tail.
- d. Flatten the right side of your tail over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

**COLOR E****SEAM LINE**


- Use teal here for a regular Glaceon and turquoise for a shiny Glaceon.

**13a****13b****13c****TRIM YOUR TAIL**

- a. Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- b. Along the base, cut straight across for the opening of the tail.
- c. Turn the tail right side out. Use the tail as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON RIBBON:

SIZE:

110mm x 126mm
(4.3 in x 5 in)

FABRIC:

- Two 7" x 6" pieces of fabric for **RIBBON (G3)** embroidery
- Two 6" x 4" pieces of fabric for **RIBBON TIPS (G4)**

COLORS:

Colors needed: 1

- ribbon tip

Color changes: 5

BEFORE YOU BEGIN:


LOAD YOUR FILE

- Load the file labeled "Glacion Ribbon" into your machine.



HOOP YOUR FABRIC

- The ribbon is sewn in-the-hoop. Use tear-away heavyweight stabilizer in the bottom.



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.




PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the **RIBBON TIP FABRIC (G4)** over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.




TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine and trim the threads.
- Trim the applique fabric as close as you can to the upper edge. Use curved embroidery scissors for the best result.




sew desu ne?

| WWW.CHOLYKNIGHT.COM |

**CLEAN THE FABRIC**


- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.

**CENTER FOLD LINE**

- Any color can be used for this.
- This stitches a center fold guide for use in step 11.

**ADD THE STABILIZER**

- a. Tape water-soluble stabilizer over the ribbon tip area. Place the hoop back in the machine.

**APPLIQUE EDGE**

- Use dark turquoise/teal for a regular Glaceon or dark royal blue for a shiny Glaceon.

**FOLD THE FABRIC**

- a. Remove the hoop from your machine and trim the threads from both the front and the back. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



tear right side away from bottom




pull until you reach the middle seam



tape edges in place


- b. Carefully tear away the right side of your embroidery from the stabilizer.
- c. Keep tearing until you reach the center stitching (from step 8). This is the fold point for your ribbon.
- d. Flatten the right side of your ribbon over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.

**SEAM LINE**

- Use teal here for a regular Glaceon and turquoise for a shiny Glaceon.



13a



13b




13c

TRIM YOUR RIBBON

- a. Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the ribbon, about 1/8" from the stitching.
- b. Along the base, cut straight across for the opening of the ribbon.
- c. Turn the ribbon right side out. Repeat steps 1-13 with your remaining ribbon fabric pieces for two ribbons total. Use as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



GLACEON HEAD CREST:

SIZE:

82mm x 82mm
(3.2 in x 3.2 in)

FABRIC:

- Two 7" x 5" pieces of fabric for **HEAD CREST (G5)** embroidery

COLORS:

Colors needed: 1

- crest lines

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Glaceon Head Crest" into your machine.



1

use
heavyweight
tear-away
stabilizer

HOOP DIAGONALLY

- See pg. 6 for diagonal hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.



2

COLOR A

CREST LINES


- Use dark teal/turquoise here for a regular Glaceon and dark royal blue for a shiny Glaceon.



3

REMOVE THE STABILIZER

- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



4

COLOR B

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.




5a

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads. Place your second head crest fabric over the placement line, right side down.
- Tape the edges of the fabric in place.



5b



6

COLOR C

SEAM LINE

- Use teal here for a regular Glaceon and turquoise for a shiny Glaceon.



7

TRIM THE FABRIC

- Trim away the excess crest fabric, about 1/8" away from the stitching.
- Use as usual with the plush instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated. You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.



— LEAFEON —

Files for Leafeon include the face, ears, and tail.

The face uses a new revised **FRONT** pattern (A1) found at the end of these instructions, pg. 72.



FACE

Used for the **FRONT (A1)**

FITS: 4" x 4" hoops



EARS

Sewn in-the-hoop with applique ear tip.

FITS: 4" x 4" hoops



TAIL

Sewn in-the-hoop with embroidered veins.


FITS: 4" x 4" hoops

— FABRIC & THREAD —

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery
- Two 7" x 3" pieces of fabric for **EAR (UL)** embroidery
- Two 7" x 4" pieces of fabric for **EAR TIP (L1)** embroidery
- Two 5" x 7" pieces of fabric for **TAIL (L2)** embroidery


**See main plush pattern for more help with choosing fabric.*

- brown thread for eyes, nose, inner ear
- thread to match ear tips
- white thread for eye shines



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



LEAFEON FACE:

SIZE:

98mm x 98mm
(3.9 in x 3.9 in)

FABRIC:


- 9" x 7" piece of fabric for **FRONT (A1)** embroidery

COLORS:

Colors needed: 3

- eyes, nose
- eye shines
- forehead leaf

Color changes: 4



BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Leafeon Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Dark brown is the character accurate color for this step.




EYE SHINES

- White thread is best here.



LEAF

- Green is the character accurate color for this step.



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish.
- Print the new **FRONT (A1)** template (found on page 72) with the set of double darts. This will make room for the center embroidery. Align the pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Sew two darts into the piece when the pattern calls for 1.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



LEAFEON EARS:

SIZE:

48mm x 99mm
(1.9 in x 3.9 in)

FABRIC:

- Two 7" x 3" pieces of fabric for **EAR (UL)** embroidery
- Two 7" x 4" pieces of fabric for **EAR TIP (L1)** embroidery

COLORS:

Colors needed: 2

- ear tip
- inner ear

Color changes: 8

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Leafeon Ear" into your machine.



HOOP YOUR STABILIZER

- These ears are sewn in-the-hoop. Begin by hooping just your bottom tear-away heavyweight stabilizer.



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the first fabric layer.




PLACE THE FIRST FABRIC LAYER

- Remove the hoop from your machine. Trim the threads.
- Place your **EAR BASE FABRIC (UL)** over the guidelines with right side up.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



CUTTING LINE

- Any color can be used for this.
- This creates the cutting line for the first fabric layer.




TRIM THE FIRST FABRIC LAYER

- Remove the hoop from the machine. Trim the threads. Trim the first fabric layer near the cutting line. It doesn't have to be exact.
- Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.






sew desu ne?


| WWW.CHOLYKNIGHT.COM |

**PLACEMENT LINE**


- Any color can be used for this.
- This creates a guideline for placing the next fabric layer.

**PLACE THE NEXT FABRIC LAYER**


- Remove the hoop from your machine. Trim the threads.
- Place the **EAR TIP FABRIC (L1)** over the guidelines with the right side facing up.
- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.

**CUTTING LINE**

- Any color can be used for this.
- This creates the cutting line for the next fabric layer.

**TRIM THE APPLIQUE FABRIC**


- Remove the hoop from the machine. Trim the threads.
- Trim the next fabric layer right up to the stitching. Use curved embroidery scissors for the best result.
- Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.

**CENTER FOLD LINE**


- Any color can be used for this.
- This stitches a center fold guide for use in step 15.

**ADD THE STABILIZER**

- Tape water-soluble stabilizer over the whole ear area. Place the hoop back in the machine.

**APPLIQUE EDGE**

- Use green here to be character accurate.

**INNER EAR**

- Use brown here to be character accurate.


sew desu ne?

| WWW.CHOLYKNIGHT.COM |




FOLD THE FABRIC

- Remove the hoop from your machine and trim the threads from both the front and the back. Tear away the top stabilizer so the whole embroidery area looks clear and clean.
- Carefully tear away the right side of your embroidery (the side without the inner ear) from the stabilizer.
- Keep tearing until you reach the center stitching (from step 11). This is the fold point for your ears.
- Flatten the right side of your ear over the left so the embroidery matches. Tape the raw edges of the fabric in place to hold it for the final stitching.



SEAM LINE

- Use yellow or green thread to be character accurate here.
- This will stitch out the seam line for the ear.




TRIM YOUR EARS

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the ear, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the ear.
- Turn the ear right side out. Repeat steps 1-17 with your remaining ear fabric pieces so you have two ears total for your Leafeon. Use the ears as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



LEAFEON TAIL:

SIZE:

99mm x 99mm
(3.9 in x 3.9 in)

FABRIC:

- Two 5" x 7" pieces of fabric for **TAIL (L2)** embroidery

COLORS:

Colors needed: 1


- leaf lines

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Leafeon Tail" into your machine.




1

use
heavyweight
tear-away
stabilizer

HOOP DIAGONALLY

- See pg. 6 for diagonal hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.



2

COLOR A

LEAF LINES


- Use dark green here to be character appropriate.



3

REMOVE THE STABILIZER

- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



4

COLOR B

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.



5a

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads.
- Place your second tail fabric over the placement line, right side down. Tape the edges of the fabric in place.



5b




6

COLOR C

SEAM LINE

- Use green here to be character appropriate.



7

TRIM THE TAIL

- Trim away the excess tail fabric, about 1/8" from the edge.
- Cut straight across the tail opening to finish.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



— ESPEON —

Files for Espeon include the face and tail.

The face uses a new revised **FRONT** pattern (A1) found at the end of these instructions, pg. 72.



FACE

Used for the **FRONT (A1)**

FITS: 4" x 4" hoops



TAIL

Sewn in-the-hoop.



FITS: 4" x 4" hoops

— FABRIC & THREAD —

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery
- Two 6" x 5" pieces of fabric for **TAIL (P1)** embroidery


**See main plush pattern for more help with choosing fabric.*

- accent thread for eyes
- white thread for eye shines
- red thread for head jewel
- black thread for nose



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



ESPEON FACE:

SIZE:

97mm x 97mm
(3.8 in x 3.8 in)

FABRIC:

- 9" x 7" piece of fabric for **FRONT (A1)** embroidery

COLORS:

Colors needed: 4

- eyes
- eye shines
- nose
- forehead jewel

Color changes: 5



BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Espeon Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.




EYES

- Use purple here for a regular Espeon, dark blue for a shiny Espeon.




NOSE

- Black works best for this step.




JEWEL

- Red is the character accurate color here.



EYE SHINES

- White thread is best here.



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Print the new **FRONT (A1)** template (found on page 72) with the set of double darts. Align the pattern onto the embroidery.
- Cut around the pattern. Sew two darts into the piece when the pattern calls for 1.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



ESPEON TAIL:

SIZE:

98mm x 97mm
(3.9 in x 3.8 in)

FABRIC:

- Two 6" x 5" pieces of fabric for **TAIL** (P1)

COLORS:

Colors needed: 1

- tail seam

Color changes: 2

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Espeon Tail" into your machine.



1

use
heavyweight
tear-away
stabilizer

HOOP DIAGONALLY

- See pg. 6 for diagonal hooping help. Use heavyweight tear-away stabilizer on the bottom.



2


COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.



3a



3b

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads.
- Place your second tail fabric over the placement line, right side down. Tape the edges of the fabric in place.



4

COLOR B

SEAM LINE


- Use lavender here for a regular Espeon or lime green for a shiny Espeon.



5a



5b



5c

TRIM YOUR TAIL

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the tail.
- Turn the tail right side out. Use the tail as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



— SYLVEON —

Files for Sylvion include the face, ears, tail, and bow.




FACE

Used for the **FRONT (A)**
4" x 4" without applique and
5" x 7" with applique included.



EARS

Sewn in-the-hoop.
FITS: 4" x 4" hoops



TAIL

Sewn in-the-hoop.
FITS: 4" x 4" hoops




BOW

Sewn in-the-hoop with
applique for the center.
FITS: 4" x 4" hoops

FABRIC & THREAD

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
 - 8" x 6" piece of fabric for **CROWN (S1)**
 - Four 4" x 6" pieces of fabric for **EAR (S2)** embroidery
 - Two 5" x 7" pieces of fabric for **TAIL (S3)** embroidery
 - Two 5" x 4" pieces of fabric for **BOW (S7)** embroidery
 - 3" x 3" piece of fabric for **BOW CENTER**
- *See main plush pattern for more help with choosing fabric.*
- accent thread for eyes
 - white thread for eye shines
 - accent thread for inner ears




- thread to match crown, bow center
- black thread for nose

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

// ©2019 Choly Knight // Items sewn using this design may be sold. Credit to "Choly Knight" or "Sew Desu Ne?" is appreciated.
You may not reproduce, share, freely distribute, or sell this design as your own in digital or printed form.



SYLVEON FACE:

SIZE:

96mm x 96mm
(3.8 in x 3.8 in)

FABRIC:


- 9" x 7" piece of fabric for **FRONT (A1)** embroidery

COLORS:

Colors needed: 3

- eyes
- nose
- eye shines

Color changes: 4




BEFORE YOU BEGIN: LOAD YOUR FILE

- Load the file labeled "Sylvion Face" into your machine.




HOOP YOUR FABRIC

- Hoop your fabric diagonally (see pg. 6)
- Tape water soluble stabilizer on top.



EYES

- Use a light turquoise here for a regular Sylvion or pink for a shiny Sylvion




NOSE

- Black works best for this step.



EYE SHINES

- White thread is best here.



ALIGNMENT GUIDE

- Any color can be used for this step.
- This will create a guideline for cutting the pattern piece later.




CUT YOUR FABRIC

- Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- Cut around the pattern. Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



SYLVEON FACE 5X7:

SIZE:

176mm x 128mm
(6.9 in x 5 in)

FABRIC:

- 9" x 7" piece of fabric for **FRONT (A)** embroidery
- 8" x 6" piece of fabric for **CROWN (S1)**

COLORS:

Colors needed: 4


- crown edge
- eyes
- nose
- eye shines

Color changes: 6

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Sylveon Face" into your machine.



HOOP YOUR FABRIC

- Hoop your bottom stabilizer and fabric (pg. 4-5)
- Top stabilizer is added later.



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.



PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.




TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the stitching around the face. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a



7b

CLEAN THE FABRIC

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole face area. Place the hoop back in the machine.



8

COLOR C**APPLIQUE EDGE**

- Use pink for a regular Sylveon here or blue for a shiny Sylveon.



9

COLOR D**EYES**

- Use a light turquoise here for a regular Sylveon or pink for a shiny Sylveon



10

COLOR E**NOSE**

- Black works best for this step.



11

COLOR F**EYE SHINES**

- White thread is best here.



12a



12b




12c

CUT YOUR FABRIC

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads.
- b. Align the **FRONT (A)** pattern onto the embroidery, matching up the paper inside the alignment guides.
- c. Cut around the pattern. Use the fabric as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



SYLVEON EAR:

SIZE:

52mm x 99mm
(2 in x 3.9 in)

FABRIC:

- Four 4" x 6" pieces of fabric for **EAR** (S2) embroidery

COLORS:

Colors needed: 2

- inner ear
- ear seam

Color changes: 3

BEFORE YOU BEGIN:

LOAD YOUR FILE


- Load the file labeled "Sylveon Ear" into your machine.



use
heavyweight
tear-away
stabilizer

HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom and tape wash-away stabilizer on the top.



COLOR A

INNER EAR

- Use blue here for a regular Sylveon and pink for a shiny Sylveon.



REMOVE THE STABILIZER

- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



COLOR B

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.



5a

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads. Place your second ear fabric over the placement line, right side down.
- Tape the edges of the fabric in place.




5b



COLOR C

SEAM LINE

- Use pink here for a regular Sylveon and turquoise for a shiny Sylveon.




7

TRIM THE EAR

- Trim away the excess ear fabric and cut straight across the opening to finish.
- Repeat steps 1-7 with your other ear file.

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



SYLVEON TAIL:

SIZE:

80mm x 97mm
3.1 in x 3.8 in)

FABRIC:

- Two 5" x 7" pieces of fabric for **TAIL (S3)** embroidery

COLORS:

Colors needed: 1

- tail seam

Color changes: 2

BEFORE YOU BEGIN:

LOAD YOUR FILE

- Load the file labeled "Sylveon Tail" into your machine.



1

use
heavyweight
tear-away
stabilizer

HOOP DIAGONALLY

- See pg. 6 for diagonal hooping help. Use heavyweight tear-away stabilizer on the bottom.



2


COLOR A

PLACEMENT LINE

- Any color can be used for this.
- This creates the guideline for the fabric.




3a



3b

PLACE THE SECOND FABRIC.

- Remove the hoop and trim the threads.
- Place your second tail fabric over the placement line, right side down. Tape the edges of the fabric in place.



4

COLOR B

SEAM LINE


- Use pink here for a regular Sylveon and turquoise for a shiny Sylveon.



5a



5b




5c

TRIM YOUR TAIL

- Remove the hoop and tear away the remaining bottom stabilizer. Trim away the fabric around the tail, about 1/8" from the stitching.
- Along the base, cut straight across for the opening of the tail.
- Turn the tail right side out. Use the tail as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |



SYLVEON BOW:

SIZE:

74mm x 44mm
(2.9 in x 1.7 in)

FABRIC:

- Two 5" x 4" pieces of fabric for **BOW** (S7) embroidery
- 3" x 3" piece of fabric for **BOW CENTER**

COLORS:

Colors needed: 2


- bow center
- bow seam

Color changes: 5

BEFORE YOU BEGIN:

LOAD YOUR FILE


- Load the file labeled "Sylveon Bow" into your machine.



use heavyweight
tear-away stabilizer

HOOP YOUR FABRIC

- See pg. 4-5 for hooping help. Use heavyweight tear-away stabilizer on the bottom. Top stabilizer is added later.



COLOR A



PLACEMENT LINE

- Any color can be used for this.
- This creates a guideline for placing the applique fabric.




PLACE THE APPLIQUE FABRIC

- Remove the hoop from your machine. Trim the threads.
- Place the applique fabric over the outline, right sides up. Make sure the nap is going downward.



TAPE THE FABRIC

- Tape the edges of the fabric in place to hold for the next stitching. Place the hoop back in the machine.



COLOR B

OUTLINE

- Any color can be used for this.
- This creates the outline for the applique.



TRIM THE APPLIQUE FABRIC

- Remove the hoop from the machine. Trim the threads.
- Trim the applique fabric as close as you can to the outside curves. Use curved embroidery scissors for the best result.



sew desu ne?

| WWW.CHOLYKNIGHT.COM |



7a

CLEAN THE FABRIC

- a. Run a lint roller over the cut edges if using a fur fabric like minky. This will eliminate any stray fuzz.
- b. Tape water-soluble stabilizer over the whole bow center area. Place the hoop back in the machine.



7b



8

COLOR C**BOW CENTER EDGE**


- Use pink here for a regular Sylveon and turquoise for a shiny Sylveon.



9

REMOVE THE STABILIZER


- Remove the hoop and trim the threads. Tear away the top stabilizer so the whole embroidery area looks clear and clean.



10

COLOR D**PLACEMENT LINE**


- Any color can be used for this.
- This creates the guideline for the fabric.



11a



11b



11c

PLACE THE SECOND FABRIC.


- a. Remove the hoop and trim the threads.
- b. Place your second bow fabric over the placement line, right side down.
- c. Tape the edges of the fabric in place.



12

COLOR E**SEAM LINE**

- Use cream here to be character accurate.



13a



13b

CUT YOUR FABRIC

- a. Refer to the steps on page 6 for how to finish. Remove the hoop and stabilizers. Trim away the extra threads. Cut away the excess fabric around the stitching about 1/8" from the seam.
- b. Use the bow as usual with the rest of the instructions!

sew desu ne?

| WWW.CHOLYKNIGHT.COM |

