


COMP 3311: Database Management Systems

Lecture 13 Exercises

Indexing: B⁺-tree

Exercise 1: For the B⁺-tree below with order 2 and fan out 4, show the tree that would result after *successively* applying the following operations in order.

- i. insert 3 i. insert 8




COMP 3311: Database Management Systems

Lecture 13 Exercises

Indexing: B⁺-tree

Exercise 2: For the B⁺-tree below with order 2 and fan out 4, show the tree that would result after *successively* applying the following operations in order.

- i. delete 5 ii. delete 3 iii delete 11



COMP 3311: Database Management Systems

Lecture 13 Exercises

Indexing: B⁺-tree



Exercise 3: For the B⁺-tree below with order 2 and fan out 4, show the tree that would result after *successively* applying the following operations in order. Add nodes to or cross out nodes in the empty B⁺-tree below as necessary.

- i. insert 45 ii. insert 35 iii. insert 40 iv. delete 59

Perform the following operations in the order given

- i. insert 45 ii. insert 35 iii. insert 40 iv. delete 59

Initial B⁺-tree



COMP 3311: Database Management Systems

Lecture 13 Exercises

Indexing: B⁺-tree

Exercise 4: Using the template below, construct a B⁺-tree for the following set of search-key values using bulk loading, which creates leaf nodes from left to right. Assume that each node can hold 4 pointers (i.e., 3 values) and that each leaf node is loaded with the minimum number of values.

2 3 5 7 11 17 19 23 29 31

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--

--	--	--	--