APPSEC-REVIEW

Security review report

Degraded review, publishable with limitations

RUN	`2026-10-21-0042`
STATUS	**DEGRADED**
LEDGER HEAD	`9f2e6d33a3717ee826353a404ba4618d1aeeb6879ad7936bce8ed5f46814924d`
RENDERER	`appsec-review-report/1`

CONTENTS

Summary 1
- Findings . . . 2
- Limitations . . . 2

Reading guide 4
- Kinds of box . . . 4
- Verdict states . . . 4
- How to read a package . . . 5

Reviewed packages 6
- Package 1 of 2: cpp.unchecked-strtol at src/main.cpp:58 . . . 6
- Package 2 of 2: package content unavailable . . . 16

Summary

REVIEW	PUBLICATION	CLAIMS	PACKAGES REVIEWED
DEGRADED	**LIMITED**	**1**	**2**

CELLS	MODEL CALLS	TOKENS IN / OUT	GAP RATIO
5	**5**	**45 / 40k**	**0.50**

GAP **This review is not complete**

The limitations below say why. None of it is a clean verdict: missing, skipped or failed coverage is a named gap, never evidence that the target is free of defects.

PROVENANCE Accounting

claim state	count
SUPPORTED	1

gap class	count
authority_error	1
budget_gap	1
schema_error	1

Findings

Confirmed findings: No confirmed finding package is publishable.

CLAIM Integer truncation after strtol in parse() \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} $x^2$ & # _ % ~ ^ } { \end{do SUPPORTED

Verification backlog

state	SUPPORTED
label	not_independently_confirmed
package	`finding-5aef96240bca5582e6fd0468879a26863d81d1c1fb602def55926ef33ec8bb1f`
claim	`claim-dd1b3c312cf7d816130354452e9629ce39355b0c534129dd26a08cd9a4502ede`
lane	lead
ship block	needs_verification (not_independently_confirmed)
independent verifier	no
direct evidence	1
gaps	1
missing predicates	attacker_input_control

Withheld packages: No finding package is withheld.

PROVENANCE Ship-block status

ship-block-policy/1

status	count
needs_verification	1
ship_blocking	0

Limitations

GAP review_degraded

gap · 3

The inference review finished DEGRADED. \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} $x^2$ & # _ % ~ ^ } { \end{document}\begin{document} ^^M [31mred[0m txet <script>alert(1)</script> <img src=x onerror=alert(2)> " ’ ‘ <U+4E2D><U+6587> AA

GAP poc_not_run

not_run · 0

Proof-of-trigger execution is not built.

PROVENANCE Notices

- Model output is data.
- \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} $x^2$ & # _ % ~ ^ } { \end{document} \begin{document} ^^M [31mred[0m txet <script>alert(1)</script> <img src=x onerror=alert(2)> " ' ' <U+4E2D><U+6587> AA

PROVENANCE Provenance

run	2026-10-21-0042
final report schema	appsec-review/final-report/1
ledger head	9f2e6d33a3717ee826353a404ba4618d1aeeb6879ad7936bce8ed5f46814924d
accepted manifest	ab6db599234d2636659cba1aa191bd014c3867d5cfade98ff694785c20c28fc6
configuration	e67d23e7820c49a8051dac2831f38290f5e72f66c8db5079eeb60d82f14894c0
ship-block policy	823412d1eacb67956220e532959f0104603057c88704863ca38e7cd188fda812
gate handoff	data/jobs/job_final_publication_gate/attempts/attempt_0001/handoff.json fb2b7fce0940161406a6aa3e4d8b4aa6104014774ffa665743f8d9704f0eb0ec
gate document	data/jobs/job_final_publication_gate/doc.json 2b88144311832d59ef138600c90b e12a821c7cf01a9dc56a925893325c0af99f
review handoff	data/jobs/job_inference_security_review/attempts/attempt_0001/handoff.json 064369b841ea15785385cdcc3b6a9564150abb1e663150cbb928e9080cf2d803
final-report.json sha256	61fa7c0094165ba19c2725dbae66e9a388964e8ce59554543f442c78d96305c6
pdf state in final report	not_rendered

GAP Artifacts this report could not read

3 named gaps

Each is a named gap in this rendering, not evidence about the target.

- job_final_publication_gate handoff: not found
- package finding_lead-5efd9ecaaaa2d8d28c1: content not found in assembled packages, review packages or recordings
- cell cell-01297a1612f90f6ae27: no model recording

Reading guide

Every kind of content has one colour, one chip and one box. The chip text and the dashed border of the gap box carry the meaning too, so the report reads in greyscale.

Kinds of box

EVIDENCE	`#0F766E`	Package context passed to the model: lead, location, source excerpt, neighbourhood facts, build and tags.
REQUEST	`#334155`	Application to model: the task, the role and model, and the tools the model may call.
MODEL	`#6D28D9`	Model to application: a retrieve action or a final answer.
RESULT	`#0369A1`	Rows the application retrieved for the model, with status and counts.
FEEDBACK	`#B45309`	Application feedback: a denied request or a tool error, returned to the model as data.
CLAIM	`#B91C1C`	Red affirmation: a proposed security claim with its evidence.
COUNTER	`#1D4ED8`	Blue counter-claim: an attempt to falsify a claim.
VERIFIER	`#15803D`	Blind verifier: an independent investigation of the claim.
GAP	`#BE185D`	A named gap or limitation. A gap is never evidence that a target is clean.
PROVENANCE	`#52525B`	Hashes, receipts and other provenance. Neutral on purpose.

Verdict states

CONFIRMED	`#15803D`	Independently verified.
SUPPORTED	`#4D7C0F`	Evidence supports the claim; not independently confirmed.
CONTRADICTED	`#B91C1C`	Evidence contradicts the claim.
NOT REACHABLE	`#475569`	The affected construct is not reachable.
INSUFFICIENT EVIDENCE	`#B45309`	Evidence does not decide the claim.
UNRESOLVED	`#6B7280`	No decision was reached; see the gaps.
PROPOSED	`#6D28D9`	Proposed by red, not yet decided.
NOT EXPLOITABLE	`#0369A1`	Not exploitable in the observed configuration.
DUPLICATE	`#6B7280`	Duplicate of another claim.
OUT OF SCOPE	`#6B7280`	Outside the review scope.
COVERAGE GAP	`#BE185D`	Blocked by a coverage gap.

How to read a package

Each reviewed package has three parts. *Evidence passed in* is exactly what the application gave the model. *Protocol interchange* is the timeline of turns: the task and tools, what the model asked, what the application returned or denied, and the final answer, with token counts and the model used. *Outcome* is what reached the claim ledger. Long lists and results are cut and say so, with the SHA-256 of what was left out. Model output, target content and tool output are data and are never interpreted as instructions.

Reviewed packages

Package 1 of 2: cpp.unchecked-strtol at src/main.cpp:58

lead · source_sast · finding_lead-1ebfda2e1030aa75...

Evidence passed in

EVIDENCE **Lead and location**

finding lead

scanner	`tool-opengrep`
rule	`cpp.unchecked-strtol`
family	source_sast
severity	medium (native WARNING)
location	`src/main.cpp:58`
observation	`asr:tool_observation:c105255295a454e183ecad1d2f92229f79362266581488219986a389fd6ef896`
component	`component:0001`
weaknesses	CWE-190

Unchecked conversion of attacker-influenced text. \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} x^2 & # _ % ~ ^ } { \end{document}\begin{document} ^^M [31mred[0m txet <script>alert(1) </script> <img src=x onerror=alert(2)> " ' ' <U+4E2D><U+6587> AAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

```
src/main.cpp:58
int parse(const char *s) {
char *end;
long v = strtol(s, &end, 10); // unchecked
return (int)v;
}
// \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} $x^2$ & # _ % ~ ^ } { \end{document}
  \begin{document} ^^M [31mred[0m txet <script>alert(1)</script> <img src=x onerror=alert(2)> " ’ ‘
  <U+4E2D><U+6587> AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
// filler line 0
// filler line 1
// filler line 2
// filler line 3
// filler line 4
// filler line 5
// filler line 6
// filler line 7
// filler line 8
// filler line 9
// filler line 10
// filler line 11
// filler line 12
// filler line 13
// filler line 14
// filler line 15
// filler line 16
// filler line 17
// filler line 18
// filler line 19
// filler line 20
// filler line 21
38 more lines, sha256 0ef47d81e56a9e3b8077666a4fecfdbb92e02b7b55423d08a389674f3f56904f
```

EVIDENCE Scope and proof obligations

component	`component:0001`
partition	`lead/asr:tool_observation:c105255295a454e183ecad1d2f92229f79362266581488219986a389fd6ef896`
build unit	-
trust boundary	-
artifacts in scope	0
sources in scope	1

Proof obligations the claim must satisfy

- affected_construct
- attacker_input_control
- security_impact

EVIDENCE Neighbourhood facts

12 evidence rows

evidence rows	12
resolution	source_line 6, unresolved 6
relation	qualifies 12

entity	relation	resolution	shard
`asr:ast_node:a647f5a703da...`	qualifies	unresolved	`cpp-build-unit-ast`
`asr:ast_node:986cbeb18368...`	qualifies	source_line	`cpp-build-unit-ast`
`asr:ast_node:867bf6db4f39...`	qualifies	unresolved	`cpp-build-unit-ast`
`asr:ast_node:96516afaccea...`	qualifies	source_line	`cpp-build-unit-ast`
`asr:ast_node:4f01f687f994...`	qualifies	unresolved	`cpp-build-unit-ast`
`asr:ast_node:4404b5616071...`	qualifies	source_line	`cpp-build-unit-ast`
`asr:ast_node:f9222bf5a45c...`	qualifies	unresolved	`cpp-build-unit-ast`
`asr:ast_node:57d923cf11a6...`	qualifies	source_line	`cpp-build-unit-ast`

4 more rows, sha256 `8c64437ca20309a4f28e1ebdb2b76e842ee94be44ec32b2c9f7c09339a54bfc1`

context entities	3 (neighbour 3)

Compiled facts near the lead

kind	name	location
FunctionDecl	`main`	`src/main.cpp:49`

EVIDENCE Build context

build actions	1
build artifacts	1
bindings	1

Normalised command facts

tool	tokens
`clang++`	`clang++ -O2 <redacted>`

Environment facts

name	value	class
`CC`	`clang`	toolchain_selection

EVIDENCE Tags

2 tags

tag	assignments
`lang:cpp`	2
`gap:crosswalk-unmapped`	1

GAP Coverage gaps in the package

14 gaps

Coverage the assembly could not provide. A gap is never evidence that the target is clean.

gaps	14
by state	unavailable 9, partial 5
by producer	artifact_scanner 7, code_graph 7

state	producer	reason
partial	artifact_scanner	graph family 0 unavailable for this scope; absence is a gap, never evidence
unavailable	artifact_scanner	graph family 10 unavailable for this scope; absence is a gap, never evidence
partial	artifact_scanner	graph family 12 unavailable for this scope; absence is a gap, never evidence
unavailable	artifact_scanner	graph family 2 unavailable for this scope; absence is a gap, never evidence
unavailable	artifact_scanner	graph family 4 unavailable for this scope; absence is a gap, never evidence
partial	artifact_scanner	graph family 6 unavailable for this scope; absence is a gap, never evidence
unavailable	artifact_scanner	graph family 8 unavailable for this scope; absence is a gap, never evidence
unavailable	code_graph	graph family 1 unavailable for this scope; absence is a gap, never evidence

6 more rows, sha256 `ec8a2eb0f1b8df3cc9150f48a8d62bb65d5e50414df91348ab403518b3feba6b`

PROVENANCE **Package provenance**

package	`finding_lead-1ebfda2e1030aa75f400326e0c3341600e59c9c93a291120f87d266376607dae`
assembly rule	`appsec-review/assemble-review-packages/5`
lane	lead
source	`data/jobs/job_inference_security_review/attempts/attempt_0001/steps/packages/tasks/assemble_lead_packages/assembly/packages/finding_lead-1ebfda2e1030aa75f400326e0c3341600e59c9c93a291120f87d266376607dae.json`
manifest	`05b3abf2579a5eb66403cd78be557fd860633a1fe2103c7642030defe32c657f`
input fingerprint	`44863b03e9909b7100e05b02526909a346fd7455183f6619e0fe6198c89981e0`
target snapshot	`16a0eeb0791b6c92451fd284dd9f599e0a7dbe7f6ebea6e2d2d06c7f74aec112`
basis sha256	`a7a3c8f654761303e495b66f724dbf68d663d725fb129a8774294b9ea3970a8e`
package sha256	`8d7e485d233b5d8a698e7cfb4103e0d05378ea97d7632bef9123f53c872b213e`

Protocol interchange

Red team analyst (generalist)

claude-haiku-5-5 · succeeded · cell-07409b7912...

REQUEST **Task and tools**

application to model

role	red_team_analyst
persona	generalist
task	`lead_red_failure_modes`
lens	`lead_red_failure_modes`
round	0
model	claude-haiku-5-5 via claude-cli, reasoning high
token caps	32000 in / 8000 out
output schema	`appsec-review/red-discovery-result/1`
guidance bundle	`1e6ed65d77d6364eeaed5a745ba5c4985ae2b700dd85d7cf7f027bdf294a33fc`

tools offered	`find, read_excerpt, trace, query_code_graph`
limits	12 turns / 40 queries / 20 rows per page / 4 depth / 65536 bytes per result / 16 requests per turn

MODEL Turn 1: retrieve (3 requests)

claude-haiku-5-5 · 2 in / 1949 out / 2234 cached tokens

#	tool	parameters
1	`trace`	`{"depth":2,"identity":"asr:tool_observation:c105255295a454e183ecad1d2f92229f79362266581488219986a389fd6ef896","limit":20}`
2	`read_excerpt`	`{"path":"/etc/passwd"}`
3	`query_code_graph`	`{"scope":"unit"}`

RESULT Turn 1: retrieval result

37 queries left · 11 turns left

#	tool	rows	notes
1	`trace`	4	truncated, 20 withheld out of scope, 1 gaps

Sample rows

tool	row
`trace`	`OBSERVED_AT asr:tool_observation:c105255295a4... -> asr:object_file:d226e180fffd...`
`trace`	`OBSERVED_AT asr:tool_observation:c105255295a4... -> asr:object_file:d226e180fffd...`

FEEDBACK Turn 1: feedback to the model

2 of 3 requests not served

The application returned these as data. A denial is an answer to the model, not a failure of the review.

#	status	code	detail
2	denied	`forbidden_parameter`	parameter is never grantable: path
3	tool_error	`ValueError`	query_code_graph

MODEL Final answer of the red team analyst

claude-haiku-5-5 · 3 in / 5956 out tokens

lane	lead

lead_accounting (1)

disposition	lead	note	rule_id
developed	asr:tool_observation: c105255295a4...	Developed into one proposal.	cpp.unchecked-strtol

lens	lead_red_failure_modes

observed_facts (2)

- strtol result is cast to int without a range check at src/main.cpp:58.
- \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} x^2 & # _ % ~ ^ } { \end{document} \begin{document} ^^M [31mred[0m txet <script>alert(1)</script> <img src=x onerror=alert(2)> " ′ ‘ <U+4E2D><U+6587> AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAA

predicate_status

affected_construct	resolved at src/main.cpp:58
attacker_input_control	not established

PROPOSAL Integer truncation after strtol in parse()

proposal 1 of 1

stance	**PROPOSED**

evidence (1)

- asr:tool_observation:c105255295a454e183ecad1d2f92229f79362266581488219986a389fd6ef896

statement

parse() casts a long to int without a range check. \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} $x^2$ & # _ % ~ ^ } { \end{document}\begin{document} ^^M [31mred[0m txet <script>alert(1)</script> <img src=x onerror=alert(2)> " ’ ‘ <U+4E2D><U+6587> AAA

weakness_cwe	CWE-190

PROVENANCE Cell provenance

cell	`cell-07409b79128cda26e61380caa8f33e21a69e1a5af3d28183057799336caae544`
recorded status	succeeded
attempts	1
gaps	0
model calls recorded	2 in 1 chain(s)

Attempt receipts

attempt	status	reason	turns	queries	denials	tokens in/out	sha256
attempt-1	succeeded	-	2	5	1	9/7900	`a0043f8e7675`

Red team analyst (generalist)

claude-haiku-5-5 · invalid · cell-f91a63c4bb...

REQUEST Task and tools

application to model

role	red_team_analyst
persona	generalist
task	`lead_red_stack`
lens	`lead_red_stack`
round	0
model	claude-haiku-5-5 via claude-cli, reasoning high
token caps	32000 in / 8000 out
output schema	`appsec-review/red-discovery-result/1`
guidance bundle	`1e6ed65d77d6364eeaed5a745ba5c4985ae2b700dd85d7cf7f027bdf294a33fc`
tools offered	`find, read_excerpt, trace, query_code_graph`

limits	12 turns / 40 queries / 20 rows per page / 4 depth / 65536 bytes per result / 16 requests per turn

FEEDBACK Model call failed

claude-haiku-5-5

error type	`ModelOutputError`
message	expected exactly one appsec-review/worker-turn/1 JSON object, found 0

The failure is recorded as a typed gap; it is not read as a negative finding.

PROVENANCE Cell provenance

cell	`cell-f91a63c4bb35f4214736b7529d667d95607c14118b01e3fc89537b6d5c65c371`
recorded status	invalid
attempts	1
gaps	0
model calls recorded	1 in 1 chain(s)

Attempt receipts

attempt	status	reason	turns	queries	denials	tokens in/out	sha256
attempt-1	invalid	schema_violation	2	5	1	9/7900	`f80f0053c16c`

Blue team refuter (generalist)

claude-haiku-5-5 · succeeded · cell-e38985135f...

REQUEST Task and tools

application to model

role	blue_team_refuter
persona	generalist
task	`blue_control`
lens	`blue_control`
round	0
model	claude-haiku-5-5 via claude-cli, reasoning high
token caps	32000 in / 8000 out
output schema	`appsec-review/red-discovery-result/1`
guidance bundle	`1e6ed65d77d6364eeaed5a745ba5c4985ae2b700dd85d7cf7f027bdf294a33fc`
tools offered	`find, read_excerpt, trace, query_code_graph`
limits	12 turns / 40 queries / 20 rows per page / 4 depth / 65536 bytes per result / 16 requests per turn

COUNTER Final answer of the blue team refuter

claude-haiku-5-5 · 4 in / 800 out tokens

stance	INSUFFICIENT EVIDENCE

controls_found (1)

control	effective	location
range check	partial	src/main.cpp:41

counter_claim	A range check exists in the caller, so truncation is not reachable for inputs above INT_MAX.

missing (1)

- caller of parse() was not retrieved

PROVENANCE Cell provenance

cell	`cell-e38985135f98b4c70f1914c56d933851d50df9ae20c06beb51a739e004276732`
recorded status	succeeded
attempts	1
gaps	0
model calls recorded	1 in 1 chain(s)

Attempt receipts

attempt	status	reason	turns	queries	denials	tokens in/out	sha256
attempt-1	succeeded	-	2	5	1	9/7900	`f5f122badded`

Independent verifier

claude-haiku-5-5 · succeeded · cell-9fa0ab6ed8...

REQUEST Task and tools

application to model

role	independent_verifier
persona	-
task	`verify_claim`
lens	`verify_claim`
round	0
model	claude-haiku-5-5 via claude-cli, reasoning high
token caps	32000 in / 8000 out
output schema	`appsec-review/red-discovery-result/1`
guidance bundle	`1e6ed65d77d6364eeaed5a745ba5c4985ae2b700dd85d7cf7f027bdf294a33fc`
tools offered	`find, read_excerpt, trace, query_code_graph`
limits	12 turns / 40 queries / 20 rows per page / 4 depth / 65536 bytes per result / 16 requests per turn

VERIFIER Final answer of the independent verifier

claude-haiku-5-5 · 5 in / 1200 out tokens

verdict	SUPPORTED

predicates (2)

predicate	status
affected_construct	SUPPORTED
attacker_input_control	UNRESOLVED

summary	The cast is real; reachability from attacker input was not independently confirmed.

PROVENANCE Cell provenance

cell	`cell-9fa0ab6ed8546db3d815b42999bbabe04c2865b44ffb281133feb779df353c74`
recorded status	succeeded
attempts	1
gaps	0

model calls recorded	1 in 1 chain(s)

Attempt receipts

attempt	status	reason	turns	queries	denials	tokens in/out	sha256
attempt-1	succeeded	-	2	5	1	9/7900	`9d1f69fd2953`

Outcome

CLAIM Claim SUPPORTED

lead

parse() truncates an unchecked strtol result. \input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} $x^2$ & # _ % ~ ^ } { \end{document}\begin{document} ^^M [31mred[0m txet <script>alert(1)</script> <img src=x onerror=alert(2)> " ' ' <U+4E2D><U+6587> AAA

state	SUPPORTED
claim	`claim-dd1b3c312cf7d816130354452e9629ce39355b0c534129dd26a08cd9a4502ede`
lane	lead
weakness	CWE-190
security predicate	integer_overflow_or_truncation
origin cells	1

affected entities

`asr:tool_observation:c105255295a454e183ecad1d2f92229f79362266581488219986a389fd6ef896`

preconditions	attacker_controlled_input
evidence relations	2: affected_construct/supports 1, security_impact/supports 1

predicate	kind	admissibility	entity	complete
affected_construct	supports	direct	`asr:ast_node:a647f5a703da...`	yes
security_impact	supports	direct	`asr:ast_node:986cbeb18368...`	yes

round	transition	reason
1	proposed → supported	evidence supports the affected construct

PROVENANCE Cell outcomes

4 cells

role	persona	status	attempts	gaps
Red team analyst	generalist	succeeded	1	0
Red team analyst	generalist	invalid	1	0
Blue team refuter	generalist	succeeded	1	0
Independent verifier	-	succeeded	1	0

GAP Gaps recorded in the ledger

2 gaps · authority_error 1, schema_error 1

A gap names missing, denied, failed or skipped coverage. It is never evidence that the target is clean.

class	reason	subject
authority_error	denied:forbidden_parameter	`cell-07409b7912...`
schema_error	\input{/etc/passwd}\write18{id}\immediate\write18{touch /tmp/pwned} x^2 & # _ % ~ ^ } { \end{document} \begin{document} ^^M [31mred[0m txet <script>alert(1)</s	`cell-07409b7912...`

Package 2 of 2: package content unavailable

finding_lead-5efd9ecaaaa2d8d2...

Evidence passed in

GAP **Package content is not available**

Neither an assembled package, a review package nor a model recording carries this package. The interchange below is rendered without its evidence.

Protocol interchange

Red team analyst (generalist)

claude-haiku-5-5 · timed_out · cell-01297a1612...

GAP **No model recording for this cell**

The cell has a receipt or ledger record but no recorded model call, so its interchange cannot be shown.

PROVENANCE **Cell provenance**

cell	`cell-01297a1612f90f6ae274a6b77326968d69e9d9349d34c89b8c4cbfb94df510fc`
recorded status	timed_out
attempts	1
gaps	0
model calls recorded	0 in 0 chain(s)

Attempt receipts

attempt	status	reason	turns	queries	denials	tokens in/out	sha256
attempt-1	timed_out	cell_budget_exceeded: cell_token_cap	2	5	1	9/7900	`c7c6b66216b8`

Outcome

No claim reached the ledger for this package. This is a statement about the review, not about the target.

PROVENANCE **Cell outcomes**

1 cells

role	persona	status	attempts	gaps
Red team analyst	generalist	timed_out	1	0

GAP **Gaps recorded in the ledger**

1 gaps · budget_gap 1

A gap names missing, denied, failed or skipped coverage. It is never evidence that the target is clean.

class	reason	subject
budget_gap	cell_budget_exceeded:cell_token_cap	`cell-01297a1612...`