Lab objectives:


- Update a master file with adds/changes and deletes from a transaction file
- Use a CLLE driver program to automate testing of the update program
- View the journaled changes made to the master file

Requirements to pass the lab:


All the parts for this application will be handed out. The RPGLE program, the CLLE driver program, and the master and transaction files. You need to adapt this application so you can update a master file in your own collection. Successfully run the CLLE program updating data in a collection created by you and be able to show the add, update and delete journaled changes.


Call RunLab7


SALESSTAF2 - data comes from SALESSTAFF in BCI433LIB




Transaction File SALESTRANS in BCI433LIB indicates adds, changes and deletes to your SALESTAFF table










SALESTAFF after the updates were applied by your program



All the spooled files generated with meaningful names.









Steps to successfully run lab 7

- 1. Create a source physical file called LAB7
- 2. Create a collection using parts of your id (mine is DM433B40 so I will use DM and B40. The U stands for update and is common for all ids.

CREATE COLLECTION DMUB40

- 3. Copy the provided code in BCI433LIB/Lab7Code. The RPGLE program is called SLSTRNPGM and the CLLE program is called RUNLAB7. Study these programs. The code has been supplied for both on the next pages. You will need to write out four lines that will be provided in class for each program. These will be included in your copied members before compiling.
- 4. Also change the CLLE code so it refers to your data, journal and output queue.

RPGLE program to apply the updates

```
FSALESTRANSIF E
                             DISK
                                     RENAME (SALESTRANS: SALESTRANR)
FSALESTRANSIF E DISK RENAME (SALEST FSALESSTAF2UF A E K DISK FQPRINT O F 132 PRINTER OFLIND(*INOF)
D SALESTRANSDS DS
D TDEPT
D TSALESID
  TFNAME
D
  TLNAME
D
   TCITY
D
D TADDRESS
D TPCODE
D SALESSTAF2DS DS
   DEPT
D
  SALESID
D
   FNAME
D
  LNAME
D
D CITY
D ADDRESS
D PCODE
              DS
D FullKey
                            LikeRec(SALESTFR: *Key)
C/FREE
             EXCEPT HEADINGS;
              READ SALESTRANS;
              DOW NOT %EOF;
                 SELECT;
                  WHEN %FOUND(SALESSTAF2);
                   SELECT;
                     WHEN TCODE = 'C';
                        EXSR CHGREC;
                      WHEN TCODE = 'D';
                        EXSR DELREC;
                      OTHER;
                        EXSR ERROR;
                   ENDSL;
                   WHEN NOT %FOUND(SALESSTAF2);
                     IF TCODE = 'A';
                        EXSR ADDREC;
                     ELSE;
                        EXSR ERROR;
                     ENDIF;
                   WHEN %ERROR;
                        EXSR ERROR;
                   ENDSL;
                   EXCEPT DETAIL;
                   READ SALESTRANS;
              ENDDO;
              *INLR = *ON;
              RETURN;
```

BEGSR ADDREC;

WRITE SALESTFR; ENDSR; BEGSR CHGREC; SALESSTAF2DS = SALESTRANSDS; Phone = %Dec(TPhone:10:0); UPDATE SALESTFR; ENDSR; BEGSR DELREC; DELETE SALESTFR; ENDSR; BEGSR ERROR; TFNAME = 'UPDATE/DELETE/CHANGE'; TLNAME = 'E R R O R'; ENDSR; /END-FREE OQPRINT E HEADINGS 2 02 8 'PAGE' 0 0 PAGE 13 50 'SALESSTAFF UPDATE' 64 'DATE' 0 HEADINGS UDATE 73 0 E 1 0 4 'CODE' 0 10 'DEPT' 0 0 14 'ID' 0 28 'FIRST NAME' 49 'LAST NAME' 0 66 'CITY' 0 91 'ADDRESS' 0 113 'PHONE' 0 125 'POSTAL' 0 0 Ε HEADINGS 124 'CODE' 0 E 0 DETAIL 0 TCODE 2 0 TDEPT 15 0 TSALESID 38 0 TFNAME 0 TLNAME 60 0 TCITY 82 102 116 0 TADDRESS TPHONE 0 TPCODE 125

CLLE driver program /* This program will not work until have it refer to your own collection and userprofile */ PGM DLTF DMUB40/SALESSTAF2 MONMSG MSGID (CPF2105) CLROUTQ DM433B40 OVRPRTF FILE (QPQUPRFIL) SPLFNAME (BEFORE UPD) RUNQRY *NONE DMUB40/SALESSTAF2 *PRINTER OVRPRTF FILE (QPQUPRFIL) SPLFNAME (SALESTRANS) RUNQRY *NONE BCI433LIB/SALESTRANS *PRINTER OVRPRTF FILE (QPRINT) SPLFNAME (UPDREPORT) OVRDBF SALESSTAF2 DMUB40/SALESSTAF2 CALL SLSTRNPGM OVRPRTF FILE (QPQUPRFIL) SPLFNAME (AFTER UPD) RUNQRY *NONE DMUB40/SALESSTAF2 *PRINTER DSPSPLF BEFORE UPD DSPSPLF SALESTRANS DSPSPLF UPDREPORT DSPSPLF AFTER UPD WRKOUTQ DM433A40 DSPJRN JRN (DMUB40/QSQJRN) FILE ((DTUB40/SALESSTAF2))

ENDPGM

Page 8 of 8