Hamiltonian Constraint for Modified Gravity

Wenrong Sun[1]

[1] *Brown University, Department of Physics*

We provide research on Neutron Star Superradiance

I. THE HAMILTONIAN CONSTRAINT IN GHOST-FREE MODIFIED GRAVITY

A. Constraint versus dynamical equation

Consider the FLRW minisuperspace with dynamical fields $\{a(t), \phi(t)\}$ and lapse $N(t)$, governed by three Euler–Lagrange equations $E_N = 0$, $E_a = 0$, $E_\phi = 0$. These three equations play fundamentally different roles in the initial-value problem.

A *dynamical equation* determines an acceleration. For example, $E_a = 0$ takes the schematic form

$$G(a, \dot{a}, \phi, \dot{\phi}) + A(a, \dot{a}, \phi, \dot{\phi})\, \ddot{a} = 0 \quad \Longrightarrow \quad \ddot{a} = -\frac{G}{A} \,. \tag{1}$$

Given the state $(a_0, \dot{a}_0, \phi_0, \dot{\phi}_0)$ at an initial time t_0, this equation determines $\ddot{a}(t_0)$ and thereby governs the subsequent evolution. The initial conditions $(a_0, \dot{a}_0)$ can be chosen freely.

A *constraint* does not contain second-order (or higher) derivatives of any dynamical field:

$$F(a, \dot{a}, \phi, \dot{\phi}) = 0 \,. \tag{2}$$

It does not determine the evolution; instead it *restricts which initial conditions are physically allowed*. For instance, the Friedmann equation in GR,

$$3^2 H^2 = \rho \,, \tag{3}$$

is a constraint: given $(\phi_0, \dot{\phi}_0)$, it fixes $H_0 = \dot{a}_0/a_0$ rather than leaving it free.

The distinction is summarised in Table I.

B. The concern

In GR, the lapse N appears without time derivatives in the minisuperspace Lagrangian (after integration by parts). It is a *Lagrange multiplier*: $\partial L/\partial \dot{N} = 0$, and $E_N = \partial L/\partial N = 0$ is manifestly a constraint. This is the Hamiltonian constraint (Friedmann equation).

In modified gravity, the Ricci scalar on FLRW,

$$R = \frac{6}{N^2}\left(\frac{\ddot{a}}{a} - \frac{\dot{a}\,\dot{N}}{aN} + \frac{\dot{a}^2}{a^2}\right), \tag{4}$$

contains $\dot{N}$. Once the Lagrangian includes terms such as $\phi^4 R$, R^2, or $\phi\, R_{\mu\nu}^2$, the minisuperspace Lagrangian depends on $\dot{N}$, the conjugate momentum $p_N = \partial L/\partial \dot{N}$ is nonzero, and N is no longer a Lagrange multiplier. The Euler–Lagrange equation for N now involves $\frac{d}{dt}(\partial L/\partial \dot{N})$, which generically introduces $\ddot{a}$ into E_N. If E_N contains $\ddot{a}$, it is a dynamical equation, not a constraint, and the Hamiltonian constraint structure of GR is lost.

The question is: *does ghost-freedom restore the constraint?*

TABLE I. Constraint versus dynamical equation.

	Dynamical EOM	Constraint
Form	$G + A\,\ddot{a} = 0$	$F(a, \dot{a}, \phi, \dot{\phi}) = 0$
Determines	acceleration $\ddot{a}$	nothing (restricts IC)
Free IC for a	a_0 and $\dot{a}_0$ both free	one is determined
Derivative order	≥ 2 in some field	≤ 1 in all fields

C. Setup and notation

We work with the FLRW metric (**??**). The minisuperspace Lagrangian is

$$L = L(N, \dot{N}, \ldots, a, \dot{a}, \ddot{a}, \ldots, \phi, \dot{\phi}, \ddot{\phi}, \ldots) \,, \tag{5}$$

obtained from a generally covariant 4D action $S = \int d^4x\, \sqrt{-g}\, \mathcal{L}(\text{covariant scalars})$ by substituting the FLRW ansatz and integrating over a comoving spatial volume V_3:

$$S = V_3 \int dt\; L \,. \tag{6}$$

The Euler–Lagrange derivative with respect to a field q is defined as

$$E_q[L] \;\equiv\; \sum_{k=0}^{K} (-1)^k \frac{d^k}{dt^k} \frac{\partial L}{\partial q^{(k)}} \,. \tag{7}$$

Ghost-freedom. A theory is ghost-free (after $N = 1$ gauge-fixing) if $E_a|_{N=1}$ and $E_\phi|_{N=1}$ contain no derivatives of order > 2:

$$E_a\big|_{N=1} = E_a(a, \dot{a}, \ddot{a}, \phi, \dot{\phi}, \ddot{\phi}) \,, \qquad E_\phi\big|_{N=1} = E_\phi(a, \dot{a}, \ddot{a}, \phi, \dot{\phi}, \ddot{\phi}) \,. \tag{8}$$

D. Theorem 1: Noether identity from general covariance

Theorem 1 (Noether identity). *For any generally covariant minisuperspace ac-*

tion $S = V_3 \int dt\, L$, the following off-shell identity holds:

$$\boxed{N\,\dot{E}_N = E_a\,\dot{a} + E_\phi\,\dot{\phi}\,.} \tag{9}$$

Proof. The 4D action is diffeomorphism invariant. On FLRW, the surviving gauge symmetry is time reparametrization $t \to t + \xi(t)$, under which

$$\delta a = \dot{a}\,\xi\,, \qquad \delta\phi = \dot{\phi}\,\xi\,, \qquad \delta N = \frac{d}{dt}(N\xi) = \dot{N}\,\xi + N\,\dot{\xi}\,. \tag{10}$$

(The transformation of N follows from the requirement that the proper-time element $N\,dt$ transforms covariantly under reparametrization.)

Since S is invariant under this transformation for *arbitrary* $\xi(t)$ (vanishing at the endpoints t_1, t_2):

$$0 = \delta S = V_3 \int_{t_1}^{t_2} \left[E_N\,\delta N + E_a\,\delta a + E_\phi\,\delta\phi\right] dt\,. \tag{11}$$

Substituting (10):

$$0 = \int_{t_1}^{t_2} \Big[E_N\big(\dot{N}\,\xi + N\dot{\xi}\big) + E_a\,\dot{a}\,\xi + E_\phi\,\dot{\phi}\,\xi\Big]\, dt\,. \tag{12}$$

Integrate the $E_N N\dot{\xi}$ term by parts (boundary terms vanish since $\xi(t_1) = \xi(t_2) = 0$):

$$\int E_N N\dot{\xi}\, dt = -\int \frac{d}{dt}(NE_N)\,\xi\, dt = -\int \big(N\dot{E}_N + \dot{N}\,E_N\big)\xi\, dt \tag{13}$$

Therefore:

$$0 = \int_{t_1}^{t_2} \Big[E_N\dot{N}\,\xi - N\dot{E}_N\,\xi - \dot{N}\,E_N\,\xi + E_a\dot{a}\,\xi + E_\phi\dot{\phi}\,\xi\Big]\, dt\,. \tag{14}$$

Since this holds for arbitrary $\xi(t)$:

$$-N\dot{E}_N + E_a\dot{a} + E_\phi\dot{\phi} = 0\,. \tag{15}$$

□

Remark. Equation (9) is an **off-shell identity**: it holds for all field configurations $(N(t), a(t), \phi(t))$, not just solutions of the equations of motion. It is the minisuperspace version of the contracted Bianchi identity $\nabla_\mu G^{\mu\nu} = 0$.

E. Theorem 2: Ghost-freedom implies constraint

Theorem 2 (Constraint theorem). *Let the action be generally covariant, and let the theory be ghost-free in the sense of* (8)*. Then $E_N|_{N=1}$ does not contain $\ddot{a}$ or $\ddot{\phi}$:*

$$E_N\big|_{N=1} = F(a, \dot{a}, \phi, \dot{\phi})\,. \tag{16}$$

In other words, $E_N|_{N=1} = 0$ is a constraint, not a dynamical equation.

Proof. Set $N = 1$ (hence $\dot{N} = \ddot{N} = \cdots = 0$) in the Noether identity (9):

$$\dot{E}_N\big|_{N=1} = \big(E_a\,\dot{a} + E_\phi\,\dot{\phi}\big)\big|_{N=1}\,. \tag{17}$$

Step 1: Analyse the right-hand side. Ghost-freedom (8) ensures that $E_a|_{N=1}$ and $E_\phi|_{N=1}$ contain at most second-order derivatives. Multiplying by $\dot{a}$ and $\dot{\phi}$ (which are first-order) does not raise the derivative order. Therefore the right-hand side of (17) contains at most second-order derivatives $\ddot{a}$ and $\ddot{\phi}$ (and lower). In particular, it contains *no* $a^{(3)}$ or $\phi^{(3)}$.

Step 2: Analyse the left-hand side. Suppose, for contradiction, that $E_N|_{N=1}$ contains $\ddot{a}$. Write

$$E_N\big|_{N=1} = F_0(a, \dot{a}, \phi, \dot{\phi}) + F_1(a, \dot{a}, \phi, \dot{\phi})\,\ddot{a} + F_2(a, \dot{a}, \phi, \dot{\phi})\,\ddot{\phi}\,, \tag{18}$$

where $F_1 \not\equiv 0$ or $F_2 \not\equiv 0$. Then:

$$\dot{E}_N\big|_{N=1} = \dot{F}_0 + \dot{F}_1\,\ddot{a} + F_1\,a^{(3)} + \dot{F}_2\,\ddot{\phi} + F_2\,\phi^{(3)}\,, \tag{19}$$

where $\dot{F}_0, \dot{F}_1, \dot{F}_2$ involve at most second-order derivatives. The terms $F_1\,a^{(3)}$ and $F_2\,\phi^{(3)}$ involve *third*-order derivatives.

Step 3: Match derivative orders. Equation (17) is an identity in the fields $(a(t), \phi(t))$ and all their derivatives. The right-hand side contains no $a^{(3)}$ or $\phi^{(3)}$ (Step 1), but the left-hand side contains $F_1\,a^{(3)}$ and $F_2\,\phi^{(3)}$ (Step 2). Since $a^{(3)}$ and $\phi^{(3)}$ are algebraically independent of all lower-order derivatives, their coefficients must vanish identically:

$$F_1(a, \dot{a}, \phi, \dot{\phi}) \equiv 0\,, \qquad F_2(a, \dot{a}, \phi, \dot{\phi}) \equiv 0\,. \tag{20}$$

This contradicts the assumption, completing the proof. □

Remark. The theorem does *not* require N to be a Lagrange multiplier. The minisuperspace Lagrangian may depend on $\dot{N}$ (as it does for $\phi^4 R$ and many other ghost-free theories). The constraint structure of E_N is guaranteed by the interplay of general covariance (Theorem 1) and ghost-freedom, not by the absence of $\dot{N}$ from L.

F. Corollary: Constraint preservation

Corollary. *If $E_a|_{N=1} = 0$ and $E_\phi|_{N=1} = 0$ are satisfied for all t, then $E_N|_{N=1}$ is a constant of motion: $\dot{E}_N|_{N=1} = 0$. In particular, if the initial conditions satisfy $E_N(t_0) = 0$, then $E_N(t) = 0$ for all t.*

Proof. Immediate from the Noether identity (17): on-shell ($E_a = E_\phi = 0$),

$$\dot{E}_N\big|_{N=1} = 0 \cdot \dot{a} + 0 \cdot \dot{\phi} = 0\,. \tag{21}$$

□

This justifies the cosmological integration scheme in Sec. **??**: one uses $E_N = 0$ as an initial-condition constraint (e.g., to fix $\dot\phi_0$), and evolves the system with $E_a = 0$ and $E_\phi = 0$. The constraint is automatically preserved and need not be re-imposed at subsequent times.

G. Explicit verification: the $\phi^4 R$phi4R term

The term $_\gamma = \gamma^{-2}\,\phi^4\,\sqrt{-g}\,R$ survives ghost removal (see Lagrangian #321 in Sec. **??**). Its FLRW Lagrangian is

$$L_\gamma = 6\gamma\,\phi^4\left(\frac{a^2\ddot a}{N} - \frac{a^2\dot a\,\dot N}{N^2} + \frac{a\dot a^2}{N}\right), \tag{22}$$

which depends explicitly on $\dot N$ through the second term. The conjugate momentum $p_N = \partial L_\gamma/\partial\dot N = -6\gamma\,\phi^4 a^2\dot a/N^2$ is nonzero, so N is not a Lagrange multiplier.

Nonetheless, the Euler–Lagrange equation for N is

$$E_N[L_\gamma] = \frac{\partial L_\gamma}{\partial N} - \frac{d}{dt}\frac{\partial L_\gamma}{\partial\dot N}\,. \tag{23}$$

Computing each term at $N=1$, $\dot N = 0$:

$$\left.\frac{\partial L_\gamma}{\partial N}\right|_{N=1} = 6\gamma\,\phi^4\big(-a^2\ddot a - a\dot a^2\big)\,, \tag{24}$$

$$\begin{aligned}\left.\frac{d}{dt}\frac{\partial L_\gamma}{\partial\dot N}\right|_{N=1} &= \frac{d}{dt}\big(-6\gamma\,\phi^4 a^2\dot a\big)\\ &= -6\gamma\big(4\phi^3\dot\phi\,a^2\dot a + 2\phi^4 a\dot a^2 + \phi^4 a^2\ddot a\big)\,.\end{aligned} \tag{25}$$

Subtracting:

$$\begin{aligned}E_N[L_\gamma]\big|_{N=1} &= 6\gamma\,\phi^4\big(-a^2\ddot a - a\dot a^2\big) + 6\gamma\big(4\phi^3\dot\phi\,a^2\dot a + 2\phi^4 a\dot a^2 + \phi^4 a^2\ddot a\big)\\ &= 6\gamma\,a\dot a\big(\phi^4\dot a + 4\phi^3\dot\phi\,a\big)\,.\end{aligned} \tag{26}$$

The $\ddot a$ terms cancel exactly, leaving a function of $(a,\dot a,\phi,\dot\phi)$ only—a constraint, as guaranteed by Theorem 2. This cancellation is not accidental; it is enforced by the Noether identity.

H. Relationship to the Hamiltonian constraint

We now clarify the connection between $E_N = 0$ and the Hamiltonian constraint $\mathcal{H} = 0$ familiar from the ADM formulation of GR.

1. The GR case: $E_N = 0$ is the Hamiltonian constraint

For GR with a canonical scalar field, the minisuperspace Lagrangian (after integrating by parts to remove $\ddot a$) is

$$L_{\rm GR} = -\frac{6\alpha\,a\dot a^2}{N} + \frac{a^3\dot\phi^2}{2N} - \frac{N a^3 m^2\phi^2}{2}\,, \tag{27}$$

where $\alpha =^2$. Since $L_{\rm GR}$ does not depend on $\dot N$, the conjugate momentum $p_N = 0$ (primary constraint), and N is a Lagrange multiplier.

The canonical momenta for the dynamical fields are

$$p_a = \frac{\partial L}{\partial\dot a} = -\frac{12\alpha\,a\dot a}{N}\,, \qquad p_\phi = \frac{\partial L}{\partial\dot\phi} = \frac{a^3\dot\phi}{N}\,. \tag{28}$$

The *energy function* (Hamiltonian) is

$$\mathcal{E} = p_a\dot a + p_\phi\dot\phi - L = -\frac{6\alpha\,a\dot a^2}{N} + \frac{a^3\dot\phi^2}{2N} + \frac{N a^3 m^2\phi^2}{2}\,. \tag{29}$$

Comparing with the Euler–Lagrange equation for N,

$$E_N = \left.\frac{\partial L}{\partial N}\right|_{N=1} = \frac{6\alpha\,a\dot a^2}{N^2} - \frac{a^3\dot\phi^2}{2N^2} - \frac{a^3 m^2\phi^2}{2}\,, \tag{30}$$

one finds the exact relation

$$\boxed{\mathcal{E} = -N\,E_N\,.} \tag{31}$$

The constraint $E_N = 0$ is therefore equivalent to $\mathcal{E} = 0$: the total energy of the reparametrization-invariant minisuperspace system vanishes.

In the ADM formalism, the Hamiltonian of GR on FLRW takes the form $H_{\rm ADM} = N\,V_3\,\mathcal{H}_{\rm ADM}$, where $\mathcal{H}_{\rm ADM}$ is the Hamiltonian constraint density. Comparing with $\mathcal{E} = -NE_N$:

$$E_N = 0 \quad\Longleftrightarrow\quad \mathcal{E} = 0 \quad\Longleftrightarrow\quad \mathcal{H}_{\rm ADM} = 0\,. \tag{32}$$

So in GR, the Lagrangian equation $E_N = 0$, the vanishing of the minisuperspace energy, and the ADM Hamiltonian constraint are all the same equation—the Friedmann equation.

2. The ghost-free modified gravity case

For a ghost-free modified gravity theory whose Lagrangian depends on $\dot N$ (e.g., via $\phi^4 R$), the situation is more subtle:

1. The conjugate momentum $p_N = \partial L/\partial\dot N \neq 0$: the lapse is not a Lagrange multiplier in the naive sense.

2. The Lagrangian also depends on $\ddot a$ (before integration by parts), so the standard Legendre transform does not directly apply; one must use the Ostrogradsky–Dirac formalism for constrained higher-derivative systems.

3. Despite these complications, the equation $E_N|_{N=1} = 0$ is still a constraint (Theorem 2), and it is still preserved by the dynamics (Corollary in Sec. I F).

The physical content is unchanged: $E_N|_{N=1} = 0$ restricts the space of allowed initial data and serves as

the generalised Friedmann equation of the modified theory. Its constraint character is not derived from $p_N = 0$ (which fails), but from the deeper principle of general covariance via the Noether identity. In this sense, the Hamiltonian constraint $\mathcal{H} = 0$ *does* hold in ghost-free modified gravity—it is simply no longer equivalent to the statement $p_N = 0$.

3. The ghost case (non-ghost-free theories)

If the theory has ghosts (E_a or E_ϕ contain derivatives of order > 2), Theorem 2 does not apply, and $E_N|_{N=1}$ generically contains $\ddot{a}$: it becomes a dynamical equation rather than a constraint. Physically, this means:

1. The lapse N acquires a genuine dynamical degree of freedom (it is no longer pure gauge).
2. The phase space gains two extra dimensions (N, p_N); the system has more degrees of freedom than GR.
3. The extra degree of freedom is the Ostrogradsky ghost, whose kinetic energy is unbounded from below.
4. The "Hamiltonian constraint" $\mathcal{H} = 0$ is lost: the total energy is not constrained to vanish.

Crucially, none of this violates diffeomorphism invariance. The Noether identity (9) holds for *any* covariant theory, with or without ghosts. The issue is not a symmetry violation but a stability catastrophe: the Hamiltonian is unbounded from below, and the vacuum is unstable to simultaneous production of positive-energy and ghost-energy excitations.

The three cases are summarised in Table II.

I. Implications for the GravityMasker pipeline

The results of this section justify the cosmological integration scheme:

1. **Well-posedness.** For every ghost-free theory in the library, $E_N|_{N=1} = 0$ is a genuine constraint (Theorem 2). It can be used to express H^2 (or equivalently $\dot{\phi}_0$) in terms of the other variables, reducing the number of free initial conditions by one.
2. **Self-consistency.** The dynamical equations $E_a = 0$ and $E_\phi = 0$ automatically preserve the constraint (Corollary): if $E_N = 0$ at $z = 0$, it holds at all redshifts without being re-imposed.
3. **No assumption required.** The constraint character of E_N is a *theorem*, not an assumption. It follows from two properties that the pipeline enforces by construction: (i) the Lagrangian is a sum of generally covariant scalars (ensured by the grammar, Sec. **??**); (ii) the theory is ghost-free (ensured by the Ostrogradsky analysis, Sec. **??**).

II. VERSION 2

TABLE II. Status of E_N and the Hamiltonian constraint in three scenarios. A checkmark (✓) denotes "yes"; a cross (×) denotes "no".

	GR	**Ghost-free modified gravity**	**Ghost theory**
$p_N = \partial L/\partial \dot{N}$	$= 0$	$\neq 0$	$\neq 0$
N is Lagrange multiplier?	✓	×	×
$E_N\big\vert_{N=1}$ contains $\ddot{a}$?	×	× (Theorem 2)	✓
$E_N = 0$ is a constraint?	✓	✓	× (dynamical eq.)
Hamiltonian constraint $\mathcal{H} = 0$?	✓	✓ (generalised)	×
Extra degree of freedom?	×	×	✓ (Ostrogradsky ghost)
Diffeomorphism invariance?	✓	✓	✓
Stable?	✓	✓	×